COGSDILL TOOL

This booklet contains schematic drawings and complete details listings for our standard internal and external Roll-a-Finish® tools. It is a technical supplement to our full catalog.

The full catalog contains more information on our Rolla-Finish tools, as well as an overview of the roller burnishing process and tool operating parameters. The catalog also contains information on other burnishing products from Cogsdill (refer to the inside back cover of this booklet).

Request Catalog no. 500, Burnishing Tools & Machines.





Bill of Materials

contents

2	SR	SERIES	INTERI	UAI T	OOI S
_	SIL	SERIES	IIIII	MAL I	OOLS


- 10 R SERIES INTERNAL TOOLS
- 15 U SERIES INTERNAL TOOLS
- 19 AEX SERIES EXTERNAL TOOLS

Internal Roll-a-Finish® tools



SR series

"SR-188 ~ SR-242" SERIES ROLL-A-FINISH® TOOLS 3/16 TO 1/4 IN. (4.76 TO 6.35mm)



* FOR SELF FEEDING HELIX TOOL DESIGNATE DET #13 WITH 'H' eg: SRH-188

					SR-188 A[JUSTMENT	ASSEMBLY	·		
	TOOL Size	1 Shank	2 Lock Ring	3 SPRING	4 Roll Pin	5 COLLAR	6 Thrust Brg	7 SPRING	9 SPIROLOX	10 Thrust Race
	SR-188									
	THRU	RA-500	RA-500	RA-500	RA-500	RA-500	SR-500	SR-188	SR-500	SR-500
l	SR-242						2 REQD			4 REQD

			ASSEMBLY LENGTH	
TOOL SIZE	11 Mandrel	13 CAGE *	ROLL 1	4 NO REQD
SR-188	SR-188	SR-188		
SR-195	SR-195	SR-195		
SR-203	SR-203	SR-203		
SR-211	SR-211	SR-211	SR-187	3
SR-219	SR-219	SR-219	JSK - 167	J
SR-226	SR-226	SR-226		
SR-234	SR-234	SR-234		
SR-242	SR-242	SR-242		


	MANDREL AT 4" WORK	SSEMBLY LENGTH	
11 MANDREL	13 CAGE *	ROLL	4 NO REQD
SR-188-4	SR-188-4		
SR-195-4	SR-195-4		
SR-203-4	SR-203-4		
SR-211-4	SR-211-4	SR-187	.3
SR-219-4	SR-219-4	24-101	J
SR-226-4	SR-226-4		
SR-234-4	SR-234-4		
SR-242-4	SR-242-4		

	6" WORK	LENGTH	
11	13	1	
MANDREL	CAGE *	ROLL	NO REQD
SR-188-6	SR-188-6		
SR-195-6	SR-195-6		
SR-203-6	SR-203-6		
SR-211-6	SR-211-6	SR-187	3
SR-219-6	SR-219-6	21/21/21	ر
SR-226-6	SR-226-6		
SR-234-6	SR-234-6		
SR-242-6	SR-242-6		

MANDREL ASSEMBLY

Internal Roll-a-Finish® tools

"SR-250 ~ SR-484" SERIES ROLL-A-FINISH® TOOLS 1/4 TO 1/2 IN. (6.35 TO 12.70mm)




- 1 FOR SELF FEEDING HELIX TOOL DESIGNATE DET #13 WITH 'H' eg: SRH-250
- 2 FOR BOTTOMING TOOLS DESIGNATE DET #13 & #14 WITH "B" eg: SRB-312 & B-312 RESPECTIVELY
- 3 FOR SELF FEEDING HELIX TOOL USE 'R' ROLLS DET #14 eg: R-250
- 4 TOOLS SRB-250 THRU SRB-297 USE RB-120 ROLL

				— SR-5	OO ADJUST	MENT ASSE	MBLY —			
TOOL SIZE	1 Shank	2 Lock Ring	3 SPRING	4 Roll Pin	5 COLLAR	6 Thrust Brg	7 Spring	8 Washer	9 Spirolox	10 Thrust Race
SR-250										
THRU	RA-500	RA-500	RA-500	RA-500	RA-500	SR-500	SR-500	SR-500	SR-500	SR-500
SR-484						1 REQD				2 REQD

		MANDREL / 2" WORK				MANDREL AS 4" WORK L		\neg		MANDREL AS 6" WORK L		
TOOL SIZE	11 Mandrel	13 CAGE (1) (2)	ROLL (3) (4)	4 NO REQD	11 Mandrei	13 CAGE (1) (2)	ROLL (3) (4)	4 NO REQD	11 Mandrel	13 CAGE (1) (2)	14 ROLL (3) (4)	4 NO REQD
SR-250	SR-250	SR-250			SR-250-	4 SR-250-4			SR-250-6	SR-250-6		
SR-266	SR-266	SR-266	SR-250		SR-266-	4 SR-266-4	SR-250		SR-266-6	SR-266-6	SR-250	
SR-281	SR-281	SR-281	3K-230		SR-281-	4 SR-281-4]SK-230		SR-281-6	SR-281-6	3K-230	
SR-297	SR-297	SR-297			SR-297-	4 SR-297-4			SR-297-6	SR-297-6		
SR-312	SR-312	SR-312			SR-312-	4 SR-312-4			SR-312-6	SR-312-6		
SR-328	SR-328	SR-328	SR-312		SR-328-	4 SR-328-4	SR-312		SR-328-6	SR-328-6	SR-312	
SR-344	SR-344	SR-344	JSK-312		SR-344-	4 SR-344-4]311-312		SR-344-6	SR-344-6	3N-312	
SR-359	SR-359	SR-359		5	SR-359-	4 SR-359-4		5	SR-359-6	SR-359-6		5
SR-375	SR-344	SR-375	SR-375	J	SR-344-	4 SR-375-4	SR-375	J	SR-344-6	SR-375-6	SR-375	3
SR-391	SR-359	SR-391	3K-3/3		SR-359-	4 SR-391-4	J2K-2/2		SR-359-6	SR-391-6	3K-3/3	
SR-406	SR-406	SR-406			SR-406-	4 SR-406-4			SR-406-6	SR-406-6		
SR-422	SR-422	SR-422			SR-422-	4 SR-422-4			SR-422-6	SR-422-6		
SR-438	SR-438	SR-438	CD 470		SR-438-	4 SR-438-4	CD 470		SR-438-6	SR-438-6	SR-438	
SR-453	SR-453	SR-453	SR-438		SR-453-	4 SR-453-4	SR-438		SR-453-6	SR-453-6	3K-436	
SR-469	SR-469	SR-469			SR-469-	4 SR-469-4]		SR-469-6	SR-469-6		
SR-484	SR-484	SR-484			SR-484-	4 SR-484-4			SR-484-6	SR-484-6		

SR series

"SR-500 ~ SR 969" SERIES ROLL-A-FINISH® TOOLS 1/2 TO 1 IN. (12.70 TO 25.40mm)




- 1 FOR SELF FEEDING HELIXTOOL USE 'R' CAGES DET #13 eg: R-500
- 2 FOR BOTTOMING TOOLS USE 'B' CAGES DET #13 eg: B-500
- 3 FOR SELF FEEDING HELIX TOOL USE 'R' ROLLS DET #14 eg: R-500
- 4 FOR BOTTOMING TOOLS USE 'B' ROLLS DET #14 eg: B-500

				— SR-5	00 ADJUST	MENT ASSE	MBLY —			
TOOL SIZE	1 Shank	2 LOCK RING	3 SPRING	4 Roll Pin	5 COLLAR	6 Thrust Brg	7 SPRING	8 Washer	9 Spirolox	10 Thrust Race
SR-500										
THRU	RA-500	RA-500	RA-500	RA-500	RA-500	SR-500	SR-500	SR-500	SR-500	SR-500
SR-969						1 REQD				2 REQD

			OREL ASSEN NORK LEN					ASSEMBLY < LENGTH	-				ASSEMBLY K LENGTH					ASSEMBLY (LENGTH]
TOOL SIZE	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	14 ROLL (3) (4)	NO Reqd	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	ROLL (3) (4)	4 NO REQD	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	7 ROLL (3) (4)	4 NO REQD	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	1 ROLL (3) (4)	NO Reqd
SR-500 SR-531	SR-500 SR-531	SR-500	SR-500 SR-531			SR-500-4 SR-531-4	SR-500-4	SR-500 SR-531			SR-500-6 SR-531-6	SR-500-6	SR-500 SR-531			SR-500-8 SR-531-8	SR-500-8	SR-500 SR-531		
SR-562 SR-594	SR-562 SR-594	SR-562	SR-562 SR-594			SR-562-4 SR-594-4	SR-562-4	SR-562 SR-594			SR-562-6 SR-594-6	→ SR-567-6	SR-562 SR-594			SR-562-8 SR-594-8	SR-562-8	SR-562		
SR-625 SR-656	SR-625 SR-656	SR-625 SR-656	SR-625	SR-500		SR-625-4 SR-656-4	SR-625-4 SR-656-4	SR-625 SR-656	SR-500		SR-625-6 SR-656-6	SR-625-6	SR-625 SR-656	SR-500		SR-625-8 SR-656-8	SR-625-8 SR-656-8	SR-625 SR-656	SR-500	
SR-688	SR-688	SR-688	SR-688			SR-688-4	SR-688-4	SR-688			SR-688-6	SR-688-6	SR-688			SR-688-8	SR-688-8	SR-688		
SR-719 SR-750	SR-719 SR-750	SR-719 SR-750	SR-750		5	SR-719-4 SR-750-4	SR-719-4 SR-750-4	SR-719 SR-750		5	SR-719-6 SR-750-6	SR-750-6	SR-719 SR-750		5	SR-719-8 SR-750-8	SR-719-8 SR-750-8	SR-719 SR-750		5
SR-781 SR-812	SR-781 SR-812	SR-812	SR-781 SR-812	SR-750		SR-781-4 SR-812-4	SR-812-4	SR-781 SR-812	SR-750		SR-781-6 SR-812-6		SR-781 SR-812	SR-750		SR-781-8 SR-812-8	SR-812-8	SR-781 SR-812	SR-750	
SR-844 SR-875	SR-844 SR-875	SR-875	SR-844 SR-875			SR-844-4 SR-875-4	SR-875-4	SR-844 SR-875			SR-844-6 SR-875-6		SR-844 SR-875			SR-844-8 SR-875-8	SR-875-8	SR-844 SR-875		
SR-906 SR-938	SR-906 SR-938	SR-906	SR-906 SR-938	SR-875		SR-906-4 SR-938-4	SR-906-4	SR-906 SR-938	SR-875		SR-906-6 SR-938-6	-	SR-906 SR-938	SR-875		SR-906-8 SR-938-8	SR-906-8	SR-906	SR-875	
SR-969	SR-969	J. 100	SR-969			SR-969-4	3 700	SR-969			SR-969-6	-	SR-969			SR-969-8	3 300 0	SR-969		

Internal Roll-a-Finish® tools

"SR-1000 ~ SR-1594" SERIES ROLL-A-FINISH® TOOLS 1 TO 1-5/8 IN. (25.4 TO 41.28mm)




- 2 FOR BOTTOMING TOOLS USE 'B' CAGES DET #13 eg: RB-1000
- 3 FOR SELF FEEDING HELIX TOOL USE 'R' ROLLS DET #14 eg: R-875
- 4 FOR BOTTOMING ROLLS USE 'B' ROLLS DE #14 eg: B-875
- 5 FOR ALTERNATE WORK LENGTHS DESIGNATE SHANK WITH -4, -6 & -8

				;	SR-1000 A	DJUSIMENI	ASSEMBLY				
TOOL	1 Shank	2 LOCK	3 SPRING	4 ROLL	5 COLLAR	6 Thrust	7 SPRING	8 Washer	9 SPIROLOX	10 Thrust	15 SET
SIZE	(5)	RING	JIMINO	PIN	COLLAIN	BRG	JI MINO	MASHEN	JI INOLOX	RACE	SCREW
SR-1000				1/8 DIA		TORR				TORR	5/16
THRU	DA_1000	RA-1000	U-HAN	l '	RA-1000	NTA-	NSR-1000	CD_1000	RR-193	TRA-	-18 x
IIIKU	KA-1000	KA-1000	H-49	l ,	KA-1000	2031	NSK-1000	3K-1000	KK-190	2031	1/2 LG
SR-1594				LG		1 REQD				2 REQD	FLAT PT

	Г)REL ASSEI NORK LEN		\neg			ASSEMBLY C LENGTH]				ASSEMBLY C LENGTH					ASSEMBLY K LENGTH]
TOOL SIZE	11 Mandrel	12 SLEEVE	13 CAGE (1) (2)	1- ROLL (3) (4)	4 NO REQD	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	ROLL (3) (4)	4 NO REQD	MAN	I1 Drel	12 SLEEVE (BUSHING REQD)	13 CAGE (1) (2)	1- ROLL (3) (4)	4 NO REQD	11 Mandrel	12 SLEEVE (BUSHING REQD)	13 CAGE (1) (2)	ROLL (3) (4)	NO REQD
SR-1000	R-1000	SR-1000	SR-1000			R-1000	SR-1000-4	SR-1000			R-1	1000	SR-1000-6	SR-1000			R-1000	SR-1000-8	SR-1000		
SR-1031	R-1031		SR-1031	CD 075		R-1031		SR-1031	SR-875		R-	1031		SR-1031	SR-875		R-1031		SR-1031	CD 075	
SR-1062	R-1062		SR-1062	SR-875		R-1062	1	SR-1062	SK-8/5		R-1	1062	1	SR-1062	2K-8/2		R-1062	1	SR-1062	SR-875	
SR-1094	R-1094	SR-1031	SR-1094			R-1094	SR-1031-4	SR-1094			R-1	1094	SR-1031-6	SR-1094			R-1094	SR-1031-8	SR-1094		
SR-1125	R-1031		SR-1125			R-1031		SR-1125			R-	1031		SR-1125			R-1031		SR-1125		
SR-1156	R-1062		SR-1156			R-1062		SR-1156			R-1	1062		SR-1156			R-1062		SR-1156		
SR-1188	R-1094		SR-1188			R-1094		SR-1188			R-1	1094		SR-1188			R-1094		SR-1188		
SR-1219	R-1219	SR-1188	SR-1219			R-1219	SR-1188-4	SR-1219			R-	1219	SR-1188-6	SR-1219			R-1219	SR-1188-8	SR-1219		
SR-1250	R-1250	JIV 1100	SR-1250			R-1250	JK 1100 4	SR-1250			R-1	250	JN 1100 U	SR-1250			R-1250	31 1100 0	SR-1250		
SR-1281	R-1281		SR-1281		7	R-1281		SR-1281		7	R-	1281		SR-1281		7	R-1281		SR-1281		7
SR-1312	R-1312	I SR-1517	SR-1312		′	R-1312	SR-1312-4	SR-1312		′	R-	1312	SR-1312-6	SR-1312		·	R-1312	SR-1312-8	SR-1312		′
SR-1344	R-1344		SK-1344	1 50-1175 1		R-1344	JN 1012 T	SR-1344	SR-1125		R-1	344	JN 1012 0	SR-1344	SR-1125		R-1344	JN 1312 U	SR-1344	1 511 - 11 75	
SR-1375	R-1375		SR-1375	JN 1120		R-1375]	SR-1375	JN 1120		R-1	375		SR-1375	JN 1123		R-1375		SR-1375	311 1123	
SR-1406	R-1406		SR-1406			R-1406		SR-1406			R-1	406		SR-1406			R-1406		SR-1406	1	
SR-1438	R-1438	I CW_14/4	SR-1438			R-1438	SR-1375-4	SR-1438			R-1		SR-1375-6	SR-1438			R-1438	SR-1375-8	SR-1438	1	
SR-1469	R-1469		SR-1469			R-1469	311 1073 1	SR-1469			R-1		311 1373 0	SR-1469			R-1469	J 3K 1373 U	SR-1469	1	
SR-1500	R-1500		SR-1500			R-1500		SR-1500			R-1		1	SR-1500			R-1500	1	SR-1500		
SR-1531	R-1531		SR-1531			R-1531		SR-1531			R-			SR-1531			R-1531		SR-1531		
SR-1562	R-1562	SR-1562	SR-1562			R-1562	SR-1562-4	SR-1562			R-1		SR-1562-6	SR-1562			R-1562	SR-1562-8	SR-1562		
SR-1594	R-1594	3., 1302	SR-1594			R-1594	3002 1	SR-1594			R-1	1594	3502 0	SR-1594			R-1594	3502 0	SR-1594		$oxed{oxed}$

SR series

"SR-1625 ~ SR-1844" SERIES ROLL-A-FINISH® TOOLS 1-5/8 TO 1-7/8 IN. (41.28 TO 47.63mm)




- 2 FOR BOTTOMING TOOLS USE 'B' CAGES DET #13 eg: RB-1625
- 3 FOR SELF FEEDING HELIX TOOL USE 'R' ROLLS DET #14 eg: R-1625
- 4 FOR BOTTOMING TOOLS USE'B' ROLLS DET #14 eg: RB-1625
- 5 FOR ALTERNATE WORK LENGTHS DESIGNATE SHANK DET #1 WITH -6 & -8

						SR-1625	ADJUSTMEN	IT ASSEMBLY				
ſ	TOOL	1	2	3	4	5	6	7	8 *	9	10	15
		SHANK	LOCK	SPRING	ROLL	COLLAR	THRUST	SPRING	WASHER	SPIROLOX	THRUST	SET
L	SIZE	(5)	RING		PIN		BRG				RACE	SCREW
,	SR-1625											5/8
	TUDU	NDA 1615	DA 1000	DA 2000	DY 200	DA 1000	CD 1000	NDA 1500	CD 1000	CD 1000	CX-15	-11 x
	THRU	CZOI -AZM	KA-1000	KA-2000	KA-300	KA-1000	2K-1000	NRA-2500	SR-1000	SR-1000	-D04	1/2 LG
ŀ	SR-1844						1 REQD				2 REQD	FLAT PT

			. ASSEMBLY RK LENGT]			. ASSEMBL' K LENGTH					. ASSEMBLY K LENGTH]
TOOL SIZE	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	14 ROLL (3) (4)	4 NO REQD	11 Mandre	12 SLEEVE (BUSHING REQ'D.)	13 CAGE (1) (2)	1 ROLL (3) (4)	4 NO REQD	11 Mandrel	12 SLEEVE (Bushing reg'd.)	13 CAGE (1) (2)	14 ROLL (3) (4)	4 NO REQD
SR-1625 SR-1656	-	NRA-1625	SR-1625 SR-1656			R-1625	→ NKA - 16 <i>7</i> 5-h	SR-1625 SR-1656			R-1625 R-1656	NRA-1625-8	SR-1625 SR-1656		
SR-1688 SR-1719		NDA 1000	SR-1688 SR-1719		7	R-1688	1	SR-1688 SR-1719	CD 160E	7	R-1688 R-1719	NDA 1600 0	SR-1688 SR-1719		7
SR-1750 SR-1781	R-1750 R-1781	NRA-1688	SR-1750 SR-1781	SR-1625	1	R-1750 R-1781	-	SR-1750 SR-1781	SR-1625	/	R-1750 R-1781	NRA-1688-8 	SR-1750 SR-1781	SR-1625	,
SR-1812 SR-1844		NRA-1812	SR-1812 SR-1844			R-1812 R-1844	-1 NRA - 1817-6	SR-1812 SR-1844			R-1812 R-1844	NRA-1812-8	SR-1812 SR-1844		

Internal Roll-a-Finish® tools

"SR-1875 ~ SR-2125" SERIES ROLL-A-FINISH® TOOLS 1-7/8 TO 2-5/32 IN. (47.63 TO 54.76mm)




- 1 FOR SELF FEEDING HELIX TOOL USE 'R' CAGES DET #13 eg: R-1875
- 2 FOR BOTTOMING TOOLS USE 'B' CAGES DET #13 eg: B-1875
- 3 FOR SELF FEEDING HELIX TOOL USE 'R' ROLLS DET #14 eg: R-1625
- 4 FOR BOTTOMING TOOLS USE 'B' ROLLS DET #14 eg: RB-1625
- 5 FOR ALTERNATE WORK LENGTHS DESIG NATE SHANK DET #1 WITH -6 & -8

					SR-1625	adjustmen	IT ASSEMBLY	 			\neg
TOOL SIZE	1 Shank (5)	2 Lock Ring	3 Spring	4 Roll Pin	5 COLLAR	6 Thrust Brg	7 Spring	8 Washer	9 SPIROLOX	10 Thrust Race	15 Set Screw
SR-1875 THRU SR-2125	NRA-1625	RA-1000	RA-2000	RA-500	RA-1000	SR-1000 1 REQD	NRA-2500	SR-1000	SR-1000	CX-15 -D04 2 REQD	5/8 -11 x 1/2 LG FLAT PT

			MANDREL 3.6" WOR	ASSEMBLY K LENGTI				· · · · · ·		ASSEMBLY (LENGTH						ASSEMBLY (LENGTH		
TOOL SIZE	11 Mandrel	12 SLEEVE	13 CAGE (1) (2)	ROLL (3) (4)	4 NO Reqd	16 Adaptor	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	ROLL (3) (4)	4 NO Reqo	16 ADAPTOR (Bushing rego)	11 Mandrel	12 Sleeve	13 CAGE (1) (2)	ROLL (3) (4)	4 NO Reqo	16 ADAPTOR (BUSHING REQD)
SR-1875	R-1875		SR-1875				R-1875		SR-1875				R-1875		SR-1875			
SR-1906	R-1906		SR-1906				R-1906		SR-1906				R-1906		SR-1906			
SR-1938	R-1938		SR-1938			NRA-1875	R-1938		SR-1938			NRA-1875-6	R-1938		SR-1938			NRA-1875-8
SR-1969	R-1969		SR-1969				R-1969		SR-1969				R-1969		SR-1969			
SR-2000	R-2000	NRA-1875	SR-2000	SR-1625	7		R-2000	NRA-1875	SR-2000	SR-1625	7		R-2000	NRA-1875	SR-2000	SR-1625	7	
SR-2031	R-2031		SR-2031				R-2031		SR-2031				R-2031		SR-2031			
SR-2062	R-2062		SR-2062			NRA-2000	R-2062		SR-2062			NRA-2000-6	R-2062		SR-2062			NRA-2000-8
SR-2094	R-2094		SR-2094				R-2094		SR-2094				R-2094		SR-2094			
SR-2125	R-2125		SR-2125				R-2125		SR-2125				R-2125		SR-2125			

SR series

"SR-2156 ~ SR-2500" SERIES ROLL-A-FINISH® TOOLS 2-5/32 TO 2-1/2 IN. (54.76 TO 63.5mm)



- 2 FOR BOTTOMING TOOLS USE 'B' CAGES DET #13 eg: RB-2156
- 3 FOR SELF FEEDING HELIX TOOL USE 'R' ROLLS DET #14 eg: R-1625
- 4 FOR BOTTOMING ROLLS USE 'B' ROLLS DET #14 eg: RB-1625
- 5 FOR -8 WORK LENGTH DESIGNATE SHANK DET #1 WITH -8

MANDOEL ACCENDING

					SR-1625	ADJUSTMEN	IT ASSEMBLY				\neg
TOOL SIZE	1 Shank (5)	2 Lock Ring	3 Spring	4 ROLL PIN	5 COLLAR	6 Thrust Brg	7 Spring	8 Washer	9 Spirolox	10 Thrust Race	15 SET SCREW
SR-2156		MNO		- FIN		DNG				NACE	5/8
THRU	NRA-1625	RA-1000	RA-2000	RA-500	RA-1000	SR-1000	NRA-2500	SR-1000	SR-10000	CX-15 -D04	-11 x 1/2 LG
SR-2500						1 REQD				2 REQD	FLAT PT

.....


			MANDREL /							ASSEMBLY		
			6" WORK	LENGTH					8" WOR	k length		
TOOL	11	12	13	1	-	16	11	12	13	1		16
SIZE	MANDREL	SLEEVE	CAGE	ROLL	NO Reqd	ADAPTOR	MANDREL	SLEEVE	CAGE	ROLL	NO DEOD	ADAPTOR
			(1) (2)	(3) (4)	KEQU			-	(1) (2)	(3) (4)	REQD	BUSHING REQ'D
SR-2156	R-2156		SR-2156			NRA-2000	R-2156		SR-2156			NRA-2000-8
SR-2188	R-2188		SR-2188				R-2188		SR-2188			
SR-2219	R-2219		SR-2219		7		R-2219		SR-2219		7	
SR-2250	R-2250		SR-2250		,	NRA-2188	R-2250]	SR-2250		,	NRA-2188-8
SR-2281	R-2281		SR-2281				R-2281]	SR-2281			
SR-2312	R-2312	NRA-1875	SR-2312	SR-1625			R-2312	7 - NRA-1875	SR-2312	SR-1625		
SR-2344	R-2344	MKA-10/3	SR-2344	3K-1023			R-2344]NKA-10/3	SR-2344	3K-1023		
SR-2375	R-2375		SR-2375				R-2375		SR-2375			
SR-2406	R-2406		SR-2406		9	NRA-2344	R-2406		SR-2406		0	NRA-2344-8
SR-2438	R-2438		SR-2438		9	2011	R-2438		SR-2438		9	
SR-2469	R-2469		SR-2469				R-2469		SR-2469			
SR-2500	R-2500		SR-2500			NRA-2500-06	R-2500		SR-2500			NRA-2500-8

Internal Roll-a-Finish® tools



Internal Roll-a-Finish® tools


"R-188 ~ R-484" SERIES ROLL-A-FINISH® TOOLS 3/16 TO 1/2 IN. (4.76 TO 12.7mm)



				R-188	HZULGA	ent ass	EMBLY					M	ANDREL A	ASSEMBLY		
TOOL SIZE	1 SHANK	2 ADJ COLLAR	3 SPRING	4 SPIROL PIN	5 BRG COLLAR	6 THRUST BRG	7 SPACER	9 SPRING	9 Spring Ret	10 SPIRO- LOX	16 THRUST RACE	11 MANDREL	13 X CAGE	ROLLS	K NO. REQ'D	VORK LENGTH
R-188	R-500	R-1000	R-1000	R-01000	R-375	R-375	R-375	R-375	R-375	R-375	R-375	R-188	R-188	SR-187	3	
R-195				-D04		2 REQ'D					4 REQ'D	R-195	R-195	[1	
R-203				•								R-203	R-203	i	į	
R-211											<u> </u>	R-211	R-211			2.62
R-219			T — —					Γ		Γ		R-219	R-219			LOL
R-226			1			ļ					1	R-226	R-226			
R-234												R-234	R-234			
R-242	1											R-242	R-242			
R-250												R-250	R-250	R-250	5	
R-266		İ	1									R-266	R-266			
R-281		ŀ	1		ŀ							R-281	R-281			
R-297					Ì							R-297	R-297			
R-312			t — —	 -			F	r			t — —	R-312	R-312	R-312	5	2.81
R-328							1					R-328	R-328			
R-344												R-344	R-344			
R-359			t — —		r — –	1		† -			T	R-359	R-359			
R-375	1	ŀ		İ								R-375	R-375	R-375	5	
R-391										1	l i	R-391	R-391	1		
R-406		r	t — —		r — –	1	<u> </u>	T — —	1	Γ	T — —	R-406	R-406	R-437		
R-422				ļ							1	R-422	R-422			5.06
R-438	1	1	1			1			i	1		R-438	R-438			
R-453		 	t — —		 	1	Γ	T — —	1	Γ^{-}	T – –	R-453	R-453		'	
R-469							ļ			1		R-469	R-469			
R-484							1					R-484	R-484	[

Internal Roll-a-Finish® tools


"R-500 ~ R-969" SERIES ROLL-A-FINISH® TOOLS 1/2 TO 1 IN. (12.7 TO 25.4mm)



	_	R-500 A	DJUSTME	nt asse	MBLY 7				MAND	REL ASSEMI	BLY					
TOOL Size	1 SHANK	COLLAR ADJ S	3 Spring	4 Spirol Pin	5 BRG COLL ASSY	7 COLLAR	8 Spring	9 Spring Ret	10 PIN	11 MANDREL	STEEAE 15	13 ¥ CAGE	ROLLS	* ND.	VORK LENGTH	optional Vork Lgth
R-500	R-500	R-1000	R-1000	R-01000	R1000	R-500	R-500	R-500	R-500	R-500	R-500	R-500	R-500	5		
R-531			ŀ	-D04		R-531	R-531	R-531	R-531	R-531	R-531	R-531				
R-562			l			R-562	R-562	R-562	R-562	R-562	R-562	R-562				
R-594		Γ			$\Gamma - \neg$	R-594	R-594	R-594	R-594	R-594	R-594	R-594				
R-625			1			R-625	R-625	R-625	R-625	R-625	R-625	R-625				
R-656	L	L	l		Ll	R-656	R-656	R-656	R-656	R-656	R-656	R-656	1		4.84	7.84
R-688					ΓΤ	R-688	R-688	R-688	R-688	R-688	R-688	R-688				
R-719						R-719	R-688	R-719	R-719	R-719	R-719	R-719				
R-750						R-750	R-656	R-750	R-750	R-750	R-750	R-750	R-750			
R-781						R-781	R-688	R-781	R-781	R-781	R-781	R-781				
R-812		L	l			R-812	R-688	R-812	R-812	R-812	R-812	R-812	1			
R-844		Γ	I — —	Γ	ΓΤΠ	R-844	R-844	R-844	R-844	R-844	R-844	R-844				
R-875						R-875	R-688	R-875	R-875	R-875	R-875	R-875	R-875		4.87	7.87
R-906			l			R-906	R-844	R-906	R-906	R-906	R-906	R-906				,
R-938		Γ			Γ	R-938	R-844	R-938	R-938	R-938	R-938	R-938				
R-969						R-969	R-969	R-969	R-969	R-969	R-969	R-969				

R series

"R-1000 ~ R-1594" SERIES ROLL-A-FINISH® TOOLS 1 TO 1-5/8 IN. (25.4 TO 41.28mm)




			- R-10	OO ADJUS	STMENT A	SSEMBLY	_						MAN	DREL ASS	SEMBLY -			
TOOL Size	1 SHANK	1A Shank Ext	2 ADJ COLLAR	3 Spring	4 Spirol Pin	5 Brg Cdll Assy	7 COLLAR	9 Spring Ret	10 Spiro Lox	8 SPRING	11 HANDREL	STEEAE 15	13 ¥ CAGE	ROLLS	₩ No. Req'd	15 BRZ BRG	VORK LENGTH	DPT Vork Lgth
R-1000 R-1031 R-1062 R-1094	R-500	R-1000	R-1000	R-1000	R-01000 -D04	R1000	R-1000	R-1000	R-1000	R-969	R-1000 R-1031 R-1062 R-1094	R-1000 R-1031	R-1000 R-1031 R-1062 R-1094	R-875	7	NONE	4.87	7.87
R-1125 R-1156											R-1125 R-1156		R-1125 R-1156	R-1125				
R-1188 R-1219 R-1250 R-1281							NONE	NONE	NDNE		R-1188 R-1219 R-1250 R-1281	R-1188	R-1188 R-1219 R-1250 R-1281			R-1000 Bronze Brg. Assembled	5.56	8.56
R-1312 R-1344 R-1375											R-1312 R-1344 R-1375	R-1312 R-1375	R-1312 R-1344 R-1375			VITH DETAIL #12 SLEEVE	UNLMTD	NO OPTIONAL
R-1406 R-1438 R-1469							_ _ -			R-1406	R-1406 R-1438 R-1469		R-1406 R-1438 R-1469				VORK LGTH	vork Length For These
R-1500 R-1531 R-1562	 -	L								R-1562	R-1500 R-1531 R-1562	R-1562	R-1500 R-1531 R-1562					SIZES
R-1594									L		R-1594		R-1594					L

Internal Roll-a-Finish® tools

"R-1625 ~ R-2500" SERIES ROLL-A-FINISH® TOOLS 1-5/8 TO 2-1/2 IN. (41.28 TO 63.5mm)

BOTTOMING TOOLS AVAILABLE DESIG-NATE DET #13 AND #14 WITH LETTER 'B'



		R-2000	ADJUSTN	MENT ASS	SEMBLY			M	andrel a				
TOOL	1	5	3	4	5	6	8	11	12	13 *	14	¥ ND.	15
SIZE	SHANK	ADJ	SPRING	SPIROL Pin	BRG COLL	THRUST	SPRING	MANDREL	SLEEVE	CAGE	ROLLS	REQ'D	BRZ BRG
		COLLAR								2 4405	2 4405		
R-1625	R-2000	R-2000	R-2000	R-01000	R-2000	INCLUDED VITH	R-1625	R-1625	R-1625		R-1625	7	R-2000
R-1656				-D04		DETAIL #5		R-1656		R-1656	1		BRONZE BRG.
R-1688						PRESSED IN	R-1688	R-1688	R-1688	R-1688			ASSEMBLED
R-1719	İ				1			R-1719		R-1719			WITH #12
R-1750						[•	R-1750		R-1750			SLEEVE
R-1781						L		R-1781		R-1781			322272
R-1812				Γ — —				R-1812	R-1812	R-1812	ĺ		
R-1844								R-1844		R-1844		1	
R-1875		l		L	<u> </u>	L J		R-1875	R-1875	R-1875	Ì		!
R-1906		I — —						R-1906		R-1906	1		
R-1938								R-1938		R-1938			
R-1969	L			L		L	R-1969	R-1969		R-1969]
R-2000	Γ	I — —	Γ	Γ – –				R-2000	R-2000	R-2000			
R-2031								R-2031]	R-2031	ŀ		1
R-2062	İ							R-2062		R-2062		[]
R-2094		1		Γ	1	Γ^{-}	ŀ	R-2094		R-2094			
R-2125		ļ	l			1		R-2125	i	R-2125	1	1	
R-2156							l l	R-2156		R-2156	ŀ		1
R-2188		1		r — –				R-2188	R-2188	R-2188	1		1
R-2219			ł		1			R-2219		R-2219	1	ŀ	
R-2250					l		i	R-2250		R-2250	1		1
R-2281	-		 -		1		1	R-2281		R-2281	ļ		
R-2312		i]		1			R-2312	ł	R-2312	l		
R-2344	1		1				l	R-2344	R-2344	R-2344	1	9	1
R-2375	<u> </u>	1	<u> </u>		1		1	R-2375		R-2375	il	1	
R-2406							R-2406	R-2406	1	R-2406	1		
R-2438					l		1	R-2438	1	R-2438	1		
R-2469		1		 	1	F	11	R-2469	1	R-2469			
R-2500			1	1				R-2500	R-2500	R-2500	1		
			L	L		<u> </u>			L				


U series



U series

Internal Roll-a-Finish® tools

"U-2531 ~ U-3000" SERIES ROLL-A-FINISH® TOOLS 2-17/32 TO 3 IN. (64.3 TO 76.2mm)




U-3000 ADJUSTMENT ASSEMBLY — MANDREL ASSEMBLY —

TOOL SIZE	1 SHANK	2 Spirol Pin	3 Spiro- Lox	4 VASHER	5 Spring	6 ADJ COLLAR	7 Brg Collar Assy	9 Bushing	10 SPRING	11 HANDREL	2TEEAE 15	13 ¥ CAGE	14 ROLLS	₩ NO. REQ'D
U-2531	U−3000	U-3000	U-3000	U-3000	U-3000	U-3000	U−3000	BUSHING	R-2531	R-2531	U-2531	R-2531	R-2531	9
U-2562							DETAILS	ASSEMBLED		R-2562		R-2562		
U-2594							7-A	WITH		R-2594	}	R-2594		
U-2625	L		L	L		L	U-3000	DETAIL #12		R-2625	U-2625	R-2625		İ
U-2656			Γ			Γ	BRG COLLAR	SLEEVE		R-2656		R-2656		
U-2688					!		7-B			R-2688		R-2688		1
U-2719			L	L	l	L	U-3000			R-2719		R-2719		
U-2750							THRUST Plate			R-2750	U-27 5 0	R-2750		
U-2781							7-C			R-2781		R-2781		
U-2812							TORR			R-2812		R-2812		
U-2844							THRUST RACE			R-2844		R-2844		1
U-2875							TRB-2435		R-2875	R-2875	U-2875	R-2875		l
U-2906	L		L	L			7-D			R-2906		R-2906		
U-2938							TORR Thrust			R-2938		R-2938		
U-2969							BRG			R-2969		R-2969		
U-3000							NTA-2435			R-3000	U-3000	R-3000	R-5000	

U series

"U-3031 ~ U-3500" SERIES ROLL-A-FINISH® TOOLS 3-1/32 TO 3-1/2 IN. (76.98 TO 88.9mm)




TOOL Size	1 Shank	2 Spirol Pin	3 Spiro- Lox	4 VASHER	5 SPRING	6 ADJ COLLAR	7 Brg Collar Assy	9 Bushing	10 Spring	11 Mandrel	2TEEAE 15	13 ¥ CAGE	ROLLS 14	₩ ND. Req'd
U-3031 U-3062 U-3094 U-3125 U-3156 U-3188 U-3219 U-3250 U-3281 U-3312 U-3344 U-3375 U-3406 U-3438 U-3469	U-3000		U-3000	U-3000	U-3000		U-3000 DETAILS 7-A	BUSHING ASSEMBLED VITH DETAIL #12 SLEEVE		R-3031 R-3062 R-3094 R-3125 R-3156 R-3188 R-3219 R-3250 R-3281 R-3312 R-3344 R-3375 R-3406 R-3438 R-3469	U-3000 U-3125 U-3250 U-3375	R-3031 R-3062 R-3094 R-3125 R-3156 R-3188 R-3219 R-3250 R-3281 R-3312 R-3314 R-3375 R-3406 R-3438 R-3469	R-5000	9
U-3500							NTA-2435		R-3500	R-3500	U-3500	R-3500		

U series

Internal Roll-a-Finish® tools

"U-3531 ~ U-4000" SERIES ROLL-A-FINISH® TOOLS 3-17/32 TO 4 IN. (89.68 TO 101.6mm)



U-3000 ADJUSTMENT ASSEMBLY — MANDREL ASSEMBLY —

TODL	1	5	3	4	5	6	7	9	10	11	15	13 💥	14	
SIZE	ZHANK	SPIROL Pin	SPIRO- Lox	WASHER	SPRING	ADJ Collar	BRG COLLAR ASSY	BUSHING	SPRING	MANDREL	SLEEVE	CAGE	ROLLS	ND.
11 2521	11 2000	2//	RS-187	U-3000	11 2000	U-3000	U-3000	ALTER	R-3500	R-3531	U 2500	D 2521	R-5000	
U-3531	U-3000		K2-101	0-3000	U-3000	0-3000			K-3300		U-3500	R-3531	K-3000	9
U-3562		DIA. X					DETAILS	BUNTING		R-3562		R-3562		
U-3594		5/8 LG					7-A	P-125-5		R-3594		R-3594		
U-3625		M-B-K		L	L		U-3000		R-3625	R-3625	U-3625	R-3625		
U-3656							BRG COLLAR			R-3656		R-3656		
U-3688							7-B			R-3688		R-3688		
U-3719		L		L	L		U-3000			R-3719		R-3719		
U-3750				Γ – –	[— —		THRUST PLATE			R-3750	U-3750	R-3750		11
U-3781							7-C			R-3781		R-3781		
U-3812							TORR			R-3812		R-3812		
U-3844		T — —		Γ – –	[— —		THRUST RACE			R-3844		R-3844		
U-3875							TRB-2435			R-3875	U-3875	R-3875		
U-3906		L		L	L		7-1)			R-3906		R-3906		
U-3938		[— —		_ _ _	[— —		TORR Thrust			R-3938		R-3938		
U-3969							BRG			R-3969		R-3969		
U-4000							NTA-2435			R-4000	U-4000	R-4000		

External Roll-a-Finish® Tools


AEX series



AEX series

External Roll-a-Finish® tools

"AEX-1 0.062 ~ 0.484" SERIES ROLL-A-FINISH® TOOLS 1/16 TO 31/64 IN. (1.57 TO 12.29mm)




				- AEX-1	ADJUSTME	nt assemb	LY ——		
TOOL SIZE	1 SHANK	2 STOP	3 ADJ PIN	4 ADJ COLLAR	5 Locking Ring	10 Flat HD. Screw	11 Thrust Brg	13 SPRING	15 SOC SET SCREW
AEX-1-062 THRU AEX-1-484	AEX-1	AEX-1	AEX-1	AEX-1	AEX-1	#6−32 x 3/8 LG 2 REQD	AEX-1	AEX-1	#10-32 x 3/16LG CONE PT 3 REQ'D

			RAC	E ASSEMBL	Υ ——			
TOOL SIZE	7 CAGE RETAINER	14 SPRING	15 SOC SET SCREW	17 WASHER	RACE	6 CAGE	ROLL 10	6 NO REQD
AEX-1-062 AEX-1-094 AEX-1-109 AEX-1-125 AEX-1-141 AEX-1-156 AEX-1-171 AEX-1-187 AEX-1-203 AEX-1-234 AEX-1-250 AEX-1-234 AEX-1-281 AEX-1-328 AEX-1-375 AEX-1-375 AEX-1-375 AEX-1-391 AEX-1-406 AEX-1-422 AEX-1-422 AEX-1-422	AEX-1	E2-D09	#10-32 x 3/16LG CONE PT 3 REQ'D	E2-D15	AE-062 AE-078 AE-094 AE-109 AE-125 AE-141 AE-156 AE-171 AE-187 AE-203 AE-219 AE-234 AE-250 AE-266 AE-281 AE-297 AE-312 AE-375 AE-375 AE-391 AE-406 AE-422 AE-438	AE-062 AE-078 AE-094 AE-109 AE-125 AE-125 AE-171 AE-187 AE-203 AE-219 AE-234 AE-250 AE-266 AE-281 AE-297 AE-312 AE-375 AE-375 AE-391 AE-406 AE-422 AE-438	B-500	REQD 3
AEX-1-453 AEX-1-469 AEX-1-484					AE-453 AE-469 AE-484	AE-453 AE-469 AE-484		

AEX series

"AEX-1 0.500 ~ 0.625" SERIES ROLL-A-FINISH® TOOLS 1/2 TO 5/8 IN. (12.7 TO 15.88mm)




				- AEX-1	(-1 ADJUSTMENT ASSEMBLY						
TOOL SIZE	1 Shank	2 STOP	3 ADJ Pin	4 ADJ COLLAR	5 Locking Ring	10 Flat HD. Screw	11 Thrust Brg	13 SPRING	15 SOC SET SCREW		
AEX-1-500 THRU AEX-1-625	AEX-1	AEX-1	AEX-1	AEX-1	AEX-1	#6-32 x 3/8 LG 2 REQD	AEX-1	AEX-1	#10-32 x 3/16LG CONE PT 3 REQ'D		

			RAC	E ASSEMBL	Υ ——			
TOOL SIZE	7 Cage Retainer	14 SPRING	15 SOC SET SCREW	17 Washer	8 RACE	6 CAGE	ROLL 1	6 NO REQD
AEX-1-500					AE-500	AE-500		
AEX-1-516					AE-516	AE-516		
AEX-1-531			# 10-32		AE-531	AE-531		
AEX-1-547	AEX-1	E3 D00	x 3/16LG	E2-D15	AE-547	AE-547	B-750	5
AEX-1-562	AEX-1	1 E2-D09	CONE PT	E2-013	AE-562	AE-562] 0-730)
AEX-1-578			3 REQ'D		AE-578	AE-578		
AEX-1-594					AE-594	AE-594		
AEX-1-609				AE-609	AE-609			
AEX-1-625					AE-625	AE-625		

AEX series

External Roll-a-Finish® tools

"AEX-2 0.062 ~ 0.375" SERIES ROLL-A-FINISH® TOOLS 1/16 TO 3/8 IN. (1.57 TO 9.53mm)




* FOR BOTTOMING TOOLS DESIGNATE TOOL WITH 'B' eg: AEXB-2-062 DESIGNATE CAGE DET #18 WITH 'B' eg: NEB-062 USE B-500 DET #17 ROLLS

				AEX-	-2 adjusti	MENT ASSE	MBLY —			
TOOL SIZE *	1 Shank	2 Housing	3 ADJ RING	4 CAP SCREW	5 Pin	6 SOC SET SCREW	7 Thrust Bearing	8 Spirol Pin	9 SOC SET SCREW	10 Washer
AEX-2-062 THRU AEX-2-375	AEX-2	AEX-2	AEX-2	x 7/8	AEX-2 3 REQD	AEX-2	E-3-005	AEX-2	AEX-2 3 REQD	AEX-2

				RA	CE ASSEMBL	Υ ———			
TOOL. SIZE	11 CAGE RETAINER	12 SOC SET SCREW	13 SPRING	14 THRUST RACE	15 THRUST BEARING	16 RACE	18 CAGE	ROLL *	7 NO REQD
AEX-2-062 AEX-2-078 AEX-2-094 AEX-2-109 AEX-2-125 AEX-2-141 AEX-2-156 AEX-2-171 AEX-2-187 AEX-2-203 AEX-2-219 AEX-2-234 AEX-2-250 AEX-2-266 AEX-2-281 AEX-2-297 AEX-2-312 AEX-2-312 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318 AEX-2-318	E-3-D06	AEX-2 3 REQ'D	EX-1-D10	CX-15-D04 2 REQ'D	SR-1000 -D06	CX-062 CX-078 CX-094 CX-109 CX-125 CX-141 CX-156 CX-171 CX-203 CX-219 CX-234 CX-250 CX-266 CX-281 CX-297 CX-312 CX-328 CX-344 CX-359 CX-375	NE-062 NE-078 NE-094 NE-109 NE-125 NE-141 NE-156 NE-171 NE-187 NE-203 NE-219 NE-234 NE-250 NE-266 NE-281 NE-297 NE-312 NE-328 NE-344 NE-359 NE-375	SR-500	5

AEX series

"AEX-2 0.391 ~ 0.750" SERIES ROLL-A-FINISH® TOOLS 25/64 TO 3/4 IN. (9.93 TO 19.05mm)



* FOR BOTTOMING TOOLS DESIGNATE TOOL WITH 'B' eg: AEXB-2-391 DESIGNATE CAGE DET. #18 WITH 'B' eg: NEB-391 USE B-750 DET #17 ROLLS


				,	2 . 2000	MENT 7100E				1
TOOL SIZE	1 Shank	HOUSING	3 ADJ RING	4 CAP SCREW	5 PIN	6 SOC SET SCREW	7 Thrust Bearing	8 Spirol Pin	9 SOC SET SCREW	10 Washer
AEX-2-391 THRU AEX-2-750	AEX-2	AEX-2	AEX-2	AEX-2	AEX-2 3 REQD	AEX-2	E-3-D05	AEX-2	AEX-2 3 REQ0	AEX-2

TOOL 11 12 13 14 15 16	18		
SIZE RETAINER SCREW SPRING THRUST THRUST RACE BEARING	CAGE *	ROLL *	7 NO REQD

AEX series

External Roll-a-Finish® tools

"AEX-2 0.766 ~ 1.000" SERIES ROLL-A-FINISH® TOOLS 49/64 TO 1 IN. (19.46 TO 25.4mm)




	l,			ALA	2 1000311	MCM1 NOOL	MOLI			
TOOL SIZE *	1 Shank	2 Housing	3 ADJ RING	4 Cap Screw	5 Pin	6 SOC SET SCREW	7 Thrust Bearing	8 Spirol Pin	9 SOC SET SCREW	10 Washer
AEX-2-766 THRU AEX-2-1000	AEX-2	AEX-2	AEX-2	1/4-20 x 7/8 LG	AEX-2 3 REQD	#10-24 x 1/4 LG OVAL PT 1 REQD	D-10	1/4 DIA x 3/8 LG	#10-32 x 1/4 LG CONE PT 3 REQD	AEX-2

* FOR BOTTOMING TOOLS DESIGNATE TOOL WITH 'B' eg: AEXB-2-766 DESIGNATE CAGE DET #18 WITH 'B' eg: NEB-766 USE SR-875 DET #17 ROLLS eg: RB-875

				RACE ASSI	EMBLY —		· - · · · · · · · · ·	
TOOL SIZE	11 Cage Retainer	12 SOC SET SCREW	13 SPRING	14 SPACER	16 RACE	18 CAGE *	ROLL *	7 NO REQD
AEX-2-766		·	•		CX-766	NE-766		
AEX-2-781					CX-781	NE-781		
AEX-2-797					CX-797	NE-797		
AEX-2-812					CX-812	NE-812		
AEX-2-828					CX-828	NE-828		
AEX-2-844		1/4-28 x 1/4 LG CONE PT			CX-844	NE-844	SR-875	
AEX-2-859					CX-859	NE-859		
AEX-2-875	E-3		EX-1	E-3-D15	CX-875	NE-875		5
AEX-2-891	[-3		[X-1	E-3-013	CX-891	NE-891		J
AEX-2-906		3 REQ'D			CX-906	NE-906		
AEX-2-922					CX-922	NE-922		
AEX-2-938					CX-938	NE-938		
AEX-2-953					CX-953	NE-953		
AEX-2-969					CX-969	NE-969		
AEX-2-984					CX-984	NE-984		
AEX-2-1000					CX-1000	NE-1000		

AEX series

"AEX-3 1.016 ~ 1.250" SERIES ROLL-A-FINISH® TOOLS 1-1/64 TO 1-1/4 IN. (25.81 TO 31.75mm)



* FOR BOTTOMING TOOLS DESIGNATE TOOL WITH 'B' eg: AEXB-1016 DESIGNATE CAGE DE #18 WITH 'B' eg: AEXB-1016 USE B-875 DET #17 ROLLS eg: RB-875


				— AEX-	·3 adjusti	MENT ASSE	MBLY —			
TOOL SIZE *	1 Shank	2 Housing	3 ADJ RING	4 CAP SCREW	5 Pin	6 SOC SET SCREW	7 Thrust Bearing	8 Spirol Pin	9 SOC SET SCREW	10 Thrust Race
AEX-1016 THRU AEX-1250	AEX-3	AEX-3	AEX-3	1/4-20 x 7/8 LG	AEX-3 3 REQD	1/4-28 x 3/8 LG OVAL PT 1 REQD	11-70	1/4 DIA x 5/8 LG	1/4-28 x 3/8 LG CONE PT 3 REQD	TORR TRA- 3648

				RAG	CE ASSEMBL	Υ ——			
TOOL SIZE	11 CAGE RETAINER	12 SOC SET SCREW	13 Spring	14 Thrust Race	15 Thrust Bearing	16 RACE	18 CAGE *	ROLL *	7 NO REQD
AEX-1016 AEX-1031 AEX-1047 AEX-1062 AEX-1094 AEX-1109 AEX-1125 AEX-1141 AEX-1156 AEX-1172 AEX-1188 AEX-1203	AEX-3	5/16-18 x 3/8 LG CONE PT 3 REQ'D	R- 5000-3	TORR	TORR NTA-3648	AEX-1031 AEX-1047 AEX-1062 AEX-1078 AEX-1094 AEX-1125 AEX-1141 AEX-1156 AEX-1172 AEX-1188	AEXNE-1016 AEXNE-1047 AEXNE-1062 AEXNE-1078 AEXNE-1094 AEXNE-1109 AEXNE-1125 AEXNE-1141 AEXNE-1156 AEXNE-1172 AEXNE-1188 AEXNE-1203		5
AEX-1219 AEX-1234 AEX-1250						AEX-1219 AEX-1234	AEXNE-1219 AEXNE-1234 AEXNE-1250		

AEX series

Internal Roll-a-Finish® tools

"AEX-3 1.266~ 1.625" SERIES ROLL-A-FINISH® TOOLS 1-17/64 TO 1-5/8 IN. (32.16 TO 41.28mm)




* FOR BOTTOMING TOOLS DESIGNATE TOOL WITH 'B' eg: AEXB-1266 DESIGNATE CAGE DET #18 WITH 'B' eg: AEXB-1266 USE B-1125 DET #17 ROLLS eg: RB-1125

AEX-3 ADJUSTMENT ASSEMBLY										
TOOL SIZE *	1 Shank	2 Housing	3 ADJ Ring	4 Cap Screw	5 Pin	6 SOC SET SCREW	7 Thrust Bearing	8 Spirol Pin	9 SOC SET SCREW	10 Thrust Race
AEX-1266 THRU AEX-1625	AEX-3	AEX-3	AEX-3	1/4-20 x 7/8 LG	AEX-3 3 REQD	1/4-28 x 3/8 LG OVAL PT 1 REQD	D-20	1/4 DIA x 5/8 LG	5/16-18 x 3/8 LG CONE PT 3 REQD	TORR TRA- 3648

RACE ASSEMBLY —									
TOOL SIZE	11 CAGE RETAINER	12 SOC SET SCREW	13 Spring	14 Thrust Race	15 Thrust Bearing	16 Race	18 CAGE *	ROLL *	7 NO REQD
AEX-3-1266 AEX-3-1297 AEX-3-1312 AEX-3-1328 AEX-3-1349 AEX-3-1359 AEX-3-1340 AEX-3-1406 AEX-3-1406 AEX-3-1422 AEX-3-1484 AEX-3-1450 AEX-3-1450 AEX-3-1590 AEX-3-1591 AEX-3-1591 AEX-3-1591 AEX-3-1591 AEX-3-1592 AEX-3-1598	AEX-3	1/4-28 x 3/8 LG CONE PT 3 REQ'D	R- 5000-3	AEX-3 2 REQ'D	SR-02000	AEX-1281 AEX-1312 AEX-1314 AEX-1344 AEX-1359 AEX-1375 AEX-1391 AEX-1406 AEX-1408 AEX-1453 AEX-1469 AEX-1500 AEX-1516 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531 AEX-1531	AEXNE - 1266 AEXNE - 1281 AEXNE - 1312 AEXNE - 1312 AEXNE - 1328 AEXNE - 1359 AEXNE - 1375 AEXNE - 1391 AEXNE - 1406 AEXNE - 1422 AEXNE - 1453 AEXNE - 1453 AEXNE - 1453 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1516 AEXNE - 1562 AEXNE - 1562 AEXNE - 1562 AEXNE - 1562 AEXNE - 1562 AEXNE - 1564 AEXNE - 1564 AEXNE - 1566	SR-1125	7

AEX series

"AEX-3 1.641 ~ 2.000" SERIES ROLL-A-FINISH® TOOLS 1-41/64 TO 2 IN. (41.68 TO 50.8mm)



AEX-3 ADJUSTMENT ASSEMBLY										
TOOL SIZE *	1 Shank	2 Housing	3 ADJ Ring	4 Cap Screw	5 Pin	6 SOC SET SCREW	7 Thrust Bearing	8 Spirol Pin	9 SOC SET SCREW	10 Thrust Race
AEX-1641 THRU AEX-2000	AEX-3	AEX-3	AEX-3	1/4-20 x 7/8 LG	AEX-3 3 REQD	1/4-28 x 3/8 LG OVAL PT 1 REQD	1 11-711	1/4 DIA x 5/8 LG	5/16-18 x 3/8 LG CONE PT 3 REQD	TORR TRA- 3648

				RACE AS	SEMBLY -			
TOOL SIZE	11 CAGE RETAINER	12 SOC SET SCREW	13 Spring	14 Washer	16 Race	18 CAGE #	ROLL *	7 NO REQD
AEX-3-1641 AEX-3-1656 AEX-3-1672 AEX-3-1688 AEX-3-1703 AEX-3-1730 AEX-3-1750 AEX-3-1750 AEX-3-1766 AEX-3-1781 AEX-3-1812 AEX-3-1829 AEX-3-1859 AEX-3-1890 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1930 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940 AEX-3-1940	AEX-3	1/4-28 × 3/8 LG CONE PT 3 REO'D	R- 5000-3	AEX-3	AEX-1656 AEX-1672 AEX-1688 AEX-1703 AEX-1719 AEX-1750 AEX-1750 AEX-1781 AEX-1812 AEX-1812 AEX-1844 AEX-1849 AEX-1891 AEX-1890 AEX-1902 AEX-1902 AEX-1902 AEX-1938 AEX-1938 AEX-1944	AEXNE-1641 AEXNE-1656 AEXNE-1672 AEXNE-1703 AEXNE-1703 AEXNE-1734 AEXNE-1750 AEXNE-1766 AEXNE-1781 AEXNE-1812 AEXNE-1812 AEXNE-1828 AEXNE-1849 AEXNE-1891 AEXNE-1891 AEXNE-1996 AEXNE-1993 AEXNE-1993 AEXNE-1993 AEXNE-1993 AEXNE-1994 AEXNE-1994 AEXNE-1994 AEXNE-19984 AEXNE-1984 AEXNE-1984	SR-1125	7

* FOR BOTTOMING TOOLS DESIGNATE TOOL WITH 'B' eg: AEXB-1641 DESIGNATE CAGE DET #18 WITH 'B' eg: AEXB-1641 USE B-1125 DET #17 ROLLS eg: RB-1125

external roller burnishing machines

Other Cogsdill burnishing products

In addition to Roll-a-Finish tools for IDs, ODs, and special part configurations, Cogsdill offers several other burnishing products and related items, including:

- Bearingizing Tools, for burnishing IDs in parts with thin walls or irregular wall thicknesses, or in applications where porosity retention or extremely close tolerances are required
- CX® External Roller Burnishing Machines, for sizing, finishing, and work-hardening cylindrical surfaces of any length
- Diamond Burnishing Tools, for generating mirror finishes on ODs, large IDs, or faces of virtually any diameter
- Universal Burnishing Tools, for burnishing ODs, large IDs, faces, tapers, contours, and irregular surfaces with a single roll
- The KB Knurling-Burnishing Process, for salvaging out-of-tolerance bores and shafts: a two-step process using Cogsdill knurling tools and Roll-a-Finish tools

Request Our Full Catalog On Burnishing Tools & Machines burnishing tools

Knurling-Burnishing Process

universal burnishing

bearingizing tools

Notes

FOR ADDITIONAL INFORMATION

Mailing Address Cogsdill Tool Products, Inc. P.O. Box 7007 Camden, SC 29020-7007 Telephone (803) 438-4000 FAX (803) 438-5263 www.cogsdill.com Email cogsdill@cogsdill.com

Shipping Address
Cogsdill Tool Products, Inc. 1001 Guion Drive Lugoff, SC 29078

TECHNICAL SUPPLEMENT #500 BOM