

eCH-0293 Public Council Operations

Name	Public Council Operations
eCH number	eCH-0293
Category	Standard
Maturity level	Defined
Version	0.1.0
Status	In progress
Adopted on	
Issue date	
Replaces version	
Prerequisites	
Annexes	-
Languages	German (original) - English (data model)
Authors	Political Affairs specialist group: Nicole Aeby, David Imseng, Jonas Schärer, Lena Mina Friedrich, Manuel Weingartner, Orhan Saeedi, Michel Moret, Laurens Abu-Talib
Publisher / Distribution	eCH Association, Affolternstrasse 52, 8050 Zürich

1 Abstract

The standard eCH-0293 defines a common data model for recording and publishing information on public council operations in Switzerland. It covers the temporal organisation of parliamentary work (legislatures, sessions), the structuring of meetings and agenda items, votings and elections, individual votes, attendance lists as well as speeches and resolutions.

This standard is aimed at parliamentary services, software providers of parliamentary management systems, data users for analyses and visualisations, and open data platforms.

eCH-0293 is part of a family of standards for political data and works closely together with eCH-0294 (Political Actors), eCH-0295 (Parliamentary Affairs), eCH-0296 (Laws and Legal Texts) and eCH-0297 (Public Consultations).

2 Table of Contents

1	Abstract.....	2
2	Table of Contents.....	3
3	Note.....	8
4	Introduction.....	9
4.1	Context: public council operations.....	9
4.2	Relationship to other eCH standards.....	9
5	Temporal organisation of council operations.....	10
5.1	Legislature.....	10
5.2	Class: Legislature.....	11
5.3	Session.....	13
5.4	Class: Session.....	14
5.5	Meeting (individual sitting).....	17
5.6	Class: Meeting.....	19
5.7	Enum: MeetingTypeEnum.....	25
5.8	Enum: StateEnum.....	25
6	Attendance and speeches.....	26
6.1	Attendance.....	26
6.2	Term and meaning.....	26
6.3	Two-level structure.....	26
6.4	Attendance (aggregated level).....	26
6.5	IndividualAttendance (individual level).....	27
6.6	Difference: Attendance vs. IndividualVote.....	27
6.7	Purposes of use.....	27
6.8	Class: Attendance.....	28
6.9	Class: IndividualAttendance.....	29
6.10	Enum: AttendanceTypeEnum.....	30

7	Agenda, protocol and decisions.....	31
7.1	AgendaItem.....	31
7.2	Class: AgendaItem.....	33
7.3	Enum: AgendaItemTypeEnum.....	40
7.4	Protocol.....	41
7.5	Class: Protocol.....	41
7.6	Class: ProtocolItem.....	42
7.7	Joint debate (JointDebate).....	45
7.8	Class: JointDebate.....	45
7.9	Resolution.....	46
7.10	Class: Resolution.....	48
7.11	Enum: ResolutionTypeEnum.....	49
7.12	Motion.....	49
7.13	Class: Motion.....	50
8	Votings and elections.....	52
8.1	Voting.....	52
8.2	Purpose of the entity.....	52
8.3	Types of votings.....	52
8.4	Structure of a voting.....	52
8.5	Voting procedures.....	53
8.6	Voting result.....	53
8.7	Majority types.....	55
8.8	Threshold.....	55
8.9	Quorum.....	55
8.10	Roll-call votings.....	55
8.11	Relation to individual votes.....	56
8.12	Description and documentation.....	56

8.13	Timestamps.....	56
8.14	Class: Voting.....	56
8.15	Enum: VotingTypeEnum.....	60
8.16	Enum: MajorityTypeEnum.....	61
8.17	Individual Vote.....	61
8.18	Purpose of the entity.....	61
8.19	Relation to the voting.....	61
8.20	Identification of the person.....	61
8.21	Types of votes.....	61
8.22	Vote weight.....	62
8.23	Group affiliation.....	62
8.24	Position and order.....	62
8.25	Description and context.....	62
8.26	Timestamps.....	62
8.27	Attendance vs. casting a vote.....	63
8.28	Roll-call vs. secret votings.....	63
8.29	Class: IndividualVote.....	63
8.30	Enum: IndividualVoteTypeEnum.....	66
8.31	Election.....	66
8.32	Term and meaning.....	66
8.33	Difference: election vs. voting.....	66
8.34	Types of elections.....	67
8.35	Assignment to agenda items.....	67
8.36	Description and title.....	67
8.37	Election result.....	68
8.38	Elected person(s).....	68
8.39	Distribution of votes.....	68

8.40	Election procedure.....	68
8.41	Majority requirements.....	68
8.42	Rounds of voting.....	69
8.43	Timestamps.....	69
8.44	URL and documentation.....	69
8.45	Particularities of the various elections.....	69
8.46	Transparency and confidentiality.....	70
8.47	Class: Election.....	70
8.48	Enum: ElectionTypeEnum.....	72
8.49	Speech.....	73
8.50	Term and meaning.....	73
8.51	Types of speeches.....	73
8.52	Structure and assignment.....	73
8.53	Identification of the speakers.....	74
8.54	Temporal recording.....	74
8.55	Language of the speech.....	74
8.56	Text documents.....	74
8.57	Multimedia recordings.....	74
8.58	Title and description.....	75
8.59	Type of speech.....	75
8.60	Class: Speech.....	75
9	Texts and media.....	77
9.1	TextSegment.....	77
9.2	Media.....	78
9.3	Class: TextSegment.....	79
9.4	Class: Media.....	79
9.5	Class: MultilingualString.....	80

9.6	Class: Container.....	81
-----	-----------------------	----

3 Note

This document uses gender-inclusive language when referring to persons. It follows the [guidelines](#) (German) of the Federal Chancellery. Depending on the situation, paired forms (citizens), gender-abstract forms (the insured person), gender-neutral forms or paraphrases without personal reference are used. The generic masculine is not permitted. Full forms are used in continuous text; short forms may be used in abbreviated passages, notably in tables. Gender asterisks and similar spellings are not used.

4 Introduction

4.1 Context: public council operations

At federal, cantonal and communal level, councils and assemblies convene, deliberate on political affairs, take decisions and scrutinise the executive.

4.2 Relationship to other eCH standards

eCH-0293 is part of an ecosystem of standards for political data:

4.2.1 eCH-0294: Political Actors

Defines persons, bodies and groups in the political context. eCH-0293 references these actors via `actor_id` (e.g. which parliament, which person voted).

4.2.2 eCH-0295: Parliamentary Affairs

Describes the life cycle of political affairs. Agendaltems in eCH-0293 point to the corresponding affairs via `affair_id`.

4.2.3 eCH-0296: Laws and Legal Texts

Records the results of the parliamentary process — the laws and enactments adopted.

4.2.4 eCH-0297: Public Consultations

Structures consultation procedures, which are often the starting point for parliamentary affairs.

5 Temporal organisation of council operations

Parliamentary operations are organised in time on three levels: legislatures form the long-term frame, sessions structure the work within a legislature, and meetings are the concrete sittings in which affairs are deliberated. This hierarchy allows both long-term planning and flexible adaptation to current requirements.

5.1 Legislature

5.1.1 Term and meaning

A legislature denotes the period for which a parliament is elected and acts in its current composition. It is the highest temporal unit of parliamentary operations and marks the frame for a parliament's legislative work.

In Switzerland the duration of legislatures varies by federal level:

- **Federal level:** 4 years (National Council and Council of States)
- **Cantons:** mostly 4 years, in some cantons also 5 years
- **Communes:** varying, frequently 4 years

5.1.2 Structure and hierarchy

The legislature stands hierarchically above the sessions and meetings:

```

Legislature
├── Sessions (e.g. spring session, autumn session)
│   └── Meetings (individual sittings)
│       └── Agenda Items
    
```

5.1.3 Parliamentary context

Every legislature is assigned to a specific parliamentary body, identified by:

- **actor_id:** reference to the parliament as a political actor (e.g. National Council, cantonal parliament) according to eCH-0294 Actors
- **administrative_id:** administrative ID of the legislative body (e.g. commune, canton, country)

5.1.4 Temporal placement

A legislature is characterised via the mixin `IsEventWithDuration`. The most important date fields are:

- **date_begin_planned / date_begin_actual:** planned respectively actual start of the legislature (usually after elections)
- **date_end_planned / date_end_actual:** planned respectively actual end of the legislature (before the next elections)

Where needed, analogous `datetime_*` variants with a time of day are available.

Example at federal level: the 51st legislature of the Swiss Parliament lasted from 5 December 2019 to 4 December 2023.

5.1.5 Identification

The mixin `HasIdentification` provides `local_id`, `global_uri` and `wikidata_uri`. The `global_uri` is mandatory and serves as the unique identifier.

5.1.6 Linked documents

The slot **documents** allows relevant documents (e.g. member directories of the legislature, affairs directories) to be linked as FRBR Works.

5.2 Class: Legislature

Term of office of a parliament as a legislative assembly. Usually lasts four years.

5.2.1 Attribute

Name	Cardinality and Range	Description
<code>administrative_id</code>	0..1 String	Administrative ID of the legislative body, such as a municipality, canton, or country.
<code>name</code>	* MultilingualString	Multilingual full designation.
<code>description</code>	0..1 String	Descriptive text of the element.
<code>landing_page</code>	0..1 String	URL providing further information.
<code>actor_id</code>	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
<code>documents</code>	* Work	List of documents (FRBR Works) linked to the entity.
<code>local_id</code>	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
<code>global_uri</code>	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
<code>date_begin_actual</code>	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
<code>datetime_begin_actual</code>	0..1 Datetime	The actual start date and time of an event or occurrence with time duration.

Name	Cardinality and Range	Description
		Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

Name	Cardinality and Range	Description
		S
5.2.2 Usages		
used by	used in	type
Container	legislatures	Legislature

5.3 Session

5.3.1 Term and meaning

A session denotes a continuous sitting period of a parliament during which several meetings take place. It is the middle temporal unit between the legislature and the individual meetings.

5.3.2 Distinction: session vs. meeting

This distinction is important for understanding the standard:

- **Session:** a sitting period that typically extends over several days or weeks
- **Meeting:** an individual sitting within a session

5.3.2.1 Example at federal level

```

Legislature (51st legislature)
├─ Session (spring session 2024)
│   ├── Meeting (National Council sitting 4 March 2024)
│   ├── Meeting (Council of States sitting 4 March 2024)
│   └── Meeting (National Council sitting 5 March 2024)
└─ ...

```

5.3.3 Assignment to bodies

A session relates to the political body that organises the sessions as a series of sittings. Examples:

- **Parliament:** sessions of a cantonal parliament or of the Federal Assembly
- **Committees:** sitting periods of parliamentary committees
- **Joint bodies:** e.g. sessions of the United Federal Assembly

Via **body_key** the body (e.g. “NR” for the National Council, “SR” for the Council of States) can be recorded as a key. Via **parent_legislature** the session is assigned to the corresponding legislature.

5.3.4 Identification and numbering

Sessions are usually numbered. The following slots are available — they are compatible with the corresponding modelling of Meeting:

- **number:** sequential number (e.g. within the legislature or the year)
- **sequential_number:** sequential number as a string (roman numerals also possible)
- **position:** integer position
- **abbreviation:** short designation (e.g. “FS24” for the 2024 spring session)
- **name:** multilingual full designation

The mixin `HasIdentification` additionally provides `local_id`, `global_uri` and `wikidata_uri`.

5.3.5 Temporal attributes

Sessions use the mixin `IsEventWithDuration` and therefore offer the same date fields as legislatures and meetings:

- **date_begin_planned / datetime_begin_planned**: planned start of the session
- **date_begin_actual / datetime_begin_actual**: actual start
- **date_end_planned / datetime_end_planned**: planned end of the session
- **date_end_actual / datetime_end_actual**: actual end

5.3.6 Links

- **meetings**: list of the meetings within the session
- **documents**: linked FRBR Works (e.g. session programme, session preview)
- **url**: landing page of the session

5.3.7 Flexibility in the standard

The standard is deliberately flexible in order to reflect different forms of organisation. Federal units without formal sessions can use this entity optionally or reference meetings directly.

5.4 Class: Session

A parliamentary session that groups multiple meetings and spans a specific time period.

5.4.1 Attribute

Name	Cardinality and Range	Description
body_key	0..1 String	Key identifying the political body or jurisdiction (e.g., BE for Bern, CHE for Switzerland).
name	* MultilingualString	Multilingual full designation.
number	0..1 String	Sequential number, e.g. within the legislature, the session or the year.
sequential_number	0..1 Integer	Sequential number of the meeting, used for ordering.
position	0..1 String	Integer position within the superordinate sequence.
meeting_abbreviation	0..1 String	Short designation of the session or meeting (e.g. "FS24" for the 2024 spring session).
url	* MultilingualString	Landing page or further web address, multilingual.
parent_legislature	0..1 String	The legislative body in which the meeting is based.
meetings	* Meeting	Collection of meeting records.
documents	* Work	List of documents (FRBR Works) linked to the entity.

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration

Name	Cardinality and Range	Description
		IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

5.4.2 Usages

used by	used in	type	used
Container	sessions	range	Session

5.4.3 Examples

5.4.3.1 Example: Federal session with a trilingual designation

```

global_uri: ops:session_5207
body_key: CHE
name:
- text: Frühjahrssession 2025
  language: de
- text: Session de printemps 2025
  language: fr
- text: Sessione primaveraile 2025
  language: it
url:
- text: https://www.parlament.ch/de/ratsbetrieb/sessionen/fruehjahr-2025
  language: de
- text: https://www.parlament.ch/fr/ratsbetrieb/sessionen/fruehjahr-2025
  language: fr
- text: https://www.parlament.ch/it/ratsbetrieb/sessionen/fruehjahr-2025
  language: it
date_begin_planned: '2025-03-03'
date_end_planned: '2025-03-21'
parent_legislature: ops:legislature_51
datetime_modified: '2025-04-24T00:19:37Z'
datetime_created: '2025-03-20T14:27:09Z'

```

5.4.3.2 Example: Landsgemeinde as a sitting period

```

global_uri: ops:session_gl_landsgemeinde_2025_05_04
body_key: GL
name:
- text: Landsgemeinde vom 04. Mai 2025
  language: de
url:

```

```
- text: https://www.landsgemeinde.gl.ch/landsgemeinde/2025-05-04
  language: de
date_begin_planned: '2025-05-04'
date_end_planned: '2025-05-04'
datetime_modified: '2025-04-25T13:40:34Z'
datetime_created: '2025-04-23T22:58:39Z'
```

5.4.3.3 Example: Cantonal session with a bilingual designation

```
global_uri: ops:session_be_summer_2025
body_key: BE
name:
- text: Sommersession 2025
  language: de
- text: Session d'été 2025
  language: fr
url:
- text: >-
  https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?
guid=66ccf0a9f4d24d318ff3b99e646644e8
  language: de
- text: >-
  https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?
guid=66ccf0a9f4d24d318ff3b99e646644e8
  language: fr
date_begin_planned: '2025-06-02'
date_end_planned: '2025-06-12'
datetime_modified: '2025-05-19T01:06:44Z'
datetime_created: '2025-04-25T11:10:24Z'
```

5.4.3.4 Example: One-day sitting period of a cantonal parliament

```
global_uri: ops:session_gl_landrat_2025_02_26
body_key: GL
name:
- text: Sitzung des Landrates vom 26.02.2025
  language: de
url:
- text: https://www.gl.ch/parlament/landrat/landratsprotokolle-ab-30-juni-2010.html/239
  language: de
date_begin_planned: '2025-02-26'
date_end_planned: '2025-02-26'
datetime_modified: '2025-04-25T13:40:34Z'
datetime_created: '2025-04-23T22:58:39Z'
```

5.5 Meeting (individual sitting)

5.5.1 Term and meaning

A meeting denotes an individual sitting of a parliamentary body. This is the concrete event at which the members of a parliament, a committee or another body assemble in order to deliberate affairs and take decisions.

5.5.2 Types of meetings

The standard distinguishes different meeting types via the field **meeting_type** (enum MeetingTypeEnum):

5.5.2.1 session

Plenary sittings of the whole parliament or of one chamber

Examples: - National Council sitting during the autumn session - Sitting of a cantonal parliament
- Sitting of the United Federal Assembly

5.5.2.2 committee

Sittings of parliamentary committees

Examples: - Sitting of the Committee for Economic Affairs and Taxation (WAK/CER) - Control Committee (GPK/CdG) - Foreign Affairs Committee (APK/CPE)

5.5.2.3 sitting

Special forms of assembly

Examples: - Landsgemeinden (in the cantons of Glarus and Appenzell Innerrhoden) - Citizens' commune assemblies - Communal assemblies

5.5.2.4 various

Other forms of meeting that do not fall into the categories above

5.5.3 Hierarchy and structure

A meeting is part of a session (where used) and contains several agenda items:

```
Session (spring session 2024)
├─ Meeting (National Council sitting, 4 March 2024, 08:00)
│   ├─ AgendaItem (item 1: welcome)
│   ├─ AgendaItem (item 2: legislative deliberation)
│   └─ AgendaItem (item 3: votings)
```

5.5.4 Planned timing vs. reality

Via the mixin `IsEventWithDuration` the meeting distinguishes between planned and actual points in time:

5.5.4.1 Planned dates

- **date_begin_planned / datetime_begin_planned:** planned start
- **date_end_planned / datetime_end_planned:** planned end

5.5.4.2 Actual dates

- **date_begin_actual / datetime_begin_actual:** actual start
- **date_end_actual / datetime_end_actual:** actual end

This distinction is important because: - sittings can be delayed - agenda items can be brought forward or postponed - sittings can end earlier than planned

Use case: a sitting planned for 14:00 only starts at 14:25 due to delays and ends at 17:30 instead of 18:00.

5.5.5 Meeting state

The field **state** (enum `StateEnum`) records the current state of a meeting:

- **planned:** the sitting is planned and will take place as scheduled
- **canceled:** the sitting has been cancelled
- **postponed:** the sitting has been postponed

Via **state_name** a divergent, free-text state description can be added.

This state is important for: - up-to-date information for members of parliament and the public - historical traceability of planning changes - automatic notifications in case of changes

5.5.6 Identification and numbering

Meetings are identified by:

- **local_id** / **global_uri** / **wikidata_uri** (via the mixin `HasIdentification`)
- **number**: sequential number (e.g. “5” for the 5th sitting of a session)
- **sequential_number**: sequential number as a string (roman numerals also possible)
- **position**: integer position within the session
- **abbreviation**: short designation (e.g. “NR-24-05”)
- **name**: multilingual full designation

5.5.7 Place of the sitting

The field **location** records the place of the sitting:

- Physical place: “Federal Palace, National Council chamber”
- Virtual sittings: “Video conference via [platform]”
- Hybrid formats: “Federal Palace and video conference”

5.5.8 Assignment to bodies

The responsible body is referenced via **actor_id** (according to eCH-0294 Actors). Via **actor_name** the name of the body can additionally be recorded for quick access, via **body_key** a short key (e.g. “NR”, “SR”). Via **administrative_id** the administrative level can be indicated; **group_name** and **group_id** complement groupings where needed.

- Plenary sittings: reference to the whole parliament
- Committee sittings: reference to the specific committee
- Joint sittings: reference to the joint body

5.5.9 Hierarchical links

- **parent_meeting**: if a meeting is part of a superordinate meeting
- **parent_legislature**: the legislature within which the meeting takes place

5.5.10 Relations to other entities

A meeting connects various elements of parliamentary operations:

- **Agenda Items**: the items dealt with
- **Votings**: votings during the sitting
- **Elections**: elections during the sitting
- **Speeches**: speeches and statements
- **Attendance**: attendance lists (via `Attendance.parent_meeting`)
- **documents**: linked FRBR Works (minutes, meeting documents, daily journal, etc.)

5.6 Class: Meeting

A general meeting class used for Sessions, Comittee Meetings, individual session Sittings and other various Meetings.

5.6.1 Attribute

Name	Cardinality and Range	Description
body_key	0..1 String	Key identifying the political body or jurisdiction (e.g., BE for Bern, CHE for Switzerland).
meeting_type	0..1 MeetingTypeEnum	Type of the meeting, e.g. session, committee, sitting, various.
administrative_id	0..1 String	Administrative ID of the legislative body, such as a municipality, canton, or country.
name	* MultilingualString	Multilingual full designation.
url	* MultilingualString	Landing page or further web address, multilingual.
group_name	0..1 String	Name of the group or body.
group_id	0..1 GroupReference	Reference to the group or body (lightweight snapshot at time of linking).
number	0..1 String	Sequential number, e.g. within the legislature, the session or the year.
landing_page	0..1 String	URL providing further information.
sequential_number	0..1 Integer	Sequential number of the meeting, used for ordering.
position	0..1 String	Integer position within the superordinate sequence.
meeting_abbreviation	0..1 String	Short designation of the session or meeting (e.g. "FS24" for the 2024 spring session).
actor_name	0..1 String	Name of the political body (e.g., Nationalrat).
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
state	0..1 StateEnum	Current state of the meeting (planned, canceled, postponed).
state_name	0..1 String	Custom state description for the meeting.
description	0..1 String	Descriptive text of the element.

Name	Cardinality and Range	Description
location	0..1 String	Place where the meeting is held (physical room, video conference or hybrid format).
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting.
parent_legislature	0..1 String	The legislative body in which the meeting is based.
documents	* Work	List of documents (FRBR Works) linked to the entity.
protocol_ref	0..1 Protocol	The protocol (minutes) of this meeting, recorded after the meeting.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration

Name	Cardinality and Range	Description
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

5.6.2 Usages

used by	used in	type	used
Container	meetings	range	Meeting
Session	meetings	range	Meeting

5.6.3 Examples

5.6.3.1 Example: Council of States sitting with protocol and speeches

```
global_uri: parl:sr_winter25_sitzung_6
body_key: CHE
meeting_type: session
name:
- text: Sechste Sitzung
  language: de
- text: Sixième séance
  language: fr
url:
```

```
- text: https://www.parlament.ch/de/ratsbetrieb/suche-Amtliches-bulletin
  language: de
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/42
  label: Ständerat
  abbreviation:
    - value: SR
      language: de
actor_name: Ständerat
datetime_begin_planned: '2025-12-19T08:15:00+01:00'
datetime_created: '2026-01-12T00:00:00+01:00'
datetime_modified: '2026-01-12T00:00:00+01:00'
```

5.6.3.2 Example: Cantonal parliament sitting with agenda items and votings

```
global_uri: ops:meeting_sg_2025_03_15
body_key: SG
meeting_type: session
name:
- text: Kantonsratssitzung vom 15. März 2025
  language: de
url:
- text: https://www.ratsinfo.sg.ch/sessions/2025-03-15
  language: de
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/265
  label: Kantonsrat St. Gallen
  abbreviation:
    - value: KR
      language: de
actor_name: Kantonsrat St. Gallen
datetime_begin_planned: '2025-03-15T08:00:00Z'
datetime_end_planned: '2025-03-15T18:00:00Z'
datetime_begin_actual: '2025-03-15T08:15:00Z'
datetime_end_actual: '2025-03-15T17:30:00Z'
state: planned
location: Kantonsratssaal, Regierungsgebäude St. Gallen
parent_legislature: ops:legislature_sg_2024_2028
datetime_created: '2025-02-01T10:00:00Z'
datetime_modified: '2025-03-15T17:30:00Z'
```

5.6.3.3 Example: Half-day sitting within a session

```
body_key: BE
global_uri: ops:e7c5d453-848a-430a-b024-1dd2f6873aa6
meeting_type: session
name:
- text: Donnerstag (Nachmittag)
  language: de
url:
- text: >-
  https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?
  guid=66ccf0a9f4d24d318ff3b99e646644e8
  language: de
- text: >-
  https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?
  guid=66ccf0a9f4d24d318ff3b99e646644e8
  language: fr
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/253
  label: Grosser Rat Bern
  abbreviation:
    - value: GR
      language: de
actor_name: Grosser Rat Bern
date_begin_planned: '2025-06-05'
date_end_planned: '2025-06-05'
datetime_created: '2025-04-25T11:10:25Z'
datetime_modified: '2025-05-19T01:06:45Z'
```

5.6.3.4 Example: Committee sitting with an attendance list

```
global_uri: ops:meeting_be_committee_wak_2025_05_12
body_key: BE
meeting_type: committee
name:
- text: Sitzung Kommission für Wirtschaft und Abgaben
  language: de
- text: Séance Commission de l'économie et des redevances
  language: fr
url:
- text: https://www.gr.be.ch/kommissionen/wak/2025-05-12
  language: de
actor_id:
  global_uri: actors:committee_wak_be
  label: Kommission für Wirtschaft und Abgaben (WAK)
  abbreviation:
    - value: WAK
      language: de
actor_name: Kommission für Wirtschaft und Abgaben (WAK)
datetime_begin_planned: '2025-05-12T14:00:00Z'
datetime_end_planned: '2025-05-12T17:00:00Z'
datetime_begin_actual: '2025-05-12T14:10:00Z'
datetime_end_actual: '2025-05-12T16:45:00Z'
state: planned
location: Kommissionszimmer 301, Rathaus Bern
parent_legislature: ops:legislature_be_2022_2026
datetime_created: '2025-04-15T09:00:00Z'
datetime_modified: '2025-05-12T16:45:00Z'
```

5.6.3.5 Example: Government sitting with a bilingual designation

```
body_key: BE
global_uri: ops:340dcf932fb044dd8f8c5c943267fbcc
meeting_type: session
name:
- text: Regierungssitzung vom 31. März 2021
  language: de
- text: Séance du gouvernement du 31 mars 2021
  language: fr
url:
- text: >-
  https://www.rr.be.ch/de/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-
  detail?guid=340dcf932fb044dd8f8c5c943267fbcc
  language: de
- text: >-
  https://www.rr.be.ch/fr/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-
  detail?guid=340dcf932fb044dd8f8c5c943267fbcc
  language: fr
actor_id:
  global_uri: actors:rr_be
  label: Regierungsrat Bern
  abbreviation:
    - value: RR
      language: de
actor_name: Regierungsrat Bern
date_begin_planned: '2021-03-31'
date_end_planned: '2021-03-31'
datetime_created: '2024-10-28T01:22:26Z'
datetime_modified: '2024-11-27T20:40:57Z'
```

5.6.3.6 Example: Landsgemeinde as meeting type sitting

```
global_uri: ops:meeting_gl_landsgemeinde_2025
body_key: GL
meeting_type: sitting
name:
- text: Landsgemeinde 2025
  language: de
url:
```

```
- text: https://www.landsgemeinde.gl.ch/2025
  language: de
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/258
  label: Landsgemeinde Glarus
  abbreviation:
    - value: LG
      language: de
actor_name: Landsgemeinde Glarus
datetime_begin_planned: '2025-05-04T09:30:00Z'
datetime_end_planned: '2025-05-04T14:00:00Z'
datetime_begin_actual: '2025-05-04T09:30:00Z'
datetime_end_actual: '2025-05-04T13:45:00Z'
state: planned
location: Zaunplatz, Glarus
parent_legislature: ops:legislature_gl_2024_2028
datetime_created: '2025-01-10T12:00:00Z'
datetime_modified: '2025-05-04T13:45:00Z'
```

5.7 Enum: MeetingTypeEnum

Type of the meeting.

URI: [ops:MeetingTypeEnum](#)

5.7.1 Permissible Values

Value	Description
session	Plenary sitting of the whole parliament or of one chamber. ops:enum/meeting_type/session
committee	Meeting of a parliamentary committee. ops:enum/meeting_type/committee
sitting	Special forms of assembly (e.g. Landsgemeinde, communal assembly). ops:enum/meeting_type/sitting
various	Other forms of meeting not covered by the categories above. ops:enum/meeting_type/various

5.8 Enum: StateEnum

State of the meeting.

URI: [ops:StateEnum](#)

5.8.1 Permissible Values

Value	Description
planned	The meeting is planned and will take place as scheduled. ops:enum/state/planned
canceled	The meeting has been cancelled. ops:enum/state/canceled
postponed	The meeting has been postponed.

Value	Description
	ops:enum/state/postponed

6 Attendance and speeches

Besides the formal decisions, the standard also documents participation in sittings and the debates held. Attendance lists record who took part in a sitting, while speeches capture the parliamentary debate with text and media recordings.

6.1 Attendance

6.2 Term and meaning

Attendance records which members of a parliamentary body were present, absent or excused at a sitting. It serves to document participation and is a prerequisite for the quorum.

6.3 Two-level structure

The standard distinguishes two levels of attendance recording:

6.3.1 1. Attendance (aggregated level)

Summary of attendance for a meeting: - Total number of persons present - Total number of persons absent (excused / unexcused) - Quorum

6.3.2 2. IndividualAttendance (individual level)

Detailed recording for each individual person: - Who was present? - Who was absent? - Was the absence excused?

```
Meeting (National Council sitting 4 March 2024)
├─ Attendance (aggregated attendance)
│   ├── IndividualAttendance (person A: present)
│   ├── IndividualAttendance (person B: excused)
│   └── IndividualAttendance (person C: absent)
└─ ...
```

6.4 Attendance (aggregated level)

6.4.1 Assignment to meeting and body

- **parent_meeting**: reference to the specific sitting to which the attendance list belongs
- **actor_id**: reference to the body (parliament, committee) according to eCH-0294 Actors
- **datetime_begin**: point in time of the attendance recording

6.4.2 Aggregated figures

- **total_count**: total number of all members of the body (reference value for quorum calculations, e.g. 200 for the National Council, 46 for the Council of States)
- **total_present**: number of members present
- **total_excused**: number of excused members
- **total_absent**: number of unexcused absent members

Example: - Total: 200 - Present: 185 - Excused: 12 - Absent: 3

6.4.3 Quorum

The quorum results from the ratio of `total_present` to `total_count` and the respective quorum rules of the body. It is therefore not stored as a separate field but calculated from the data where needed.

6.5 IndividualAttendance (individual level)

6.5.1 Link

- **parent_attendance**: reference to the superordinate *Attendance* aggregate (which in turn hangs on the meeting). The individual record is thereby cleanly assigned to the meeting.
- **actor_id**: reference to the person according to eCH-0294 Actors

6.5.2 Attendance type

The field **attendance_type** (enum `AttendanceTypeEnum`) records the type of attendance:

- **present**: present in person
- **remote**: present via remote access (e.g. video conference)
- **substitute**: substitution — another person participated as a stand-in

The modelling of substitution (e.g. who substituted for whom, with which voting right) is being elaborated further in [issue #24](#).

A second status axis `present / excused / absent` (“whether present”) in parallel to the existing axis “how present” is under discussion as an extension.

6.5.3 Reason

The field **reason** (multilingual) can record the reason for absence or lateness as free text.

6.6 Difference: Attendance vs. IndividualVote

Important delimitation:

Aspect	Attendance	IndividualVote
Records	Presence at the sitting	Vote cast in a voting
Point in time	Start of / during the sitting	Point in time of the voting
Granularity	Per meeting	Per voting

Example: a person can be present at the sitting (Attendance: present) but be recorded as absent for a specific voting (IndividualVote: absent) because they briefly left the room at that moment.

6.7 Purposes of use

The attendance entities enable:

1. **Documentation**: traceable recording of participation
2. **Quorum check**: ensuring the capacity to take decisions
3. **Transparency**: public information about attendance
4. **Accountability**: monitoring the fulfilment of duties
5. **Statistics**: evaluation of attendance rates
6. **Administration**: calculation of compensation and expenses

6.8 Class: Attendance

Aggregated attendance record for a meeting (number of members present, absent, excused).

6.8.1 Attribute

Name	Cardinality and Range	Description
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting.
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
total_count	0..1 Integer	Total number of members of the body (reference value for quorum calculations).
total_present	0..1 Integer	Total number of members present.
total_absent	0..1 Integer	Total number of absent members. Distinction between absent/excused absent - presence is tracked on attendance list.
total_excused	0..1 Integer	Total number of excused absences.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was

Name	Cardinality and Range	Description
		last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

6.8.2 Usages

used by	used in	type	used
Container	attendances	range	Attendance
IndividualAttendance	parent_attendance	range	Attendance

6.9 Class: IndividualAttendance

Individual attendance record for a specific person at a meeting (linked via the parent Attendance aggregate).

6.9.1 Attribute

Name	Cardinality and Range	Description
parent_attendance	0..1 Attendance	The Attendance aggregate this individual attendance record belongs to.
actor_id	0..1 PersonReference	Reference to the acting person (lightweight snapshot at time of linking).
attendance_type	0..1 AttendanceTypeEnum	Type of individual attendance.
reason	* MultilingualString	Reason for absence or lateness (free-text, multilingual).
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance:

Name	Cardinality and Range	Description
		HasCreationModificationDateS
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDateS
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDateS
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDateS

6.9.2 Usages

used by	used in	type	used
Container	individual_attendances	range	IndividualAttendance

6.10 Enum: AttendanceTypeEnum

Type of individual attendance.

URI: [ops:AttendanceTypeEnum](#)

6.10.1 Permissible Values

Value	Description
remote	Remote participation ops:enum/attendance_type/remote
substitute	Substitute (Stellvertretung) ops:enum/attendance_type/substitute
present	Present in person ops:enum/attendance_type/present

7 Agenda, protocol and decisions

The agenda of a sitting is structured by agenda items. The agenda items count as the planning of a sitting and are no longer changed in the data once the sitting has started. The same data elements are then used to record the protocol and the decisions it contains.

If the agenda changes during a sitting, these changes are recorded in the protocol, and the agenda of the next sitting is adjusted accordingly.

7.1 Agendalitem

7.1.1 Purpose of the entity

Agendalitem structures the agenda of a sitting and connects the temporal organisation (Meeting) with the substantive affairs (Affairs from eCH-0295). It is the central entity for representing the course of a sitting.

7.1.2 Hierarchy and structure

Agenda items can be organised hierarchically in order to represent the structure of complex agendas:

```
Meeting (sitting of 4 March 2024)
├─ AgendaItem 1: announcements and welcome
├─ AgendaItem 2: legislative deliberations
│   └─ AgendaItem 2.1: energy act (detailed deliberation)
│       └─ AgendaItem 2.2: energy act (final vote)
│           └─ AgendaItem 2.3: health act (entry debate)
└─ AgendaItem 3: miscellaneous
```

The hierarchy is represented via the field **parent_agenda_item**, which references the superordinate agenda item.

7.1.3 Identification and numbering

- **id**: unique identifier
- **number**: agenda item number on the agenda (e.g. “2.1”, “3”)
- **position**: sort order (for the presentation)
- **title**: title of the agenda item

7.1.4 Types of agenda items

The field **agenda_item_type** distinguishes different kinds:

- **item**: a regular agenda item with deliberation and, where applicable, a voting
- **item_group**: a group of agenda items (e.g. “legislative deliberations”)
- **note**: informative entries without a voting (e.g. “announcements”)

7.1.5 Relation to parliamentary affairs

The field **affairs** references the corresponding parliamentary affairs according to eCH-0295. An agenda item can relate to several affairs:

- **Single affair**: an agenda item deals with a specific bill
- **Several affairs**: an agenda item combines related affairs
- **No affair**: administrative agenda items (e.g. “approval of the protocol”)

Example: the agenda item “Energy act — final vote” references the affair “23.XXX Energy Act” in eCH-0295.

7.1.6 Temporal planning

- **date_time:** planned point in time of the treatment
- **date_time_actual:** actual point in time of the treatment

This distinction is important because: - the agenda is fixed in advance - the actual course can deviate from it - agenda items can be brought forward, postponed or adjourned

7.1.7 Status and result

7.1.7.1 Status

The field **status** shows the processing state: - “pending”: not yet dealt with - “in_progress”: currently under deliberation - “completed”: treatment finished - “postponed”: adjourned to a later sitting - “withdrawn”: withdrawn

7.1.7.2 Result

The field **result** records the result of the treatment: - “accepted”: accepted - “rejected”: rejected - “referred”: referred back (e.g. to a committee) - “noted”: noted - “no_decision”: no decision taken

7.1.8 Categorisation

The field **category** allows grouping according to substantive criteria: - “Legislation” - “Budget and finance” - “Interpellations and questions” - “Elections” - “Miscellaneous”

This categorisation is not standardised and can vary from one federal unit to another.

7.1.9 Resolutions on agenda items

The field **resolution** references the resolution(s) taken on this agenda item. A resolution documents the formal decision:

```
AgendaItem: "Energy act – final vote"
└─ Resolution: "Acceptance of the energy act with 120 to 75 votes and 5 abstentions"
    └─ Voting: details of the voting
```

7.1.10 Description and URL

- **description:** detailed description of the agenda item
- **url:** array of multilingual URLs to meeting documents:
 - o dispatches and reports
 - o motions
 - o amendments
 - o voting results

7.1.11 Particularities of the various procedures

7.1.11.1 Legislative procedure

An affair passes through several agenda items: 1. Entry debate 2. Detailed deliberation 3. Final vote 4. Where applicable, elimination of differences between the chambers

7.1.11.2 Interpellations and questions

- Submission as an agenda item

- Answer of the government
- Where applicable, discussion

7.1.11.3 Elections

- Nomination as an agenda item
- Conduct of the election
- Announcement of the result

7.1.12 Link to other entities

An Agendaltem is the central link between:

- **Meeting:** the sitting in which it is dealt with
- **Affairs** (eCH-0295): the substantive affairs
- **Resolution:** the formal decision
- **Voting:** the voting(s) on the agenda item
- **Speech:** statements and speeches on the agenda item

7.1.13 Application examples

...

7.1.14 Purposes of use

1. Structuring the course of the sitting and the agenda
2. Link between meetings and affairs (eCH-0295)
3. Documentation of status and result per agenda item
4. Basis for sitting protocols and publications

7.2 Class: Agendaltem

An agenda item of a meeting.

7.2.1 Attribute

Name	Cardinality and Range	Description
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting.
agenda_item_type	0..1 AgendaltemTypeEnum	Type of agenda item, distinguishing individual items from groups.
agenda_item_number	0..1 String	Sequential number of the agenda item (string type to support roman numerals).
agenda_item_position	0..1 Integer	Integer position of the agenda item in the meeting sequence.
leading_actor_id	0..1 String	The leading department for the agenda item.
speaking_actor_id	0..1 String	The speaker or head of the department for the agenda item.

Name	Cardinality and Range	Description
agenda_item_title	* MultilingualString	Title of the agenda item.
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item.
agenda_item_description	* MultilingualString	Subtitle or detailed description of the agenda item.
state_id	0..1 String	State identifier (reference to state enum or custom state).
state_name	0..1 String	Custom state description for the meeting.
landing_page	0..1 String	URL providing further information.
url	* MultilingualString	Landing page or further web address, multilingual.
agenda_item_category	0..1 String	Category for grouped agenda items (e.g., introduction, by department, technical agenda items).
parent_agenda_item	0..1 String	If needed, this slot builds a hierarchy of agenda items.
has_resolution	0..1 Resolution	The resolution or decision taken on this agenda item.
documents	* Work	List of documents (FRBR Works) linked to the entity.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance:

Name	Cardinality and Range	Description
		IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

7.2.2 Usages

used by	used in	type	used
Container	agenda_items	range	AgendaItem
JointDebate	agenda_items	range	AgendaItem

7.2.3 Examples

7.2.3.1 Example: Budget agenda item

```
global_uri: ops:agenda_item_zh_budget_2026
parent_meeting: ops:meeting_zh_2025_11_20
agenda_item_type: item
agenda_item_number: '8'
agenda_item_position: 8
agenda_item_title:
- text: Budget 2026
  language: de
agenda_item_description:
- text: Beratung und Beschlussfassung über das Kantonsbudget für das Jahr 2026
  language: de
agenda_item_category: Budget und Finanzen
state_id: completed
datetime_begin_planned: '2025-11-20T16:00:00Z'
datetime_begin_actual: '2025-11-20T16:45:00Z'
affair_id: affairs:zh_2025_budget_2026
datetime_created: '2025-10-01T08:00:00Z'
datetime_modified: '2025-11-20T16:50:00Z'
```

7.2.3.2 Example: Motion within a group of agenda items

```
global_uri: ops:16155798_3
parent_meeting: ops:meeting_schaffhausen_2025_03_31
agenda_item_type: item
datetime_begin_planned: '2025-03-31T00:00:00Z'
agenda_item_position: 2
agenda_item_number: '2'
agenda_item_title:
- text: >-
  Motion Nr. 2023/9 von Rainer Schmidig vom 18. Dezember 2023 betreffend zeitgemässe
  Abzüge in den Art. 35 und 37 des Gesetzes über die direkten Steuern
  language: de
agenda_item_category: Traktanden
affair_id: affairs:MOT_2023_9
datetime_created: '2025-05-02T11:23:49Z'
datetime_modified: '2025-05-02T11:23:49Z'
```

7.2.3.3 Example: Agenda item of a Council of States sitting

```
global_uri: ops:69905
parent_meeting: parl:sr_winter25_sitzung_6
agenda_item_type: item
datetime_begin_planned: '2025-12-19T09:15:00+01:00'
datetime_begin_actual: '2025-12-19T09:20:00+01:00'
agenda_item_number: '6'
agenda_item_position: 4
agenda_item_title:
- text: >-
  Postulat Broulis Pascal. Bauprojekte im Mobilitätsbereich. Einen Vergleich durchführen,
  um die Verzögerungen zu verstehen
  language: de
affair_id: affairs:24.4471
landing_page: >-
  https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-die-
  verhandlungen?SubjectId=69905#votum3
agenda_item_category: agenda_item
datetime_created: '2026-01-12T00:00:00+01:00'
datetime_modified: '2026-01-12T00:00:00+01:00'
```

7.2.3.4 Example: Postulate category voting

```
global_uri: ops:0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
parent_meeting: ops:meeting_luzern_2025_01_28
agenda_item_type: item
datetime_begin_planned: '2025-01-28T00:00:00Z'
agenda_item_position: 29
agenda_item_number: '29'
agenda_item_title:
- text: >-
  Postulat Widmer Reichlin Gisela und Mit. über Massnahmen zur Erfüllung des
  Sonderschulkonkordats
  und zur gezielten Behebung des Fachkräftemangels im Bereich schulische Heilpädagogik
  / Bildungs- und Kulturdepartement
  language: de
agenda_item_category: voting
url:
- text: >-
  https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
  TraktandumGuid=0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
  language: de
affair_id: affairs:2024P_125
datetime_created: '2025-01-29T06:59:41Z'
datetime_modified: '2025-01-29T06:59:41Z'
```

7.2.3.5 Example: Interpellation of a parliamentary group

```
global_uri: ops:cea750a5bd7b420fa4dalc914f801384
parent_meeting: ops:meeting_bern_2022_03_17
agenda_item_type: item
datetime_begin_planned: '2022-03-17T17:00:00Z'
agenda_item_position: 29
agenda_item_number: '8'
agenda_item_title:
- text: >-
  Interpellation Fraktion GB/JA! (Katharina Gallizzi, GB): Welche Konsequenzen haben
  die Klimaziele für das Gasnetz in Bern?
  language: de
affair_id: affairs:2020.SR.000007
url:
- text: >-
  https://stadtrat.bern.ch/de/sitzungen/detail.php?
  gid=000d6cf5f0bc4d89a5171e0123cfbff5#cea750a5bd7b420fa4dalc914f801384
  language: de
datetime_created: '2025-01-17T21:25:52Z'
datetime_modified: '2025-01-17T21:25:52Z'
```

7.2.3.6 Example: Petition as an agenda item

```
global_uri: ops:21c50b86d21b4b4baeb1a76738ff82a3_2025-04-02_1_de
parent_meeting: ops:meeting_bern_rr_2025_04_02
agenda_item_type: item
datetime_begin_planned: '2025-04-02T00:00:00Z'
agenda_item_title:
- text: >-
  Petition «Gleichberechtigung für Tagesfamilien: Gleich hohe Betreuungsgutscheine
  für alle Anbieter im Kanton Bern». Regierungsrätliches Antwortschreiben
  language: de
affair_id: affairs:2025.STA.622
url:
- text: >-
  https://www.rr.be.ch/de/start/beschluesse/suche/geschaeftsdetail.html?
  guid=21c50b86d21b4b4baeb1a76738ff82a3
  language: de
datetime_created: '2025-04-25T11:11:40Z'
datetime_modified: '2025-04-25T11:11:40Z'
```

7.2.3.7 Example: Partial revision of several ordinances in French

```
global_uri: ops:7b3545e4-57dc-3901-aaa8-4020da6ab0c6
parent_meeting: ops:meeting_vaud_2008_04_30
```

```
agenda_item_type: item
datetime_begin_planned: '2008-04-30T00:00:00Z'
agenda_item_position: 7
agenda_item_number: '7'
agenda_item_title:
- text: >-
  Révision partielle de sept ordonnances fédérales relatives aux produits chimiques
  language: fr
agenda_item_description:
- text: 'Le Conseil d'Etat approuve le projet de révision partielle de sept ordonnances
  fédérales relatives aux produits chimiques. Il salue la volonté des autorités
  fédérales d'introduire dans la législation fédérale les modifications nécessaires
  découlant des nouveaux règlements européens, afin d'éliminer des entraves au
  commerce et d'augmenter la sécurité d'évaluation des produits chimiques.'

  language: fr
url:
- text: >-
  https://www.vd.ch/actualites/decisions-du-conseil-detat/seance-du-conseil-detat/seance/
  265632#7b3545e4-57dc-3901-aaa8-4020da6ab0c6
  language: fr
datetime_created: '2024-12-06T10:50:04Z'
datetime_modified: '2024-12-06T10:50:04Z'
```

7.2.3.8 Example: Substantive affair without an agenda category

```
global_uri: ops:49_253
parent_meeting: ops:meeting_2025_03_31
agenda_item_type: item
datetime_begin_planned: '2025-03-31T00:00:00Z'
agenda_item_position: 2
agenda_item_number: '2'
agenda_item_title:
- text: Programmvereinbarungen 2024
  language: de
datetime_created: '2025-03-29T01:07:14Z'
datetime_modified: '2025-03-29T01:07:14Z'
```

7.2.3.9 Example: Detailed deliberation of an article of an act

```
global_uri: ops:agenda_item_be_2025_042
parent_meeting: ops:meeting_be_committee_wak_2025_05_12
agenda_item_type: item
agenda_item_number: '4.2'
agenda_item_position: 42
agenda_item_title:
- text: Steuergesetz - Detailberatung Art. 5
  language: de
- text: Loi fiscale - Délibération détaillée art. 5
  language: fr
agenda_item_description:
- text: Beratung von Änderungsanträgen zu Artikel 5 des Steuergesetzes
  language: de
- text: >-
  Délibération sur les propositions de modification de l'article 5 de la loi fiscale
  language: fr
agenda_item_category: Gesetzgebung
state_id: completed
datetime_begin_planned: '2025-05-12T15:00:00Z'
datetime_begin_actual: '2025-05-12T15:15:00Z'
affair_id: affairs:be_2024_089_steuergesetz
datetime_created: '2025-04-15T09:00:00Z'
datetime_modified: '2025-05-12T15:20:00Z'
```

7.2.3.10 Example: Interpellation as an agenda item

```
global_uri: ops:06fb582b753c416d8fdb05fa13873545
parent_meeting: ops:meeting_2011_11_23
agenda_item_type: item
```

```
datetime_begin_planned: '2011-11-23T00:00:00Z'
agenda_item_position: 2
agenda_item_title:
- text: >-
  Interpellation Peter Mark betr. elektronische Datenerfassung durch Mitarbeiter
  im Werkhof – Versuchsphase
  language: de
datetime_created: '2025-03-21T23:15:19Z'
datetime_modified: '2025-03-21T23:15:19Z'
```

7.2.3.11 Example: Substantive affair from a cantonal parliamentary information system

```
global_uri: ops:87b69a72919445a493a061d9b0daeba3
parent_meeting: ops:meeting_be_2025_06_02
agenda_item_type: item
datetime_begin_planned: '2025-06-02T00:00:00Z'
agenda_item_title:
- text: Differenzierte Anpassung des Gehalts von Lehrpersonen ohne Lehrdiplom
  language: de
affair_id: affairs:2025.GRPARL.81
datetime_created: '2025-04-25T11:10:35Z'
datetime_modified: '2025-04-25T11:10:35Z'
```

7.2.3.12 Example: Agenda item with a final vote

```
global_uri: ops:agenda_item_sg_2025_015
parent_meeting: ops:meeting_sg_2025_03_15
agenda_item_type: item
agenda_item_number: '15'
agenda_item_position: 15
agenda_item_title:
- text: Energiegesetz - Schlussabstimmung
  language: de
agenda_item_description:
- text: Schlussabstimmung über das revidierte Energiegesetz des Kantons St. Gallen
  language: de
agenda_item_category: Gesetzgebung
state_id: completed
datetime_begin_planned: '2025-03-15T14:00:00Z'
datetime_begin_actual: '2025-03-15T14:30:00Z'
affair_id: affairs:sg_2024_123_energiegesetz
datetime_created: '2025-02-01T10:00:00Z'
datetime_modified: '2025-03-15T14:35:00Z'
```

7.2.3.13 Example: Popular motion within a group of agenda items

```
global_uri: ops:16155798_4
parent_meeting: ops:meeting_schaffhausen_2025_03_31_b
agenda_item_type: item
datetime_begin_planned: '2025-03-31T00:00:00Z'
agenda_item_position: 3
agenda_item_number: '3'
agenda_item_title:
- text: >-
  Volksmotion Nr. 2024/1 von Sandro Mamedow und Livia Schraff (Erstunterzeichnende)
  sowie weitere 150 Mitunterzeichnende vom 22. März 2024 mit dem Titel: «Für eine
  Stimme der Studierenden im Hochschulrat der Pädagogischen Hochschule Schaffhausen
  (PHSH)»
  language: de
agenda_item_category: Traktanden
affair_id: affairs:MOT_2024_1
datetime_created: '2025-05-02T11:23:49Z'
datetime_modified: '2025-05-02T11:23:49Z'
```

7.2.3.14 Example: French-language agenda item postulate

```
global_uri: ops:2023_10_03-52
parent_meeting: ops:meeting_lausanne_2023_10_03
agenda_item_type: item
datetime_begin_planned: '2023-10-03T00:00:00Z'
agenda_item_position: 52
```

```
agenda_item_number: '52'
agenda_item_title:
- text: >-
  Postulat de Mme Franziska MEINHERZ : « Lausanne sans publicité commerciale » (FIM)
  language: fr
state_id: postponed
agenda_item_category: RAPPORTS
affair_id: affairs:POS22/029
url:
- text: >-
  https://www.lausanne.ch/apps/agir/affaire/81/b7157ea2a4994086b65cf176768c6381.htm
  language: fr
datetime_created: '2025-02-08T12:33:10Z'
datetime_modified: '2025-02-08T12:33:10Z'
```

7.2.3.15 Example: Postulate with a voting

```
global_uri: ops:fa732e0e-7e5f-4d45-994a-fc74720c0781
parent_meeting: ops:meeting_luzern_2025_01_28_b
agenda_item_type: item
datetime_begin_planned: '2025-01-28T00:00:00Z'
agenda_item_position: 14
agenda_item_number: '14'
agenda_item_title:
- text: >-
  Postulat Stadelmann Karin Andrea und Mit. über die Überprüfung und Anpassung der
  Kriterien zum früheren Eintritt von Kindern in die Basisstufe (den freiwilligen
  Kindergarten) / Bildungs- und Kulturdepartement
  language: de
agenda_item_category: voting
url:
- text: >-
  https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
  TraktandumGuid=fa732e0e-7e5f-4d45-994a-fc74720c0781
  language: de
affair_id: affairs:2023P_102
datetime_created: '2025-01-29T06:59:41Z'
datetime_modified: '2025-01-29T06:59:41Z'
```

7.2.3.16 Example: Urgent interpellation in French

```
global_uri: ops:2025_05_20-23
parent_meeting: ops:meeting_lausanne_2025_05_20
agenda_item_type: item
datetime_begin_planned: '2025-05-20T00:00:00Z'
agenda_item_position: 23
agenda_item_number: '23'
agenda_item_title:
- text: >-
  Interpellation urgente du 20 mai 2025 de M. Yusuf KULMIYE : « Interpellation urgente
  de Kulmiye Yusuf et crts – Solidarité sans frontières, Lausanne en faveur du respect
  du droit international et de la protection des populations civiles à Gaza »
  language: fr
state_id: not_treated
agenda_item_category: ANNONCES ET INTERPELLATIONS
affair_id: affairs:INT25/027
url:
- text: >-
  https://www.lausanne.ch/apps/agir/affaire/6c/049b6c612fe2428f9be66ea39522ac6c.htm
  language: fr
datetime_created: '2025-06-07T23:50:18Z'
datetime_modified: '2025-06-07T23:50:18Z'
```

7.3 Enum: AgendaltemTypeEnum

Type of agenda item, distinguishing individual items from grouped items.

URI: [ops:AgendaltemTypeEnum](#)


7.3.1 Permissible Values

Value	Description
item	Individual agenda item (Traktandum) ops:enum/agenda_item_type/item
group	Group of agenda items (Traktandengruppe) ops:enum/agenda_item_type/group

7.4 Protocol

7.4.1 Purpose of the entity

While the agenda items represent the **planning** of a sitting, the protocol records the **actual course** after the sitting. `Protocol` is a wrapper container kept exactly once per sitting (`Meeting`) that bundles the agenda items actually dealt with (`protocol_items`), votings, speeches as well as verbatim text segments and documents.



7.5 Class: Protocol

The minutes of a meeting, recorded after the meeting. A wrapper container bundling the actually handled agenda items (`protocol_items`), votings, speeches, verbatim text segments and linked documents.

7.5.1 Attribute

Name	Cardinality and Range	Description
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting.
protocol_items	* ProtocolItem	Agenda items as actually recorded in the protocol.
votings	* Voting	Collection of voting records.
speeches	* Speech	Collection of speech records.
text_segments	* TextSegment	Collection of text segments (e.g. verbatim protocol).
documents	* Work	List of documents (FRBR Works) linked to the entity.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance:

Name	Cardinality and Range	Description
wikidata_uri	0..1 Uriorcurie	HasIdentification A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

7.5.2 Usages

used by	used in	type	used
Container	protocols	range	Protocol
Meeting	protocol_ref	range	Protocol

7.5.3 ProtocolItem (agenda item as recorded)

`ProtocolItem` inherits all fields of `AgendaItem` (`is_a: AgendaItem`) and represents an agenda item as it was actually recorded in the protocol.

7.6 Class: ProtocolItem

An agenda item as actually recorded in the protocol.

7.6.1 Attribute

Name	Cardinality and Range	Description
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting. Inheritance: AgendaItem
agenda_item_type	0..1 AgendaItemTypeEnum	Type of agenda item, distinguishing individual items from groups. Inheritance:

Name	Cardinality and Range	Description
agenda_item_number	0..1 String	AgendaItem Sequential number of the agenda item (string type to support roman numerals). Inheritance: AgendaItem
agenda_item_position	0..1 Integer	Integer position of the agenda item in the meeting sequence. Inheritance: AgendaItem
leading_actor_id	0..1 String	The leading department for the agenda item. Inheritance: AgendaItem
speaking_actor_id	0..1 String	The speaker or head of the department for the agenda item. Inheritance: AgendaItem
agenda_item_title	* MultilingualString	Title of the agenda item. Inheritance: AgendaItem
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item. Inheritance: AgendaItem
agenda_item_description	* MultilingualString	Subtitle or detailed description of the agenda item. Inheritance: AgendaItem
state_id	0..1 String	State identifier (reference to state enum or custom state). Inheritance: AgendaItem
state_name	0..1 String	Custom state description for the meeting. Inheritance: AgendaItem
landing_page	0..1 String	URL providing further information. Inheritance: AgendaItem
url	* MultilingualString	Landing page or further web address, multilingual. Inheritance: AgendaItem
agenda_item_category	0..1 String	Category for grouped agenda items (e.g., introduction, by department, technical agenda items). Inheritance: AgendaItem
parent_agenda_item	0..1 String	If needed, this slot builds a hierarchy of agenda items. Inheritance: AgendaItem

Name	Cardinality and Range	Description
has_resolution	0..1 Resolution	The resolution or decision taken on this agenda item. Inheritance: AgendaItem
documents	* Work	List of documents (FRBR Works) linked to the entity. Inheritance: AgendaItem
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an

Name	Cardinality and Range	Description
		event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

7.6.2 Usages

used by	used in	type	used
Protocol	protocol_items	range	ProtocolItem

7.7 Joint debate (JointDebate)

7.7.1 Purpose of the entity

[JointDebate](#) combines several agenda items that are deliberated together — for instance substantively related affairs dealt with in a single debate.

7.8 Class: JointDebate

Agenda Items which are debated together.

7.8.1 Attribute

Name	Cardinality and Range	Description
agenda_items	* AgendaItem	Collection of agenda item records.

7.9 Resolution

7.9.1 Purpose of the entity

The Resolution entity records the formal decision on an agenda item. It documents **what** was decided, while Voting documents **how** (with which procedure and which ratio of votes) the decision was taken.

7.9.2 Relation to Agendaltem and Voting

AgendaItem (Energy act – final vote)
└ Resolution (acceptance of the energy act)
 └ Voting (120 yes, 75 no, 5 abstentions)

An Agendaltem can have several Resolutions (e.g. in case of several votings on the same agenda item). Each Resolution typically references a Voting containing the voting details.

7.9.3 Types of resolutions

The **resolution_type** field uses a controlled vocabulary:

7.9.3.1 accepted

The agenda item was accepted

Application: - Bills were accepted - Motions were approved - Decisions were taken

7.9.3.2 rejected

The agenda item was rejected

Application: - Bills were rejected - Motions were dismissed - Rejection decisions

7.9.3.3 referred_back

Referral back to another body

Application: - Referral back to a committee for revision - Referral back to the government - Back to the other chamber (in bicameral systems)

7.9.3.4 noted

Noted

Application: - Reports without a voting - Announcements - Informative agenda items

7.9.3.5 postponed

Adjourned

Application: - Deferral of the treatment - Not yet ready for a decision - Further clarifications needed

7.9.3.6 withdrawn

Withdrawn

Application: - The proposer withdraws the bill - The affair is not pursued further

7.9.3.7 amended

Accepted with amendments

Application: - Act accepted with amendments - Modified version adopted - Compromise solution

7.9.3.8 no_decision

No decision taken

Application: - No majority for any motion - Tie without a casting vote - Not able to take decisions

7.9.4 Design decision: why a separate Resolution entity?

The alternative would have been: storing the resolution type directly in Agendaltem.

Reasons for a separate entity:

1. **Several decisions per agenda item:** an agenda item can have several decisions (e.g. first an amendment, then the overall vote)
2. **Structured link to votings:** clear 1:1 relation between Resolution and Voting
3. **Multilingual decision texts:** a Resolution can contain detailed decision texts in several languages
4. **Temporal flexibility:** a Resolution can be recorded separately in time from the Agendaltem

7.9.5 Decision text

- **title:** short summary of the decision
- **description:** detailed decision text

Example: - title: "Acceptance of the energy act" - description: "The National Council accepts the Federal Act on the Energy Transition in the version of the committee with 120 to 75 votes and 5 abstentions."

7.9.6 Link to the voting

The field **voting_id** references the corresponding Voting containing the voting details:

- Ratio of votes
- Voting procedure
- Individual votes (in roll-call votings)

Not all resolutions have a voting: - "Noted" often occurs without a formal voting - Tacit acceptances - Administrative decisions

7.9.7 Timestamps

- **datetime_created:** point in time of the decision
- **datetime_modified:** last change (e.g. in case of corrections)

7.9.8 URLs and documentation

The field **url** can reference further documents: - Detailed decision texts - Reasons - Legal bases

7.9.9 Use cases in different contexts

7.9.9.1 Legislative procedure

Several resolutions for different phases: 1. Resolution “entry” (accepted/rejected) 2. Resolution on article 1 (accepted/amended) 3. Resolution on article 2 (accepted) 4. Resolution overall vote (accepted/rejected)

7.9.9.2 Elimination of differences (bicameral system)

- Resolution “adherence to the version of the first chamber”
- Resolution “maintaining its own version”
- Resolution “acceptance of the compromise proposal”

7.9.9.3 Committee work

- Resolution “referral back to the committee with an additional mandate”
- Resolution “adoption of the committee report”

7.9.10 Technical considerations

7.9.10.1 Granularity

The granularity of resolution recording varies: - **Detailed**: every individual voting gets its own resolution - **Aggregated**: only the final decision is recorded

The standard permits both approaches.

7.9.10.2 Multilingualism

In multilingual parliaments (CH, BE, etc.) decision texts have to be recorded in all official languages. This is done via MultilingualString arrays in title and description.

7.9.11 Purposes of use

1. **Official documentation**: what was decided?
2. **Legal force**: formal proof of the decision
3. **Public information**: comprehensible summary of complex votings
4. **Affairs management**: tracking of decisions and their implementation
5. **Statistical evaluation**: acceptance and rejection rates

7.10 Class: Resolution

A resolution or decision taken on an agenda item, including voting procedures.

7.10.1 Attribute

Name	Cardinality and Range	Description
resolution_type	0..1 ResolutionTypeEnum	Type of resolution taken on the agenda item.
type_label	0..1 String	Custom type label when standard type values don't apply.
vote_procedures	* String	Procedures for voting, such
eCH registered association		www.ech.ch / info@ech.ch

Name	Cardinality and Range	Description
		as secret ballot or open vote.
documents	* Work	List of documents (FRBR Works) linked to the entity.

7.10.2 Usages

used by	used in	type	used
Container	resolutions	range	Resolution
AgendaItem	has_resolution	range	Resolution
ProtocolItem	has_resolution	range	Resolution

7.11 Enum: ResolutionTypeEnum

Type of resolution taken on an agenda item.

URI: [ops:ResolutionTypeEnum](#)

7.11.1 Permissible Values

Value	Description
accepted	Accepted (Annahme) ops:enum/resolution_type/accepted
rejected	Rejected (Ablehnung) ops:enum/resolution_type/rejected
noted	Noted (Kenntnisnahme) ops:enum/resolution_type/noted
accepted_point_by_point	Accepted point by point (Punktweise Annahme) ops:enum/resolution_type/accepted_point_by_point
accepted_with_postulate	Accepted with postulate (Annahme mit Postulat) ops:enum/resolution_type/accepted_with_postulate
orally_settled	Orally settled (Mündlich erledigt) ops:enum/resolution_type/orally_settled
nearly_unanimous	Nearly unanimous (Beinahe einstimmig) ops:enum/resolution_type/nearly_unanimous
other	Other resolution type not covered by standard categories ops:enum/resolution_type/other

7.12 Motion

7.12.1 Purpose

Records motions submitted during the sitting (amendments, procedural motions, etc.).

eCH registered association

www.ech.ch / info@ech.ch

7.12.2 Structure

- **motion_type**: type of the motion
 - o **amendment**: amendment to a legal text
 - o **procedural**: procedural motion (e.g. closing the debate)
 - o **referral**: referral motion
 - o **other**: other motions
- **title**: short title of the motion
- **description**: full text of the motion
- **proposer_person_id**: the person submitting the motion
- **seconded_person_id**: seconders (where required)
- **result**: result (accepted, rejected, withdrawn)

7.12.3 Design decision

Why a separate entity instead of just in Agendaltem? - An agenda item can contain several motions - Motions have their own life cycle (submitted, seconded, voted on) - Structured recording of proposer and supporters - Separate votings per motion are possible

7.12.4 Application

Linked with Agendaltem and optionally with Voting:

```

AgendaItem (Energy act – art. 15)
├── Motion (amendment person A)
│   └── Voting (voting on the amendment)
├── Motion (amendment person B)
│   └── Voting (voting on the amendment)
└── Voting (voting on the article as a whole)
  
```

7.13 Class: Motion

A formal proposal or motion submitted during proceedings.

7.13.1 Attribute

Name	Cardinality and Range	Description
title	0..1 String	Title of the element.
description	0..1 String	Descriptive text of the element.
documents	* Work	List of documents (FRBR Works) linked to the entity.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans.

Name	Cardinality and Range	Description
Inheritance: HasIdentification		

8 Votings and elections

Parliamentary decisions are taken either by votings on substantive questions or by elections of persons. The standard clearly distinguishes these two mechanisms and additionally records, in open procedures, the individual voting behaviour of every member of parliament. Presidents of parliament generally do not take part in votings; they only vote in elections. In votings with a tie they cast the deciding vote.

8.1 Voting

8.2 Purpose of the entity

“Voting” records the voting process and the result of a formal decision in parliament. The entity documents the subject of the voting (the question), the procedure (how the vote was taken) and the result (with which ratio of votes).

8.3 Types of votings

The standard distinguishes different voting types via the field **voting_type**:

8.3.1 intermediate

Intermediate votings during the deliberation.

Examples: - Voting on entering into an affair - Voting on a motion - Opposing two motions that exclude each other or that refer to the same passage of text - Contingent voting when more than two motions relate to the same subject - Voting on a single article of an act - Overall vote after the first reading of an enactment deliberated in two readings

8.3.2 final

The concluding voting on the entire bill

Examples: - Final vote after the last reading of an enactment - Overall vote on a decree - Acceptance or rejection of a bill as a whole - Point-by-point voting on a parliamentary initiative

8.3.3 casting

Deciding vote of the chair in case of a tie. The chair does not take part in votings but has the deciding vote in case of a tie. In a secret voting, in case of a tie the motion of the preliminarily deliberating council body counts as accepted.

8.3.4 secret

Secret casting of votes in votings and elections

Application: - Election of persons - Voting on a particularly sensitive substantive affair such as a pardon request or the lifting of immunity - Voting after a confidential deliberation - Secret voting upon request

8.4 Structure of a voting

A voting is always assigned to a sitting phase and/or a sitting, an agenda item and an affair with an affair title and an affair number. It comprises the voting type, the subject of the voting (the question), the result and — in a non-secret voting — the individual votes of the members. It can either:

```

AgendaItem (15) affair (Energy act – art. 15)
├─ Voting (intermediate voting on art. 15)
│   ├── IndividualVote (person A: yes)
│   ├── IndividualVote (person B: no)
│   └── IndividualVote (person C: yes)

```

Example selection: 3 options: <https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?aid=aa10c137274f424fa4eda877e7644a89> 5 options: <https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?aid=23f01ba9b3f3410cb9cfb85f32f3dfe0>

8.5 Voting procedures

The field **procedure** describes how the vote is conducted:

8.5.1 Open procedures

- **show_of_hands**: show of hands (traditional)
- **standing**: standing up (rarer)
- **electronic**: electronic voting (frequent at federal and cantonal level)
- **roll_call**: roll-call voting with calling of names
- **remote_voting**: external casting of votes during crises (individual council members communicate their vote to the parliamentary presidency ahead of the sitting day. The externally cast votes are recorded simultaneously with the voting running in the council.)
- **circulation_voting**: circulation procedure during crises (the parliamentary presidency conducts the voting by circulation and informs about the result)
- **virtual_voting**: casting of votes at virtual sittings during crises.

8.5.2 Secret procedures

- **secret_ballot**: secret ballot with voting slips
- **electronic_secret**: electronic secret voting

The choice of procedure determines whether individual votes can be recorded: - Open procedures: individual votes can be documented - Secret procedures: only the overall result is available

8.6 Voting result

The result is recorded in two ways:

8.6.1 Detailed figures

- **total_count_yes**: number of yes votes
- **total_count_no**: number of no votes
- **total_count_abstention**: number of abstentions
- **total_other**: numbers of votes for additional options where not only yes/no/abstention are available (see the section “Multiple options”)
- **total_absent**: number of absent members (who could not vote)
- **total**: total number of voting members (without absentees and the presidency’s vote)
- **majority_count**: number of votes required for the necessary majority

8.6.2 Overall result

The result is described as free text in the field **result_text** (e.g. “Accepted with 120 to 75 votes and 5 abstentions”). The categorical decision (accepted / rejected / noted etc.) is not recorded on the voting itself but via the class **Resolution** (slot **resolution_type**) on the agenda item. In case of a tie, a possible deciding vote of the presidency is modelled via a separate voting (voting_type: tie_breaker_president) respectively a new voting.

Example (final vote, simple yes/no voting): - total_count_yes: 120 - total_count_no: 75 - total_count_abstention: 5 - total_absent: 0 - total: 200 - result_text: “Accepted with 120 to 75 votes and 5 abstentions” - Resolution.resolution_type: accepted

8.6.3 Multiple options (selection votings / “motions in the same direction”)

Not every voting knows only yes, no and abstention. If several motions in the same direction relate to the same substantive question, the members vote on more than two variants simultaneously (in Zurich colloquially “cup voting”, technically via several voting buttons). The prevailing variant is the one with the most votes.

Such procedures are represented as follows:

- **voting_type** = other, complemented by a meaningful **type_label** (e.g. “Motions in the same direction (multiple choice)”).
- The standard fields **total_count_yes** / **total_count_no** / **total_count_abstention** remain empty, because the options do not correspond to yes/no/abstention.
- Instead, every selection option gets an entry in **total_other** (list of TotalOther with **count** and **label**). This allows any number of options with their respective vote counts to be recorded.
- At the level of the individual vote, **individual_vote_type** is set to other and the chosen option is recorded via **type_label** (e.g. “Selection A”); absent members get not_voted.
- As **majority_type**, other is used, because it is not a fixed threshold but the relative majority among the options that decides.

Example (City of Zurich communal council, 86th sitting of 28.02.2024, affair 2023/361 “Residential building Magnusstrasse 27, net additional credit”) — motions in the same direction with four selection options:

Option	Votes
Selection A (prevailing)	75
Selection B	25
Selection C	12
Selection D	0
Absent	13

- Total cast: 112 (of 125 members)
- Result: selection A accepted (relative majority)

The complete modelling of this case can be found in data_voting.yaml (ops:voting_zh_gr_2024_2023_361).

8.7 Majority types

The field **majority_type** defines the required majority:

8.7.1 simple

Simple majority (more yes than no)

Application: - Standard case for most decisions - Abstentions do not count

Example: 100 yes, 80 no, 20 abstentions → accepted

8.7.2 absolute

Absolute majority (more than half of all members)

Application: - Elections - Constitutional amendments in some cantons - Particularly important decisions

Example: with 200 members at least 101 yes votes are required

8.7.3 two_thirds

Two-thirds majority

Application: - Urgency clauses at federal level - Constitutional amendments in some cantons - Lifting of immunity

Example: with 200 members at least 134 yes votes are required

8.7.4 qualified

Qualified majority (other thresholds)

Application: - Special requirements in individual cantons or communes - The concrete quorum is indicated in **majority_threshold**

8.8 Threshold

For qualified majorities, the field **majority_threshold** indicates the exact threshold (e.g. 0.6 for 60%).

8.9 Quorum

The field **quorum** defines the minimum number of members present for the capacity to take decisions:

Example: a parliament with 200 members can take decisions if at least 100 members are present (quorum: 100).

8.10 Roll-call votings

The field **named_vote** indicates whether the voting is a roll-call voting:

- **true:** the individual votes are recorded and published
- **false:** only the overall result is recorded

Roll-call votings are important for: - transparency of voting behaviour - analysis of voting patterns
- accountability towards the electorate

8.11 Relation to individual votes

In roll-call votings the Voting entity references the individual IndividualVote entities:

```
Voting
├── IndividualVote (person A)
├── IndividualVote (person B)
└── ...
```

Example: name list in an accordion <https://www.tagblatt.gr.be.ch/shareparl?agendaltemUid=e65d81c90d1d43deb19ef078f7e363f3&segmentType=vote&unitName=default&scroll=true&autoplay=false>

8.12 Description and documentation

- **description:** description of what was voted on (subject of the voting, voting question)
- **url:** multilingual URLs to voting details

8.13 Timestamps

- **datetime_created:** point in time of conducting the voting
- **datetime_modified:** last update (e.g. in case of corrections to the voting protocol)

8.14 Class: Voting

A voting procedure with individual votes and results.

8.14.1 Attribute

Name	Cardinality and Range	Description
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
datetime_end	0..1 Datetime	The date and time when the meeting or voting ends.
voting_type	0..1 VotingTypeEnum	Type of voting procedure (preliminary, final, secret, etc.).
type_label	0..1 String	Custom type label when standard type values don't apply.
voting_title	* MultilingualString	Title or question being voted on. If no specific subject exists, do not use the business item title.
optional	0..1 Boolean	Indicates if the meeting or voting is optional.
landing_page	0..1 String	URL providing further information.
label_yes	0..1 String	Meaning of a 'yes' vote.
label_no	0..1 String	Meaning of a 'no' vote.

Name	Cardinality and Range	Description
label_abstention	0..1 String	Meaning of an 'abstention' vote.
tie_breaker	0..1 Boolean	Indicates if a tie-breaker was used in the voting.
total_count_yes	0..1 Integer	Total number of 'yes' votes.
total_count_no	0..1 Integer	Total number of 'no' votes.
total_count_abstention	0..1 Integer	Total number of abstentions.
total_other	* TotalOther	Used when multiple options are presented for voting (e.g., 5 buttons in Zurich).
total_absent	0..1 Integer	Total number of absent members. Distinction between absent/excused absent - presence is tracked on attendance list.
total	0..1 Integer	Total number of votes, excluding absent and president's vote.
majority_type	0..1 MajorityTypeEnum	Type of majority required for the vote (absolute, two-thirds, etc.).
majority_count	0..1 Integer	Number of votes required for the relevant majority threshold.
result_text	0..1 String	Free text describing the outcome of the vote, e.g., "Accepted with 78 votes".
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting.
parent_agenda_item	0..1 String	If needed, this slot builds a hierarchy of agenda items.
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
documents	* Work	List of documents (FRBR Works) linked to the entity.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance:

Name	Cardinality and Range	Description
		HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

8.14.2 Usages

used by	used in	type	used
Container	votings	range	Voting
Protocol	votings	range	Voting
IndividualVote	parent_voting	range	Voting

8.14.3 Examples

8.14.3.1 Example: Intermediate voting on an amendment

```

global_uri: ops:voting_be_2025_042
voting_title:
- text: Änderungsantrag Art. 5 Abs. 2
  language: de
- text: Proposition de modification art. 5 al. 2
  language: fr
voting_type: preliminary_vote
datetime_begin: '2025-06-05T10:15:00Z'
datetime_end: '2025-06-05T10:17:00Z'
total_count_yes: 45
total_count_no: 87
total_count_abstention: 8
total_absent: 10
total: 150
majority_type: absolute
majority_count: 76
result_text: Mit 45 zu 87 Stimmen bei 8 Enthaltungen abgelehnt
parent_agenda_item: ops:agenda_item_be_2025_042
parent_meeting: ops:meeting_be_2025_06_05

```

```
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/253
  label: Grosser Rat Bern
  abbreviation:
    - value: GR
    language: de
datetime_created: '2025-06-05T10:15:00Z'
datetime_modified: '2025-06-05T10:15:00Z'
```

8.14.3.2 Example: Final vote with individual votes

```
global_uri: ops:voting_sg_2025_001
voting_title:
- text: Schlussabstimmung Energiegesetz
  language: de
voting_type: final_vote
datetime_begin: '2025-03-15T14:30:00Z'
datetime_end: '2025-03-15T14:35:00Z'
total_count_yes: 78
total_count_no: 42
total_count_abstention: 5
total_absent: 3
total: 128
majority_type: absolute
majority_count: 65
result_text: Mit 78 zu 42 Stimmen bei 5 Enthaltungen angenommen
parent_agenda_item: ops:agenda_item_sg_2025_015
parent_meeting: ops:meeting_sg_2025_03_15
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/265
  label: Kantonsrat St. Gallen
  abbreviation:
    - value: KR
    language: de
datetime_created: '2025-03-15T14:30:00Z'
datetime_modified: '2025-03-15T14:35:00Z'
```

8.14.3.3 Example: Final vote on the budget

```
global_uri: ops:voting_zh_budget_2026
voting_title:
- text: Budgetbeschluss 2026
  language: de
voting_type: final_vote
datetime_begin: '2025-11-20T16:45:00Z'
datetime_end: '2025-11-20T16:50:00Z'
total_count_yes: 105
total_count_no: 70
total_count_abstention: 5
total_absent: 0
total: 180
majority_type: absolute
majority_count: 91
result_text: Mit 105 zu 70 Stimmen bei 5 Enthaltungen angenommen
parent_agenda_item: ops:agenda_item_zh_budget_2026
parent_meeting: ops:meeting_zh_2025_11_20
actor_id:
  global_uri: https://api.openparldata.ch/v1/bodies/275
  label: Kantonsrat Zürich
  abbreviation:
    - value: KR
    language: de
datetime_created: '2025-11-20T16:45:00Z'
datetime_modified: '2025-11-20T16:50:00Z'
```

8.14.3.4 Example: Motions in the same direction with multiple choice

```
global_uri: ops:voting_zh_gr_2024_2023_361
voting_title:
- text: >-
```

```

    Liegenschaften Stadt Zürich, Wohnhaus Magnusstrasse 27, Gesamtinstandsetzung,
    Grundrissanpassung, Netto-Zusatzkredit (Geschäft 2023/361)
    language: de
    voting_type: other
    type_label: Gleichgerichtete Anträge (Mehrfachauswahl)
    datetime_begin: '2024-02-28T00:00:00Z'
    datetime_end: '2024-02-28T00:00:00Z'
    landing_page: >-
    https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?aid=aa10c137274f424fa4eda877e7644a89
    total_other:
    - count: 75
      label: Auswahl A (siegreich)
    - count: 25
      label: Auswahl B
    - count: 12
      label: Auswahl C
    - count: 0
      label: Auswahl D
    total_absent: 13
    total: 112
    majority_type: other
    result_text: >-
    Auswahl A mit 75 von 112 abgegebenen Stimmen angenommen (Auswahl B: 25, Auswahl
    C: 12, Auswahl D: 0; 13 abwesend von 125 Mitgliedern).
    parent_agenda_item: ops:agenda_item_zh_gr_2024_2023_361
    parent_meeting: ops:meeting_zh_gr_2024_02_28
    affair_id: 2023/361
    actor_id:
    global_uri: https://www.gemeinderat-zuerich.ch/
    label: Gemeinderat der Stadt Zürich
    abbreviation:
    - value: GR
      language: de
    datetime_created: '2024-02-28T00:00:00Z'
    datetime_modified: '2024-02-28T00:00:00Z'

```

8.15 Enum: VotingTypeEnum

Type of voting procedure.

URI: [ops:VotingTypeEnum](#)

8.15.1 Permissible Values

Value	Description
preliminary_vote	Preliminary vote (Zwischenabstimmung) ops:enum/voting_type/preliminary_vote
final_vote	Final vote (Schlussabstimmung) ops:enum/voting_type/final_vote
tie_breaker_president	President's tie-breaking vote (Stichentscheid Präsidium) ops:enum/voting_type/tie_breaker_president
secret_vote	Secret ballot (Geheime Wahl/Abstimmung) ops:enum/voting_type/secret_vote
other	Other voting type ops:enum/voting_type/other

8.16 Enum: MajorityTypeEnum

Type of majority required for the vote.

URI: [ops:MajorityTypeEnum](#)

8.16.1 Permissible Values

Value	Description
absolute	Absolute majority. ops:enum/majority_type/absolute
two_thirds	Two-thirds majority. ops:enum/majority_type/two_thirds
other	Other majority threshold not covered by the standard categories. ops:enum/majority_type/other

8.17 Individual Vote

8.18 Purpose of the entity

IndividualVote records the voting behaviour of individual members of parliament in roll-call votings. The entity is only created if a voting is not conducted secretly (Voting.is_nominal = true).

8.19 Relation to the voting

Every individual vote is part of a superordinate voting:

```
Voting (final vote energy act)
├─ IndividualVote (National Councillor Anna Müller: yes)
├─ IndividualVote (National Councillor Beat Schweizer: no)
├─ IndividualVote (National Councillor Carla Rossi: abstention)
└─ ...
```

8.20 Identification of the person

The voting person is referenced via the field **person_id**. This ID corresponds to a person according to the eCH-0294 Actors standard.

Additional identification data can be recorded as well: - **person_name**: name of the person (for quick access) - **person_number**: internal number (e.g. mandate number) - **person_political_group**: parliamentary group affiliation - **person_party**: party affiliation

8.21 Types of votes

TODO: describe the handling of “other” votes, i.e. votes for options that are not yes, no or abstention.

The field **vote** records the type of the vote cast:

8.21.1 yes

Yes vote (approval)

Meaning: the person approves the bill / the motion.

8.21.2 no

No vote (rejection)

Meaning: the person rejects the bill / the motion.

8.21.3 abstention

Abstention

Meaning: the person takes part in the voting but abstains. When voting electronically, they press the “abstention” button.

8.22 Vote weight

The field **weight** records the weight of the vote:

- **Standard case:** 1.0 (one vote)
- **Special cases:** other values possible

8.22.1 Use cases for a divergent vote weight

1. **Substitution:** in some systems a person can vote on behalf of an absent person (weight: 2.0)
2. **Communal assemblies:** in special cases legal entities can hold several votes
3. **Historical systems:** in some cantons different groups of persons formerly had different vote weights

8.23 Group affiliation

The field **group_id** records the parliamentary group affiliation at the time of the voting:

Benefit: - Analysis of voting behaviour by group - Determination of party discipline - Identification of coalitions

Example: in a voting on the energy act 90% of the SP group vote yes, 80% of the SVP group vote no.

8.24 Position and order

The field **position** defines the grouping and sort order in the presentation:

Application: - Alphabetical sorting by surname - Sorting by parliamentary group - Sorting by vote cast (first yes, then no, then abstentions) - Grouping by parliamentary group, within the group by yes, no, abstentions and within the subgroup alphabetically

8.25 Description and context

The field **description** can record additional information:

Examples: - “Abstention due to a conflict of interest (board member of an energy company)” - “Absent due to illness”

8.26 Timestamps

- **datetime_created:** first publication
- **datetime_modified:** last update (e.g. in case of corrections to the publication)

8.27 Attendance vs. casting a vote

Important difference:

- **Attendance** (another entity): records the general presence at a sitting
- **IndividualVote**: records the specific vote cast in a voting

A person can be present at a sitting (Attendance) but be recorded as “absent” or “did_not_vote” in individual votings (e.g. when briefly leaving the room).

8.28 Roll-call vs. secret votings

IndividualVote entities are only recorded in roll-call (open) votings:

- **Roll-call voting**: every vote is recorded and is public
- **Secret voting**: only the overall result is recorded, no IndividualVotes

8.29 Class: IndividualVote

An individual vote cast by a member during a voting procedure.

8.29.1 Attribute

Name	Cardinality and Range	Description
parent_voting	0..1 Voting	The ID of the voting associated with the individual vote.
actor_id	0..1 PersonReference	Reference to the acting person (lightweight snapshot at time of linking).
seat_nr	0..1 String	The seat number of the individual vote, if applicable.
weight	0..1 Integer	The number of votes held by the individual, if applicable (e.g., in cases where a person has multiple votes).
individual_vote_type	0..1 IndividualVoteTypeEnum	Type of vote cast (yes, no, abstention, no vote, etc.).
type_label	0..1 String	Custom type label when standard type values don't apply.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/e

Name	Cardinality and Range	Description
		ntity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDate s
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDate s
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDate s
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDate s

8.29.2 Usages

used by	used in	type	used
Container	individual_votes	range	IndividualVote

8.29.3 Examples

8.29.3.1 Example: Yes vote

```
global_uri: ops:vote_sg_2025_001_person_123
parent_voting: ops:voting_sg_2025_001
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/27235
  label: Paul Schlegel
seat_nr: '1'
individual_vote_type: 'yes'
datetime_created: '2025-03-15T14:30:00Z'
```

8.29.3.2 Example: No vote

```
global_uri: ops:vote_sg_2025_001_person_456
parent_voting: ops:voting_sg_2025_001
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/27234
  label: Andreas Eggenberger
seat_nr: '2'
individual_vote_type: 'no'
datetime_created: '2025-03-15T14:30:00Z'
```

8.29.3.3 Example: Abstention

```
global_uri: ops:vote_sg_2025_001_person_789
parent_voting: ops:voting_sg_2025_001
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/27233
  label: Thomas Ammann
seat_nr: '3'
```

```
individual_vote_type: abstention
datetime_created: '2025-03-15T14:30:00Z'
```

8.29.3.4 Example: Absent in a multiple-choice voting

```
global_uri: ops:vote_zh_gr_2024_2023_361_abs1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
  global_uri: https://www.gemeinderat-zuerich.ch/personen/4
  label: Abwesendes Mitglied
seat_nr: '103'
individual_vote_type: not_voted
datetime_created: '2024-02-28T00:00:00Z'
```

8.29.3.5 Example: Yes vote on the budget

```
global_uri: ops:vote_zh_budget_2026_person_101
parent_voting: ops:voting_zh_budget_2026
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/27237
  label: Thomas Wolf
seat_nr: '1'
individual_vote_type: 'yes'
datetime_created: '2025-11-20T16:45:00Z'
```

8.29.3.6 Example: No vote on the budget

```
global_uri: ops:vote_zh_budget_2026_person_102
parent_voting: ops:voting_zh_budget_2026
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/25208
  label: Jean-Daniel Strub
seat_nr: '2'
individual_vote_type: 'no'
datetime_created: '2025-11-20T16:45:00Z'
```

8.29.3.7 Example: Did not vote

```
global_uri: ops:vote_sg_2025_001_person_321
parent_voting: ops:voting_sg_2025_001
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/25177
  label: Ruedi Thomann
seat_nr: '4'
individual_vote_type: not_voted
datetime_created: '2025-03-15T14:30:00Z'
```

8.29.3.8 Example: Individual vote for selection option C

```
global_uri: ops:vote_zh_gr_2024_2023_361_c1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
  global_uri: https://www.gemeinderat-zuerich.ch/personen/3
  label: Mitglied Auswahl C
seat_nr: '88'
individual_vote_type: other
type_label: Auswahl C
datetime_created: '2024-02-28T00:00:00Z'
```

8.29.3.9 Example: Individual vote for selection option A

```
global_uri: ops:vote_zh_gr_2024_2023_361_a1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
  global_uri: https://www.gemeinderat-zuerich.ch/personen/1
  label: Mitglied Auswahl A
seat_nr: '12'
individual_vote_type: other
type_label: Auswahl A
datetime_created: '2024-02-28T00:00:00Z'
```

8.29.3.10 Example: Individual vote for selection option B

```
global_uri: ops:vote_zh_gr_2024_2023_361_b1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
  global_uri: https://www.gemeinderat-zuerich.ch/personen/2
  label: Mitglied Auswahl B
seat_nr: '47'
individual_vote_type: other
type_label: Auswahl B
datetime_created: '2024-02-28T00:00:00Z'
```

8.30 Enum: IndividualVoteTypeEnum

Type of individual vote cast by a member.

URI: [ops:IndividualVoteTypeEnum](#)

8.30.1 Permissible Values

Value	Description
yes	Vote in favor (yes) ops:enum/individual_vote_type/yes
no	Vote against (no) ops:enum/individual_vote_type/no
abstention	Abstention ops:enum/individual_vote_type/abstention
not_voted	Not Voted ops:enum/individual_vote_type/not_voted
tie_breaker	Tie-breaking vote, usually cast by the presiding officer ops:enum/individual_vote_type/tie_breaker
other	Other vote type ops:enum/individual_vote_type/other

8.31 Election

8.32 Term and meaning

An election denotes the designation of one or more persons to an office or a function by a parliamentary body. In contrast to votings, in which substantive questions are decided, elections concern decisions about persons.

8.33 Difference: election vs. voting

Criterion	Election	Voting
Subject	Persons	Substantive questions, bills
Result	Elected person(s)	Accepted / rejected
Procedure	Often secret	Often open
Majority	Mostly absolute	Mostly simple

8.34 Types of elections

The standard distinguishes different election types via the field **election_type**:

8.34.1 open

Open election

Characteristic: - The casting of votes is publicly visible - Every member casts their vote openly - It is traceable who elected whom

Application: - Where transparency is desired - In uncontested elections - In smaller bodies

8.34.2 secret

Secret election

Characteristic: - The casting of votes is anonymous - Voting slips or an electronic secret voting system - It is not traceable who elected whom

Application: - Elections of persons (standard) - Where a free, uninfluenced decision is to be guaranteed - Often prescribed by law

Examples at federal level: - Election of the Federal Council - Election of the federal judges - Election of the committee presidencies

Examples at cantonal level: - Election of the president of the parliament - Election of the president of the government - Election of the presidents of the highest cantonal courts - Election of the judges - Election of the state chancellor - Election of the committee presidencies

8.34.3 tacit

Tacit election

Characteristic: - No formal voting required - The election takes place by acclamation or consensus - Only if no opposing votes are raised

Application: - In case of unanimity - Uncontested elections - Re-elections without an opposing candidate

Example: re-election of a committee president without an opposing candidacy

8.35 Assignment to agenda items

Every election is assigned to an agenda item:

```
AgendaItem (election of the Federal Council)
├─ Election (election for department XY)
│   ├── Candidate A: 120 votes
│   ├── Candidate B: 75 votes
│   └─ Blank ballots: 5
```

8.36 Description and title

- **title:** title of the election (e.g. "Election of the WAK committee presidency")
- **description:** detailed description, context, special circumstances

8.37 Election result

The field **result** records the result:

- **elected**: person(s) elected
- **not_elected**: no person elected (e.g. absolute majority not reached)
- **deferred**: election postponed
- **withdrawn**: election withdrawn

8.38 Elected person(s)

The field **elected_person_id** contains the ID(s) of the elected person(s) according to eCH-0294 Actors.

In case of multiple elections (e.g. election of several committee members at once) several IDs can be recorded.

8.39 Distribution of votes

In open elections or after publication of the results:

- **total_votes**: total number of votes cast
- **valid_votes**: valid votes
- **invalid_votes**: invalid votes
- **blank_votes**: blank ballots

Additionally details per candidate (via separate entities or as structured data).

8.40 Election procedure

The field **procedure** describes the concrete procedure:

- **written_ballot**: written election with voting slips
- **electronic**: electronic election
- **show_of_hands**: show of hands (in open elections)
- **acclamation**: acclamation (in tacit elections)

8.41 Majority requirements

The field **majority_type** defines the required majority:

8.41.1 absolute

Absolute majority (more than half of those voting)

Application: - Federal Council election - Election of committee presidencies - Standard case for elections of persons

Example: with 200 votes cast at least 101 votes are required

Particularity: if nobody reaches the absolute majority in the first round, a second round usually follows in which a simple majority suffices.

8.41.2 simple

Simple majority (more votes than the other candidates)

Application: - Second round after an unsuccessful first round - Some committee elections

8.41.3 qualified

Qualified majority

Application: - Rarer in elections - Special functions with increased requirements

8.42 Rounds of voting

In elections requiring an absolute majority in the first round:

1st round (absolute majority required)
└ No candidate reaches the absolute majority

2nd round (simple majority suffices)
└ Candidate A elected

Every round is recorded as a separate Election entity, connected via the common agenda item.

8.43 Timestamps

- **datetime_created:** point in time of conducting the election
- **datetime_modified:** last update

8.44 URL and documentation

- **url:** multilingual URLs to election documents:
 - o candidate profiles
 - o election results
 - o protocols

8.45 Particularities of the various elections

8.45.1 Federal Council election

- Secret election
- Absolute majority required (in the 1st round)
- By the United Federal Assembly

8.45.2 Federal judge election

- Secret election
- Proportional principle (consideration of parties, regions, genders)

8.45.3 Committee presidencies

- Election by the respective parliament
- Often less public

8.45.4 Cantonal and communal level

- Great variety of election procedures
- Partly popular election instead of parliamentary election
- Differing majority requirements

8.46 Transparency and confidentiality

Field of tension: - **Secrecy of the ballot**: protection of the individual electoral decision - **Transparency**: public interest in the election result

In secret elections: - Only the overall result is published - No IndividualVote entities - Protection of the freedom of choice

In open elections: - Individual votes cast can be recorded - Higher transparency - Potential social pressure effects

8.47 Class: Election

An election procedure for selecting persons to positions.

8.47.1 Attribute

Name	Cardinality and Range	Description
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
datetime_end	0..1 Datetime	The date and time when the meeting or voting ends.
election_type	0..1 ElectionTypeEnum	Type of election procedure.
type_label	0..1 String	Custom type label when standard type values don't apply.
title	0..1 String	Title of the element.
landing_page	0..1 String	URL providing further information.
total_absent	0..1 Integer	Total number of absent members. Distinction between absent/excused absent - presence is tracked on attendance list.
total	0..1 Integer	Total number of votes, excluding absent and president's vote.
majority_type	0..1 MajorityTypeEnum	Type of majority required for the vote (absolute, two-thirds, etc.).
majority_count	0..1 Integer	Number of votes required for the relevant majority threshold.
result_text	0..1 String	Free text describing the outcome of the vote, e.g., "Accepted with 78 votes".
parent_meeting	0..1 String	The linked meeting ID that groups the current meeting.
parent_agenda_item	0..1 String	If needed, this slot builds a

Name	Cardinality and Range	Description
		hierarchy of agenda items.
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
documents	* Work	List of documents (FRBR Works) linked to the entity.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

8.47.2 Usages

used by	used in	type	used
Container	elections	range	Election

8.48 Enum: ElectionTypeEnum

Type of election procedure.

URI: [ops:ElectionTypeEnum](#)

8.48.1 Permissible Values

Value	Description
secret	Secret election (Geheime Wahl) ops:enum/election_type/secret
open	Open election (Offene Wahl) ops:enum/election_type/open
silent	Silent election without opponent (Stille Wahl ohne Gegenkandidat) ops:enum/election_type/silent

Debate

- -> video recording -> speech transcript
- -> verbatim protocol -> text to timestamp -> text contains the timestamps -> text document (with or without a definition of the format (span types))
- -> edited protocol -> agenda item to timestamp

8.49 Speech

8.50 Term and meaning

A speech denotes an oral contribution by a person during a parliamentary sitting. It is the central instrument of political debate and of expressing opinions in parliament.

8.51 Types of speeches

Parliamentary speeches take various forms:

8.51.1 Main statements

- Detailed positions on an affair
- Justification of motions
- Presentation of the group's opinion

8.51.2 Short interventions

- Brief statements
- Interposed questions
- Corrections

8.51.3 Group declarations

- Official position of a parliamentary group
- Delivered by the group's spokesperson

8.51.4 Government statements

- Positions of government members
- Answering of questions
- Defence of bills

8.52 Structure and assignment

A speech is always assigned to a specific context:

```
Meeting (sitting)
├─ AgendaItem
│   └─ Speech (statement of person A)
│       ├── TextSegment (transcription)
│       ├── Media (audio recording)
│       └─ Media (video recording)
```

8.52.1 Assignment fields

- **meeting_id**: the sitting in which the speech was made
- **agenda_item_id**: the agenda item that was spoken to
- **person_id**: the speaking person (according to eCH-0294 Actors)

8.53 Identification of the speakers

- **person_id**: unique identification of the person
- **person_name**: name for quick access
- **role**: role of the person (e.g. “group president”, “rapporteur”, “Federal Councillor”)

8.54 Temporal recording

- **start_time**: start of the speech
- **end_time**: end of the speech
- **duration**: duration in seconds (calculated or recorded)

These time indications enable: - precise referencing in audio and video recordings - analysis of speaking time per person / group - monitoring of compliance with time limits

8.55 Language of the speech

The field **language** records the language in which the speech was made:

- **de**: German
- **fr**: French
- **it**: Italian
- **rm**: Romansh
- **en**: English

8.56 Text documents

The field **text_segments** references TextSegment entities containing the spoken text.

8.56.1 Different text versions

8.56.1.1 Raw transcript

- Verbatim transcription
- Unedited, with filler words
- Available directly after the sitting

8.56.1.2 Edited transcript

- Editorially revised
- Grammatically corrected
- Official protocol version

8.56.1.3 Translations

- Into other national languages
- For international publications

8.56.2 TextSegment structure

Every TextSegment can contain: - **text**: the actual text - **language**: language of the text - **version**: kind of version (raw, edited, translated) - **format**: format (plain, markdown, HTML)

8.57 Multimedia recordings

The field **media** references Media entities with audio and video recordings.

8.57.1 Audio recordings

- Original sound of the speech
- Format: MP3, WAV, etc.
- Technical metadata (quality, bitrate)

8.57.2 Video recordings

- Visual recording (in plenary sittings)
- Format: MP4, WebM, etc.
- Various resolutions

8.57.3 Livestreaming

- Real-time transmission
- URL of the stream
- Archiving after the sitting

8.58 Title and description

- **title:** short title (e.g. “Statement on energy policy”)
- **description:** summary or context of the speech

8.59 Type of speech

The field **speech_type** can distinguish various kinds:

- **statement:** position statement
- **question:** question
- **response:** answer (e.g. government to a question)
- **procedural:** procedural motion
- **declaration:** declaration

8.60 Class: Speech

A speech or statement made during a meeting (also called Votum or speaker segment).

8.60.1 Attribute

Name	Cardinality and Range	Description
language	0..1 String	Language code in ISO 639-1 format (two lowercase letters, e.g. “de”, “fr”, “it”, “en”).
start	0..1 String	Start indicator or position.
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
datetime_end	0..1 Datetime	The date and time when the meeting or voting ends.
actor_fullname	0..1 String	Full name of the actor/person.
actor_id	0..1 PersonReference	Reference to the acting person (lightweight snapshot at time of linking).

Name	Cardinality and Range	Description
role	0..1 String	Role of the person (e.g., commission speaker).
text	1 String	Text content of the element.
text_format	0..1 String	Format of text (text, html, html_with_timestamps).
text_type	0..1 String	Type of text (raw draft, edited version).
landing_page	0..1 String	URL providing further information.
media_url	0..1 String	URL to media file (audio/video).
media_type	0..1 String	Type of media (audio, video, document).
media_format	0..1 String	MIME type of the media file.
documents	* Work	List of documents (FRBR Works) linked to the entity.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

Name	Cardinality and Range	Description
		S
8.60.2 Usages		
used by	used in	type
Container	speeches	range
Protocol	speeches	range
		used
		Speech
		Speech

8.60.3 Examples

8.60.3.1 Example: Speech with verbatim text and video recording

```
global_uri: ops:366631
language: fr
datetime_begin: '2025-12-19T09:20:00+01:00'
datetime_end: '2025-12-19T09:25:00+01:00'
actor_fullname: Pascal Broulis
actor_id:
  global_uri: https://api.openparldata.ch/v1/persons/18682
  wikidata_uri: http://www.wikidata.org/entity/Q116407
  label: Pascal Broulis
role: speaker
text: >-
  Je remercie la rapporteuse pour son rapport exhaustif. J'ai également lu avec attention
  les différents commentaires qui ont été effectués sur mon postulat. Cela reste un
  postulat, ce n'est pas une motion. D'abord, je ne partage pas l'avis selon lequel
  ce postulat n'apporterait pas une valeur ajoutée. En effet, un "benchmark", à savoir
  un modèle chiffré de performance, permettrait de mieux comprendre les raisons des
  retards que notre pays rencontre en comparaison avec les principaux pays européens.
text_format: html
text_type: final
landing_page: >-
  https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-die-videos?
  TranscriptId=366631
media_url: https://par-pcache.simplex.tv/content?externalid=366631
media_type: video
media_format: video/mp4
```

9 Texts and media

Parliamentary debates are recorded not only as structured data but also as texts and multimedia recordings. These entities enable the management of transcripts, audio and video recordings and further media formats, as well as the technical infrastructure for data exchange and multilingualism.

9.1 TextSegment

9.1.1 Purpose

Records text passages with versioning and language variants. Used primarily for transcriptions of speeches, but can also be applied to other text documents.

9.1.2 Structure

- **text**: the actual text content
- **language**: language code (ISO 639-1)
- **format**: format of the text (plain, markdown, html)
- **version_type**: kind of version

- o **raw**: unedited raw transcript
- o **edited**: editorially revised version
- o **translated**: translation into another language
- o **summary**: summary

9.1.3 Design decision

Why a separate entity? - Allows several versions of the same text (raw, edited, translated) - Version control and traceability of changes - Flexibility regarding formats (plain, markdown, HTML for different output channels)

9.1.4 Application

Mainly linked with Speech entities:

```
Speech
├── TextSegment (raw transcript, de)
├── TextSegment (edited protocol, de)
├── TextSegment (translation, fr)
└── TextSegment (summary, de)
```

9.2 Media

9.2.1 Purpose

References media files (audio, video, documents) belonging to parliamentary activities.

9.2.2 Structure

- **media_type**: kind of media file
 - o **audio**: audio recording
 - o **video**: video recording
 - o **document**: documents (PDF, etc.)
 - o **image**: images
- **url**: URL of the media file
- **mime_type**: MIME type (audio/mp3, video/mp4, application/pdf, etc.)
- **title**: title of the media file
- **description**: description
- **language**: language (for language-based media)
- **duration**: duration (for audio/video, in seconds)
- **file_size**: file size in bytes
- **quality**: quality indication (e.g. "720p", "high", "low")

9.2.3 Design decision

Why a generic Media entity? - Uniform structure for all media types - Extensible for new formats - Technical metadata recorded centrally - Several quality levels of the same recording possible

9.2.4 Application

Can be attached to various entities:

```
Speech
├── Media (audio recording, MP3, 256 kbps)
```

- └ Media (audio recording, MP3, 128 kbps)
- └ Media (video recording, MP4, 1080p)
- └ Media (video recording, MP4, 480p)

AgendaItem

- └ Media (PDF of the bill)

Meeting

- └ Media (livestream URL)

9.3 Class: TextSegment

A text segment such as cross-references or subtitles in meeting protocols.

9.3.1 Attribute

Name	Cardinality and Range	Description
text	1 String	Text content of the element.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification

9.3.2 Usages

used by	used in	type	used
Protocol	text_segments	range	TextSegment

9.4 Class: Media

Media files or documents (including protocols in PDF/HTML/WORD or links to audio/video).

9.4.1 Attribute

Name	Cardinality and Range	Description
title	0..1 String	Title of the element.
media_type	0..1 String	Type of media (audio, video, document).
url	* MultilingualString	Landing page or further web address, multilingual.
version	0..1 String	Version number or identifier.
parent_type	0..1 String	Type of parent object (meeting, agenda, speech, affair).

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification

9.5 Class: MultilingualString

A string that can contain text in multiple languages.

9.5.1 Attribute

Name	Cardinality and Range	Description
text	1 String	Text content of the element.
language	1 String	Language code in ISO 639-1 format (two lowercase letters, e.g. "de", "fr", "it", "en").

9.5.2 Usages

used by	used in	type	used
Legislature	name	range	MultilingualString
Session	name	range	MultilingualString
Session	url	range	MultilingualString
Meeting	name	range	MultilingualString
Meeting	url	range	MultilingualString
AgendaItem	agenda_item_title	range	MultilingualString
AgendaItem	agenda_item_description	range	MultilingualString
AgendaItem	url	range	MultilingualString
ProtocolItem	agenda_item_title	range	MultilingualString
ProtocolItem	agenda_item_description	range	MultilingualString
ProtocolItem	url	range	MultilingualString
Voting	voting_title	range	MultilingualString
IndividualAttendance	reason	range	MultilingualString
Media	url	range	MultilingualString

9.6 Class: Container

Container for the records of public council operations: legislatures, sessions, meetings, agenda items, protocols, votings, elections, attendances, speeches and resolutions.

9.6.1 Attribute

Name	Cardinality and Range	Description
legislatures	* Legislature	Collection of legislature records.
sessions	* Session	Collection of session records.
meetings	* Meeting	Collection of meeting records.
agenda_items	* AgendaItem	Collection of agenda item records.
protocols	* Protocol	Collection of protocol records.
votings	* Voting	Collection of voting records.
elections	* Election	Collection of election records.
individual_votes	* IndividualVote	Collection of individual vote records.
attendances	* Attendance	Collection of attendance records.
individual_attendances	* IndividualAttendance	Collection of individual attendance records.
speeches	* Speech	Collection of speech records.
resolutions	* Resolution	Collection of resolution records.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification

9.6.2 Examples

9.6.2.1 Example: meeting

```

global_uri: ops:meetings_1
meetings:
  - body_key: "BE"
    global_uri: ops:340dcf932fb044dd8f8c5c943267fbcc
    meeting_type: "session"
    name:
      - text: "Regierungssitzung vom 31. März 2021"
        language: "de"
      - text: "Séance du gouvernement du 31 mars 2021"

```

```

    language: "fr"
  url:
    - text: "https://www.rr.be.ch/de/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-detail?guid=340dcf932fb044dd8f8c5c943267fbcc"
      language: "de"
    - text: "https://www.rr.be.ch/fr/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-detail?guid=340dcf932fb044dd8f8c5c943267fbcc"
      language: "fr"
  actor_id:
    global_uri: "actors:rr_be"
    label: "Regierungsrat Bern"
    abbreviation:
      - value: "RR"
      language: de
    actor_name: "Regierungsrat Bern"
    date_begin_planned: "2021-03-31"
    date_end_planned: "2021-03-31"
    datetime_created: "2024-10-28T01:22:26Z"
    datetime_modified: "2024-11-27T20:40:57Z"

- body_key: "BE"
  global_uri: ops:e7c5d453-848a-430a-b024-1dd2f6873aa6
  meeting_type: "session"
  name:
    - text: "Donnerstag (Nachmittag)"
    language: "de"
  url:
    - text: "https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?guid=66ccf0a9f4d24d318ff3b99e646644e8"
      language: "de"
    - text: "https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?guid=66ccf0a9f4d24d318ff3b99e646644e8"
      language: "fr"
  actor_id:
    global_uri: "https://api.openparldata.ch/v1/bodies/253"
    label: "Grosser Rat Bern"
    abbreviation:
      - value: "GR"
      language: de
    actor_name: "Grosser Rat Bern"
    date_begin_planned: "2025-06-05"
    date_end_planned: "2025-06-05"
    datetime_created: "2025-04-25T11:10:25Z"
    datetime_modified: "2025-05-19T01:06:45Z"

```

9.6.2.2 Example: meeting sr winter25 Sitzung6

global_uri: ops:data_meeting_sr_winter25_Sitzung6

```

meetings:
- global_uri: "parl:sr_winter25_sitzung_6"
  body_key: "CHE"
  meeting_type: "session"
  name:
    - text: "Sechste Sitzung"
      language: "de"
    - text: "Sixième séance"
      language: "fr"
  url:
    - text: "https://www.parlament.ch/de/ratsbetrieb/suche-Amtliches-bulletin"
      language: "de"
  actor_id:
    global_uri: "https://api.openparldata.ch/v1/bodies/42"
    label: "Ständerat"
    abbreviation:
      - value: "SR"
      language: de
    actor_name: "Ständerat"
    datetime_begin_planned: "2025-12-19T08:15:00+01:00"

```

```

datetime_created: "2026-01-12T00:00:00+01:00"
datetime_modified: "2026-01-12T00:00:00+01:00"

agenda_items:
- global_uri: ops:69905
  parent_meeting: "parl:sr_winter25_sitzung_6"
  agenda_item_type: "item"
  datetime_begin_planned: "2025-12-19T09:15:00+01:00"
  datetime_begin_actual: "2025-12-19T09:20:00+01:00"
  agenda_item_number: "6"
  agenda_item_position: 4
  agenda_item_title:
    - text: "Postulat Broulis Pascal. Bauprojekte im Mobilitätsbereich. Einen Vergleich
durchführen, um die Verzögerungen zu verstehen"
      language: "de"
  affair_id: "affairs:24.4471"
  landing_page: "https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-
die-verhandlungen?SubjectId=69905#votum3"
  agenda_item_category: "agenda_item"
  datetime_created: "2026-01-12T00:00:00+01:00"
  datetime_modified: "2026-01-12T00:00:00+01:00"

speeches:
- global_uri: ops:366631
  language: "fr"
  datetime_begin: "2025-12-19T09:20:00+01:00"
  datetime_end: "2025-12-19T09:25:00+01:00"
  actor_fullname: "Pascal Broulis"
  actor_id:
    global_uri: "https://api.openparldata.ch/v1/persons/18682"
    wikidata_uri: "http://www.wikidata.org/entity/Q116407"
    label: "Pascal Broulis"
  role: "speaker"
  text: >-
    Je remercie la rapporteuse pour son rapport exhaustif. J'ai également lu avec attention
    les différents commentaires qui ont été effectués sur mon postulat. Cela reste un postulat,
    ce n'est pas une motion. D'abord, je ne partage pas l'avis selon lequel ce postulat
    n'apporterait pas une valeur ajoutée. En effet, un "benchmark", à savoir un modèle chiffré
    de performance, permettrait de mieux comprendre les raisons des retards que notre pays
    rencontre en comparaison avec les principaux pays européens.
  text_format: "html"
  text_type: "final"
  landing_page: "https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-
die-videos?TranscriptId=366631"
  media_url: "https://par-pcache.simplex.tv/content?externalid=366631"
  media_type: "video"
  media_format: "video/mp4"

```

9.6.2.3 Example: meeting complete

global_uri: ops:meeting_examples_2025

meetings:

```

- global_uri: ops:meeting_sg_2025_03_15
  body_key: "SG"
  meeting_type: "session"
  name:
    - text: "Kantonsratssitzung vom 15. März 2025"
      language: "de"
  url:
    - text: "https://www.ratsinfo.sg.ch/sessions/2025-03-15"
      language: "de"
  actor_id:
    global_uri: "https://api.openparldata.ch/v1/bodies/265"
    label: "Kantonsrat St. Gallen"
    abbreviation:
      - value: "KR"

```

```

    language: de
    actor_name: "Kantonsrat St. Gallen"
    datetime_begin_planned: "2025-03-15T08:00:00Z"
    datetime_end_planned: "2025-03-15T18:00:00Z"
    datetime_begin_actual: "2025-03-15T08:15:00Z"
    datetime_end_actual: "2025-03-15T17:30:00Z"
    state: "planned"
    location: "Kantonsratssaal, Regierungsgebäude St. Gallen"
    parent_legislature: ops:legislature_sg_2024_2028
    datetime_created: "2025-02-01T10:00:00Z"
    datetime_modified: "2025-03-15T17:30:00Z"

- global_uri: ops:meeting_be_committee_wak_2025_05_12
  body_key: "BE"
  meeting_type: "committee"
  name:
    - text: "Sitzung Kommission für Wirtschaft und Abgaben"
      language: "de"
    - text: "Séance Commission de l'économie et des redevances"
      language: "fr"
  url:
    - text: "https://www.gr.be.ch/kommissionen/wak/2025-05-12"
      language: "de"
  actor_id:
    global_uri: "actors:committee_wak_be"
    label: "Kommission für Wirtschaft und Abgaben (WAK)"
    abbreviation:
      - value: "WAK"
      language: de
    actor_name: "Kommission für Wirtschaft und Abgaben (WAK)"
    datetime_begin_planned: "2025-05-12T14:00:00Z"
    datetime_end_planned: "2025-05-12T17:00:00Z"
    datetime_begin_actual: "2025-05-12T14:10:00Z"
    datetime_end_actual: "2025-05-12T16:45:00Z"
    state: "planned"
    location: "Kommissionszimmer 301, Rathaus Bern"
    parent_legislature: ops:legislature_be_2022_2026
    datetime_created: "2025-04-15T09:00:00Z"
    datetime_modified: "2025-05-12T16:45:00Z"

- global_uri: ops:meeting_gl_landsgemeinde_2025
  body_key: "GL"
  meeting_type: "sitting"
  name:
    - text: "Landsgemeinde 2025"
      language: "de"
  url:
    - text: "https://www.landsgemeinde.gl.ch/2025"
      language: "de"
  actor_id:
    global_uri: "https://api.openparldata.ch/v1/bodies/258"
    label: "Landsgemeinde Glarus"
    abbreviation:
      - value: "LG"
      language: de
    actor_name: "Landsgemeinde Glarus"
    datetime_begin_planned: "2025-05-04T09:30:00Z"
    datetime_end_planned: "2025-05-04T14:00:00Z"
    datetime_begin_actual: "2025-05-04T09:30:00Z"
    datetime_end_actual: "2025-05-04T13:45:00Z"
    state: "planned"
    location: "Zaunplatz, Glarus"
    parent_legislature: ops:legislature_gl_2024_2028
    datetime_created: "2025-01-10T12:00:00Z"
    datetime_modified: "2025-05-04T13:45:00Z"

```

agenda_items:

```
- global_uri: ops:agenda_item_sg_2025_015
  parent_meeting: ops:meeting_sg_2025_03_15
  agenda_item_type: "item"
  agenda_item_number: "15"
  agenda_item_position: 15
  agenda_item_title:
    - text: "Energiegesetz - Schlussabstimmung"
      language: "de"
  agenda_item_description:
    - text: "Schlussabstimmung über das revidierte Energiegesetz des Kantons St. Gallen"
      language: "de"
  agenda_item_category: "Gesetzgebung"
  state_id: "completed"
  datetime_begin_planned: "2025-03-15T14:00:00Z"
  datetime_begin_actual: "2025-03-15T14:30:00Z"
  affair_id: "affairs:sg_2024_123_energiegesetz"
  datetime_created: "2025-02-01T10:00:00Z"
  datetime_modified: "2025-03-15T14:35:00Z"

- global_uri: ops:agenda_item_be_2025_042
  parent_meeting: ops:meeting_be_committee_wak_2025_05_12
  agenda_item_type: "item"
  agenda_item_number: "4.2"
  agenda_item_position: 42
  agenda_item_title:
    - text: "Steuergesetz - Detailberatung Art. 5"
      language: "de"
    - text: "Loi fiscale - Délibération détaillée art. 5"
      language: "fr"
  agenda_item_description:
    - text: "Beratung von Änderungsanträgen zu Artikel 5 des Steuergesetzes"
      language: "de"
    - text: "Délibération sur les propositions de modification de l'article 5 de la loi fiscale"
      language: "fr"
  agenda_item_category: "Gesetzgebung"
  state_id: "completed"
  datetime_begin_planned: "2025-05-12T15:00:00Z"
  datetime_begin_actual: "2025-05-12T15:15:00Z"
  affair_id: "affairs:be_2024_089_steuergesetz"
  datetime_created: "2025-04-15T09:00:00Z"
  datetime_modified: "2025-05-12T15:20:00Z"

- global_uri: ops:agenda_item_zh_budget_2026
  parent_meeting: ops:meeting_zh_2025_11_20
  agenda_item_type: "item"
  agenda_item_number: "8"
  agenda_item_position: 8
  agenda_item_title:
    - text: "Budget 2026"
      language: "de"
  agenda_item_description:
    - text: "Beratung und Beschlussfassung über das Kantonsbudget für das Jahr 2026"
      language: "de"
  agenda_item_category: "Budget und Finanzen"
  state_id: "completed"
  datetime_begin_planned: "2025-11-20T16:00:00Z"
  datetime_begin_actual: "2025-11-20T16:45:00Z"
  affair_id: "affairs:zh_2025_budget_2026"
  datetime_created: "2025-10-01T08:00:00Z"
  datetime_modified: "2025-11-20T16:50:00Z"
```

9.6.2.4 Example: meeting item

```
global_uri: ops:agenda_items_1
agenda_items:
  - global_uri: ops:cea750a5bd7b420fa4da1c914f801384
    parent_meeting: ops:meeting_bern_2022_03_17
```

```

agenda_item_type: item
datetime_begin_planned: '2022-03-17T17:00:00Z'
agenda_item_position: 29
agenda_item_number: '8'
agenda_item_title:
  - text: >-
    Interpellation Fraktion GB/JA! (Katharina Gallizzi, GB): Welche
    Konsequenzen haben die Klimaziele für das Gasnetz in Bern?
    language: de
  affair_id: affairs:2020.SR.000007
  url:
    - text: >-
      https://stadtrat.bern.ch/de/sitzungen/detail.php?
gid=000d6cf5f0bc4d89a5171e0123cfbff5#cea750a5bd7b420fa4da1c914f801384
    language: de
  datetime_created: '2025-01-17T21:25:52Z'
  datetime_modified: '2025-01-17T21:25:52Z'
- global_uri: ops:2023_10_03-52
  parent_meeting: ops:meeting_lausanne_2023_10_03
  agenda_item_type: item
  datetime_begin_planned: '2023-10-03T00:00:00Z'
  agenda_item_position: 52
  agenda_item_number: '52'
  agenda_item_title:
    - text: >-
      Postulat de Mme Franziska MEINHERZ : « Lausanne sans publicité
      commerciale » (FIM)
      language: fr
  state_id: postponed
  agenda_item_category: RAPPORTS
  affair_id: affairs:POS22/029
  url:
    - text: >-
      https://www.lausanne.ch/apps/agir/affaire/81/b7157ea2a4994086b65cf176768c6381.htm
      language: fr
  datetime_created: '2025-02-08T12:33:10Z'
  datetime_modified: '2025-02-08T12:33:10Z'
- global_uri: ops:2025_05_20-23
  parent_meeting: ops:meeting_lausanne_2025_05_20
  agenda_item_type: item
  datetime_begin_planned: '2025-05-20T00:00:00Z'
  agenda_item_position: 23
  agenda_item_number: '23'
  agenda_item_title:
    - text: >-
      Interpellation urgente du 20 mai 2025 de M. Yusuf KULMIYE : «
      Interpellation urgente de Kulmiye Yusuf et crts – Solidarité sans
      frontières, Lausanne en faveur du respect du droit international et de
      la protection des populations civiles à Gaza »
      language: fr
  state_id: not_treated
  agenda_item_category: ANNONCES ET INTERPELLATIONS
  affair_id: affairs:INT25/027
  url:
    - text: >-
      https://www.lausanne.ch/apps/agir/affaire/6c/049b6c612fe2428f9be66ea39522ac6c.htm
      language: fr
  datetime_created: '2025-06-07T23:50:18Z'
  datetime_modified: '2025-06-07T23:50:18Z'
- global_uri: ops:7b3545e4-57dc-3901-aaa8-4020da6ab0c6
  parent_meeting: ops:meeting_vaud_2008_04_30
  agenda_item_type: item
  datetime_begin_planned: '2008-04-30T00:00:00Z'
  agenda_item_position: 7
  agenda_item_number: '7'
  agenda_item_title:
    - text: >-
      Révision partielle de sept ordonnances fédérales relatives aux
      produits chimiques

```

```

    language: fr
  agenda_item_description:
    - text: >
      Le Conseil d'Etat approuve le projet de révision partielle de sept
      ordonnances fédérales relatives aux produits chimiques. Il salue la
      volonté des autorités fédérales d'introduire dans la législation
      fédérale les modifications nécessaires découlant des nouveaux
      règlements européens, afin d'éliminer des entraves au commerce et
      d'augmenter la sécurité d'évaluation des produits chimiques.
    language: fr
  url:
    - text: >-
      https://www.vd.ch/actualites/decisions-du-conseil-detat/seance-du-conseil-detat/
seance/265632#7b3545e4-57dc-3901-aaa8-4020da6ab0c6
    language: fr
    datetime_created: '2024-12-06T10:50:04Z'
    datetime_modified: '2024-12-06T10:50:04Z'
  - global_uri: ops:06fb582b753c416d8fdb05fa13873545
    parent_meeting: ops:meeting_2011_11_23
    agenda_item_type: item
    datetime_begin_planned: '2011-11-23T00:00:00Z'
    agenda_item_position: 2
    agenda_item_title:
      - text: >-
        Interpellation Peter Mark betr. elektronische Datenerfassung durch
        Mitarbeiter im Werkhof – Versuchsphase
      language: de
      datetime_created: '2025-03-21T23:15:19Z'
      datetime_modified: '2025-03-21T23:15:19Z'
  - global_uri: ops:16155798_3
    parent_meeting: ops:meeting_schaffhausen_2025_03_31
    agenda_item_type: item
    datetime_begin_planned: '2025-03-31T00:00:00Z'
    agenda_item_position: 2
    agenda_item_number: '2'
    agenda_item_title:
      - text: >-
        Motion Nr. 2023/9 von Rainer Schmidig vom 18. Dezember 2023 betreffend
        zeitgemässe Abzüge in den Art. 35 und 37 des Gesetzes über die
        direkten Steuern
      language: de
      agenda_item_category: Traktanden
      affair_id: affairs:MOT_2023_9
      datetime_created: '2025-05-02T11:23:49Z'
      datetime_modified: '2025-05-02T11:23:49Z'
  - global_uri: ops:21c50b86d21b4b4baeb1a76738ff82a3_2025-04-02_1_de
    parent_meeting: ops:meeting_bern_rr_2025_04_02
    agenda_item_type: item
    datetime_begin_planned: '2025-04-02T00:00:00Z'
    agenda_item_title:
      - text: >-
        Petition «Gleichberechtigung für Tagesfamilien: Gleich hohe
        Betreuungsgutscheine für alle Anbieter im Kanton Bern».
        Regierungsrätliches Antwortschreiben
      language: de
      affair_id: affairs:2025.STA.622
    url:
      - text: >-
        https://www.rr.be.ch/de/start/beschluesse/suche/geschaeftsdetail.html?
guid=21c50b86d21b4b4baeb1a76738ff82a3
      language: de
      datetime_created: '2025-04-25T11:11:40Z'
      datetime_modified: '2025-04-25T11:11:40Z'
  - global_uri: ops:49_253
    parent_meeting: ops:meeting_2025_03_31
    agenda_item_type: item
    datetime_begin_planned: '2025-03-31T00:00:00Z'
    agenda_item_position: 2
    agenda_item_number: '2'

```

```

agenda_item_title:
  - text: Programmvereinbarungen 2024
    language: de
datetime_created: '2025-03-29T01:07:14Z'
datetime_modified: '2025-03-29T01:07:14Z'
- global_uri: ops:16155798_4
  parent_meeting: ops:meeting_schaffhausen_2025_03_31_b
  agenda_item_type: item
  datetime_begin_planned: '2025-03-31T00:00:00Z'
  agenda_item_position: 3
  agenda_item_number: '3'
  agenda_item_title:
    - text: >-
      Volksmotion Nr. 2024/1 von Sandro Mamedow und Livia Schraff
      (Erstunterzeichnende) sowie weitere 150 Mitunterzeichnende vom 22.
      März 2024 mit dem Titel: «Für eine Stimme der Studierenden im
      Hochschulrat der Pädagogischen Hochschule Schaffhausen (PHSH)»
      language: de
  agenda_item_category: Traktanden
  affair_id: affairs:MOT_2024_1
  datetime_created: '2025-05-02T11:23:49Z'
  datetime_modified: '2025-05-02T11:23:49Z'
- global_uri: ops:87b69a72919445a493a061d9b0daeba3
  parent_meeting: ops:meeting_be_2025_06_02
  agenda_item_type: item
  datetime_begin_planned: '2025-06-02T00:00:00Z'
  agenda_item_title:
    - text: Differenzierte Anpassung des Gehalts von Lehrpersonen ohne Lehrdiplom
      language: de
  affair_id: affairs:2025.GRPARL.81
  datetime_created: '2025-04-25T11:10:35Z'
  datetime_modified: '2025-04-25T11:10:35Z'
- global_uri: ops:0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
  parent_meeting: ops:meeting_luzern_2025_01_28
  agenda_item_type: item
  datetime_begin_planned: '2025-01-28T00:00:00Z'
  agenda_item_position: 29
  agenda_item_number: '29'
  agenda_item_title:
    - text: >-
      Postulat Widmer Reichlin Gisela und Mit. über Massnahmen zur Erfüllung
      des Sonderschulkonkordats und zur gezielten Behebung des
      Fachkräftemangels im Bereich schulische Heilpädagogik / Bildungs- und
      Kulturdepartement
      language: de
  agenda_item_category: voting
  url:
    - text: >-
      https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
      TraktandumGuid=0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
      language: de
  affair_id: affairs:2024P_125
  datetime_created: '2025-01-29T06:59:41Z'
  datetime_modified: '2025-01-29T06:59:41Z'
- global_uri: ops:fa732e0e-7e5f-4d45-994a-fc74720c0781
  parent_meeting: ops:meeting_luzern_2025_01_28_b
  agenda_item_type: item
  datetime_begin_planned: '2025-01-28T00:00:00Z'
  agenda_item_position: 14
  agenda_item_number: '14'
  agenda_item_title:
    - text: >-
      Postulat Stadelmann Karin Andrea und Mit. über die Überprüfung und
      Anpassung der Kriterien zum früheren Eintritt von Kindern in die
      Basisstufe (den freiwilligen Kindergarten) / Bildungs- und
      Kulturdepartement
      language: de
  agenda_item_category: voting
  url:

```

```
- text: >-  
  https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?  
TraktandumGuid=fa732e0e-7e5f-4d45-994a-fc74720c0781  
  language: de  
  affair_id: affairs:2023P_102  
  datetime_created: '2025-01-29T06:59:41Z'  
  datetime_modified: '2025-01-29T06:59:41Z'
```

9.6.2.5 Example: voting

global_uri: ops:voting_examples_2025

votings:

```
- global_uri: ops:voting_sg_2025_001  
  voting_title:  
    - text: "Schlussabstimmung Energiegesetz"  
      language: "de"  
  voting_type: "final_vote"  
  datetime_begin: "2025-03-15T14:30:00Z"  
  datetime_end: "2025-03-15T14:35:00Z"  
  total_count_yes: 78  
  total_count_no: 42  
  total_count_abstention: 5  
  total_absent: 3  
  total: 128  
  majority_type: "absolute"  
  majority_count: 65  
  result_text: "Mit 78 zu 42 Stimmen bei 5 Enthaltungen angenommen"  
  parent_agenda_item: ops:agenda_item_sg_2025_015  
  parent_meeting: ops:meeting_sg_2025_03_15  
  actor_id:  
    global_uri: "https://api.openparldata.ch/v1/bodies/265"  
    label: "Kantonsrat St. Gallen"  
    abbreviation:  
      - value: "KR"  
      language: de  
  datetime_created: "2025-03-15T14:30:00Z"  
  datetime_modified: "2025-03-15T14:35:00Z"  
  
- global_uri: ops:voting_be_2025_042  
  voting_title:  
    - text: "Änderungsantrag Art. 5 Abs. 2"  
      language: "de"  
    - text: "Proposition de modification art. 5 al. 2"  
      language: "fr"  
  voting_type: "preliminary_vote"  
  datetime_begin: "2025-06-05T10:15:00Z"  
  datetime_end: "2025-06-05T10:17:00Z"  
  total_count_yes: 45  
  total_count_no: 87  
  total_count_abstention: 8  
  total_absent: 10  
  total: 150  
  majority_type: "absolute"  
  majority_count: 76  
  result_text: "Mit 45 zu 87 Stimmen bei 8 Enthaltungen abgelehnt"  
  parent_agenda_item: ops:agenda_item_be_2025_042  
  parent_meeting: ops:meeting_be_2025_06_05  
  actor_id:  
    global_uri: "https://api.openparldata.ch/v1/bodies/253"  
    label: "Grosser Rat Bern"  
    abbreviation:  
      - value: "GR"  
      language: de  
  datetime_created: "2025-06-05T10:15:00Z"  
  datetime_modified: "2025-06-05T10:15:00Z"
```

```
- global_uri: ops:voting_zh_budget_2026
  voting_title:
    - text: "Budgetbeschluss 2026"
      language: "de"
  voting_type: "final_vote"
  datetime_begin: "2025-11-20T16:45:00Z"
  datetime_end: "2025-11-20T16:50:00Z"
  total_count_yes: 105
  total_count_no: 70
  total_count_abstention: 5
  total_absent: 0
  total: 180
  majority_type: "absolute"
  majority_count: 91
  result_text: "Mit 105 zu 70 Stimmen bei 5 Enthaltungen angenommen"
  parent_agenda_item: ops:agenda_item_zh_budget_2026
  parent_meeting: ops:meeting_zh_2025_11_20
  actor_id:
    global_uri: "https://api.openparldata.ch/v1/bodies/275"
    label: "Kantonsrat Zürich"
    abbreviation:
      - value: "KR"
        language: de
  datetime_created: "2025-11-20T16:45:00Z"
  datetime_modified: "2025-11-20T16:50:00Z"

# Realbeispiel Gemeinderat der Stadt Zürich (28.02.2024, 86. Sitzung):
# "Gleichgerichtete Anträge" mit mehreren Auswahloptionen (Zürich: mehrere Knöpfe).
# Die Optionen sind nicht Ja/Nein/Enthaltung, sondern Auswahl A–D und werden
# deshalb über total_other (Liste von TotalOther {count, label}) abgebildet.
# Quelle: https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?
# aid=aa10c137274f424fa4eda877e7644a89
- global_uri: ops:voting_zh_gr_2024_2023_361
  voting_title:
    - text: "Liegenschaften Stadt Zürich, Wohnhaus Magnusstrasse 27, Gesamtinstandsetzung,
      Grundrissanpassung, Netto-Zusatzkredit (Geschäft 2023/361)"
      language: "de"
  voting_type: "other"
  type_label: "Gleichgerichtete Anträge (Mehrfachauswahl)"
  datetime_begin: "2024-02-28T00:00:00Z"
  datetime_end: "2024-02-28T00:00:00Z"
  landing_page: "https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?
  aid=aa10c137274f424fa4eda877e7644a89"
  # Bei reinen Auswahlabstimmungen bleiben Ja/Nein/Enthaltung leer; jede Option
  # erhält einen eigenen TotalOther-Eintrag mit Stimmenzahl und Bezeichnung.
  total_other:
    - count: 75
      label: "Auswahl A (siegreich)"
    - count: 25
      label: "Auswahl B"
    - count: 12
      label: "Auswahl C"
    - count: 0
      label: "Auswahl D"
  total_absent: 13
  total: 112
  majority_type: "other"
  result_text: "Auswahl A mit 75 von 112 abgegebenen Stimmen angenommen (Auswahl B: 25, Auswahl
  C: 12, Auswahl D: 0; 13 abwesend von 125 Mitgliedern)."
  parent_agenda_item: ops:agenda_item_zh_gr_2024_2023_361
  parent_meeting: ops:meeting_zh_gr_2024_02_28
  affair_id: "2023/361"
  actor_id:
    global_uri: "https://www.gemeinderat-zuerich.ch/"
    label: "Gemeinderat der Stadt Zürich"
    abbreviation:
      - value: "GR"
        language: de
  datetime_created: "2024-02-28T00:00:00Z"
```

`datetime_modified: "2024-02-28T00:00:00Z"`

`individual_votes:`

*# Einzelstimmen zum Zürcher Mehrfachoptionen-Beispiel: Da die Auswahloptionen
nicht Ja/Nein/Enthaltung sind, wird individual_vote_type "other" mit type_label
je gewählter Option verwendet; abwesende Mitglieder erhalten "not_voted".*

- `global_uri: ops:vote_zh_gr_2024_2023_361_a1`
`parent_voting: ops:voting_zh_gr_2024_2023_361`
`actor_id:`
`global_uri: "https://www.gemeinderat-zuerich.ch/personen/1"`
`label: "Mitglied Auswahl A"`
`seat_nr: "12"`
`individual_vote_type: "other"`
`type_label: "Auswahl A"`
`datetime_created: "2024-02-28T00:00:00Z"`
- `global_uri: ops:vote_zh_gr_2024_2023_361_b1`
`parent_voting: ops:voting_zh_gr_2024_2023_361`
`actor_id:`
`global_uri: "https://www.gemeinderat-zuerich.ch/personen/2"`
`label: "Mitglied Auswahl B"`
`seat_nr: "47"`
`individual_vote_type: "other"`
`type_label: "Auswahl B"`
`datetime_created: "2024-02-28T00:00:00Z"`
- `global_uri: ops:vote_zh_gr_2024_2023_361_c1`
`parent_voting: ops:voting_zh_gr_2024_2023_361`
`actor_id:`
`global_uri: "https://www.gemeinderat-zuerich.ch/personen/3"`
`label: "Mitglied Auswahl C"`
`seat_nr: "88"`
`individual_vote_type: "other"`
`type_label: "Auswahl C"`
`datetime_created: "2024-02-28T00:00:00Z"`
- `global_uri: ops:vote_zh_gr_2024_2023_361_abs1`
`parent_voting: ops:voting_zh_gr_2024_2023_361`
`actor_id:`
`global_uri: "https://www.gemeinderat-zuerich.ch/personen/4"`
`label: "Abwesendes Mitglied"`
`seat_nr: "103"`
`individual_vote_type: "not_voted"`
`datetime_created: "2024-02-28T00:00:00Z"`
- `global_uri: ops:vote_sg_2025_001_person_123`
`parent_voting: ops:voting_sg_2025_001`
`actor_id:`
`global_uri: "https://api.openparldata.ch/v1/persons/27235"`
`label: "Paul Schlegel"`
`seat_nr: "1"`
`individual_vote_type: "yes"`
`datetime_created: "2025-03-15T14:30:00Z"`
- `global_uri: ops:vote_sg_2025_001_person_456`
`parent_voting: ops:voting_sg_2025_001`
`actor_id:`
`global_uri: "https://api.openparldata.ch/v1/persons/27234"`
`label: "Andreas Eggenberger"`
`seat_nr: "2"`
`individual_vote_type: "no"`
`datetime_created: "2025-03-15T14:30:00Z"`
- `global_uri: ops:vote_sg_2025_001_person_789`

```
parent_voting: ops:voting_sg_2025_001
actor_id:
  global_uri: "https://api.openparldata.ch/v1/persons/27233"
  label: "Thomas Ammann"
seat_nr: "3"
individual_vote_type: "abstention"
datetime_created: "2025-03-15T14:30:00Z"

- global_uri: ops:vote_sg_2025_001_person_321
parent_voting: ops:voting_sg_2025_001
actor_id:
  global_uri: "https://api.openparldata.ch/v1/persons/25177"
  label: "Ruedi Thomann"
seat_nr: "4"
individual_vote_type: "not_voted"
datetime_created: "2025-03-15T14:30:00Z"

- global_uri: ops:vote_zh_budget_2026_person_101
parent_voting: ops:voting_zh_budget_2026
actor_id:
  global_uri: "https://api.openparldata.ch/v1/persons/27237"
  label: "Thomas Wolf"
seat_nr: "1"
individual_vote_type: "yes"
datetime_created: "2025-11-20T16:45:00Z"

- global_uri: ops:vote_zh_budget_2026_person_102
parent_voting: ops:voting_zh_budget_2026
actor_id:
  global_uri: "https://api.openparldata.ch/v1/persons/25208"
  label: "Jean-Daniel Strub"
seat_nr: "2"
individual_vote_type: "no"
datetime_created: "2025-11-20T16:45:00Z"
```

9.6.2.6 Example: session

```
global_uri: ops:sessions_example_2025
sessions:
```

```
- global_uri: ops:session_5207
body_key: "CHE"
name:
  - text: "Frühjahrssession 2025"
    language: "de"
  - text: "Session de printemps 2025"
    language: "fr"
  - text: "Sessione primaveraile 2025"
    language: "it"
url:
  - text: "https://www.parlament.ch/de/ratsbetrieb/sessionen/fruehjahr-2025"
    language: "de"
  - text: "https://www.parlament.ch/fr/ratsbetrieb/sessionen/fruehjahr-2025"
    language: "fr"
  - text: "https://www.parlament.ch/it/ratsbetrieb/sessionen/fruehjahr-2025"
    language: "it"
date_begin_planned: "2025-03-03"
date_end_planned: "2025-03-21"
parent_legislature: ops:legislature_51
datetime_modified: "2025-04-24T00:19:37Z"
datetime_created: "2025-03-20T14:27:09Z"

- global_uri: ops:session_be_summer_2025
body_key: "BE"
name:
  - text: "Sommeression 2025"
    language: "de"
```

```
- text: "Session d'été 2025"
  language: "fr"
url:
- text: "https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?
guid=66ccf0a9f4d24d318ff3b99e646644e8"
  language: "de"
- text: "https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?
guid=66ccf0a9f4d24d318ff3b99e646644e8"
  language: "fr"
date_begin_planned: "2025-06-02"
date_end_planned: "2025-06-12"
datetime_modified: "2025-05-19T01:06:44Z"
datetime_created: "2025-04-25T11:10:24Z"

- global_uri: ops:session_gl_landrat_2025_02_26
  body_key: "GL"
  name:
    - text: "Sitzung des Landrates vom 26.02.2025"
      language: "de"
  url:
    - text: "https://www.gl.ch/parlament/landrat/landratsprotokolle-ab-30-juni-2010.html/239"
      language: "de"
  date_begin_planned: "2025-02-26"
  date_end_planned: "2025-02-26"
  datetime_modified: "2025-04-25T13:40:34Z"
  datetime_created: "2025-04-23T22:58:39Z"

- global_uri: ops:session_gl_landsgemeinde_2025_05_04
  body_key: "GL"
  name:
    - text: "Landsgemeinde vom 04. Mai 2025"
      language: "de"
  url:
    - text: "https://www.landsgemeinde.gl.ch/landsgemeinde/2025-05-04"
      language: "de"
  date_begin_planned: "2025-05-04"
  date_end_planned: "2025-05-04"
  datetime_modified: "2025-04-25T13:40:34Z"
  datetime_created: "2025-04-23T22:58:39Z"
```