

eCH-0294 Political Actors: Persons, Groups and Bodies

Name	Political Actors: Persons, Groups and Bodies
eCH number	eCH-0294
Category	Standard
Maturity level	Defined
Version	1.0.0
Status	Proposal
Adopted on	
Issue date	2026-07-22
Replaces version	
Prerequisites	
Annexes	-
Languages	German (original) - English (data model)
Authors	Political Affairs specialist group: Julie Silberstein, Laurence Brandenberger, Daniela Koller, Thomas Roth, Stefan Oderbolz, Fabian Davolio, Orhan Saeedi, Christian Gutknecht, Michael Luggen
Publisher / Distribution	eCH Association, Affolternstrasse 52, 8050 Zürich

1 Abstract

The standard eCH-0294 “Political Actors: Persons, Groups and Bodies” defines a uniform data model for the structured publication of political actors in Switzerland. It covers natural persons, political groups and bodies, memberships between persons and groups, as well as interest links. The aim is to provide comparable, machine-readable and reusable information across all federal levels in order to improve the transparency, traceability and analytical capability of political processes.

The standard is aimed at public bodies at all levels of government, political actors, the media, research and the general public, and it creates a foundation for interoperable political information systems in Switzerland.

2 Table of Contents

1	Abstract.....	2
2	Table of Contents.....	3
3	Introduction.....	5
3.1	The “Political Affairs” standard family.....	5
3.2	Distinction from the “Political Rights” specialist group.....	5
3.3	The eCH-0294 standard – Political Actors: Persons, Groups and Bodies.....	6
4	Person.....	7
4.1	Class: Person.....	7
4.2	Class: Name.....	11
4.3	Enum: NameTypeEnum.....	12
4.4	Class: LanguageProficiency.....	14
4.5	Class: Citizenship.....	15
4.6	Class: Gender.....	16
4.7	Enum: GenderCodeEnum.....	16
4.8	Class: Occupation.....	17
4.9	Class: Training.....	18
4.10	Enum: TrainingTypeEnum.....	19
5	Groups and Bodies (Groups).....	23
5.1	Class: Group.....	23
5.2	Class: GroupType.....	28
5.3	Enum: GroupTypeEnum.....	29
6	Memberships.....	32
6.1	Class: Membership.....	32
6.2	Class: RoleType.....	34
6.3	Enum: RoleEnum.....	34
6.4	Class: ElectoralDistrict.....	35

7	Interest Links.....	37
7.1	Class: InterestLink.....	37
7.2	Enum: InterestTypeEnum.....	41
7.3	Enum: LegalFormEnum.....	42
8	Shared Elements.....	46
8.1	Reference Classes.....	46
8.2	Class: PersonReference.....	46
8.3	Class: GroupReference.....	47
8.4	Reused Classes.....	47
8.5	Class: Address.....	47
8.6	Enum: AddressTypeEnum.....	48
8.7	Class: Contact.....	49

3 Introduction

3.1 The “Political Affairs” standard family

Political activity in Switzerland takes place at federal, cantonal and communal level – in parliaments and communal assemblies, in executives and administrations, in consultations and hearings, as well as through the direct-democratic participation of eligible voters. To this end, the “Political Affairs” specialist group of the eCH Association is developing a family of coordinated standards that structure this data across all federal levels. The standards use common data elements (eCH-0292) and reference one another via unique identifiers.

The family comprises:

- **eCH-0292 – Common Data Elements (Meta):** Defines the cross-cutting data elements and meta-processes on which the other standards build.
- **eCH-0293 – Public Council Operations (Operations):** Describes public council operations – meetings, agenda items, statements, as well as votes and elections.
- **eCH-0294 – Political Actors (Actors) – this standard:** Defines persons, groups and bodies in the political context, as well as their memberships and interest links. The other standards reference these actors via their identifiers.
- **eCH-0295 – Parliamentary Affairs (Affairs):** Describes the life cycle of political affairs.
- **eCH-0296 – Enactments and Legal Texts (Laws):** Records the results of the parliamentary process – the adopted laws and enactments.
- **eCH-0297 – Public Consultations (Consultations):** Structures consultation procedures, which are often the starting point for parliamentary affairs.

The aim of this standard family is to create a commonly usable structure for political data and to provide organisations that publish information on political affairs with a robust data model.

3.2 Distinction from the “Political Rights” specialist group

Alongside the “Political Affairs” specialist group, the eCH Association also maintains the “Political Rights” specialist group. Both concern the political domain, but cover different areas:

- **Political Affairs** (this standard family) describes the parliamentary and governmental process of forming opinions and reaching decisions: the actors (eCH-0294), council operations (eCH-0293), parliamentary affairs (eCH-0295), the enactments arising from them (eCH-0296), as well as the upstream consultations (eCH-0297).
- **Political Rights** deals with the exercise of political rights by eligible voters: voting and electoral registers, the conduct of popular votes and elections, electronic voting (eVoting), voting cards, as well as voting and election results (among others eCH-0045, eCH-0110, eCH-0155, eCH-0157, eCH-0159, eCH-0222, eCH-0228, eCH-0252, eCH-0310).

There are two points of contact:

- **Votes and elections:** eCH-0293 records votes and elections **within council operations** (e.g. recorded votes in parliament or the election of authority members by the council), whereas popular votes and popular elections, together with the associated registers, conduct and results, are covered by the “Political Rights” specialist group.

-
- **Elected persons:** Candidates and elected persons appear in the election results of the “Political Rights” specialist group. As soon as persons hold a mandate, they are recorded in eCH-0294 as political actors with their roles and memberships.

3.3 The eCH-0294 standard – Political Actors: Persons, Groups and Bodies

This standard defines four main classes:

- **Person** – Natural persons in the political context
- **Group** – Committees, parties, parliamentary groups, councils, commissions, organisations, etc.
- **Membership** – Link between persons and groups
- **InterestLink** – Interest links of persons

Membership is the central connecting element between Person and Group and records in which parliament, in which commission, etc. a person is or was active. InterestLink enables the description of interest links.

4 Person

The person schema describes natural persons in the political context.

- **Stable person, temporally valid attributes:** The `Person` itself carries no temporal validity, but its attributes do – name, citizenship, gender, occupation and training each carry their own `valid_from/valid_through`. This keeps the identity of the person stable while individual details change over time and the history is preserved (e.g. a change of name upon marriage). The electoral district, by contrast, is not an attribute of the person: it is attached to the `Membership` (`electoral_district`) and inherits its temporal validity – a change of electoral district is therefore reflected in the respective membership.
- **Display name (`label`) mandatory, name structure (`names`) optional:** Every person has a short display name. This means a name is always available, even when the details are incomplete. The recommended combination is the official name (`PersonOfficialName`) and the call name (`PersonCallFirstName`). Academic titles can also be represented via `label_long`.
- **Name types according to the official taxonomy:** The name types (`NameTypeEnum`) adopt the taxonomy of the register harmonisation (including official name, original name, alliance name, call name, as well as variants for foreign identity documents). The authoritative reference is the [official catalogue of attributes](#), published by the Federal Statistical Office under Art. 4 of the Register Harmonisation Act (RHG, SR 431.02); the numbers in the value descriptions (211–224) are the attribute numbers of that catalogue. The corresponding exchange format is defined by the eCH standard [eCH-0011 Personal Data Standard](#), on which this standard builds. This makes the names compatible with the official person registers and their semantics clear.
- **Date of birth at two levels of precision (`birth_year` / `birth_date`):** If the exact date of birth is not available or not intended for publication, only the year of birth may be given. If a `birth_date` is available, it takes precedence.
- **Multiple values instead of single values:** Names, citizenships and gender entries are modelled as lists with temporal validity – for example for dual citizenships, changes of name or a changing gender entry.
- **Gender: official codes plus an open category (`GenderCodeEnum`):** male and female correspond to the values of the register harmonisation and refer via meaning to the I14Y concepts `sex/1` and `sex/2`. For `non_binary` there is deliberately no counterpart: the official code list only knows “undefined” as its third value, which means something different from a positive statement beyond male and female. If the gender is not known, no entry is created at all — a missing entry and `non_binary` are to be clearly distinguished.
- **Harmonisation across federal levels (long-term goal):** Linking the same person across the federal levels is an important long-term goal. Building a central person database is beyond the means of the eCH specialist group. Since an open, established infrastructure already exists for this purpose, **Wikidata is recommended as a cross-cutting identifier** (`wikidata_uri`); together with globally unique identifiers (URIs), the mapping can thus be harmonised step by step across the systems.

4.1 Class: Person

A person with identifiers, names, addresses, citizenships, and occupations.

—

4.1.1 Attribute

Name	Cardinality and Range	Description
label	1 String	Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name). Preferred: <code>PersonOfficialName</code> combined with <code>PersonCallFirstName</code> .
label_long	0..1 String	Optional long display name including academic titles and full official name (e.g. "Dr. Maria Muster-Beispiel").
birth_year	0..1 Integer	Year of birth. Only to be used, if there is no full <code>birthDate</code> available.
birth_date	0..1 Date	Exact date of birth if available and public. This field has precedence over the field <code>birthYear</code> .
death_date	0..1 Date	Exact date of death.
picture	0..1 Uri	Link to an image (preferred: PNG, then JPG, then GIF).
names	* Name	Names of the person with type and value.
addresses	* Address	Addresses with type (private, business, local).
language_proficiencies	* LanguageProficiency	Language proficiencies of the person.
citizenships	* Citizenship	Citizenships of the person.
genders	* Gender	Gender of the person.
occupations	* Occupation	Occupations or professions of the person.
trainings	* Training	Trainings or educations of the person. Guideline: generally only provide the highest qualification obtained.
contacts	* Contact	Contact information (email, website, social media). Guideline: email is quasi-mandatory and should always be provided where available.
interest_links	* InterestLink	Collection of interest links.

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

4.1.2 Usages

used by	used in	type	used
Container	persons	range	Person

4.1.3 Examples

4.1.3.1 Example: Name variant alongside the official double name

```

local_id: 280958
global_uri: https://parlament.winterthur.ch/behoerdenmitglieder/280958
label: Cristina Bozzi-Brunel
names:
- name_type: PersonFirstName
  value: Cristina
- name_type: PersonOfficialName
  value: Bozzi-Brunel
- name_type: PersonOriginalName
  value: Brunel

```

4.1.3.2 Example: Call name differing from the official first name

```
local_id: 1269
global_uri: https://www4.ti.ch/poteri/gc/parlamento/composizione-del-parlamento/composizione-
nelle-ultime-legislature/dettaglio-deputati/?user_gcparlamento_pi3%5BcanID%5D=1269
label: Gerri Beretta-Piccoli
names:
- name_type: PersonFirstName
  value: Fausto
- name_type: PersonCallFirstName
  value: Gerri
- name_type: PersonOfficialName
  value: Beretta-Piccoli
```

4.1.3.3 Example: Non-binary gender entry with occupation and training

```
local_id: 72c7232be92944e3876f3b6723824ff9
global_uri: https://stadtrat.bern.ch/de/mitglieder/detail.php?
gid=72c7232be92944e3876f3b6723824ff9
label: Sofia Fisch
birth_year: 1996
names:
- name_type: PersonFirstName
  value: Sofia
- name_type: PersonOfficialName
  value: Fisch
genders:
- gender_code: non_binary
  label: divers
occupations:
- label: Jurist*in
  is_active: true
trainings:
- training_type: '3223'
  value: MLaw
```

4.1.3.4 Example: Telling apart persons with identical names via the label

```
local_id: 6447
global_uri: https://www.ur.ch/behoerdenmitglieder/6447
label: Alois Arnold (1981)
birth_year: 1981
names:
- name_type: PersonFirstName
  value: Alois
- name_type: PersonOfficialName
  value: Arnold
```

4.1.3.5 Example: Fully recorded person

```
local_id: 4032
global_uri: https://www.admin.ch/de/beat-jans
wikidata_uri: http://www.wikidata.org/entity/Q813067
label: Beat Jans
label_long: Beat Jans, dipl. nat. ETH
birth_year: 1964
birth_date: 1964-07-12
picture: https://commons.wikimedia.org/wiki/File:Beat_Jans_(2026)_(cropped).jpg
names:
- name_type: PersonFirstName
  value: Beat
- name_type: PersonOfficialName
  value: Jans
  valid_from: 1964-07-12
addresses:
- address_type: businessAddress
  postal_locality: Basel-Stadt
language_proficiencies:
- language: de
  is_correspondence: true
  is_native: true
```

```

citizenships:
- country: CH
  valid_from: 1964-07-12
genders:
- gender_code: male
  valid_from: 1964-07-12
occupations:
- label: Politiker
  valid_from: 1964-01-01
  is_active: true
trainings:
- training_type: '3223'
  value: dipl. nat. ETH
contacts:
- contact_type: email
  value: beat.jans@admin.ch
- contact_type: contact_website
  value: http://www.beat-jans.ch

```

4.1.3.6 Example: Telling apart persons with identical names via the label second person

```

local_id: 6370
global_uri: https://www.ur.ch/behoerdenmitglieder/6370
label: Alois Arnold (1965)
birth_year: 1965
names:
- name_type: PersonFirstName
  value: Alois
- name_type: PersonOfficialName
  value: Arnold

```

4.2 Class: Name

A name with a type (e.g., call name, official name), a value, and a temporal validity.

4.2.1 Attribute

Name	Cardinality and Range	Description
name_type	1 NameTypeEnum	Type of name according to eCH-0011 (personNameData).
value	1 String	The value of an information besides other attributes such as type, language, etc.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance:

Name	Cardinality and Range	Description
		HasTemporalValidity

4.2.2 Usages

used by	used in	type	used
Person	names	range	Name

4.3 Enum: NameTypeEnum

Categories of name types according to eCH-0011 (personNameData) and the official catalogue of attributes of the register harmonisation (<https://www.bfs.admin.ch/bfs/de/home/register/personenregister/registerharmonisierung/nomenklaturen.assetdetail.24565576.html>), URI according to I14Y identifier but as class and not as attribute. Descriptions and translations according to I14Y.

URI: [act:NameTypeEnum](#)

4.3.1 Permissible Values

Value	Description
PersonOfficialName	Name according to official documents. The official name corresponds to the name appearing in the Swiss civil register. For foreign nationals with no civil status events in Switzerland, the official name corresponds to the name appearing on the foreign passport or identity card (see 'Name according to foreign passport' or SEM guidelines on the determination and spelling of names of foreign nationals dated 1 January 2012. If no official documents exist, see also 'Name according to declaration' (e.g. in the case of asylum seekers). The official name may consist of one or more parts. According to the official catalogue of attributes (No. 211) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personOfficialName
PersonOriginalName	Name of filiation according to official documents, which corresponds to the person's name before their first marriage or registered partnership. It may also be a maiden name acquired by decision to change one's name (see Art. 24, para. 2 OEC, RS 211.112.2). According to the official catalogue of attributes (No. 212) for the harmonisation of registers.

Value	Description
	https://register.ld.admin.ch/i14y/concept/personOriginalName
PersonAllianceName	The alliance name shows the connection between two people who are married or living in a registered partnership. An alliance name that has already been used may be retained after the dissolution of the marriage or partnership if the official name has not been changed upon dissolution. It is attached to the official name with a hyphen and is formed with the partner's maiden name or the person's own maiden name. Upon request, the alliance name may be entered in the passport or on the identity card. According to the official catalogue of attributes (No. 213) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personAllianceName
PersonNameOnForeignPassport	For persons of foreign nationality. This name corresponds to the entry marked in the machine-readable zone of the passport. If this zone includes abbreviated surnames or first names, these must, as far as possible, be recorded in full, according to the entry in the passport. According to the official catalogue of attributes (No. 214) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personNameOnForeignPassport
PersonAliasName	Name (e.g. stage name, religious name) which, on the basis of an accepted application, may be used by the person. The alias name may consist of one or more parts (e.g. also the alias first name and alias surname). According to the official catalogue of attributes (No. 215) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personAliasName
PersonOtherName	Other official names according to Swiss civil status documents (Art. 24, para. 3 OEC) or according to foreign documents, which are neither surnames nor first names. According to the official catalogue of attributes (No. 216) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personOtherName

Value	Description
PersonDeclaredForeignerName	For foreign nationals who do not have official documents (mainly in the field of asylum). According to the official catalogue of attributes (No. 217) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerName
PersonFirstName	First names taken from the birth certificate, the civil registry (Infostar) in the order in which they appear, or taken from foreign identity documents. According to the official catalogue of attributes (No. 221) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personFirstName
PersonCallFirstName	A person has the right to choose a common first name from the list of their official first names. The common first name may consist of one or more first names (from those listed under 'official first names'). According to the official catalogue of attributes (No. 222) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personCallFirstName
PersonFirstNameOnForeignPassport	For persons of foreign nationality. To be used in combination with the name as it appears on the foreign passport. According to the official catalogue of attributes (No. 223) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personFirstNameOnForeignPassport
PersonDeclaredForeignerFirstName	For persons of foreign nationality who do not have official documents (mainly in the field of asylum). To be used in combination with the defined Name according to declaration. According to the official catalogue of attributes (No. 224) for the harmonisation of registers. https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerFirstName

4.4 Class: LanguageProficiency

Language proficiency of a person indicating the language and whether it is the preferred language or native language.

—

4.4.1 Attribute

Name	Cardinality and Range	Description
language	1 String	Language code in ISO 639-1 format (two lowercase letters, e.g. "de", "fr", "it", "en").
is_correspondence	0..1 Boolean	Indicates if this is the preferred language.
is_native	0..1 Boolean	Indicates if this is the native language.

4.4.2 Usages

used by	used in	type	used
Person	language_proficiencies	range	LanguageProficiency

4.5 Class: Citizenship

Citizenship (also used for Nationality) of a person indicating the country and temporal validity. If there is no `valid_from` provided, the information is not known. If it is known that the citizenship is valid from birth, the `birthdate` is to be repeated here. If there is no `valid_through`, the citizenship is still active.

4.5.1 Attribute

Name	Cardinality and Range	Description
country	1 String	ISO 3166-1 alpha-2 country code.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.5.2 Usages

used by	used in	type	used
Person	citizenships	range	Citizenship

4.6 Class: Gender

Gender of a person indicating a gender code and temporal validity.

4.6.1 Attribute

Name	Cardinality and Range	Description
gender_code	1 GenderCodeEnum	Gender code. Recommended values: male, female, non_binary.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
pronouns	* String	Pronouns used by the person.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.6.2 Usages

used by	used in	type	used
Person	genders	range	Gender

4.7 Enum: GenderCodeEnum

Gender codes for persons. If the gender is not known, no gender entry shall be added. The non_binary code shall be used together with a label to provide further details about the self-identified gender.

URI: [act:GenderCodeEnum](#)

4.7.1 Permissible Values

Value	Description
male	Male. https://register.ld.admin.ch/i14y/concept/sex/1

Value	Description
female	Female. https://register.ld.admin.ch/i14y/concept/sex/2
non_binary	Diverse / non-binary.

4.8 Class: Occupation

Occupation or profession of a person indicating a label, an ISCO-19 code, whether the activity is paid, and temporal validity.

4.8.1 Attribute

Name	Cardinality and Range	Description
is_paid	0..1 Boolean	Indicates whether the activity is paid.
occupation_code	0..1 String	ISCO-19 code of the occupation.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
organization_uid	0..1 String	UID of the organization (eCH-0097 format: CHE-XXX.XXX.XXX) from the federal UID register (uid.admin.ch).
organization_name	0..1 String	Name of the organization or enterprise.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.8.1.1.1 Constraints

At least one of the following must be set:

- [occupation_code](#)
- [label](#)

4.8.2 Usages

used by	used in	type	used
Person	occupations	range	Occupation

4.8.3 Examples

4.8.3.1 Example: swiss politicians Sofia Fisch Juristin

```
label: Jurist*in
is_active: true
```

4.8.3.2 Example: swiss politicians Beat Jans Politiker

```
label: Politiker
valid_from: 1964-01-01
is_active: true
```

4.9 Class: Training

Training or education of a person indicating a type (e.g., school diploma, university degree, military service), a label, an ISCO-19 code, and temporal validity.

4.9.1 Attribute

Name	Cardinality and Range	Description
training_type	0..1 TrainingTypeEnum	Type of training or education.
training_code	0..1 String	ISCO-19 code of the training or education.
value	0..1 String	The value of an information besides other attributes such as type, language, etc.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.9.1.1.1 Constraints

At least one of the following must be set:

- [training_type](#)
- [training_code](#)
- [value](#)

4.9.2 Usages

used by	used in	type	used
Person	trainings	range	Training

4.10 Enum: TrainingTypeEnum

Types of training or education based on the Swiss BFS LEVEL_EDUC codelist.

URI: [act:TrainingTypeEnum](#)

4.10.1 Permissible Values

Value	Description
10	Maximum compulsory school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/10
110	No education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/110
120	Compulsory school attended but not completed. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/120
130	Compulsory school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/130
140	1 year of education / transitional education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/140
20	Upper secondary level. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/20
22	Upper secondary level - Vocational education and training (VET). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/22
220	Apprenticeship in a company (EFZ/EBA) / basic vocational training / vocational school / trade school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/220
2210	Apprenticeship 2 years (EBA) / basic vocational training / vocational school / trade school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2210

Value	Description
	LEVEL_EDUC/2210
2211	Apprenticeship in a company 2 years (EBA) / basic vocational training. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2211
2212	Vocational school / trade school 2 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2212
2220	Apprenticeship 3-4 years (EFZ) / vocational school / trade school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2220
2221	Apprenticeship in a company 3-4 years (EFZ). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2221
2222	Vocational school / trade school 3-4 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2222
24	Upper secondary level - general education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/24
241	Upper secondary specialised schools / diploma middle school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/241
2411	Upper secondary specialised schools / diploma middle school 2 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2411
2412	Upper secondary specialised schools / diploma middle school 3 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2412
242	Baccalaureate / teaching diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/242
2421	Baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2421
2422	Teaching diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2422

Value	Description
243	Vocational / specialised baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/243
2431	Vocational baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2431
2432	Specialised baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2432
30	Tertiary level. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/30
31	Professional education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/31
310	Professional examination with federal diploma / advanced federal diploma / PET diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/310
311	Professional examination with federal diploma of higher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/311
312	Professional examination with advanced federal diploma of higher education / PET diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/312
313	College of Higher Education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/313
3131	College of Higher Education 2 years full time or 3 years part-time. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3131
3132	College of Higher Education 3 years full time or 4 years part-time. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3132
32	Higher education institutions. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/32
321	Bachelor universities, institutes of technology,
eCH registered association	www.ech.ch / info@ech.ch

Value	Description
	universities of applied sciences, universities of teacher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/321
3211	Bachelor universities of applied sciences (including UAS diploma). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3211
3212	Bachelor universities of teacher education (including UTE first degree). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3212
3213	Bachelor universities, institutes of technology (UIT). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3213
322	Master universities, institutes of technology, universities of applied sciences, universities of teacher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/322
3221	Master universities of applied sciences. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3221
3222	Master universities of teacher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3222
3223	Master universities, institutes of technology (UIT) including UNI / UIT diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3223
323	Doctorate or habilitation. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/323
military	Military service (Swiss army). Use value to specify the rank reached.

5 Groups and Bodies (Groups)

The group schema represents political groups, organisations and corporate bodies.

- **One generic model instead of many special classes:** Parliaments, parties, parliamentary groups, committees, departments, courts and civil-society organisations are all represented as *one* class `Group` and distinguished via `group_type`. This keeps the model simple and extensible without schema changes – the legislature, executive, judiciary and civil society can thus all be represented equally.
- **Groups and sub-groups via `parent_groups`:** Subordinate groups reference their superordinate group – e.g. a committee of the Council of States, a subcommittee within a committee, a cantonal party under its parent party, or an authority within a directorate. The hierarchy thus arises from these references rather than from a fixed level structure. It usually remains within the same `group_type`; however, cross-type and multiple references are possible (e.g. a parliamentary group that references both its parliament and its party).
- **Temporal validity for groups as well:** Using `valid_from/valid_through`, it is possible to represent, for example, committees that exist only during a legislative period, or renamings and mergers of parties.

5.1 Class: Group

A political group, organization, or body (e.g., party, committee, parliament, department).

5.1.1 Attribute

Name	Cardinality and Range	Description
<code>group_type</code>	1 GroupType	Type of group (e.g., party, commission, parliament, or similar). The exact naming and description of the group is provided via <code>label</code> .
<code>label</code>	1..* MultilingualValue	Name of the group, with the language it is published in. Where a group is officially named in several languages, one entry per language is recorded.
<code>abbreviation</code>	* MultilingualValue	Abbreviation (can be multilingual).
<code>description</code>	* MultilingualValue	Description of the entity.
<code>organization_uid</code>	0..1 String	UID of the organization (eCH-0097 format: CHE-XXX.XXX.XXX) from the federal UID register (uid.admin.ch).

Name	Cardinality and Range	Description
legal_form	0..1 LegalFormEnum	Legal form of the organization. See controlled vocabulary: https://register.ld.admin.ch/i14y/concept/legalForm
landing_page	* MultilingualUri	Website providing further information. Where the site is published under a separate address per language, one entry per language is recorded.
parent_groups	* Uriorcurie	Link to parent groups. For example, the parent party for cantonal parties, or to describe the hierarchy in the executive. Also used to link sub-commissions to commissions, or factions to both their parliament and their party. (parentGroup is typically used within the same group_type, but cross-type links are permitted, e.g., faction → parliament and faction → party.)
spatial	0..1 String	Spatial reference (fos-municipality number, fos-canton number, or country). Formats: municipality: ld.admin.ch/municipality/1234 , canton: ld.admin.ch/canton/23 , country: ld.admin.ch/country/CHE .
contacts	* Contact	Contact information (email, website, social media). Guideline: email is quasi-mandatory and should always be provided where available.
addresses	* Address	Addresses with type (private, business, local).
statutes_url	0..1 String	URL to party statutes (PDF or webpage; optional for parties).
party_color	0..1 String	Party color as hexadecimal value (optional for parties, e.g., "#FF0000").

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

5.1.2 Usages

used by	used in	type	used
Container	groups	range	Group

5.1.3 Examples

5.1.3.1 Example: Cantonal parliament as a superordinate group

```
local_id: 33
global_uri: https://www.grosserrat.bs.ch/
label:
- value: Grosser Rat Basel-Stadt
  language: de
group_type:
  group_type_enum: council_legislative
  label: Parlament (Legislativrat)
spatial: https://ld.admin.ch/canton/12
```

5.1.3.2 Example: Council bureau

```
local_id: 50
global_uri: https://grosserrat.bs.ch/gremien/praesidium-und-buero
label:
- value: Büro des Grossen Rates
  language: de
parent_groups:
- https://www.grosserrat.bs.ch/
group_type:
  group_type_enum: council_bureau
  label: Ratsbüro
spatial: https://ld.admin.ch/canton/12
```

5.1.3.3 Example: Bilingual delegation to an intercantonal body

```
local_id: 5000
global_uri: https://www.fr.ch/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbed6b5
label:
- value: Freiburger Delegation IPK strafrechtliche Einschliessung
  language: de
- value: Délégation FR à la CIP détention pénale
  language: fr
abbreviation:
- value: Del-StRFE
  language: de
- value: Del-DetPen
  language: fr
description:
- value: Die Interparlamentarische Aufsichtskommission strafrechtliche Einschliessung besteht aus 18 Grossrätinnen und Grossräten aus den sechs Vertragskantonen Freiburg, Genf, Jura, Neuenburg, Waadt und Wallis.
  language: de
- value: 'La Commission interparlementaire de contrôle détention pénale est composée de 18 députés issus des six cantons partenaires : Fribourg, Genève, Jura, Neuchâtel, Vaud et Valais.'
  language: fr
landing_page:
- value: https://www.fr.ch/de/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbed6b5
  language: de
- value: https://www.fr.ch/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbed6b5
  language: fr
group_type:
  group_type_enum: delegation
  label: Delegation
spatial: https://ld.admin.ch/canton/10
valid_from: 2007-12-12
```

5.1.3.4 Example: Parliamentary group referencing its parliament and supporting parties

```
local_id: 1266
global_uri: https://grosserrat.bs.ch/gremien/parteien-und-fraktionen/mitte-evp
label:
- value: Die Mitte / Evangelische Volkspartei
  language: de
parent_groups:
- https://www.grosserrat.bs.ch/
- https://bs.die-mitte.ch/
- https://www.evp-bs.ch/
group_type:
  group_type_enum: parliamentary_group
  label: Fraktion
spatial: https://ld.admin.ch/canton/12
```

5.1.3.5 Example: State chancellery as the staff unit of the executive

```
local_id: 7172
global_uri: https://www.bs.ch/regierungsrat/staatskanzlei
label:
- value: Staatskanzlei Basel-Stadt
  language: de
parent_groups:
- https://www.regierungsrat.bs.ch/
group_type:
  group_type_enum: council_secretariat
  label: Staatskanzlei
spatial: https://ld.admin.ch/canton/12
```

5.1.3.6 Example: Executive council of a canton

```
local_id: 1300
global_uri: https://www.regierungsrat.bs.ch/
label:
- value: Regierungsrat Basel-Stadt
  language: de
group_type:
  group_type_enum: council_executive
  label: Regierung (Exekutivrat)
spatial: https://ld.admin.ch/canton/12
```

5.1.3.7 Example: Municipal parliament with spatial reference

```
local_id: 700
global_uri: https://www.stadt.sg.ch/home/verwaltung-politik/demokratie-politik/stadtparlament.html
label:
- value: Stadtparlament St. Gallen
  language: de
group_type:
  group_type_enum: council_legislative
  label: Parlament (Legislativrat)
spatial: https://ld.admin.ch/municipality/3203
```

5.1.3.8 Example: Committee with a common abbreviation

```
local_id: 3
global_uri: https://api.openparldata.ch/v1/groups/3
label:
- value: Geschäftsprüfungskommission
  language: de
abbreviation:
- value: GPK
  language: de
landing_page:
- value: https://ar.ch/kantonsrat/kommissionen/staendige-kommissionen-des-kantonsrates/
  language: de
group_type:
  group_type_enum: committee_standing
```

```
label: Kommission
spatial: https://ld.admin.ch/canton/15
```

5.1.3.9 Example: Association with UID and legal form from the commercial register

```
global_uri: https://www.frc.ch/
organization_uid: CHE-106.063.525
legal_form: 0109
label:
- value: Fédération romande des consommateurs
  language: fr
abbreviation:
- value: FRC
  language: fr
group_type:
  group_type_enum: association
  label: Verein
spatial: https://ld.admin.ch/canton/22
```

5.1.3.10 Example: Interest group with a trilingual name and contact

```
local_id: 6627
global_uri: https://www.parlament.ch/de/organe/gruppen/konsumenteninformation-und-schutz
label:
- value: Konsumenteninformation und -schutz
  language: de
- value: Information et défense des consommateurs
  language: fr
- value: Informazione e tutela dei consumatori
  language: it
description:
- value: L'intergroupe parlementaire « Information et défense des consommateurs » réunit toutes les sensibilités politiques. Cet intergroupe a pour mission d'informer et de sensibiliser les élu·e·s aux questions relatives à la défense des consommateur·rice·s en Suisse.
  language: fr
landing_page:
- value: https://www.parlament.ch/centers/documents/de/gruppen-der-bundesversammlung.pdf
  language: de
contacts:
- contact_type: email
  value: l.altwegg@frc.ch
  label: Sekretariat
- contact_type: phone
  value: +41 21 331 00 95
  label: Sekretariat
addresses:
- address_type: businessAddress
  address_uri: https://geo.ld.admin.ch/location/address/101009806
  street_address: Fédération romande des consommateurs, Rue de Genève 17, case postale 585
  postal_code: '1001'
  postal_locality: Lausanne
  country: CH
group_type:
  group_type_enum: interest_group
  label: Interessengruppe
spatial: https://ld.admin.ch/country/CHE
valid_from: 2012-01-01
```

5.2 Class: GroupType

Type of group (e.g., party, committee, parliament, department).

—

5.2.1 Attribute

Name	Cardinality and Range	Description
group_type_enum	0..1 GroupTypeEnum	Link to the controlled vocabulary for group types.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).

5.2.2 Usages

used by	used in	type	used
Group	group_type	range	GroupType

5.3 Enum: GroupTypeEnum

Types of political groups and organizations.

URI: [act:GroupTypeEnum](#)

5.3.1 Permissible Values

Value	Description
party	Political party at federal, cantonal, or municipal level. Each federal level is managed as its own group (e.g., national party, cantonal party, municipal party). act:enum/group_type/party
list	Electoral list (can be part of a party or independent). act:enum/group_type/list
workgroup	Ad-hoc working group, typically with a limited duration. act:enum/group_type/workgroup
assembly	Assembly of the persons entitled to vote acting as the legislative body, in particular the communal assembly ("Gemeindeversammlung"). Unlike a council, it is not an elected body. act:enum/group_type/assembly
council_legislative	Parliament at federal, cantonal, or municipal level (e.g., Federal Assembly, National Council, Council of States, Grand Council, cantonal parliament, municipal parliament). act:enum/group_type/council_legislative
delegation	Delegation. act:enum/group_type/delegation

Value	Description
committee_standing	Standing committee, including supervisory committees (e.g., CPC), subject commissions, parliamentary investigation commissions (PIC), and audit commissions. act:enum/group_type/committee_standing
committee_ad_hoc	Committee set up for a single task and dissolved once it is completed, in contrast to a standing committee. act:enum/group_type/committee_ad_hoc
parliamentary_group	Parliamentary faction. act:enum/group_type/parliamentary_group
council_bureau	Body managing the business of a council, whatever it is called locally (bureau, council management, executive board). Used for the legislative as well as the executive council; the local designation is recorded in the label. act:enum/group_type/council_bureau
council_presidency	Presidency of a council, for the legislative as well as the executive council. act:enum/group_type/council_presidency
council_executive	Government / Executive as a collective body (e.g., Federal Council, Cantonal Government, City or Municipal Council). act:enum/group_type/council_executive
department	Government department. act:enum/group_type/department
office	Government office. act:enum/group_type/office
committee_extraparliamentary	Extra-parliamentary commission with a government mandate (e.g., Bank Council of the Swiss National Bank, FINMA). act:enum/group_type/committee_extraparliamentary
interest_group	Interest group from civil society. act:enum/group_type/interest_group
control_body	Control or supervisory body (e.g., Federal Finance Control EFC, supervisory authority AB-BA). act:enum/group_type/control_body
council_secretariat	Administrative unit serving a council, whatever it is called locally (parliamentary services, council secretariat, state, cantonal or municipal chancellery). Used for the

Value	Description
	legislative as well as the executive council: the state chancellery is the staff unit of the executive council, the parliamentary services are that of the legislative council. act:enum/group_type/council_secretariat
court	Court / Judiciary at any level (e.g., Federal Court, Cantonal Court, District Court). act:enum/group_type/court
association	Association. act:enum/group_type/association
petition_carrier	Petition carrier. act:enum/group_type/petition_carrier
university	University or educational institution as an outsourced provider of public tasks. act:enum/group_type/university
other	Other group type not covered by standard categories. act:enum/group_type/other

6 Memberships

The membership schema represents the relationship between persons and groups and is the central connecting element in the actor schema.

- **Distinction from interest links (`InterestLink`):** Membership records the *formal affiliation* of a person to a group within the actor schema (e.g. party, commission or parliament membership). Interest links and conflicts of interest with organisations *outside* the schema are deliberately kept separate and are represented via `InterestLink` (see the following chapter).
- **References with snapshot instead of embedding (`person_reference/group_reference`):** A membership refers to a person and a group via lightweight references and thereby records their most important identifying attributes at the time of linking. This keeps the entry historically correct even if the person or group changes later.
- **Activity explicit or derived (`is_active`):** Whether a membership is active can be set explicitly via `is_active` or derived from the temporal validity. If `is_active` is not set, activity is derived from `valid_from/valid_through`.
- **Membership ≠ voting right (`authorized_to_vote`):** The voting right is recorded separately from the membership – typically `false` for substitute members (except when on duty), observers, the secretariat and guests.
- **Role as a controlled vocabulary with free-text option (`role_type`):** The role in the group (e.g. member, presidency, deputy) is specified via a controlled vocabulary (`RoleEnum`); for roles not covered, the value `other` with a free-text designation is used.
- **Electoral district on the membership rather than on the person (`electoral_district`):** The electoral district describes the mandate, not the person – the same person may be elected from different districts over time or at different federal levels. `ElectoralDistrict` therefore carries no temporal validity of its own but inherits the `valid_from/valid_through` of the enclosing membership. For identification, the LINDAS resources for Swiss spatial units are intended (see `global_uri`).

6.1 Class: Membership

A membership relationship between a person and a group, representing formal affiliation (e.g., party member, commission member, parliamentarian). Distinct from `InterestLink`, which covers external interest bindings and conflicts of interest to organizations outside the actor schema.

6.1.1 Attribute

Name	Cardinality and Range	Description
<code>person_reference</code>	1 PersonReference	Reference to a person with snapshot data at time of linking.
<code>group_reference</code>	1 GroupReference	Reference to a group with snapshot data at time of linking.
<code>electoral_district</code>	0..1 ElectoralDistrict	Link to the electoral district.
<code>role_type</code>	0..1 RoleType	Role of the person in the membership or function.

Name	Cardinality and Range	Description
authorized_to_vote	0..1 Boolean	Indicates if the person is authorized to vote in the group. Typically false for substitute members (when not deputizing), observers, secretaries, and guests.
is_active	0..1 Boolean	Indicates if the membership is currently active. Can complement or replace <code>valid_from/valid_through</code> . If not set, activity is derived from the temporal validity fields.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. <code>http://www.wikidata.org/entity/Q813067</code> for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the

eCH registered association

www.ech.ch / info@ech.ch

Name	Cardinality and Range	Description
		information is valid, inclusive. Inheritance: HasTemporalValidity

6.1.2 Usages

used by	used in	type	used
Container	memberships	range	Membership

6.2 Class: RoleType

Role of a person in a membership or function (e.g., member, president, deputy). If a role is not listed in the proposed RoleEnum vocabulary, the value 'other' can be used, and a descriptive label should be provided in the `role_label` slot. The label can also be used when a specific name is needed, even if a fitting semantic value exists in `role_type_enum`; it should be provided when `role_type_enum` is set to 'other'.

6.2.1 Attribute

Name	Cardinality and Range	Description
<code>role_type_enum</code>	0..1 RoleEnum	Role of the person in the membership or function.
<code>role_label</code>	0..1 String	Specific role label. Use this when a specific role name is needed, even if a fitting semantic value exists in <code>role_type_enum</code> ; provide this label when <code>role_type_enum</code> is set to 'other'.

6.2.1.1.1 Constraints

At least one of the following must be set:

- [role_type_enum](#)
- [role_label](#)

6.2.2 Usages

used by	used in	type	used
Membership	role_type	range	RoleType

6.2.2.1.1 Rules

- If the role type is 'other', a descriptive label must be provided.

6.3 Enum: RoleEnum

Roles a person can have within a membership.

URI: [act:RoleEnum](#)

6.3.1 Permissible Values

Value	Description
member	Regular member (default).
president	President or chair of the group.
deputy	Deputy or vice-chair role.
other	Other role; use role_label for a descriptive label.

6.4 Class: ElectoralDistrict

Electoral district or region associated with a membership. The temporal validity is inherited from the enclosing membership.

6.4.1 Attribute

Name	Cardinality and Range	Description
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	For IRI references, LINDAS resources should be used. The IRIs for the different administrative levels of Swiss spatial units are available at: ch:country/CHE. Under links in the schema:containsPlace section, the desired level can be selected. Examples for each administrative level: - Country - Switzerland: https://ld.admin.ch/country/CHE - Canton - Aargau: https://ld.admin.ch/canton/19 - District - Brig: https://ld.admin.ch/district/2301 - Municipality - Versoix: https://ld.admin.ch/municipality/6644 Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans.

Name	Cardinality and Range	Description
		Inheritance: HasIdentification

6.4.2 Usages

used by	used in	type	used
Membership	electoral_district	range	ElectoralDistrict

7 Interest Links

The InterestLink schema records interest links, conflicts of interest and entanglements of persons with organisations. It is based on the transparency requirements for members of parliament according to [Federal Assembly – Interest Links](#).

- **Distinction from memberships (Membership):** InterestLink represents links to organisations *outside* the actor schema (conflicts of interest, political financing) – in contrast to the formal affiliation *within* the schema, which is recorded via Membership.
- **Mandatory classification (interest_type):** Every link is mandatorily categorised by type (professional activity, political offices, association), based on the disclosure categories of the Federal Assembly.
- **Organisation referenceable via UID (organization_uid):** If the organisation is recorded in the UID register, it is referenced via its UID (eCH-0097, CHE-XXX.XXX.XXX) – this enables analyses, e.g. with NOGA codes. For organisations without a UID, organization_name/organization_address are available; the legal form follows a controlled vocabulary (LegalFormEnum).
- **Scope and remuneration (is_paid, committee, function_role):** In addition to the committee and function within the organisation, it is explicitly recorded whether the position is paid – a central transparency aspect.

7.1 Class: InterestLink

An interest link (conflict of interest, political financing) of a person to an organization outside the actor schema.

7.1.1 Attribute

Name	Cardinality and Range	Description
person_reference	1 PersonReference	Reference to a person with snapshot data at time of linking.
interest_type	1 InterestTypeEnum	Type of interest link (professional activity, political office, association).
organization_name	0..1 String	Name of the organization or enterprise.
organization_uid	0..1 String	UID of the organization (eCH-0097 format: CHE-XXX.XXX.XXX) from the federal UID register (uid.admin.ch).
organization_address	0..1 String	Address of the organization.
legal_form	0..1 LegalFormEnum	Legal form of the organization. See controlled vocabulary: https://register.ld.admin.ch/i14y/concept/legalForm

Name	Cardinality and Range	Description
is_paid	0..1 Boolean	Indicates whether the activity is paid.
committee	0..1 String	Committee or board within the organization (e.g., Verwaltungsrat, Stiftungsrat, Vorstand, Aufsichtsrat, Beirat, Geschäftsleitung).
function_role	0..1 String	Function or role in the organization (e.g., Präsident/in, Vizepräsident/in, Mitglied, Delegierter, Geschäftsführer/in, Berater/in).
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates
valid_from	0..1 Date	The date from which the information is valid. Inheritance:

Name	Cardinality and Range	Description
		HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

7.1.1.1.1 Constraints

At least one of the following must be set:

- [organization_uid](#)
- [organization_name](#)

7.1.2 Usages

used by	used in	type	used
Container	interest_links	range	InterestLink
Person	interest_links	range	InterestLink

7.1.3 Examples

7.1.3.1 Example: interest links il burkart 008

```
global_uri: act:il_burkart_008
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: Stiebel Eltron AG, Lupfig
legal_form: '0106'
committee: Beirat
function_role: Beirat
is_paid: true
```

7.1.3.2 Example: interest links il burkart 010

```
global_uri: act:il_burkart_010
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: Allianz Sicherheit Schweiz, Baden
legal_form: 0109
committee: Vorstand
function_role: Präsident
is_paid: false
```

7.1.3.3 Example: interest links il burkart 002

```
global_uri: act:il_burkart_002
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
```

```
group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: Birchmeier Holding AG, Döttingen
legal_form: '0106'
committee: Verwaltungsrat
function_role: Mitglied
is_paid: true
```

7.1.3.4 Example: interest links il burkart 007

```
global_uri: act:il_burkart_007
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: FONDATION SUISSE DE DEMINAGE (FSD), Genf
organization_uid: CHE-109.810.537
legal_form: '0110'
committee: Stiftungsrat
function_role: Vizepräsident
is_paid: false
```

7.1.3.5 Example: interest links il burkart 005

```
global_uri: act:il_burkart_005
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: ASTAG Schweizerischer Nutzfahrzeugverband, Bern
legal_form: 0109
committee: Zentralvorstand
function_role: Präsident
is_paid: true
```

7.1.3.6 Example: interest links il burkart 001

```
global_uri: act:il_burkart_001
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: Burkart Advisory GmbH, Baden
legal_form: '0107'
committee: Geschäftsleitung
function_role: Geschäftsführer
is_paid: true
```

7.1.3.7 Example: interest links il burkart 003

```
global_uri: act:il_burkart_003
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: Bovida Real Estate AG, Baar
legal_form: '0106'
committee: Verwaltungsrat
function_role: Mitglied
is_paid: true
```

7.1.3.8 Example: interest links il burkart 011

```
global_uri: act:il_burkart_011
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
```



```

group_label: FDP.Die Liberalen
interest_type: association
organization_name: Verein Landesausstellung Svizra27, Aarau
legal_form: 0109
committee: Vorstand
function_role: Mitglied
is_paid: false

```

7.1.3.9 Example: interest links il burkart 004

```

global_uri: act:il_burkart_004
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: ELCA Group SA, Lausanne
legal_form: '0106'
committee: Verwaltungsrat
function_role: Mitglied
is_paid: true

```

7.1.3.10 Example: interest links il burkart 006

```

global_uri: act:il_burkart_006
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: FDP.Die Liberalen
legal_form: 0109
committee: Vorstand
function_role: Präsident
is_paid: true

```

7.1.3.11 Example: interest links il burkart 009

```

global_uri: act:il_burkart_009
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: SUISSDIGITAL Verband für Kommunikationsnetze
legal_form: 0109
committee: Vorstand
function_role: Mitglied
is_paid: true

```

7.2 Enum: InterestTypeEnum

Types of interest links (conflicts of interest, political financing).

URI: [act:InterestTypeEnum](#)

7.2.1 Permissible Values

Value	Description
professional_activity	Professional activity outside the political mandate (e.g., employment, self-employment, consulting, board mandates in private companies).
act:enum/interest_type/professional_activity	

eCH registered association

www.ech.ch / info@ech.ch

Value	Description
political_office	Political office or mandate at other federal levels or in other bodies (e.g., cantonal/municipal parliament membership, government council, extra-parliamentary commission). act:enum/interest_type/political_office
association	Membership in associations, federations, or interest organizations (e.g., industry associations, professional associations, lobby organizations, foundations, charitable associations). act:enum/interest_type/association

7.3 Enum: LegalFormEnum

Legal forms based on the Swiss UID register codelist (eCH-0108). See <https://register.ld.admin.ch/i14y/concept/legalForm>

URI: [act:LegalFormEnum](#)

7.3.1 Permissible Values

Value	Description
0101	Sole proprietorship. https://register.ld.admin.ch/i14y/concept/legalForm/0101
0103	General partnership (GP). https://register.ld.admin.ch/i14y/concept/legalForm/0103
0104	Limited partnership (LP). https://register.ld.admin.ch/i14y/concept/legalForm/0104
0105	Corporation with unlimited partners (CUP). https://register.ld.admin.ch/i14y/concept/legalForm/0105
0106	Corporation (Ltd). https://register.ld.admin.ch/i14y/concept/legalForm/0106
0107	Limited liability company (LLC). https://register.ld.admin.ch/i14y/concept/legalForm/0107
0108	Cooperative. https://register.ld.admin.ch/i14y/concept/legalForm/0108

Value	Description
0109	Association. https://register.ld.admin.ch/i14y/concept/legalForm/0109
0110	Foundation. https://register.ld.admin.ch/i14y/concept/legalForm/0110
0111	Branch of a foreign company. https://register.ld.admin.ch/i14y/concept/legalForm/0111
0113	Special legal form. https://register.ld.admin.ch/i14y/concept/legalForm/0113
0114	Limited Partnership for collective investment schemes (LPCI). https://register.ld.admin.ch/i14y/concept/legalForm/0114
0115	Limited Partnership for collective investment schemes with a variable capital (SICAV). https://register.ld.admin.ch/i14y/concept/legalForm/0115
0116	Limited Partnership for collective investment schemes with a fixed capital (SICAF). https://register.ld.admin.ch/i14y/concept/legalForm/0116
0117	Public-law institution. https://register.ld.admin.ch/i14y/concept/legalForm/0117
0118	Non-commercial power of attorney. https://register.ld.admin.ch/i14y/concept/legalForm/0118
0119	Representative of the community of property. https://register.ld.admin.ch/i14y/concept/legalForm/0119
0151	Branch. https://register.ld.admin.ch/i14y/concept/legalForm/0151
0220	Administrative unit of the Confederation. https://register.ld.admin.ch/i14y/concept/legalForm/0220
0221	Administrative unit of the canton. https://register.ld.admin.ch/i14y/concept/legalForm/0221

Value	Description
0222	Administrative unit of the district. https://register.ld.admin.ch/i14y/concept/legalForm/0222
0223	Administrative unit of the commune. https://register.ld.admin.ch/i14y/concept/legalForm/0223
0224	Other public-law administrative unit. https://register.ld.admin.ch/i14y/concept/legalForm/0224
0230	Public-law institution of the Confederation. https://register.ld.admin.ch/i14y/concept/legalForm/0230
0231	Public-law institution of the canton. https://register.ld.admin.ch/i14y/concept/legalForm/0231
0232	Public-law institution of the district. https://register.ld.admin.ch/i14y/concept/legalForm/0232
0233	Public-law institution of the commune. https://register.ld.admin.ch/i14y/concept/legalForm/0233
0234	Other public-law institution. https://register.ld.admin.ch/i14y/concept/legalForm/0234
0302	Simple partnership. https://register.ld.admin.ch/i14y/concept/legalForm/0302
0312	Permanent establishment or swiss representation of a foreign company. https://register.ld.admin.ch/i14y/concept/legalForm/0312
0327	Foreign public company. https://register.ld.admin.ch/i14y/concept/legalForm/0327
0328	Foreign public administration. https://register.ld.admin.ch/i14y/concept/legalForm/0328
0329	International organisation. https://register.ld.admin.ch/i14y/concept/legalForm/0329
0355	Other cooperative. https://register.ld.admin.ch/i14y/concept/legalForm/0355

Value	Description
	legalForm/0355
0361	Trust. https://register.ld.admin.ch/i14y/concept/legalForm/0361
0362	Fund. https://register.ld.admin.ch/i14y/concept/legalForm/0362
0441	Foreign company. https://register.ld.admin.ch/i14y/concept/legalForm/0441
0571	Legal form undefined or unknown. https://register.ld.admin.ch/i14y/concept/legalForm/0571

8 Shared Elements

8.1 Reference Classes

`PersonReference` and `GroupReference` are used to reference persons or groups **locally** within another entity. In addition to the actual link to the complete entity, only the relevant information at the **time of linking** is stored – so it is not necessary to repeat all the information about a person or group at every mention.

An example: A motion references the person who submitted it. In addition to the link to the complete person entity, the motion stores locally information such as the person's political party or role **at the time of submission**. If the person later changes party or role, the information in the motion nevertheless remains correct and immutable.

This serves three purposes:

- **Useful local data** without costly queries of the complete entity
- **No redundancy**, since not all information has to be repeated at every mention
- **Implicit versioning**, since the local reference remains unchanged even if the linked entity changes later

8.2 Class: `PersonReference`

Lightweight reference to a person with key identification data at time of linking. Preserves historical accuracy even if the person changes later.

8.2.1 Attribute

Name	Cardinality and Range	Description
label	1 String	Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name).
label_long	0..1 String	Optional long display name including academic titles and full official name (e.g. "Dr. Maria Muster-Beispiel").
group_label	0..1 String	Name of the body/group at time of linking.
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uri or curie	A unique, globally valid URI for the entity. Inheritance: HasIdentification

Name	Cardinality and Range	Description
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification

8.2.2 Usages

used by	used in	type	used
Membership	person_reference	range	PersonReference
InterestLink	person_reference	range	PersonReference

8.3 Class: GroupReference

Lightweight reference to a group with key identification data at time of linking.

8.3.1 Attribute

Name	Cardinality and Range	Description
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
abbreviation	* MultilingualValue	Abbreviation (can be multilingual).
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification

8.3.2 Usages

used by	used in	type	used
Membership	group_reference	range	GroupReference

8.4 Reused Classes

8.5 Class: Address

An address with a type (e.g., private address, business address) and a value.

8.5.1 Attribute

Name	Cardinality and Range	Description
address_type	0..1 AddressTypeEnum	Type of address.
address_uri	0..1 Uriorcurie	URI of the address from the Swiss federal building address register. The layer can be accessed at https://map.geo.admin.ch/#/map?topic=ech&layers=ch.swisstopo.amtliches-gebaeudeadressverzeichnis . Example of a valid URI: https://geo.ld.admin.ch/location/address/101904050
street_address	0..1 String	Street address.
postal_code	0..1 Integer	Postal code.
postal_locality	0..1 String	Locality.
country	0..1 String	ISO 3166-1 alpha-2 country code.

8.5.1.1.1 Constraints

At least one of the following must be set:

- [postal_locality](#)
- [address_uri](#)

8.5.2 Usages

used by	used in	type	used
Person	addresses	range	Address
Group	addresses	range	Address

8.5.3 Examples

8.5.3.1 Example: swiss politicians Beat Jans 1

`address_type: businessAddress`
`postal_locality: Basel-Stadt`

8.5.3.2 Example: groups it 1

`address_type: businessAddress`
`address_uri: https://geo.ld.admin.ch/location/address/101009806`
`street_address: Fédération romande des consommateurs, Rue de Genève 17, case postale 585`
`postal_code: '1001'`
`postal_locality: Lausanne`
`country: CH`

8.6 Enum: AddressTypeEnum

Types of addresses.

URI: [act:AddressTypeEnum](#)

8.6.1 Permissible Values

Value	Description
privateAddress	Private address.
businessAddress	Business address.
localAddress	Local address.

8.7 Class: Contact

Contact information of a person indicating a type (e.g., email, LinkedIn) and a value.

8.7.1 Attribute

Name	Cardinality and Range	Description
contact_type	1 ContactTypeEnum	Type of contact information.
value	1 String	The value of an information besides other attributes such as type, language, etc.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).

8.7.2 Usages

used by	used in	type	used
Person	contacts	range	Contact
Group	contacts	range	Contact