

eCH-0293 Public Council Operations

Name	Public Council Operations
eCH number	eCH-0293
Category	Standard
Maturity level	Defined
Version	0.1.0
Status	In progress
Adopted on	
Issue date	
Replaces version	
Prerequisites	
Annexes	-
Languages	German (original) - English (data model)
Authors	Political Affairs specialist group: Nicole Aeby, David Imseng, Jonas Schärer, Lena Mina Friedrich, Manuel Weingartner, Orhan Saeedi, Michel Moret, Laurens Abu-Talib
Publisher / Distribution	eCH Association, Affolternstrasse 52, 8050 Zürich

1 Abstract

The standard eCH-0293 defines a common data model for recording and publishing information on public council operations in Switzerland. It covers the temporal organisation of parliamentary work (legislatures, sessions), the structuring of meetings and agenda items, votings and elections, individual votes, attendance lists as well as speeches and resolutions.

This standard is aimed at parliamentary services, software providers of parliamentary management systems, data users for analyses and visualisations, and open data platforms.

eCH-0293 is part of a family of standards for political data and works closely together with eCH-0294 (Political Actors), eCH-0295 (Parliamentary Affairs), eCH-0296 (Laws and Legal Texts) and eCH-0297 (Public Consultations).

2 Table of Contents

1	Abstract.....	2
2	Table of Contents.....	3
3	Introduction.....	5
3.1	The “Political Affairs” standard family.....	5
3.2	Structure of a delivery.....	5
4	Temporal organisation of council operations.....	21
4.1	Common elements.....	21
4.2	Legislature.....	21
4.3	Session (sitting period).....	24
4.4	Meeting (individual sitting).....	27
5	Agenda, protocol and decisions.....	35
5.1	AgendaItem.....	35
5.2	Protocol.....	45
5.3	Joint debate (JointDebate).....	49
5.4	Resolution.....	49
5.5	Motion.....	53
6	Votings and elections.....	55
6.1	Voting.....	55
6.2	Individual Vote.....	64
6.3	Election.....	69
7	Attendance.....	75
7.1	Attendance.....	75
7.2	Attendance (aggregated level).....	75
7.3	IndividualAttendance (individual level).....	76
8	Speeches.....	80
8.1	Speech.....	80

9	Texts and media.....	85
9.1	TextSegment.....	85
9.2	Media.....	85
10	Shared elements.....	88
10.1	Reference classes.....	88
10.2	Multilingual texts.....	90
10.3	Mixin classes.....	91
11	Appendix A – References & bibliography.....	93
11.1	Standards of the “Political Affairs” specialist group.....	93
11.2	Code lists and further sources.....	93

3 Introduction

3.1 The “Political Affairs” standard family

Political activity in Switzerland takes place at federal, cantonal and communal level – in parliaments and communal assemblies, in executives and administrations, in consultations and hearings, as well as through the direct-democratic participation of eligible voters. To this end, the “Political Affairs” specialist group of the eCH Association is developing a family of coordinated standards that structure this data across all federal levels. The standards use common data elements (eCH-0292) and reference one another via unique identifiers.

The family comprises:

- **eCH-0292 – Common Data Elements (Meta):** Defines the cross-cutting data elements and meta-processes on which the other standards build. eCH-0293 adopts from it, among other things, the identification and date elements as well as the FRBR structure for linked documents.
- **eCH-0293 – Public Council Operations (Operations) – this standard:** Describes public council operations – legislatures and sessions, meetings and agenda items, protocols and decisions, votings and elections, attendance as well as speeches.
- **eCH-0294 – Political Actors (Actors):** Defines persons, groups and bodies in the political context, as well as their memberships and interest links. eCH-0293 references these actors via `actor_id` – for instance which parliament convened and which person voted.
- **eCH-0295 – Parliamentary Affairs (Affairs):** Describes the life cycle of political affairs. Agenda items in eCH-0293 point to the corresponding affair via `affair_id`.
- **eCH-0296 – Enactments and Legal Texts (Laws):** Records the results of the parliamentary process – the adopted laws and enactments.
- **eCH-0297 – Public Consultations (Consultations):** Structures consultation procedures, which are often the starting point for parliamentary affairs.

The aim of this standard family is to create a commonly usable structure for political data and to provide organisations that publish information on political affairs with a robust data model.

3.2 Structure of a delivery

A delivery is a Container: an envelope with a `global_uri` of its own and one collection per class — legislatures, sessions, meetings, agenda_items, protocols, votings, elections, individual_votes, attendances, individual_attendances, speeches and resolutions. All collections are optional: those who only publish sittings deliver only meetings.

The entities sit side by side in a flat structure and are connected by references — `parent_meeting`, `parent_voting`, `parent_attendance` and so on — rather than nested inside one another. A single sitting can thus be delivered later without resending the entire legislature, and the same entity can be referenced from several places. Where nesting renders the connection better, it remains possible: the session takes its sittings as a list, the protocol its agenda items, votings and speeches.

3.2.1 Class: Container

Container for the records of public council operations: legislatures, sessions, meetings, agenda items, protocols, votings, elections, attendances, speeches and resolutions.

3.2.1.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
legislatures	* Legislature	Collection of legislature records.
sessions	* Session	Collection of session records.
meetings	* Meeting	Collection of meeting records.
agenda_items	* AgendaItem	Collection of agenda item records.
protocols	* Protocol	Collection of protocol records.
votings	* Voting	Collection of voting records.
elections	* Election	Collection of election records.
individual_votes	* IndividualVote	Collection of individual vote records.
attendances	* Attendance	Collection of attendance records.
individual_attendances	* IndividualAttendance	Collection of individual attendance records.
speeches	* Speech	Collection of speech records.
resolutions	* Resolution	Collection of resolution records.

3.2.1.2 Examples

3.2.1.2.1 Example Container: legislature

`global_uri: ops:legislature_examples`
`legislatures:`

```
# Bund: abgeschlossene Legislaturperiode, vier Jahre, dreisprachige Bezeichnung.
- global_uri: ops:legislature_51
  wikidata_uri: http://www.wikidata.org/entity/Q71712404
  spatial: "https://ld.admin.ch/country/CHE"
  name:
    - text: "51. Legislaturperiode"
      language: "de"
    - text: "51e législature"
      language: "fr"
    - text: "51ª legislatura"
      language: "it"
  description: "Amtsdauer der am 20. Oktober 2019 gewählten Bundesversammlung; sie endete am Vortag der konstituierenden Sitzung der 52. Legislaturperiode vom 4. Dezember 2023."
  landing_page: "https://www.parlament.ch/de/ratsbetrieb/sessionen"
  actor_id:
    global_uri: "actors:bundesversammlung"
```

```
label: "Bundesversammlung"
abbreviation:
  - value: "BV"
    language: de
date_begin_actual: "2019-12-02"
date_end_actual: "2023-12-03"
datetime_created: "2019-12-02T09:00:00+01:00"
datetime_modified: "2023-12-04T08:30:00+01:00"
```

Kanton mit vierjähriger Amtsdauer; Beginn und Ende sind hier von Gesetzes wegen auf den Tag festgelegt und deshalb schon bei der Planung bekannt.

```
- global_uri: ops:legislature_be_2022_2026
  local_id: "GR-BE-2022-2026"
  spatial: "https://ld.admin.ch/canton/2"
  name:
    - text: "Legislatur 2022-2026"
      language: "de"
    - text: "Législature 2022-2026"
      language: "fr"
  landing_page: "https://www.gr.be.ch/de/start/grosser-rat.html"
  actor_id:
    global_uri: "actors:gr_be"
    label: "Grosser Rat Bern"
    abbreviation:
      - value: "GR"
        language: de
    date_begin_planned: "2022-06-01"
    date_end_planned: "2026-05-31"
    date_begin_actual: "2022-06-01"
    date_end_actual: "2026-05-31"
    datetime_created: "2022-04-01T10:15:00+02:00"
    datetime_modified: "2026-06-01T07:00:00+02:00"
```

Kanton mit fünfjähriger Amtsdauer: laufende Legislatur, deren Ende erst geplant ist -- date_end_actual bleibt deshalb leer.

```
- global_uri: ops:legislature_vd_2022_2027
  wikidata_uri: http://www.wikidata.org/entity/Q131627357
  spatial: "https://ld.admin.ch/canton/22"
  name:
    - text: "Législature 2022-2027"
      language: "fr"
  description: "Le Grand Conseil vaudois est élu pour cinq ans."
  landing_page: "https://www.vd.ch/gc"
  actor_id:
    global_uri: "actors:gc_vd"
    label: "Grand Conseil du canton de Vaud"
    abbreviation:
      - value: "GC"
        language: fr
    date_begin_actual: "2022-07-01"
    date_end_planned: "2027-06-30"
    datetime_created: "2022-05-10T14:00:00+02:00"
    datetime_modified: "2025-01-08T11:20:00+01:00"
```

3.2.1.2.2 Example Container: session

```
global_uri: ops:sessions_example_2025
sessions:

- global_uri: ops:session_5207
  spatial: "https://ld.admin.ch/country/CHE"
  name:
    - text: "Frühjahrssession 2025"
      language: "de"
    - text: "Session de printemps 2025"
      language: "fr"
    - text: "Sessione primaveraile 2025"
      language: "it"
```

```

url:
  - text: "https://www.parlament.ch/de/ratsbetrieb/sessionen/fruehjahr-2025"
    language: "de"
  - text: "https://www.parlament.ch/fr/ratsbetrieb/sessionen/fruehjahr-2025"
    language: "fr"
  - text: "https://www.parlament.ch/it/ratsbetrieb/sessionen/fruehjahr-2025"
    language: "it"
date_begin_planned: "2025-03-03"
date_end_planned: "2025-03-21"
parent_legislature: ops:legislature_51
datetime_modified: "2025-04-24T00:19:37Z"
datetime_created: "2025-03-20T14:27:09Z"

- global_uri: ops:session_be_summer_2025
  spatial: "https://ld.admin.ch/canton/2"
  name:
    - text: "Sommer-session 2025"
      language: "de"
    - text: "Session d'été 2025"
      language: "fr"
  url:
    - text: "https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?guid=66ccf0a9f4d24d318ff3b99e646644e8"
      language: "de"
    - text: "https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?guid=66ccf0a9f4d24d318ff3b99e646644e8"
      language: "fr"
  date_begin_planned: "2025-06-02"
  date_end_planned: "2025-06-12"
  datetime_modified: "2025-05-19T01:06:44Z"
  datetime_created: "2025-04-25T11:10:24Z"

- global_uri: ops:session_gl_landrat_2025_02_26
  spatial: "https://ld.admin.ch/canton/8"
  name:
    - text: "Sitzung des Landrates vom 26.02.2025"
      language: "de"
  url:
    - text: "https://www.gl.ch/parlament/landrat/landratsprotokolle-ab-30-juni-2010.html/239"
      language: "de"
  date_begin_planned: "2025-02-26"
  date_end_planned: "2025-02-26"
  datetime_modified: "2025-04-25T13:40:34Z"
  datetime_created: "2025-04-23T22:58:39Z"

- global_uri: ops:session_gl_landsgemeinde_2025_05_04
  spatial: "https://ld.admin.ch/canton/8"
  name:
    - text: "Landsgemeinde vom 04. Mai 2025"
      language: "de"
  url:
    - text: "https://www.landsgemeinde.gl.ch/landsgemeinde/2025-05-04"
      language: "de"
  date_begin_planned: "2025-05-04"
  date_end_planned: "2025-05-04"
  datetime_modified: "2025-04-25T13:40:34Z"
  datetime_created: "2025-04-23T22:58:39Z"

```

3.2.1.2.3 Example Container: meeting sr winter25 Sitzung6

global_uri: ops:data_meeting_sr_winter25_Sitzung6

```

meetings:
  - global_uri: "parl:sr_winter25_sitzung_6"
    spatial: "https://ld.admin.ch/country/CHE"
    meeting_type: "session"
    name:
      - text: "Sechste Sitzung"

```

```

    language: "de"
  - text: "Sixième séance"
    language: "fr"
  url:
    - text: "https://www.parlament.ch/de/ratsbetrieb/suche-Amtliches-bulletin"
      language: "de"
  actor_id:
    global_uri: "actors:staenderat"
    label: "Ständerat"
    abbreviation:
      - value: "SR"
        language: de
  actor_name: "Ständerat"
  datetime_begin_planned: "2025-12-19T08:15:00+01:00"
  # Referenz auf das Protokoll: nur der Identifikator. Das Protokoll selbst
  # steht unten unter `protocols` und wird in der Regel spaeter geliefert als
  # die Sitzung.
  protocol_ref: "ops:protokoll_sr_winter25_sitzung_6"
  datetime_created: "2026-01-12T00:00:00+01:00"
  datetime_modified: "2026-01-12T00:00:00+01:00"

agenda_items:
  - global_uri: ops:69905
    parent_meeting: "parl:sr_winter25_sitzung_6"
    agenda_item_type: "item"
    datetime_begin_planned: "2025-12-19T09:15:00+01:00"
    datetime_begin_actual: "2025-12-19T09:20:00+01:00"
    agenda_item_number: "6"
    agenda_item_position: 4
    agenda_item_title:
      - text: "Postulat Broulis Pascal. Bauprojekte im Mobilitätsbereich. Einen Vergleich
durchführen, um die Verzögerungen zu verstehen"
        language: "de"
    affair_id: "affairs:24.4471"
    landing_page: "https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-
die-verhandlungen?SubjectId=69905#votum3"
    agenda_item_category: "agenda_item"
    datetime_created: "2026-01-12T00:00:00+01:00"
    datetime_modified: "2026-01-12T00:00:00+01:00"

speeches:
  - global_uri: ops:366631
    parent_meeting: "parl:sr_winter25_sitzung_6"
    parent_agenda_item: "ops:69905"
    language: "fr"
    datetime_begin: "2025-12-19T09:20:00+01:00"
    datetime_end: "2025-12-19T09:25:00+01:00"
    actor_fullname: "Pascal Broulis"
    actor_id:
      global_uri: "actors:person_pascal_broulis"
      wikidata_uri: "http://www.wikidata.org/entity/Q116407"
      label: "Pascal Broulis"
    role: "speaker"
    text: >-
      Je remercie la rapporteuse pour son rapport exhaustif. J'ai également lu avec attention
      les différents commentaires qui ont été effectués sur mon postulat. Cela reste un postulat,
      ce n'est pas une motion. D'abord, je ne partage pas l'avis selon lequel ce postulat
      n'apporterait pas une valeur ajoutée. En effet, un "benchmark", à savoir un modèle chiffré
      de performance, permettrait de mieux comprendre les raisons des retards que notre pays
      rencontre en comparaison avec les principaux pays européens.
    text_format: "html"
    text_type: "final"
    landing_page: "https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-
die-videos?TranscriptId=366631"
    media_url: "https://par-pcache.simplex.tv/content?externalid=366631"
    media_type: "video"
    media_format: "video/mp4"

```

```

protocols:
- global_uri: ops:protokoll_sr_winter25_sitzung_6
  parent_meeting: "parl:sr_winter25_sitzung_6"
  protocol_items:
  - global_uri: ops:protokollpunkt_69905
    parent_meeting: "parl:sr_winter25_sitzung_6"
    agenda_item_type: "item"
    agenda_item_number: "6"
    agenda_item_position: 4
    agenda_item_title:
      - text: "Postulat Broulis Pascal. Bauprojekte im Mobilitätsbereich. Einen Vergleich durchführen, um die Verzögerungen zu verstehen"
        language: "de"
    affair_id: "affairs:24.4471"
    datetime_begin_actual: "2025-12-19T09:20:00+01:00"
    landing_page: "https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-die-verhandlungen?SubjectId=69905#votum3"
    agenda_item_category: "agenda_item"
    datetime_created: "2026-01-12T00:00:00+01:00"
    datetime_modified: "2026-01-12T00:00:00+01:00"
    datetime_created: "2026-01-12T00:00:00+01:00"
    datetime_modified: "2026-01-12T00:00:00+01:00"

```

3.2.1.2.4 Example Container: voting

global_uri: ops:voting_examples_2025

votings:

```

- global_uri: ops:voting_sg_2025_001
  voting_title:
    - text: "Schlussabstimmung Energiegesetz"
      language: "de"
  voting_type: "final_vote"
  datetime_begin: "2025-03-15T14:30:00Z"
  datetime_end: "2025-03-15T14:35:00Z"
  total_count_yes: 78
  total_count_no: 42
  total_count_abstention: 5
  total_absent: 3
  total: 128
  majority_type: "absolute"
  majority_count: 65
  result_text: "Mit 78 zu 42 Stimmen bei 5 Enthaltungen angenommen"
  parent_agenda_item: ops:agenda_item_sg_2025_015
  parent_meeting: ops:meeting_sg_2025_03_15
  actor_id:
    global_uri: "actors:kr_sg"
    label: "Kantonsrat St. Gallen"
    abbreviation:
      - value: "KR"
        language: de
    datetime_created: "2025-03-15T14:30:00Z"
    datetime_modified: "2025-03-15T14:35:00Z"

- global_uri: ops:voting_be_2025_042
  voting_title:
    - text: "Änderungsantrag Art. 5 Abs. 2"
      language: "de"
    - text: "Proposition de modification art. 5 al. 2"
      language: "fr"
  voting_type: "preliminary_vote"
  datetime_begin: "2025-06-05T10:15:00Z"
  datetime_end: "2025-06-05T10:17:00Z"
  total_count_yes: 45
  total_count_no: 87
  total_count_abstention: 8
  total_absent: 10

```

```

total: 150
majority_type: "absolute"
majority_count: 76
result_text: "Mit 45 zu 87 Stimmen bei 8 Enthaltungen abgelehnt"
parent_agenda_item: ops:agenda_item_be_2025_042
parent_meeting: ops:meeting_be_2025_06_05
actor_id:
  global_uri: "actors:gr_be"
  label: "Grosser Rat Bern"
  abbreviation:
    - value: "GR"
    language: de
datetime_created: "2025-06-05T10:15:00Z"
datetime_modified: "2025-06-05T10:15:00Z"

- global_uri: ops:voting_zh_budget_2026
  voting_title:
    - text: "Budgetbeschluss 2026"
    language: "de"
  voting_type: "final_vote"
  datetime_begin: "2025-11-20T16:45:00Z"
  datetime_end: "2025-11-20T16:50:00Z"
  total_count_yes: 105
  total_count_no: 70
  total_count_abstention: 5
  total_absent: 0
  total: 180
  majority_type: "absolute"
  majority_count: 91
  result_text: "Mit 105 zu 70 Stimmen bei 5 Enthaltungen angenommen"
  parent_agenda_item: ops:agenda_item_zh_budget_2026
  parent_meeting: ops:meeting_zh_2025_11_20
  actor_id:
    global_uri: "actors:kr_zh"
    label: "Kantonsrat Zürich"
    abbreviation:
      - value: "KR"
      language: de
    datetime_created: "2025-11-20T16:45:00Z"
    datetime_modified: "2025-11-20T16:50:00Z"

# Realbeispiel Gemeinderat der Stadt Zürich (28.02.2024, 86. Sitzung):
# "Gleichgerichtete Anträge" mit mehreren Auswahloptionen (Zürich: mehrere Knöpfe).
# Die Optionen sind nicht Ja/Nein/Enthaltung, sondern Auswahl A-D und werden
# deshalb über total_other (Liste von TotalOther {count, label}) abgebildet.
# Quelle: https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?
# aid=aa10c137274f424fa4eda877e7644a89
- global_uri: ops:voting_zh_gr_2024_2023_361
  voting_title:
    - text: "Liegenschaften Stadt Zürich, Wohnhaus Magnusstrasse 27, Gesamtinstandsetzung,
Grundrissanpassung, Netto-Zusatzkredit (Geschäft 2023/361)"
    language: "de"
  voting_type: "other"
  type_label: "Gleichgerichtete Anträge (Mehrfachauswahl)"
  datetime_begin: "2024-02-28T00:00:00Z"
  datetime_end: "2024-02-28T00:00:00Z"
  landing_page: "https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?
aid=aa10c137274f424fa4eda877e7644a89"
# Bei reinen Auswahlabstimmungen bleiben Ja/Nein/Enthaltung leer; jede Option
# erhält einen eigenen TotalOther-Eintrag mit Stimmenzahl und Bezeichnung.
total_other:
  - count: 75
    label: "Auswahl A (siegreich)"
  - count: 25
    label: "Auswahl B"
  - count: 12
    label: "Auswahl C"
  - count: 0

```

```

    label: "Auswahl D"
    total_absent: 13
    total: 112
    majority_type: "other"
    result_text: "Auswahl A mit 75 von 112 abgegebenen Stimmen angenommen (Auswahl B: 25, Auswahl
C: 12, Auswahl D: 0; 13 abwesend von 125 Mitgliedern)."
```

parent_agenda_item: ops:agenda_item_zh_gr_2024_2023_361
parent_meeting: ops:meeting_zh_gr_2024_02_28
affair_id: "2023/361"

actor_id:
 global_uri: "actors:gr_stadt_zuerich"
 label: "Gemeinderat der Stadt Zürich"
 abbreviation:
 - value: "GR"
 language: de
 datetime_created: "2024-02-28T00:00:00Z"
 datetime_modified: "2024-02-28T00:00:00Z"

individual_votes:

*# Einzelstimmen zum Zürcher Mehrfachoptionen-Beispiel: Da die Auswahloptionen
nicht Ja/Nein/Enthaltung sind, wird individual_vote_type "other" mit type_label
je gewählter Option verwendet; abwesende Mitglieder erhalten "not_voted".*

- global_uri: ops:vote_zh_gr_2024_2023_361_a1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
 global_uri: "actors:person_zh_stadt_1"
 label: "Mitglied Auswahl A"
 seat_nr: "12"
 individual_vote_type: "other"
 type_label: "Auswahl A"
 datetime_created: "2024-02-28T00:00:00Z"
- global_uri: ops:vote_zh_gr_2024_2023_361_b1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
 global_uri: "actors:person_zh_stadt_2"
 label: "Mitglied Auswahl B"
 seat_nr: "47"
 individual_vote_type: "other"
 type_label: "Auswahl B"
 datetime_created: "2024-02-28T00:00:00Z"
- global_uri: ops:vote_zh_gr_2024_2023_361_c1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
 global_uri: "actors:person_zh_stadt_3"
 label: "Mitglied Auswahl C"
 seat_nr: "88"
 individual_vote_type: "other"
 type_label: "Auswahl C"
 datetime_created: "2024-02-28T00:00:00Z"
- global_uri: ops:vote_zh_gr_2024_2023_361_abs1
parent_voting: ops:voting_zh_gr_2024_2023_361
actor_id:
 global_uri: "actors:person_zh_stadt_4"
 label: "Abwesendes Mitglied"
 seat_nr: "103"
 individual_vote_type: "not_voted"
 datetime_created: "2024-02-28T00:00:00Z"
- global_uri: ops:vote_sg_2025_001_person_123
parent_voting: ops:voting_sg_2025_001
actor_id:
 global_uri: "actors:person_paul_schlegel"

```

    label: "Paul Schlegel"
    seat_nr: "1"
    individual_vote_type: "yes"
    datetime_created: "2025-03-15T14:30:00Z"

- global_uri: ops:vote_sg_2025_001_person_456
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: "actors:person_andreas_eggenberger"
    label: "Andreas Eggenberger"
    seat_nr: "2"
    individual_vote_type: "no"
    datetime_created: "2025-03-15T14:30:00Z"

- global_uri: ops:vote_sg_2025_001_person_789
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: "actors:person_thomas_ammann"
    label: "Thomas Ammann"
    seat_nr: "3"
    individual_vote_type: "abstention"
    datetime_created: "2025-03-15T14:30:00Z"

- global_uri: ops:vote_sg_2025_001_person_321
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: "actors:person_ruedi_thomann"
    label: "Ruedi Thomann"
    seat_nr: "4"
    individual_vote_type: "not_voted"
    datetime_created: "2025-03-15T14:30:00Z"

- global_uri: ops:vote_zh_budget_2026_person_101
  parent_voting: ops:voting_zh_budget_2026
  actor_id:
    global_uri: "actors:person_thomas_wolf"
    label: "Thomas Wolf"
    seat_nr: "1"
    individual_vote_type: "yes"
    datetime_created: "2025-11-20T16:45:00Z"

- global_uri: ops:vote_zh_budget_2026_person_102
  parent_voting: ops:voting_zh_budget_2026
  actor_id:
    global_uri: "actors:person_jean_daniel_strub"
    label: "Jean-Daniel Strub"
    seat_nr: "2"
    individual_vote_type: "no"
    datetime_created: "2025-11-20T16:45:00Z"

```

3.2.1.2.5 Example Container: meeting complete

```
global_uri: ops:meeting_examples_2025
```

```
meetings:
```

```

- global_uri: ops:meeting_sg_2025_03_15
  spatial: "https://ld.admin.ch/canton/17"
  meeting_type: "session"
  name:
    - text: "Kantonsratssitzung vom 15. März 2025"
      language: "de"
  url:
    - text: "https://www.ratsinfo.sg.ch/sessions/2025-03-15"
      language: "de"
  actor_id:

```

```

    global_uri: "actors:kr_sg"
    label: "Kantonsrat St. Gallen"
    abbreviation:
      - value: "KR"
        language: de
    actor_name: "Kantonsrat St. Gallen"
    datetime_begin_planned: "2025-03-15T08:00:00Z"
    datetime_end_planned: "2025-03-15T18:00:00Z"
    datetime_begin_actual: "2025-03-15T08:15:00Z"
    datetime_end_actual: "2025-03-15T17:30:00Z"
    state: "planned"
    location: "Kantonsratssaal, Regierungsgebäude St. Gallen"
    parent_legislature: ops:legislature_sg_2024_2028
    datetime_created: "2025-02-01T10:00:00Z"
    datetime_modified: "2025-03-15T17:30:00Z"

- global_uri: ops:meeting_be_committee_wak_2025_05_12
  spatial: "https://ld.admin.ch/canton/2"
  meeting_type: "committee"
  name:
    - text: "Sitzung Kommission für Wirtschaft und Abgaben"
      language: "de"
    - text: "Séance Commission de l'économie et des redevances"
      language: "fr"
  url:
    - text: "https://www.gr.be.ch/kommissionen/wak/2025-05-12"
      language: "de"
  actor_id:
    global_uri: "actors:committee_wak_be"
    label: "Kommission für Wirtschaft und Abgaben (WAK)"
    abbreviation:
      - value: "WAK"
        language: de
    actor_name: "Kommission für Wirtschaft und Abgaben (WAK)"
    datetime_begin_planned: "2025-05-12T14:00:00Z"
    datetime_end_planned: "2025-05-12T17:00:00Z"
    datetime_begin_actual: "2025-05-12T14:10:00Z"
    datetime_end_actual: "2025-05-12T16:45:00Z"
    state: "planned"
    location: "Kommissionszimmer 301, Rathaus Bern"
    parent_legislature: ops:legislature_be_2022_2026
    datetime_created: "2025-04-15T09:00:00Z"
    datetime_modified: "2025-05-12T16:45:00Z"

- global_uri: ops:meeting_gl_landsgemeinde_2025
  spatial: "https://ld.admin.ch/canton/8"
  meeting_type: "sitting"
  name:
    - text: "Landsgemeinde 2025"
      language: "de"
  url:
    - text: "https://www.landsgemeinde.gl.ch/2025"
      language: "de"
  actor_id:
    global_uri: "actors:landsgemeinde_gl"
    label: "Landsgemeinde Glarus"
    abbreviation:
      - value: "LG"
        language: de
    actor_name: "Landsgemeinde Glarus"
    datetime_begin_planned: "2025-05-04T09:30:00Z"
    datetime_end_planned: "2025-05-04T14:00:00Z"
    datetime_begin_actual: "2025-05-04T09:30:00Z"
    datetime_end_actual: "2025-05-04T13:45:00Z"
    state: "planned"
    location: "Zaunplatz, Glarus"
    parent_legislature: ops:legislature_gl_2024_2028
    datetime_created: "2025-01-10T12:00:00Z"

```

datetime_modified: "2025-05-04T13:45:00Z"

agenda_items:

- global_uri: ops:agenda_item_sg_2025_015
parent_meeting: ops:meeting_sg_2025_03_15
agenda_item_type: "item"
agenda_item_number: "15"
agenda_item_position: 15
agenda_item_title:
 - text: "Energiegesetz - Schlussabstimmung"
language: "de"agenda_item_description:
 - text: "Schlussabstimmung über das revidierte Energiegesetz des Kantons St. Gallen"
language: "de"agenda_item_category: "Gesetzgebung"
state_id: "completed"
datetime_begin_planned: "2025-03-15T14:00:00Z"
datetime_begin_actual: "2025-03-15T14:30:00Z"
affair_id: "affairs:sg_2024_123_energiegesetz"
datetime_created: "2025-02-01T10:00:00Z"
datetime_modified: "2025-03-15T14:35:00Z"
- global_uri: ops:agenda_item_be_2025_042
parent_meeting: ops:meeting_be_committee_wak_2025_05_12
agenda_item_type: "item"
agenda_item_number: "4.2"
agenda_item_position: 42
agenda_item_title:
 - text: "Steuergesetz - Detailberatung Art. 5"
language: "de"
 - text: "Loi fiscale - Délibération détaillée art. 5"
language: "fr"agenda_item_description:
 - text: "Beratung von Änderungsanträgen zu Artikel 5 des Steuergesetzes"
language: "de"
 - text: "Délibération sur les propositions de modification de l'article 5 de la loi fiscale"
language: "fr"agenda_item_category: "Gesetzgebung"
state_id: "completed"
datetime_begin_planned: "2025-05-12T15:00:00Z"
datetime_begin_actual: "2025-05-12T15:15:00Z"
affair_id: "affairs:be_2024_089_steuergesetz"
datetime_created: "2025-04-15T09:00:00Z"
datetime_modified: "2025-05-12T15:20:00Z"
- global_uri: ops:agenda_item_zh_budget_2026
parent_meeting: ops:meeting_zh_2025_11_20
agenda_item_type: "item"
agenda_item_number: "8"
agenda_item_position: 8
agenda_item_title:
 - text: "Budget 2026"
language: "de"agenda_item_description:
 - text: "Beratung und Beschlussfassung über das Kantonsbudget für das Jahr 2026"
language: "de"agenda_item_category: "Budget und Finanzen"
state_id: "completed"
datetime_begin_planned: "2025-11-20T16:00:00Z"
datetime_begin_actual: "2025-11-20T16:45:00Z"
affair_id: "affairs:zh_2025_budget_2026"
datetime_created: "2025-10-01T08:00:00Z"
datetime_modified: "2025-11-20T16:50:00Z"

3.2.1.2.6 Example Container: meeting

```
global_uri: ops:meetings_1
meetings:
  - spatial: "https://ld.admin.ch/canton/2"
    global_uri: ops:340dcf932fb044dd8f8c5c943267fbcc
    meeting_type: "session"
    name:
      - text: "Regierungssitzung vom 31. März 2021"
        language: "de"
      - text: "Séance du gouvernement du 31 mars 2021"
        language: "fr"
    url:
      - text: "https://www.rr.be.ch/de/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-detail?guid=340dcf932fb044dd8f8c5c943267fbcc"
        language: "de"
      - text: "https://www.rr.be.ch/fr/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-detail?guid=340dcf932fb044dd8f8c5c943267fbcc"
        language: "fr"
    actor_id:
      global_uri: "actors:rr_be"
      label: "Regierungsrat Bern"
      abbreviation:
        - value: "RR"
          language: de
      actor_name: "Regierungsrat Bern"
      date_begin_planned: "2021-03-31"
      date_end_planned: "2021-03-31"
      datetime_created: "2024-10-28T01:22:26Z"
      datetime_modified: "2024-11-27T20:40:57Z"

  - spatial: "https://ld.admin.ch/canton/2"
    global_uri: ops:e7c5d453-848a-430a-b024-1dd2f6873aa6
    meeting_type: "session"
    name:
      - text: "Donnerstag (Nachmittag)"
        language: "de"
    url:
      - text: "https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?guid=66ccf0a9f4d24d318ff3b99e646644e8"
        language: "de"
      - text: "https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?guid=66ccf0a9f4d24d318ff3b99e646644e8"
        language: "fr"
    actor_id:
      global_uri: "actors:gr_be"
      label: "Grosser Rat Bern"
      abbreviation:
        - value: "GR"
          language: de
      actor_name: "Grosser Rat Bern"
      date_begin_planned: "2025-06-05"
      date_end_planned: "2025-06-05"
      datetime_created: "2025-04-25T11:10:25Z"
      datetime_modified: "2025-05-19T01:06:45Z"
```

3.2.1.2.7 Example Container: meeting item

```
global_uri: ops:agenda_items_1
agenda_items:
  - global_uri: ops:cea750a5bd7b420fa4da1c914f801384
    parent_meeting: ops:meeting_bern_2022_03_17
    agenda_item_type: item
    datetime_begin_planned: '2022-03-17T17:00:00Z'
    agenda_item_position: 29
    agenda_item_number: '8'
    agenda_item_title:
      - text: >-
        Interpellation Fraktion GB/JA! (Katharina Gallizzi, GB): Welche
        Konsequenzen haben die Klimaziele für das Gasnetz in Bern?
```

```

    language: de
    affair_id: affairs:2020.SR.000007
    url:
      - text: >-
        https://stadtrat.bern.ch/de/sitzungen/detail.php?
gid=000d6cf5f0bc4d89a5171e0123cfbff5#cea750a5bd7b420fa4da1c914f801384
    language: de
    datetime_created: '2025-01-17T21:25:52Z'
    datetime_modified: '2025-01-17T21:25:52Z'
  - global_uri: ops:2023_10_03-52
    parent_meeting: ops:meeting_lausanne_2023_10_03
    agenda_item_type: item
    datetime_begin_planned: '2023-10-03T00:00:00Z'
    agenda_item_position: 52
    agenda_item_number: '52'
    agenda_item_title:
      - text: >-
        Postulat de Mme Franziska MEINHERZ : « Lausanne sans publicité
        commerciale » (FIM)
    language: fr
    state_id: postponed
    agenda_item_category: RAPPORTS
    affair_id: affairs:POS22/029
    url:
      - text: >-
        https://www.lausanne.ch/apps/agir/affaire/81/b7157ea2a4994086b65cf176768c6381.htm
    language: fr
    datetime_created: '2025-02-08T12:33:10Z'
    datetime_modified: '2025-02-08T12:33:10Z'
  - global_uri: ops:2025_05_20-23
    parent_meeting: ops:meeting_lausanne_2025_05_20
    agenda_item_type: item
    datetime_begin_planned: '2025-05-20T00:00:00Z'
    agenda_item_position: 23
    agenda_item_number: '23'
    agenda_item_title:
      - text: >-
        Interpellation urgente du 20 mai 2025 de M. Yusuf KULMIYE : «
        Interpellation urgente de Kulmiye Yusuf et crts – Solidarité sans
        frontières, Lausanne en faveur du respect du droit international et de
        la protection des populations civiles à Gaza »
    language: fr
    state_id: not_treated
    agenda_item_category: ANNONCES ET INTERPELLATIONS
    affair_id: affairs:INT25/027
    url:
      - text: >-
        https://www.lausanne.ch/apps/agir/affaire/6c/049b6c612fe2428f9be66ea39522ac6c.htm
    language: fr
    datetime_created: '2025-06-07T23:50:18Z'
    datetime_modified: '2025-06-07T23:50:18Z'
  - global_uri: ops:7b3545e4-57dc-3901-aaa8-4020da6ab0c6
    parent_meeting: ops:meeting_vaud_2008_04_30
    agenda_item_type: item
    datetime_begin_planned: '2008-04-30T00:00:00Z'
    agenda_item_position: 7
    agenda_item_number: '7'
    agenda_item_title:
      - text: >-
        Révision partielle de sept ordonnances fédérales relatives aux
        produits chimiques
    language: fr
    agenda_item_description:
      - text: >
        Le Conseil d'Etat approuve le projet de révision partielle de sept
        ordonnances fédérales relatives aux produits chimiques. Il salue la
        volonté des autorités fédérales d'introduire dans la législation
        fédérale les modifications nécessaires découlant des nouveaux
        règlements européens, afin d'éliminer des entraves au commerce et

```

```

    d'augmenter la sécurité d'évaluation des produits chimiques.
    language: fr
    url:
      - text: >-
        https://www.vd.ch/actualites/decisions-du-conseil-detat/seance-du-conseil-detat/
seance/265632#7b3545e4-57dc-3901-aaa8-4020da6ab0c6
    language: fr
    datetime_created: '2024-12-06T10:50:04Z'
    datetime_modified: '2024-12-06T10:50:04Z'
  - global_uri: ops:06fb582b753c416d8fdb05fa13873545
    parent_meeting: ops:meeting_2011_11_23
    agenda_item_type: item
    datetime_begin_planned: '2011-11-23T00:00:00Z'
    agenda_item_position: 2
    agenda_item_title:
      - text: >-
        Interpellation Peter Mark betr. elektronische Datenerfassung durch
        Mitarbeiter im Werkhof – Versuchsphase
    language: de
    datetime_created: '2025-03-21T23:15:19Z'
    datetime_modified: '2025-03-21T23:15:19Z'
  - global_uri: ops:16155798_3
    parent_meeting: ops:meeting_schaffhausen_2025_03_31
    agenda_item_type: item
    datetime_begin_planned: '2025-03-31T00:00:00Z'
    agenda_item_position: 2
    agenda_item_number: '2'
    agenda_item_title:
      - text: >-
        Motion Nr. 2023/9 von Rainer Schmidig vom 18. Dezember 2023 betreffend
        zeitgemässe Abzüge in den Art. 35 und 37 des Gesetzes über die
        direkten Steuern
    language: de
    agenda_item_category: Traktanden
    affair_id: affairs:MOT_2023_9
    datetime_created: '2025-05-02T11:23:49Z'
    datetime_modified: '2025-05-02T11:23:49Z'
  - global_uri: ops:21c50b86d21b4b4baeb1a76738ff82a3_2025-04-02_1_de
    parent_meeting: ops:meeting_bern_rr_2025_04_02
    agenda_item_type: item
    datetime_begin_planned: '2025-04-02T00:00:00Z'
    agenda_item_title:
      - text: >-
        Petition «Gleichberechtigung für Tagesfamilien: Gleich hohe
        Betreuungsgutscheine für alle Anbieter im Kanton Bern».
        Regierungsrätliches Antwortschreiben
    language: de
    affair_id: affairs:2025.STA.622
    url:
      - text: >-
        https://www.rr.be.ch/de/start/beschluesse/suche/geschaeftsdetail.html?
guid=21c50b86d21b4b4baeb1a76738ff82a3
    language: de
    datetime_created: '2025-04-25T11:11:40Z'
    datetime_modified: '2025-04-25T11:11:40Z'
  - global_uri: ops:49_253
    parent_meeting: ops:meeting_2025_03_31
    agenda_item_type: item
    datetime_begin_planned: '2025-03-31T00:00:00Z'
    agenda_item_position: 2
    agenda_item_number: '2'
    agenda_item_title:
      - text: Programmvereinbarungen 2024
    language: de
    datetime_created: '2025-03-29T01:07:14Z'
    datetime_modified: '2025-03-29T01:07:14Z'
  - global_uri: ops:16155798_4
    parent_meeting: ops:meeting_schaffhausen_2025_03_31_b
    agenda_item_type: item

```

```

datetime_begin_planned: '2025-03-31T00:00:00Z'
agenda_item_position: 3
agenda_item_number: '3'
agenda_item_title:
  - text: >-
    Volksmotion Nr. 2024/1 von Sandro Mamedow und Livia Schraff
    (Erstunterzeichnende) sowie weitere 150 Mitunterzeichnende vom 22.
    März 2024 mit dem Titel: «Für eine Stimme der Studierenden im
    Hochschulrat der Pädagogischen Hochschule Schaffhausen (PHSH)»
    language: de
agenda_item_category: Traktanden
affair_id: affairs:MOT_2024_1
datetime_created: '2025-05-02T11:23:49Z'
datetime_modified: '2025-05-02T11:23:49Z'
- global_uri: ops:87b69a72919445a493a061d9b0daeba3
  parent_meeting: ops:meeting_be_2025_06_02
  agenda_item_type: item
  datetime_begin_planned: '2025-06-02T00:00:00Z'
  agenda_item_title:
    - text: Differenzierte Anpassung des Gehalts von Lehrpersonen ohne Lehrdiplom
      language: de
  affair_id: affairs:2025.GRPARL.81
  datetime_created: '2025-04-25T11:10:35Z'
  datetime_modified: '2025-04-25T11:10:35Z'
- global_uri: ops:0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
  parent_meeting: ops:meeting_luzern_2025_01_28
  agenda_item_type: item
  datetime_begin_planned: '2025-01-28T00:00:00Z'
  agenda_item_position: 29
  agenda_item_number: '29'
  agenda_item_title:
    - text: >-
      Postulat Widmer Reichlin Gisela und Mit. über Massnahmen zur Erfüllung
      des Sonderschulkonkordats und zur gezielten Behebung des
      Fachkräftemangels im Bereich schulische Heilpädagogik / Bildungs- und
      Kulturdepartement
      language: de
  agenda_item_category: voting
  url:
    - text: >-
      https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
      TraktandumGuid=0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
      language: de
  affair_id: affairs:2024P_125
  datetime_created: '2025-01-29T06:59:41Z'
  datetime_modified: '2025-01-29T06:59:41Z'
- global_uri: ops:fa732e0e-7e5f-4d45-994a-fc74720c0781
  parent_meeting: ops:meeting_luzern_2025_01_28_b
  agenda_item_type: item
  datetime_begin_planned: '2025-01-28T00:00:00Z'
  agenda_item_position: 14
  agenda_item_number: '14'
  agenda_item_title:
    - text: >-
      Postulat Stadelmann Karin Andrea und Mit. über die Überprüfung und
      Anpassung der Kriterien zum früheren Eintritt von Kindern in die
      Basisstufe (den freiwilligen Kindergarten) / Bildungs- und
      Kulturdepartement
      language: de
  agenda_item_category: voting
  url:
    - text: >-
      https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
      TraktandumGuid=fa732e0e-7e5f-4d45-994a-fc74720c0781
      language: de
  affair_id: affairs:2023P_102
  datetime_created: '2025-01-29T06:59:41Z'
  datetime_modified: '2025-01-29T06:59:41Z'

```


4 Temporal organisation of council operations

Council operations are structured in time by four classes:

```
Legislature (legislature)
├─ Session (e.g. spring session)
│   └─ Meeting (individual sitting)
│       └─ AgendaItem (agenda item)
```

The legislature forms the long-term frame, the session structures the work within a legislature, the meeting is the concrete sitting in which affairs are deliberated, and the agenda item structures the individual sitting. The levels interlock in two ways: the session takes its sittings as a list (meetings), while sitting and agenda item point upwards by reference (`parent_legislature`, `parent_meeting`, `parent_agenda_item`). Those who keep no sessions deliver their sittings individually and attach them to the legislature via `parent_legislature`.

The first three classes are described below, the agenda item in the next chapter.

4.1 Common elements

The three classes are deliberately built alike. The following fields have the same meaning on all levels.

Identification. `global_uri` is the identifier and is mandatory. `local_id` takes the id of the delivering system, `wikidata_uri` points to the Wikidata entry where one exists.

Begin and end. The temporal data is recorded twice: `date_begin_planned` and `date_end_planned` hold what was scheduled, `date_begin_actual` and `date_end_actual` what actually happened. Where the time of day matters, the `datetime_*` variants are available.

Space and body. `spatial` points to the spatial unit according to LINDAS — country, canton, district or commune, thus `https://ld.admin.ch/canton/2` rather than “BE”. It is the same field with which eCH-0294 locates its groups, so that council operations and the actors who carry them point to the same resource. Who convenes within that spatial unit is stated by `actor_id`, a lightweight reference to the body according to eCH-0294.

Linked documents. `documents` links documents as FRBR works according to eCH-0292 — for the legislature, for instance, membership and affair registers, for the session the session programme, for the meeting the protocol.

4.2 Legislature

A legislature denotes the period for which a parliament is elected and acts in its current composition.

4.2.1 Class: Legislature

Term of office of a parliament as a legislative assembly. Usually lasts four years.

4.2.1.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
spatial	0..1 String	Spatial reference to a LINDAS resource (fos-municipality number, fos-canton number, district, or country). Formats: municipality: https://ld.admin.ch/municipality/1234 , district: https://ld.admin.ch/district/2301 , canton: https://ld.admin.ch/canton/23 , country: https://ld.admin.ch/country/CHE .
administrative_id	0..1 String	Administrative ID of the legislative body, such as a municipality, canton, or country.
name	* MultilingualString	Multilingual full designation.
description	0..1 String	Descriptive text of the element.
landing_page	0..1 String	URL providing further information.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration

Name	Cardinality and Range	Description
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

4.2.1.2 Usages

Used by	In slot	Role	Element
Container	legislatures	range	Legislature

4.2.1.3 Examples

4.2.1.3.1 Example Legislature: Cantonal legislature with a four-year term

```
legislatures:
- global_uri: ops:legislature_be_2022_2026
  local_id: GR-BE-2022-2026
  spatial: https://ld.admin.ch/canton/2
  name:
  - text: Legislatur 2022-2026
    language: de
  - text: Législature 2022-2026
    language: fr
  landing_page: https://www.gr.be.ch/de/start/grosser-rat.html
  actor_id:
    global_uri: actors:gr_be
    label: Grosser Rat Bern
    abbreviation:
      - value: GR
        language: de
  date_begin_planned: '2022-06-01'
  date_end_planned: '2026-05-31'
  date_begin_actual: '2022-06-01'
  date_end_actual: '2026-05-31'
  datetime_created: '2022-04-01T10:15:00+02:00'
  datetime_modified: '2026-06-01T07:00:00+02:00'
```

4.2.1.3.2 Example Legislature: Completed federal legislature

```
legislatures:
- global_uri: ops:legislature_51
  wikidata_uri: http://www.wikidata.org/entity/Q71712404
  spatial: https://ld.admin.ch/country/CHE
  name:
  - text: 51. Legislaturperiode
    language: de
  - text: 51e législature
    language: fr
```

```
- text: 51a legislatura
  language: it
description: >-
  Amtsdauer der am 20. Oktober 2019 gewählten Bundesversammlung; sie endete am Vortag
  der konstituierenden Sitzung der 52. Legislaturperiode vom 4. Dezember 2023.
landing_page: https://www.parlament.ch/de/ratsbetrieb/sessionen
actor_id:
  global_uri: actors:bundesversammlung
  label: Bundesversammlung
  abbreviation:
    - value: BV
      language: de
date_begin_actual: '2019-12-02'
date_end_actual: '2023-12-03'
datetime_created: '2019-12-02T09:00:00+01:00'
datetime_modified: '2023-12-04T08:30:00+01:00'
```

4.2.1.3.3 Example Legislature: Ongoing cantonal legislature with a five-year term

```
legislatures:
- global_uri: ops:legislature_vd_2022_2027
  wikidata_uri: http://www.wikidata.org/entity/Q131627357
  spatial: https://ld.admin.ch/canton/22
  name:
    - text: Législature 2022-2027
      language: fr
  description: Le Grand Conseil vaudois est élu pour cinq ans.
  landing_page: https://www.vd.ch/gc
  actor_id:
    global_uri: actors:gc_vd
    label: Grand Conseil du canton de Vaud
    abbreviation:
      - value: GC
        language: fr
  date_begin_actual: '2022-07-01'
  date_end_planned: '2027-06-30'
  datetime_created: '2022-05-10T14:00:00+02:00'
  datetime_modified: '2025-01-08T11:20:00+01:00'
```

4.3 Session (sitting period)

A session is a continuous sitting period in which several meetings take place.

4.3.1 Optional level

The session is the only one of the three levels that may be dispensed with: federal entities without formal sessions leave it out and record their sittings directly. Session and meeting may also coincide — a one-day sitting of a cantonal parliament or a Landsgemeinde is recorded as a sitting period with a single meeting.

4.3.2 Numbering

Numbering practice differs widely, which is why four fields are available: `number` holds the running number as a figure, `sequential_number` the same information as a string (and therefore also Roman numerals), `position` the position within the legislature and `meeting_abbreviation` a short designation such as “FS24”. The meeting has the same four fields.

4.3.3 Class: Session

A parliamentary session that groups multiple meetings and spans a specific time period.

4.3.3.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
spatial	0..1 String	Spatial reference to a LINDAS resource (fos-municipality number, fos-canton number, district, or country). Formats: municipality: https://ld.admin.ch/municipality/1234 , district: https://ld.admin.ch/district/2301 , canton: https://ld.admin.ch/canton/23 , country: https://ld.admin.ch/country/CHE .
name	* MultilingualString	Multilingual full designation.
number	0..1 String	Sequential number, e.g. within the legislature, the session or the year.
sequential_number	0..1 Integer	Sequential number of the meeting, used for ordering.
position	0..1 String	Integer position within the superordinate sequence.
meeting_abbreviation	0..1 String	Short designation of the session or meeting (e.g. "FS24" for the 2024 spring session).
url	* MultilingualString	Landing page or further web address, multilingual.
parent_legislature	0..1 String	The legislative body in which the meeting is based.
meetings	* Meeting	Collection of meeting records.
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration

Name	Cardinality and Range	Description
		IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actua l	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_plann ed	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

4.3.3.2 Usages

Used by	In slot	Role	Element
Container	sessions	range	Session

4.3.3.3 Examples

4.3.3.3.1 Example Session: One-day sitting period of a cantonal parliament

```
sessions:
- global_uri: ops:session_gl_landrat_2025_02_26
  spatial: https://ld.admin.ch/canton/8
  name:
  - text: Sitzung des Landrates vom 26.02.2025
    language: de
  url:
  - text: https://www.gl.ch/parlament/landrat/landratsprotokolle-ab-30-juni-2010.html/239
    language: de
  date_begin_planned: '2025-02-26'
  date_end_planned: '2025-02-26'
  datetime_modified: '2025-04-25T13:40:34Z'
  datetime_created: '2025-04-23T22:58:39Z'
```

4.3.3.3.2 Example Session: Landsgemeinde as a sitting period

```
sessions:
- global_uri: ops:session_gl_landsgemeinde_2025_05_04
  spatial: https://ld.admin.ch/canton/8
  name:
  - text: Landsgemeinde vom 04. Mai 2025
    language: de
  url:
  - text: https://www.landsgemeinde.gl.ch/landsgemeinde/2025-05-04
```

```
language: de
date_begin_planned: '2025-05-04'
date_end_planned: '2025-05-04'
datetime_modified: '2025-04-25T13:40:34Z'
datetime_created: '2025-04-23T22:58:39Z'
```

4.3.3.3 Example Session: Federal session with a trilingual designation

```
sessions:
- global_uri: ops:session_5207
  spatial: https://ld.admin.ch/country/CHE
  name:
  - text: Frühjahrssession 2025
    language: de
  - text: Session de printemps 2025
    language: fr
  - text: Sessione primaveraile 2025
    language: it
  url:
  - text: https://www.parlament.ch/de/ratsbetrieb/sessionen/fruehjahr-2025
    language: de
  - text: https://www.parlament.ch/fr/ratsbetrieb/sessionen/fruehjahr-2025
    language: fr
  - text: https://www.parlament.ch/it/ratsbetrieb/sessionen/fruehjahr-2025
    language: it
  date_begin_planned: '2025-03-03'
  date_end_planned: '2025-03-21'
  parent_legislature: ops:legislature_51
  datetime_modified: '2025-04-24T00:19:37Z'
  datetime_created: '2025-03-20T14:27:09Z'
```

4.3.3.4 Example Session: Cantonal session with a bilingual designation

```
sessions:
- global_uri: ops:session_be_summer_2025
  spatial: https://ld.admin.ch/canton/2
  name:
  - text: Sommersession 2025
    language: de
  - text: Session d'été 2025
    language: fr
  url:
  - text: >-
    https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?
    guid=66ccf0a9f4d24d318ff3b99e646644e8
    language: de
  - text: >-
    https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?
    guid=66ccf0a9f4d24d318ff3b99e646644e8
    language: fr
  date_begin_planned: '2025-06-02'
  date_end_planned: '2025-06-12'
  datetime_modified: '2025-05-19T01:06:44Z'
  datetime_created: '2025-04-25T11:10:24Z'
```

4.4 Meeting (individual sitting)

A meeting is the individual sitting of a body — the level at which agenda items are deliberated, decisions taken and speeches recorded.

4.4.1 Meeting types

meeting_type distinguishes four types: session for plenary sittings of a parliament or a chamber, committee for committee sittings, sitting for assemblies such as Landsgemeinden, communal assemblies and citizens' communal assemblies, and various as a catch-all. The value sitting is a deliberate choice: Landsgemeinden and communal

assemblies are assemblies of the eligible voters themselves, but they decide as a convened body with an agenda and are therefore represented like a council sitting.

4.4.2 Planning and course

At this level, scheduled and actual times regularly diverge: a sitting scheduled for 14:00 only begins at 14:25 because of delays and ends at 17:30 instead of 18:00. Whether a sitting takes place as planned at all is held by state (planned, canceled, postponed); `state_name` takes a diverging, free-text status designation. `location` records the place of the sitting — the physical room (“Federal Palace, National Council chamber”), a video conference or a hybrid format.

4.4.3 Anchor points

The meeting is the node to which the remaining classes of this standard attach: agenda items (`AgendaItem`), votings and elections (`Voting`, `Election`), speeches (`Speech`) as well as the attendance list (`Attendance.parent_meeting`). `documents` links sitting documents such as the bulletin or annexes, `protocol_ref` the protocol. `parent_meeting` represents sittings that are part of a superordinate sitting; `actor_name`, `group_name` and `group_id` additionally hold body and grouping in plain text.

4.4.4 Class: Meeting

A general meeting class used for Sessions, Comittee Meetings, individual session Sittings and other various Meetings.

4.4.4.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
<code>global_uri</code>	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
<code>spatial</code>	0..1 String	Spatial reference to a LINDAS resource (fos-municipality number, fos-canton number, district, or country). Formats: municipality: https://ld.admin.ch/municipality/1234 , district: https://ld.admin.ch/district/2301 , canton: https://ld.admin.ch/canton/23 , country: https://ld.admin.ch/country/CHE .
<code>meeting_type</code>	0..1 MeetingTypeEnum	Type of the meeting, e.g. session, committee, sitting, various.
<code>administrative_id</code>	0..1 String	Administrative ID of the legislative body, such as a municipality, canton, or country.
<code>name</code>	* MultilingualString	Multilingual full designation.

Name	Cardinality and Range	Description
url	* MultilingualString	Landing page or further web address, multilingual.
group_name	0..1 String	Name of the group or body.
group_id	0..1 GroupReference	Reference to the group or body (lightweight snapshot at time of linking).
number	0..1 String	Sequential number, e.g. within the legislature, the session or the year.
landing_page	0..1 String	URL providing further information.
sequential_number	0..1 Integer	Sequential number of the meeting, used for ordering.
position	0..1 String	Integer position within the superordinate sequence.
meeting_abbreviation	0..1 String	Short designation of the session or meeting (e.g. "FS24" for the 2024 spring session).
actor_name	0..1 String	Name of the political body (e.g., Nationalrat).
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
state	0..1 StateEnum	Current state of the meeting (planned, canceled, postponed).
state_name	0..1 String	Custom state description for the meeting.
description	0..1 String	Descriptive text of the element.
location	0..1 String	Place where the meeting is held (physical room, video conference or hybrid format).
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose.
parent_legislature	0..1 String	The legislative body in which the meeting is based.
documents	* Work	List of documents (FRBR Works) linked to the entity.
protocol_ref	0..1 Protocol	Reference to the protocol (minutes) of this meeting, recorded after the meeting. Only the identifier of the protocol is given; the protocol itself is delivered in the container's protocols list. It is an entity in its own right with its own identifier and is usually published later than the meeting, so it is referenced rather than embedded.
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration

Name	Cardinality and Range	Description
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

4.4.4.2 Usages

Used by	In slot	Role	Element
Container	meetings	range	Meeting
Session	meetings	range	Meeting

4.4.4.3 Examples

4.4.4.3.1 Example Meeting: Committee sitting with an attendance list

```
meetings:
- global_uri: ops:meeting_be_committee_wak_2025_05_12
  spatial: https://ld.admin.ch/canton/2
  meeting_type: committee
  name:
  - text: Sitzung Kommission für Wirtschaft und Abgaben
    language: de
  - text: Séance Commission de l'économie et des redevances
    language: fr
  url:
```

```
- text: https://www.gr.be.ch/kommissionen/wak/2025-05-12
  language: de
actor_id:
  global_uri: actors:committee_wak_be
  label: Kommission für Wirtschaft und Abgaben (WAK)
  abbreviation:
    - value: WAK
      language: de
actor_name: Kommission für Wirtschaft und Abgaben (WAK)
datetime_begin_planned: '2025-05-12T14:00:00Z'
datetime_end_planned: '2025-05-12T17:00:00Z'
datetime_begin_actual: '2025-05-12T14:10:00Z'
datetime_end_actual: '2025-05-12T16:45:00Z'
state: planned
location: Kommissionszimmer 301, Rathaus Bern
parent_legislature: ops:legislature_be_2022_2026
datetime_created: '2025-04-15T09:00:00Z'
datetime_modified: '2025-05-12T16:45:00Z'
```

4.4.4.3.2 Example Meeting: Landsgemeinde as meeting type sitting

```
meetings:
- global_uri: ops:meeting_gl_landsgemeinde_2025
  spatial: https://ld.admin.ch/canton/8
  meeting_type: sitting
  name:
    - text: Landsgemeinde 2025
      language: de
  url:
    - text: https://www.landsgemeinde.gl.ch/2025
      language: de
  actor_id:
    global_uri: actors:landsgemeinde_gl
    label: Landsgemeinde Glarus
    abbreviation:
      - value: LG
        language: de
  actor_name: Landsgemeinde Glarus
  datetime_begin_planned: '2025-05-04T09:30:00Z'
  datetime_end_planned: '2025-05-04T14:00:00Z'
  datetime_begin_actual: '2025-05-04T09:30:00Z'
  datetime_end_actual: '2025-05-04T13:45:00Z'
  state: planned
  location: Zaunplatz, Glarus
  parent_legislature: ops:legislature_gl_2024_2028
  datetime_created: '2025-01-10T12:00:00Z'
  datetime_modified: '2025-05-04T13:45:00Z'
```

4.4.4.3.3 Example Meeting: Council of States sitting with protocol and speeches

```
meetings:
- global_uri: parl:sr_winter25_sitzung_6
  spatial: https://ld.admin.ch/country/CHE
  meeting_type: session
  name:
    - text: Sechste Sitzung
      language: de
    - text: Sixième séance
      language: fr
  url:
    - text: https://www.parlament.ch/de/ratsbetrieb/suche-Amtliches-bulletin
      language: de
  actor_id:
    global_uri: actors:staenderat
    label: Ständerat
    abbreviation:
      - value: SR
        language: de
  actor_name: Ständerat
  datetime_begin_planned: '2025-12-19T08:15:00+01:00'
```

```
protocol_ref: ops:protokoll_sr_winter25_sitzung_6
datetime_created: '2026-01-12T00:00:00+01:00'
datetime_modified: '2026-01-12T00:00:00+01:00'
```

4.4.4.3.4 Example Meeting: Government sitting with a bilingual designation

```
meetings:
- spatial: https://ld.admin.ch/canton/2
  global_uri: ops:340dcf932fb044dd8f8c5c943267fbcc
  meeting_type: session
  name:
  - text: Regierungssitzung vom 31. März 2021
    language: de
  - text: Séance du gouvernement du 31 mars 2021
    language: fr
  url:
  - text: >-
    https://www.rr.be.ch/de/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-
    detail?guid=340dcf932fb044dd8f8c5c943267fbcc
    language: de
  - text: >-
    https://www.rr.be.ch/fr/start/beschluesse/beschluesse-unterlagen-nach-sitzungen/sitzungs-
    detail?guid=340dcf932fb044dd8f8c5c943267fbcc
    language: fr
  actor_id:
  global_uri: actors:rr_be
  label: Regierungsrat Bern
  abbreviation:
  - value: RR
    language: de
  actor_name: Regierungsrat Bern
  date_begin_planned: '2021-03-31'
  date_end_planned: '2021-03-31'
  datetime_created: '2024-10-28T01:22:26Z'
  datetime_modified: '2024-11-27T20:40:57Z'
```

4.4.4.3.5 Example Meeting: Cantonal parliament sitting with agenda items and votings

```
meetings:
- global_uri: ops:meeting_sg_2025_03_15
  spatial: https://ld.admin.ch/canton/17
  meeting_type: session
  name:
  - text: Kantonsratssitzung vom 15. März 2025
    language: de
  url:
  - text: https://www.ratsinfo.sg.ch/sessions/2025-03-15
    language: de
  actor_id:
  global_uri: actors:kr_sg
  label: Kantonsrat St. Gallen
  abbreviation:
  - value: KR
    language: de
  actor_name: Kantonsrat St. Gallen
  datetime_begin_planned: '2025-03-15T08:00:00Z'
  datetime_end_planned: '2025-03-15T18:00:00Z'
  datetime_begin_actual: '2025-03-15T08:15:00Z'
  datetime_end_actual: '2025-03-15T17:30:00Z'
  state: planned
  location: Kantonsratssaal, Regierungsgebäude St. Gallen
  parent_legislature: ops:legislature_sg_2024_2028
  datetime_created: '2025-02-01T10:00:00Z'
  datetime_modified: '2025-03-15T17:30:00Z'
```

4.4.4.3.6 Example Meeting: Half-day sitting within a session

```
meetings:
- spatial: https://ld.admin.ch/canton/2
  global_uri: ops:e7c5d453-848a-430a-b024-1dd2f6873aa6
```

```

meeting_type: session
name:
- text: Donnerstag (Nachmittag)
  language: de
url:
- text: >-
  https://www.gr.be.ch/de/start/sessionen/sessionen-auswahl/sessionsdetail.html?
guid=66ccf0a9f4d24d318ff3b99e646644e8
  language: de
- text: >-
  https://www.gr.be.ch/fr/start/sessionen/sessionen-auswahl/sessionsdetail.html?
guid=66ccf0a9f4d24d318ff3b99e646644e8
  language: fr
actor_id:
  global_uri: actors:gr_be
  label: Grosser Rat Bern
  abbreviation:
    - value: GR
    language: de
  actor_name: Grosser Rat Bern
  date_begin_planned: '2025-06-05'
  date_end_planned: '2025-06-05'
  datetime_created: '2025-04-25T11:10:25Z'
  datetime_modified: '2025-05-19T01:06:45Z'

```

4.4.5 Enum: MeetingTypeEnum

Type of the meeting.

URI: [ops:MeetingTypeEnum](#)

4.4.5.1 Permissible Values

Value	Description
session	Plenary sitting of the whole parliament or of one chamber. ops:enum/meeting_type/session
committee	Meeting of a parliamentary committee. ops:enum/meeting_type/committee
sitting	Special forms of assembly (e.g. Landsgemeinde, communal assembly). ops:enum/meeting_type/sitting
various	Other forms of meeting not covered by the categories above. ops:enum/meeting_type/various

4.4.6 Enum: StateEnum

State of the meeting.

URI: [ops:StateEnum](#)

4.4.6.1 Permissible Values

Value	Description
planned	The meeting is planned and will take place as scheduled. ops:enum/state/planned
canceled	The meeting has been cancelled. ops:enum/state/canceled

Value	Description
postponed	The meeting has been postponed. ops:enum/state/postponed

5 Agenda, protocol and decisions

The agenda of a sitting is structured by agenda items. The agenda items count as the planning of a sitting and are no longer changed in the data once the sitting has started. The same data elements are then used to record the protocol and the decisions it contains.

If the agenda changes during a sitting, these changes are recorded in the protocol, and the agenda of the next sitting is adjusted accordingly.

5.1 Agendaltem

5.1.1 Purpose of the entity

Agendaltem structures the agenda of a sitting and connects the temporal organisation (Meeting) with the substantive affairs (Affairs from eCH-0295). It is the central entity for representing the course of a sitting.

5.1.2 Hierarchy and structure

Agenda items can be organised hierarchically in order to represent the structure of complex agendas:

```
Meeting (sitting of 4 March 2024)
├─ AgendaItem 1: announcements and welcome
├─ AgendaItem 2: legislative deliberations
│   ├── AgendaItem 2.1: energy act (detailed deliberation)
│   ├── AgendaItem 2.2: energy act (final vote)
│   └─ AgendaItem 2.3: health act (entry debate)
└─ AgendaItem 3: miscellaneous
```

The hierarchy is represented via the field **parent_agenda_item**, which references the superordinate agenda item.

5.1.3 Identification and numbering

- **id**: unique identifier
- **number**: agenda item number on the agenda (e.g. “2.1”, “3”)
- **position**: sort order (for the presentation)
- **title**: title of the agenda item

5.1.4 Types of agenda items

The field **agenda_item_type** distinguishes different kinds:

- **item**: a regular agenda item with deliberation and, where applicable, a voting
- **item_group**: a group of agenda items (e.g. “legislative deliberations”)
- **note**: informative entries without a voting (e.g. “announcements”)

5.1.5 Relation to parliamentary affairs

The field **affairs** references the corresponding parliamentary affairs according to eCH-0295. An agenda item can relate to several affairs:

- **Single affair**: an agenda item deals with a specific bill
- **Several affairs**: an agenda item combines related affairs

- **No affair:** administrative agenda items (e.g. “approval of the protocol”)

Example: the agenda item “Energy act — final vote” references the affair “23.XXX Energy Act” in eCH-0295.

5.1.6 Temporal planning

- **date_time:** planned point in time of the treatment
- **date_time_actual:** actual point in time of the treatment

This distinction is important because: - the agenda is fixed in advance - the actual course can deviate from it - agenda items can be brought forward, postponed or adjourned

5.1.7 Status and result

5.1.7.1 Status

The field **status** shows the processing state: - “pending”: not yet dealt with - “in_progress”: currently under deliberation - “completed”: treatment finished - “postponed”: adjourned to a later sitting - “withdrawn”: withdrawn

5.1.7.2 Result

The field **result** records the result of the treatment: - “accepted”: accepted - “rejected”: rejected - “referred”: referred back (e.g. to a committee) - “noted”: noted - “no_decision”: no decision taken

5.1.8 Categorisation

The field **category** allows grouping according to substantive criteria: - “Legislation” - “Budget and finance” - “Interpellations and questions” - “Elections” - “Miscellaneous”

This categorisation is not standardised and can vary from one federal unit to another.

5.1.9 Resolutions on agenda items

The field **resolution** references the resolution(s) taken on this agenda item. A resolution documents the formal decision:

AgendaItem: "Energy act – final vote"

└ Resolution: "Acceptance of the energy act with 120 to 75 votes and 5 abstentions"

└ Voting: details of the voting

5.1.10 Description and URL

- **description:** detailed description of the agenda item
- **url:** array of multilingual URLs to meeting documents:
 - o dispatches and reports
 - o motions
 - o amendments
 - o voting results

5.1.11 Particularities of the various procedures

5.1.11.1 Legislative procedure

An affair passes through several agenda items: 1. Entry debate 2. Detailed deliberation 3. Final vote 4. Where applicable, elimination of differences between the chambers

5.1.11.2 Interpellations and questions

- Submission as an agenda item
- Answer of the government
- Where applicable, discussion

5.1.11.3 Elections

- Nomination as an agenda item
- Conduct of the election
- Announcement of the result

5.1.12 Link to other entities

An Agendaltem is the central link between:

- **Meeting:** the sitting in which it is dealt with
- **Affairs** (eCH-0295): the substantive affairs
- **Resolution:** the formal decision
- **Voting:** the voting(s) on the agenda item
- **Speech:** statements and speeches on the agenda item

5.1.13 Application examples

...

5.1.14 Purposes of use

1. Structuring the course of the sitting and the agenda
2. Link between meetings and affairs (eCH-0295)
3. Documentation of status and result per agenda item
4. Basis for sitting protocols and publications

5.1.15 Class: Agendaltem

An agenda item of a meeting.

5.1.15.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification

Name	Cardinality and Range	Description
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose.
agenda_item_type	0..1 AgendaItemTypeEnum	Type of agenda item, distinguishing individual items from groups.
agenda_item_number	0..1 String	Sequential number of the agenda item (string type to support roman numerals).
agenda_item_position	0..1 Integer	Integer position of the agenda item in the meeting sequence.
leading_actor_id	0..1 String	The leading department for the agenda item.
speaking_actor_id	0..1 String	The speaker or head of the department for the agenda item.
agenda_item_title	* MultilingualString	Title of the agenda item.
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item.
agenda_item_description	* MultilingualString	Subtitle or detailed description of the agenda item.
state_id	0..1 String	State identifier (reference to state enum or custom state).
state_name	0..1 String	Custom state description for the meeting.
landing_page	0..1 String	URL providing further information.
url	* MultilingualString	Landing page or further web address, multilingual.
agenda_item_category	0..1 String	Category for grouped agenda items (e.g., introduction, by department, technical agenda items).
parent_agenda_item	0..1 String	Identifier of the agenda item this record belongs to. On an agenda item it builds a hierarchy of agenda items; on a voting, election or speech it names the agenda item under which the record was handled.
has_resolution	0..1 Resolution	The resolution or decision taken on this agenda item.
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_act	0..1 Datetime	The actual start date and time of an event or

Name	Cardinality and Range	Description
ual		occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

5.1.15.2 Usages

Used by	In slot	Role	Element
Container	agenda_items	range	AgendaItem
JointDebate	agenda_items	range	AgendaItem

5.1.15.3 Examples

5.1.15.3.1 Example AgendaItem: French-language agenda item postulate

```
agenda_items:
- global_uri: ops:2023_10_03-52
  parent_meeting: ops:meeting_lausanne_2023_10_03
  agenda_item_type: item
  datetime_begin_planned: '2023-10-03T00:00:00Z'
  agenda_item_position: 52
  agenda_item_number: '52'
  agenda_item_title:
  - text: >-
    Postulat de Mme Franziska MEINHERZ : « Lausanne sans publicité commerciale »
    (FIM)
```

```

    language: fr
    state_id: postponed
    agenda_item_category: RAPPORTS
    affair_id: affairs:P0522/029
    url:
    - text: >-
      https://www.lausanne.ch/apps/agir/affaire/81/b7157ea2a4994086b65cf176768c6381.htm
    language: fr
    datetime_created: '2025-02-08T12:33:10Z'
    datetime_modified: '2025-02-08T12:33:10Z'

```

5.1.15.3.2 Example Agendaltem: Postulate with a voting

```

agenda_items:
- global_uri: ops:fa732e0e-7e5f-4d45-994a-fc74720c0781
  parent_meeting: ops:meeting_luzern_2025_01_28_b
  agenda_item_type: item
  datetime_begin_planned: '2025-01-28T00:00:00Z'
  agenda_item_position: 14
  agenda_item_number: '14'
  agenda_item_title:
  - text: >-
    Postulat Stadelmann Karin Andrea und Mit. über die Überprüfung und Anpassung
    der Kriterien zum früheren Eintritt von Kindern in die Basisstufe (den freiwilligen
    Kindergarten) / Bildungs- und Kulturdepartement
  language: de
  agenda_item_category: voting
  url:
  - text: >-
    https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
    TraktandumGuid=fa732e0e-7e5f-4d45-994a-fc74720c0781
  language: de
  affair_id: affairs:2023P_102
  datetime_created: '2025-01-29T06:59:41Z'
  datetime_modified: '2025-01-29T06:59:41Z'

```

5.1.15.3.3 Example Agendaltem: Popular motion within a group of agenda items

```

agenda_items:
- global_uri: ops:16155798_4
  parent_meeting: ops:meeting_schaffhausen_2025_03_31_b
  agenda_item_type: item
  datetime_begin_planned: '2025-03-31T00:00:00Z'
  agenda_item_position: 3
  agenda_item_number: '3'
  agenda_item_title:
  - text: >-
    Volksmotion Nr. 2024/1 von Sandro Mamedow und Livia Schraff (Erstunterzeichnende)
    sowie weitere 150 Mitunterzeichnende vom 22. März 2024 mit dem Titel: «Für eine
    Stimme der Studierenden im Hochschulrat der Pädagogischen Hochschule Schaffhausen
    (PHSH)»
  language: de
  agenda_item_category: Traktanden
  affair_id: affairs:MOT_2024_1
  datetime_created: '2025-05-02T11:23:49Z'
  datetime_modified: '2025-05-02T11:23:49Z'

```

5.1.15.3.4 Example Agendaltem: Substantive affair without an agenda category

```

agenda_items:
- global_uri: ops:49_253
  parent_meeting: ops:meeting_2025_03_31
  agenda_item_type: item
  datetime_begin_planned: '2025-03-31T00:00:00Z'
  agenda_item_position: 2
  agenda_item_number: '2'
  agenda_item_title:
  - text: Programmvereinbarungen 2024
  language: de

```

```
datetime_created: '2025-03-29T01:07:14Z'
datetime_modified: '2025-03-29T01:07:14Z'
```

5.1.15.3.5 Example Agendaltem: Agenda item with a final vote

```
agenda_items:
- global_uri: ops:agenda_item_sg_2025_015
  parent_meeting: ops:meeting_sg_2025_03_15
  agenda_item_type: item
  agenda_item_number: '15'
  agenda_item_position: 15
  agenda_item_title:
  - text: Energiegesetz - Schlussabstimmung
    language: de
  agenda_item_description:
  - text: Schlussabstimmung über das revidierte Energiegesetz des Kantons St. Gallen
    language: de
  agenda_item_category: Gesetzgebung
  state_id: completed
  datetime_begin_planned: '2025-03-15T14:00:00Z'
  datetime_begin_actual: '2025-03-15T14:30:00Z'
  affair_id: affairs:sg_2024_123_energiegesetz
  datetime_created: '2025-02-01T10:00:00Z'
  datetime_modified: '2025-03-15T14:35:00Z'
```

5.1.15.3.6 Example Agendaltem: Petition as an agenda item

```
agenda_items:
- global_uri: ops:21c50b86d21b4b4baeb1a76738ff82a3_2025-04-02_1_de
  parent_meeting: ops:meeting_bern_rr_2025_04_02
  agenda_item_type: item
  datetime_begin_planned: '2025-04-02T00:00:00Z'
  agenda_item_title:
  - text: >-
    Petition «Gleichberechtigung für Tagesfamilien: Gleich hohe Betreuungsgutscheine
    für alle Anbieter im Kanton Bern». Regierungsrätliches Antwortschreiben
    language: de
  affair_id: affairs:2025.STA.622
  url:
  - text: >-
    https://www.rr.be.ch/de/start/beschluesse/suche/geschaeftsdetail.html?
    guid=21c50b86d21b4b4baeb1a76738ff82a3
    language: de
  datetime_created: '2025-04-25T11:11:40Z'
  datetime_modified: '2025-04-25T11:11:40Z'
```

5.1.15.3.7 Example Agendaltem: Agenda item of a Council of States sitting

```
agenda_items:
- global_uri: ops:69905
  parent_meeting: parl:sr_winter25_sitzung_6
  agenda_item_type: item
  datetime_begin_planned: '2025-12-19T09:15:00+01:00'
  datetime_begin_actual: '2025-12-19T09:20:00+01:00'
  agenda_item_number: '6'
  agenda_item_position: 4
  agenda_item_title:
  - text: >-
    Postulat Broulis Pascal. Bauprojekte im Mobilitätsbereich. Einen Vergleich durchführen,
    um die Verzögerungen zu verstehen
    language: de
  affair_id: affairs:24.4471
  landing_page: >-
    https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-die-
    verhandlungen?SubjectId=69905#votum3
  agenda_item_category: agenda_item
  datetime_created: '2026-01-12T00:00:00+01:00'
  datetime_modified: '2026-01-12T00:00:00+01:00'
```

5.1.15.3.8 Example Agendaltem: Postulate category voting

```
agenda_items:
- global_uri: ops:0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
  parent_meeting: ops:meeting_luzern_2025_01_28
  agenda_item_type: item
  datetime_begin_planned: '2025-01-28T00:00:00Z'
  agenda_item_position: 29
  agenda_item_number: '29'
  agenda_item_title:
  - text: >-
    Postulat Widmer Reichlin Gisela und Mit. über Massnahmen zur Erfüllung des
    Sonderschulkonkordats
    und zur gezielten Behebung des Fachkräftemangels im Bereich schulische Heilpädagogik
    / Bildungs- und Kulturdepartement
    language: de
  agenda_item_category: voting
  url:
  - text: >-
    https://www.lu.ch/kr/Sessionen/sessionsdaten_2020/Abstimmungsergebnisse/Detail?
    TraktandumGuid=0de4ecdb-23f1-49ab-95b8-1afc2e4feb1a
    language: de
  affair_id: affairs:2024P_125
  datetime_created: '2025-01-29T06:59:41Z'
  datetime_modified: '2025-01-29T06:59:41Z'
```

5.1.15.3.9 Example Agendaltem: Interpellation as an agenda item

```
agenda_items:
- global_uri: ops:06fb582b753c416d8fdb05fa13873545
  parent_meeting: ops:meeting_2011_11_23
  agenda_item_type: item
  datetime_begin_planned: '2011-11-23T00:00:00Z'
  agenda_item_position: 2
  agenda_item_title:
  - text: >-
    Interpellation Peter Mark betr. elektronische Datenerfassung durch Mitarbeiter
    im Werkhof – Versuchsphase
    language: de
  datetime_created: '2025-03-21T23:15:19Z'
  datetime_modified: '2025-03-21T23:15:19Z'
```

5.1.15.3.10 Example Agendaltem: Urgent interpellation in French

```
agenda_items:
- global_uri: ops:2025_05_20-23
  parent_meeting: ops:meeting_lausanne_2025_05_20
  agenda_item_type: item
  datetime_begin_planned: '2025-05-20T00:00:00Z'
  agenda_item_position: 23
  agenda_item_number: '23'
  agenda_item_title:
  - text: >-
    Interpellation urgente du 20 mai 2025 de M. Yusuf KULMIYE : « Interpellation
    urgente de Kulmiye Yusuf et crts – Solidarité sans frontières, Lausanne en faveur
    du respect du droit international et de la protection des populations civiles
    à Gaza »
    language: fr
  state_id: not_treated
  agenda_item_category: ANNONCES ET INTERPELLATIONS
  affair_id: affairs:INT25/027
  url:
  - text: >-
    https://www.lausanne.ch/apps/agir/affaire/6c/049b6c612fe2428f9be66ea39522ac6c.htm
    language: fr
  datetime_created: '2025-06-07T23:50:18Z'
  datetime_modified: '2025-06-07T23:50:18Z'
```

5.1.15.3.11 Example Agendaltem: Motion within a group of agenda items

```
agenda_items:
- global_uri: ops:16155798_3
  parent_meeting: ops:meeting_schaffhausen_2025_03_31
  agenda_item_type: item
  datetime_begin_planned: '2025-03-31T00:00:00Z'
  agenda_item_position: 2
  agenda_item_number: '2'
  agenda_item_title:
  - text: >-
    Motion Nr. 2023/9 von Rainer Schmidig vom 18. Dezember 2023 betreffend zeitgemässe
    Abzüge in den Art. 35 und 37 des Gesetzes über die direkten Steuern
  language: de
  agenda_item_category: Traktanden
  affair_id: affairs:MOT_2023_9
  datetime_created: '2025-05-02T11:23:49Z'
  datetime_modified: '2025-05-02T11:23:49Z'
```

5.1.15.3.12 Example Agendaltem: Budget agenda item

```
agenda_items:
- global_uri: ops:agenda_item_zh_budget_2026
  parent_meeting: ops:meeting_zh_2025_11_20
  agenda_item_type: item
  agenda_item_number: '8'
  agenda_item_position: 8
  agenda_item_title:
  - text: Budget 2026
    language: de
  agenda_item_description:
  - text: Beratung und Beschlussfassung über das Kantonsbudget für das Jahr 2026
    language: de
  agenda_item_category: Budget und Finanzen
  state_id: completed
  datetime_begin_planned: '2025-11-20T16:00:00Z'
  datetime_begin_actual: '2025-11-20T16:45:00Z'
  affair_id: affairs:zh_2025_budget_2026
  datetime_created: '2025-10-01T08:00:00Z'
  datetime_modified: '2025-11-20T16:50:00Z'
```

5.1.15.3.13 Example Agendaltem: Substantive affair from a cantonal parliamentary information system

```
agenda_items:
- global_uri: ops:87b69a72919445a493a061d9b0daeba3
  parent_meeting: ops:meeting_be_2025_06_02
  agenda_item_type: item
  datetime_begin_planned: '2025-06-02T00:00:00Z'
  agenda_item_title:
  - text: Differenzierte Anpassung des Gehalts von Lehrpersonen ohne Lehrdiplom
    language: de
  affair_id: affairs:2025.GRPARL.81
  datetime_created: '2025-04-25T11:10:35Z'
  datetime_modified: '2025-04-25T11:10:35Z'
```

5.1.15.3.14 Example Agendaltem: Detailed deliberation of an article of an act

```
agenda_items:
- global_uri: ops:agenda_item_be_2025_042
  parent_meeting: ops:meeting_be_committee_wak_2025_05_12
  agenda_item_type: item
  agenda_item_number: '4.2'
  agenda_item_position: 42
  agenda_item_title:
  - text: Steuergesetz - Detailberatung Art. 5
    language: de
  - text: Loi fiscale - Délibération détaillée art. 5
    language: fr
  agenda_item_description:
```

```
- text: Beratung von Änderungsanträgen zu Artikel 5 des Steuergesetzes
  language: de
- text: >-
  Délibération sur les propositions de modification de l'article 5 de la loi fiscale
  language: fr
agenda_item_category: Gesetzgebung
state_id: completed
datetime_begin_planned: '2025-05-12T15:00:00Z'
datetime_begin_actual: '2025-05-12T15:15:00Z'
affair_id: affairs:be_2024_089_steuergesetz
datetime_created: '2025-04-15T09:00:00Z'
datetime_modified: '2025-05-12T15:20:00Z'
```

5.1.15.3.15 Example Agendaltem: Interpellation of a parliamentary group

```
agenda_items:
- global_uri: ops:cea750a5bd7b420fa4da1c914f801384
  parent_meeting: ops:meeting_bern_2022_03_17
  agenda_item_type: item
  datetime_begin_planned: '2022-03-17T17:00:00Z'
  agenda_item_position: 29
  agenda_item_number: '8'
  agenda_item_title:
  - text: >-
    Interpellation Fraktion GB/JA! (Katharina Gallizzi, GB): Welche Konsequenzen
    haben die Klimaziele für das Gasnetz in Bern?
    language: de
  affair_id: affairs:2020.SR.000007
  url:
  - text: >-
    https://stadtrat.bern.ch/de/sitzungen/detail.php?
gid=000d6cf5f0bc4d89a5171e0123cfbff5#cea750a5bd7b420fa4da1c914f801384
  language: de
  datetime_created: '2025-01-17T21:25:52Z'
  datetime_modified: '2025-01-17T21:25:52Z'
```

5.1.15.3.16 Example Agendaltem: Partial revision of several ordinances in French

```
agenda_items:
- global_uri: ops:7b3545e4-57dc-3901-aaa8-4020da6ab0c6
  parent_meeting: ops:meeting_vaud_2008_04_30
  agenda_item_type: item
  datetime_begin_planned: '2008-04-30T00:00:00Z'
  agenda_item_position: 7
  agenda_item_number: '7'
  agenda_item_title:
  - text: >-
    Révision partielle de sept ordonnances fédérales relatives aux produits chimiques
    language: fr
  agenda_item_description:
  - text: 'Le Conseil d''Etat approuve le projet de révision partielle de sept ordonnances
    fédérales relatives aux produits chimiques. Il salue la volonté des autorités
    fédérales d''introduire dans la législation fédérale les modifications nécessaires
    découlant des nouveaux règlements européens, afin d''éliminer des entraves au
    commerce et d''augmenter la sécurité d''évaluation des produits chimiques.'

  language: fr
  url:
  - text: >-
    https://www.vd.ch/actualites/decisions-du-conseil-detat/seance-du-conseil-detat/seance/
    265632#7b3545e4-57dc-3901-aaa8-4020da6ab0c6
  language: fr
  datetime_created: '2024-12-06T10:50:04Z'
  datetime_modified: '2024-12-06T10:50:04Z'
```

5.1.16 Enum: AgendaltemTypeEnum

Type of agenda item, distinguishing individual items from grouped items.

URI: [ops:AgendaItemTypeEnum](#)

5.1.16.1 Permissible Values

Value	Description
item	Individual agenda item (Traktandum) ops:enum/agenda_item_type/item
group	Group of agenda items (Traktandengruppe) ops:enum/agenda_item_type/group

5.2 Protocol

5.2.1 Purpose of the entity

While the agenda items represent the **planning** of a sitting, the protocol records the **actual course** after the sitting. Protocol is a wrapper container kept exactly once per sitting (Meeting) that bundles the agenda items actually dealt with (`protocol_items`), votings, speeches as well as verbatim text segments and documents.

The protocol is **referenced, not embedded**: `Meeting.protocol_ref` holds the identifier alone, the protocol itself is an entry of its own in `Container.protocols`. The rule this standard applies throughout therefore holds here as well — what has no identity of its own is embedded (PersonReference or GroupReference, say), what has one is referenced. The protocol carries its own `global_uri` and can be cited independently; the Official Bulletin, for instance, is available at an address of its own. Above all it comes into being after the sitting: embedded, the entire sitting would have to be delivered again once the protocol exists; referenced, delivering the protocol alone is enough.

Within the protocol the collections stay embedded, because they arise and are delivered together with it. Anyone publishing votings or speeches independently of the protocol delivers them flat in `Container.votings` or `Container.speeches` instead and links them through `parent_meeting` and `parent_agenda_item`.

```

Container
├── meetings      → Meeting
│   └── protocol_ref → identifier of the protocol
├── agenda_items → AgendaItem (before: planned agenda items,
parent_meeting)
│   └── protocols → Protocol (after: the record, parent_meeting)
│       └── protocol_items → ProtocolItem (like
AgendaItem)
│           ├── votings
│           ├── speeches
│           ├── text_segments
│           └── documents

```

5.2.2 Class: Protocol

The minutes of a meeting, recorded after the meeting. A wrapper container bundling the actually handled agenda items (`protocol_items`), votings, speeches, verbatim text segments and linked documents.

5.2.2.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose.
protocol_items	* ProtocolItem	Agenda items as actually recorded in the protocol.
votings	* Voting	Collection of voting records.
speeches	* Speech	Collection of speech records.
text_segments	* TextSegment	Collection of text segments (e.g. verbatim protocol).
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

5.2.2.2 Usages

Used by	In slot	Role	Element
Container	protocols	range	Protocol
Meeting	protocol_ref	range	Protocol

5.2.2.3 Examples

5.2.2.3.1 Example Protocol: Protocol as an entity in its own right referenced by the meeting

```
protocols:
- global_uri: ops:protokoll_sr_winter25_sitzung_6
  parent_meeting: parl:sr_winter25_sitzung_6
  protocol_items:
  - global_uri: ops:protokollpunkt_69905
    parent_meeting: parl:sr_winter25_sitzung_6
```

```

agenda_item_type: item
agenda_item_number: '6'
agenda_item_position: 4
agenda_item_title:
- text: >-
  Postulat Broulis Pascal. Bauprojekte im Mobilitätsbereich. Einen Vergleich
  durchführen, um die Verzögerungen zu verstehen
  language: de
affair_id: affairs:24.4471
datetime_begin_actual: '2025-12-19T09:20:00+01:00'
landing_page: >-
  https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-die-
  verhandlungen?SubjectId=69905#votum3
agenda_item_category: agenda_item
datetime_created: '2026-01-12T00:00:00+01:00'
datetime_modified: '2026-01-12T00:00:00+01:00'
datetime_created: '2026-01-12T00:00:00+01:00'
datetime_modified: '2026-01-12T00:00:00+01:00'

```

5.2.3 ProtocolItem (agenda item as recorded)

ProtocolItem inherits all fields of AgendaItem (is_a: AgendaItem) and represents an agenda item as it was actually recorded in the protocol.

5.2.4 Class: ProtocolItem

An agenda item as actually recorded in the protocol.

5.2.4.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose. Inheritance: AgendaItem
agenda_item_type	0..1 AgendaItemTypeEnum	Type of agenda item, distinguishing individual items from groups. Inheritance: AgendaItem
agenda_item_number	0..1 String	Sequential number of the agenda item (string type to support roman numerals). Inheritance: AgendaItem
agenda_item_position	0..1 Integer	Integer position of the agenda item in the meeting sequence. Inheritance: AgendaItem
leading_actor_id	0..1 String	The leading department for the agenda item. Inheritance: AgendaItem

Name	Cardinality and Range	Description
speaking_actor_id	0..1 String	The speaker or head of the department for the agenda item. Inheritance: AgendaItem
agenda_item_title	* MultilingualString	Title of the agenda item. Inheritance: AgendaItem
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item. Inheritance: AgendaItem
agenda_item_description	* MultilingualString	Subtitle or detailed description of the agenda item. Inheritance: AgendaItem
state_id	0..1 String	State identifier (reference to state enum or custom state). Inheritance: AgendaItem
state_name	0..1 String	Custom state description for the meeting. Inheritance: AgendaItem
landing_page	0..1 String	URL providing further information. Inheritance: AgendaItem
url	* MultilingualString	Landing page or further web address, multilingual. Inheritance: AgendaItem
agenda_item_category	0..1 String	Category for grouped agenda items (e.g., introduction, by department, technical agenda items). Inheritance: AgendaItem
parent_agenda_item	0..1 String	Identifier of the agenda item this record belongs to. On an agenda item it builds a hierarchy of agenda items; on a voting, election or speech it names the agenda item under which the record was handled. Inheritance: AgendaItem
has_resolution	0..1 Resolution	The resolution or decision taken on this agenda item. Inheritance: AgendaItem
documents	* Work	List of documents (FRBR Works) linked to the entity. Inheritance: AgendaItem
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_actual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_begin_planned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_actual	0..1 Datetime	The actual end date and time of an event or

Name	Cardinality and Range	Description
I		occurrence with time duration. Inheritance: IsEventWithDuration
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration. Inheritance: IsEventWithDuration
datetime_end_planned	0..1 Datetime	The planned end date and time of an event or occurrence with time duration. Inheritance: IsEventWithDuration
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

5.2.4.2 Usages

Used by	In slot	Role	Element
Protocol	protocol_items	range	ProtocolItem

5.3 Joint debate (JointDebate)

5.3.1 Purpose of the entity

JointDebate combines several agenda items that are deliberated together — for instance substantively related affairs dealt with in a single debate.

5.3.2 Class: JointDebate

Agenda Items which are debated together.

5.3.2.1 Attribute

Name	Cardinality and Range	Description
agenda_items	* AgendaItem	Collection of agenda item records.

5.4 Resolution

5.4.1 Purpose of the entity

The Resolution entity records the formal decision on an agenda item. It documents **what** was decided, while Voting documents **how** (with which procedure and which ratio of votes) the decision was taken.

5.4.2 Relation to Agendaltem and Voting

AgendaItem (Energy act – final vote)

- └ Resolution (acceptance of the energy act)
- └ Voting (120 yes, 75 no, 5 abstentions)

An Agendaltem can have several Resolutions (e.g. in case of several votings on the same agenda item). Each Resolution typically references a Voting containing the voting details.

5.4.3 Types of resolutions

The **resolution_type** field uses a controlled vocabulary:

5.4.3.1 accepted

The agenda item was accepted

Application: - Bills were accepted - Motions were approved - Decisions were taken

5.4.3.2 rejected

The agenda item was rejected

Application: - Bills were rejected - Motions were dismissed - Rejection decisions

5.4.3.3 referred_back

Referral back to another body

Application: - Referral back to a committee for revision - Referral back to the government - Back to the other chamber (in bicameral systems)

5.4.3.4 noted

Noted

Application: - Reports without a voting - Announcements - Informative agenda items

5.4.3.5 postponed

Adjourned

Application: - Deferral of the treatment - Not yet ready for a decision - Further clarifications needed

5.4.3.6 withdrawn

Withdrawn

Application: - The proposer withdraws the bill - The affair is not pursued further

5.4.3.7 amended

Accepted with amendments

Application: - Act accepted with amendments - Modified version adopted - Compromise solution

5.4.3.8 no_decision

No decision taken

Application: - No majority for any motion - Tie without a casting vote - Not able to take decisions

5.4.4 Design decision: why a separate Resolution entity?

The alternative would have been: storing the resolution type directly in Agendaltem.

Reasons for a separate entity:

1. **Several decisions per agenda item:** an agenda item can have several decisions (e.g. first an amendment, then the overall vote)
2. **Structured link to votings:** clear 1:1 relation between Resolution and Voting
3. **Multilingual decision texts:** a Resolution can contain detailed decision texts in several languages
4. **Temporal flexibility:** a Resolution can be recorded separately in time from the Agendaltem

5.4.5 Decision text

- **title:** short summary of the decision
- **description:** detailed decision text

Example: - title: "Acceptance of the energy act" - description: "The National Council accepts the Federal Act on the Energy Transition in the version of the committee with 120 to 75 votes and 5 abstentions."

5.4.6 Link to the voting

The field **voting_id** references the corresponding Voting containing the voting details:

- Ratio of votes
- Voting procedure
- Individual votes (in roll-call votings)

Not all resolutions have a voting: - "Noted" often occurs without a formal voting - Tacit acceptances - Administrative decisions

5.4.7 Timestamps

- **datetime_created:** point in time of the decision
- **datetime_modified:** last change (e.g. in case of corrections)

5.4.8 URLs and documentation

The field **url** can reference further documents: - Detailed decision texts - Reasons - Legal bases

5.4.9 Use cases in different contexts

5.4.9.1 Legislative procedure

Several resolutions for different phases: 1. Resolution “entry” (accepted/rejected) 2. Resolution on article 1 (accepted/amended) 3. Resolution on article 2 (accepted) 4. Resolution overall vote (accepted/rejected)

5.4.9.2 Elimination of differences (bicameral system)

- Resolution “adherence to the version of the first chamber”
- Resolution “maintaining its own version”
- Resolution “acceptance of the compromise proposal”

5.4.9.3 Committee work

- Resolution “referral back to the committee with an additional mandate”
- Resolution “adoption of the committee report”

5.4.10 Technical considerations

5.4.10.1 Granularity

The granularity of resolution recording varies: - **Detailed**: every individual voting gets its own resolution - **Aggregated**: only the final decision is recorded

The standard permits both approaches.

5.4.10.2 Multilingualism

In multilingual parliaments (CH, BE, etc.) decision texts have to be recorded in all official languages. This is done via MultilingualString arrays in title and description.

5.4.11 Purposes of use

1. **Official documentation**: what was decided?
2. **Legal force**: formal proof of the decision
3. **Public information**: comprehensible summary of complex votings
4. **Affairs management**: tracking of decisions and their implementation
5. **Statistical evaluation**: acceptance and rejection rates

5.4.12 Class: Resolution

A resolution or decision taken on an agenda item, including voting procedures.

5.4.12.1 Attribute

Name	Cardinality and Range	Description
resolution_type	0..1 ResolutionTypeEnum	Type of resolution taken on the agenda item.
type_label	0..1 String	Custom type label when standard type values don't apply.
vote_procedures	* String	Procedures for voting, such as secret ballot or open vote.
documents	* Work	List of documents (FRBR Works) linked to the

Name	Cardinality and Range	Description
		entity.

5.4.12.2 Usages

Used by	In slot	Role	Element
Container	resolutions	range	Resolution
AgendaItem	has_resolution	range	Resolution
ProtocolItem	has_resolution	range	Resolution

5.4.13 Enum: ResolutionTypeEnum

Type of resolution taken on an agenda item.

URI: [ops:ResolutionTypeEnum](#)

5.4.13.1 Permissible Values

Value	Description
accepted	Accepted (Annahme) ops:enum/resolution_type/accepted
rejected	Rejected (Ablehnung) ops:enum/resolution_type/rejected
noted	Noted (Kenntnisnahme) ops:enum/resolution_type/noted
accepted_point_by_point	Accepted point by point (Punktweise Annahme) ops:enum/resolution_type/accepted_point_by_point
accepted_with_postulate	Accepted with postulate (Annahme mit Postulat) ops:enum/resolution_type/accepted_with_postulate
orally_settled	Orally settled (Mündlich erledigt) ops:enum/resolution_type/orally_settled
nearly_unanimous	Nearly unanimous (Beinahe einstimmig) ops:enum/resolution_type/nearly_unanimous
other	Other resolution type not covered by standard categories ops:enum/resolution_type/other

5.5 Motion

5.5.1 Purpose

Records motions submitted during the sitting (amendments, procedural motions, etc.).

5.5.2 Structure

- **motion_type**: type of the motion
 - o **amendment**: amendment to a legal text

- o **procedural**: procedural motion (e.g. closing the debate)
- o **referral**: referral motion
- o **other**: other motions
- **title**: short title of the motion
- **description**: full text of the motion
- **proposer_person_id**: the person submitting the motion
- **seconder_person_id**: seconders (where required)
- **result**: result (accepted, rejected, withdrawn)

5.5.3 Design decision

Why a separate entity instead of just in Agendaltem? - An agenda item can contain several motions - Motions have their own life cycle (submitted, seconded, voted on) - Structured recording of proposer and supporters - Separate votings per motion are possible

5.5.4 Application

Linked with Agendaltem and optionally with Voting:

```

AgendaItem (Energy act – art. 15)
├─ Motion (amendment person A)
│   └─ Voting (voting on the amendment)
├─ Motion (amendment person B)
│   └─ Voting (voting on the amendment)
└─ Voting (voting on the article as a whole)
  
```

5.5.5 Class: Motion

A formal proposal or motion submitted during proceedings.

5.5.5.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
title	0..1 String	Title of the element.
description	0..1 String	Descriptive text of the element.
documents	* Work	List of documents (FRBR Works) linked to the entity.

6 Votings and elections

Parliamentary decisions are taken either by votings on substantive questions or by elections of persons. The standard clearly distinguishes these two mechanisms and additionally records, in open procedures, the individual voting behaviour of every member of parliament. Presidents of parliament generally do not take part in votings; they only vote in elections. In votings with a tie they cast the deciding vote.

6.1 Voting

6.1.1 Purpose of the entity

“Voting” records the voting process and the result of a formal decision in parliament. The entity documents the subject of the voting (the question), the procedure (how the vote was taken) and the result (with which ratio of votes).

6.1.2 Types of votings

The standard distinguishes different voting types via the field **voting_type**:

6.1.2.1 intermediate

Intermediate votings during the deliberation.

Examples: - Voting on entering into an affair - Voting on a motion - Opposing two motions that exclude each other or that refer to the same passage of text - Contingent voting when more than two motions relate to the same subject - Voting on a single article of an act - Overall vote after the first reading of an enactment deliberated in two readings

6.1.2.2 final

The concluding voting on the entire bill

Examples: - Final vote after the last reading of an enactment - Overall vote on a decree - Acceptance or rejection of a bill as a whole - Point-by-point voting on a parliamentary initiative

6.1.2.3 casting

Deciding vote of the chair in case of a tie. The chair does not take part in votings but has the deciding vote in case of a tie. In a secret voting, in case of a tie the motion of the preliminarily deliberating council body counts as accepted.

6.1.2.4 secret

Secret casting of votes in votings and elections

Application: - Election of persons - Voting on a particularly sensitive substantive affair such as a pardon request or the lifting of immunity - Voting after a confidential deliberation - Secret voting upon request

6.1.3 Structure of a voting

A voting is always assigned to a sitting phase and/or a sitting, an agenda item and an affair with an affair title and an affair number. It comprises the voting type, the subject of the voting (the question), the result and — in a non-secret voting — the individual votes of the members. It can either:

AgendaItem (15) affair (Energy act – art. 15)

- └ Voting (intermediate voting on art. 15)
 - └ IndividualVote (person A: yes)
 - └ IndividualVote (person B: no)
 - └ IndividualVote (person C: yes)

Example selection: 3 options: <https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?aid=aa10c137274f424fa4eda877e7644a89> 5 options:
<https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?aid=23f01ba9b3f3410cb9cfb85f32f3dfe0>

6.1.4 Voting procedures

The field **procedure** describes how the vote is conducted:

6.1.4.1 Open procedures

- **show_of_hands**: show of hands (traditional)
- **standing**: standing up (rarer)
- **electronic**: electronic voting (frequent at federal and cantonal level)
- **roll_call**: roll-call voting with calling of names
- **remote_voting**: external casting of votes during crises (individual council members communicate their vote to the parliamentary presidency ahead of the sitting day. The externally cast votes are recorded simultaneously with the voting running in the council.)
- **circulation_voting**: circulation procedure during crises (the parliamentary presidency conducts the voting by circulation and informs about the result)
- **virtual_voting**: casting of votes at virtual sittings during crises.

6.1.4.2 Secret procedures

- **secret_ballot**: secret ballot with voting slips
- **electronic_secret**: electronic secret voting

The choice of procedure determines whether individual votes can be recorded: - Open procedures: individual votes can be documented - Secret procedures: only the overall result is available

6.1.5 Voting result

The result is recorded in two ways:

6.1.5.1 Detailed figures

- **total_count_yes**: number of yes votes
- **total_count_no**: number of no votes
- **total_count_abstention**: number of abstentions
- **total_other**: numbers of votes for additional options where not only yes/no/abstention are available (see the section “Multiple options”)
- **total_absent**: number of absent members (who could not vote)
- **total**: total number of voting members (without absentees and the presidency’s vote)
- **majority_count**: number of votes required for the necessary majority

6.1.5.2 Overall result

The result is described as free text in the field **result_text** (e.g. “Accepted with 120 to 75 votes and 5 abstentions”). The categorical decision (accepted / rejected / noted etc.) is not recorded on the voting itself but via the class **Resolution** (slot **resolution_type**) on the agenda item. In case of a tie, a possible deciding vote of the presidency is modelled via a separate voting (voting_type: tie_breaker_president) respectively a new voting.

Example (final vote, simple yes/no voting): - total_count_yes: 120 - total_count_no: 75 - total_count_abstention: 5 - total_absent: 0 - total: 200 - result_text: “Accepted with 120 to 75 votes and 5 abstentions” - Resolution.resolution_type: accepted

6.1.5.3 Multiple options (selection votings / “motions in the same direction”)

Not every voting knows only yes, no and abstention. If several motions in the same direction relate to the same substantive question, the members vote on more than two variants simultaneously (in Zurich colloquially “cup voting”, technically via several voting buttons). The prevailing variant is the one with the most votes.

Such procedures are represented as follows:

- **voting_type** = other, complemented by a meaningful **type_label** (e.g. “Motions in the same direction (multiple choice)”).
- The standard fields **total_count_yes** / **total_count_no** / **total_count_abstention** remain empty, because the options do not correspond to yes/no/abstention.
- Instead, every selection option gets an entry in **total_other** (list of TotalOther with **count** and **label**). This allows any number of options with their respective vote counts to be recorded.
- At the level of the individual vote, **individual_vote_type** is set to other and the chosen option is recorded via **type_label** (e.g. “Selection A”); absent members get not_voted.
- As **majority_type**, other is used, because it is not a fixed threshold but the relative majority among the options that decides.

Example (City of Zurich communal council, 86th sitting of 28.02.2024, affair 2023/361 “Residential building Magnusstrasse 27, net additional credit”) — motions in the same direction with four selection options:

Option	Votes
Selection A (prevailing)	75
Selection B	25
Selection C	12
Selection D	0
Absent	13

- Total cast: 112 (of 125 members)
- Result: selection A accepted (relative majority)

The complete modelling of this case can be found in `data_voting.yaml` (ops:voting_zh_gr_2024_2023_361).

6.1.6 Majority types

The field **majority_type** defines the required majority:

6.1.6.1 simple

Simple majority (more yes than no)

Application: - Standard case for most decisions - Abstentions do not count

Example: 100 yes, 80 no, 20 abstentions → accepted

6.1.6.2 absolute

Absolute majority (more than half of all members)

Application: - Elections - Constitutional amendments in some cantons - Particularly important decisions

Example: with 200 members at least 101 yes votes are required

6.1.6.3 two_thirds

Two-thirds majority

Application: - Urgency clauses at federal level - Constitutional amendments in some cantons - Lifting of immunity

Example: with 200 members at least 134 yes votes are required

6.1.6.4 qualified

Qualified majority (other thresholds)

Application: - Special requirements in individual cantons or communes - The concrete quorum is indicated in **majority_threshold**

6.1.7 Threshold

For qualified majorities, the field **majority_threshold** indicates the exact threshold (e.g. 0.6 for 60%).

6.1.8 Quorum

The field **quorum** defines the minimum number of members present for the capacity to take decisions:

Example: a parliament with 200 members can take decisions if at least 100 members are present (quorum: 100).

6.1.9 Roll-call votings

The field **named_vote** indicates whether the voting is a roll-call voting:

- **true:** the individual votes are recorded and published
- **false:** only the overall result is recorded

Roll-call votings are important for: - transparency of voting behaviour - analysis of voting patterns
- accountability towards the electorate

6.1.10 Relation to individual votes

In roll-call votings the Voting entity references the individual IndividualVote entities:

```
Voting
├─ IndividualVote (person A)
├─ IndividualVote (person B)
└─ ...
```

Example: name list in an accordion <https://www.tagblatt.gr.be.ch/shareparl?agendaltemUid=e65d81c90d1d43deb19ef078f7e363f3&segmentType=vote&unitName=default&scroll=true&autoplay=false>

6.1.11 Description and documentation

- **description:** description of what was voted on (subject of the voting, voting question)
- **url:** multilingual URLs to voting details

6.1.12 Timestamps

- **datetime_created:** point in time of conducting the voting
- **datetime_modified:** last update (e.g. in case of corrections to the voting protocol)

6.1.13 Class: Voting

A voting procedure with individual votes and results.

6.1.13.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
datetime_end	0..1 Datetime	The date and time when the meeting or voting ends.
voting_type	0..1 VotingTypeEnum	Type of voting procedure (preliminary, final, secret, etc.).
type_label	0..1 String	Custom type label when standard type values don't apply.
voting_title	* MultilingualString	Title or question being voted on. If no specific subject exists, do not use the business item title.
optional	0..1 Boolean	Indicates if the meeting or voting is optional.

Name	Cardinality and Range	Description
landing_page	0..1 String	URL providing further information.
label_yes	0..1 String	Meaning of a 'yes' vote.
label_no	0..1 String	Meaning of a 'no' vote.
label_abstention	0..1 String	Meaning of an 'abstention' vote.
tie_breaker	0..1 Boolean	Indicates if a tie-breaker was used in the voting.
total_count_yes	0..1 Integer	Total number of 'yes' votes.
total_count_no	0..1 Integer	Total number of 'no' votes.
total_count_abstention	0..1 Integer	Total number of abstentions.
total_other	* TotalOther	Used when multiple options are presented for voting (e.g., 5 buttons in Zurich).
total_absent	0..1 Integer	Total number of absent members. Distinction between absent/excused absent - presence is tracked on attendance list.
total	0..1 Integer	Total number of votes, excluding absent and president's vote.
majority_type	0..1 MajorityTypeEnum	Type of majority required for the vote (absolute, two-thirds, etc.).
majority_count	0..1 Integer	Number of votes required for the relevant majority threshold.
result_text	0..1 String	Free text describing the outcome of the vote, e.g., "Accepted with 78 votes".
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose.
parent_agenda_item	0..1 String	Identifier of the agenda item this record belongs to. On an agenda item it builds a hierarchy of agenda items; on a voting, election or speech it names the agenda item under which the record was handled.
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created.

Name	Cardinality and Range	Description
		Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

6.1.13.2 Usages

Used by	In slot	Role	Element
Container	votings	range	Voting
Protocol	votings	range	Voting
IndividualVote	parent_voting	range	Voting

6.1.13.3 Examples

6.1.13.3.1 Example Voting: Final vote on the budget

```
votings:
- global_uri: ops:voting_zh_budget_2026
  voting_title:
  - text: Budgetbeschluss 2026
    language: de
  voting_type: final_vote
  datetime_begin: '2025-11-20T16:45:00Z'
  datetime_end: '2025-11-20T16:50:00Z'
  total_count_yes: 105
  total_count_no: 70
  total_count_abstention: 5
  total_absent: 0
  total: 180
  majority_type: absolute
  majority_count: 91
  result_text: Mit 105 zu 70 Stimmen bei 5 Enthaltungen angenommen
  parent_agenda_item: ops:agenda_item_zh_budget_2026
  parent_meeting: ops:meeting_zh_2025_11_20
  actor_id:
    global_uri: actors:kr_zh
    label: Kantonsrat Zürich
    abbreviation:
    - value: KR
      language: de
  datetime_created: '2025-11-20T16:45:00Z'
  datetime_modified: '2025-11-20T16:50:00Z'
```

6.1.13.3.2 Example Voting: Motions in the same direction with multiple choice

```
votings:
- global_uri: ops:voting_zh_gr_2024_2023_361
  voting_title:
  - text: >-
    Liegenschaften Stadt Zürich, Wohnhaus Magnusstrasse 27, Gesamtinstandsetzung,
    Grundrissanpassung, Netto-Zusatzkredit (Geschäft 2023/361)
    language: de
  voting_type: other
  type_label: Gleichgerichtete Anträge (Mehrfachauswahl)
  datetime_begin: '2024-02-28T00:00:00Z'
  datetime_end: '2024-02-28T00:00:00Z'
  landing_page: >-
    https://www.gemeinderat-zuerich.ch/abstimmungen/detail.php?
    aid=aa10c137274f424fa4eda877e7644a89
  total_other:
```

```
- count: 75
  label: Auswahl A (siegreich)
- count: 25
  label: Auswahl B
- count: 12
  label: Auswahl C
- count: 0
  label: Auswahl D
total_absent: 13
total: 112
majority_type: other
result_text: >-
  Auswahl A mit 75 von 112 abgegebenen Stimmen angenommen (Auswahl B: 25, Auswahl
  C: 12, Auswahl D: 0; 13 abwesend von 125 Mitgliedern).
parent_agenda_item: ops:agenda_item_zh_gr_2024_2023_361
parent_meeting: ops:meeting_zh_gr_2024_02_28
affair_id: 2023/361
actor_id:
  global_uri: actors:gr_stadt_zuerich
  label: Gemeinderat der Stadt Zürich
  abbreviation:
    - value: GR
    language: de
datetime_created: '2024-02-28T00:00:00Z'
datetime_modified: '2024-02-28T00:00:00Z'
```

6.1.13.3.3 Example Voting: Final vote with individual votes

```
votings:
- global_uri: ops:voting_sg_2025_001
  voting_title:
    - text: Schlussabstimmung Energiegesetz
    language: de
  voting_type: final_vote
  datetime_begin: '2025-03-15T14:30:00Z'
  datetime_end: '2025-03-15T14:35:00Z'
  total_count_yes: 78
  total_count_no: 42
  total_count_abstention: 5
  total_absent: 3
  total: 128
  majority_type: absolute
  majority_count: 65
  result_text: Mit 78 zu 42 Stimmen bei 5 Enthaltungen angenommen
  parent_agenda_item: ops:agenda_item_sg_2025_015
  parent_meeting: ops:meeting_sg_2025_03_15
  actor_id:
    global_uri: actors:kr_sg
    label: Kantonsrat St. Gallen
    abbreviation:
      - value: KR
      language: de
  datetime_created: '2025-03-15T14:30:00Z'
  datetime_modified: '2025-03-15T14:35:00Z'
```

6.1.13.3.4 Example Voting: Intermediate voting on an amendment

```
votings:
- global_uri: ops:voting_be_2025_042
  voting_title:
    - text: Änderungsantrag Art. 5 Abs. 2
    language: de
    - text: Proposition de modification art. 5 al. 2
    language: fr
  voting_type: preliminary_vote
  datetime_begin: '2025-06-05T10:15:00Z'
  datetime_end: '2025-06-05T10:17:00Z'
  total_count_yes: 45
  total_count_no: 87
  total_count_abstention: 8
```

```
total_absent: 10
total: 150
majority_type: absolute
majority_count: 76
result_text: Mit 45 zu 87 Stimmen bei 8 Enthaltungen abgelehnt
parent_agenda_item: ops:agenda_item_be_2025_042
parent_meeting: ops:meeting_be_2025_06_05
actor_id:
  global_uri: actors:gr_be
  label: Grosser Rat Bern
  abbreviation:
    - value: GR
    language: de
datetime_created: '2025-06-05T10:15:00Z'
datetime_modified: '2025-06-05T10:15:00Z'
```

6.1.14 Enum: VotingTypeEnum

Type of voting procedure.

URI: [ops:VotingTypeEnum](#)

6.1.14.1 Permissible Values

Value	Description
preliminary_vote	Preliminary vote (Zwischenabstimmung) ops:enum/voting_type/preliminary_vote
final_vote	Final vote (Schlussabstimmung) ops:enum/voting_type/final_vote
tie_breaker_president	President's tie-breaking vote (Stichentscheid Präsidium) ops:enum/voting_type/tie_breaker_president
secret_vote	Secret ballot (Geheime Wahl/Abstimmung) ops:enum/voting_type/secret_vote
other	Other voting type ops:enum/voting_type/other

6.1.15 Enum: MajorityTypeEnum

Type of majority required for the vote.

URI: [ops:MajorityTypeEnum](#)

6.1.15.1 Permissible Values

Value	Description
absolute	Absolute majority. ops:enum/majority_type/absolute
two_thirds	Two-thirds majority. ops:enum/majority_type/two_thirds
other	Other majority threshold not covered by the standard categories. ops:enum/majority_type/other

6.1.16 Class: TotalOther

Additional vote counts when multiple options are presented (e.g., Zurich uses 5 buttons).

6.1.16.1 Attribute

Name	Cardinality and Range	Description
count	0..1 Integer	The count of votes for the total other category.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).

6.1.16.2 Usages

Used by	In slot	Role	Element
Voting	total_other	range	TotalOther

6.2 Individual Vote

6.2.1 Purpose of the entity

IndividualVote records the voting behaviour of individual members of parliament in roll-call votings. The entity is only created if a voting is not conducted secretly (Voting.is_nominal = true).

6.2.2 Relation to the voting

Every individual vote is part of a superordinate voting:

```
Voting (final vote energy act)
├ IndividualVote (National Councillor Anna Müller: yes)
├ IndividualVote (National Councillor Beat Schweizer: no)
├ IndividualVote (National Councillor Carla Rossi: abstention)
└ ...
```

6.2.3 Identification of the person

The voting person is referenced via the field **person_id**. This ID corresponds to a person according to the eCH-0294 Actors standard.

Additional identification data can be recorded as well: - **person_name**: name of the person (for quick access) - **person_number**: internal number (e.g. mandate number) - **person_political_group**: parliamentary group affiliation - **person_party**: party affiliation

6.2.4 Types of votes

Besides yes, no and abstention, the field knows three further values: **not_voted** for members who were present but did not vote, **tie_breaker** for the presiding officer's casting vote, and **other** for everything that cannot be put on that axis. **other** is the individual counterpart of **total_other**: in a selection voting the person did vote, but neither yes nor no — which option they chose is held by **type_label** ("Auswahl A"). The individual vote thus stays analysable without the standard having to carry every cantonal selection mechanism as an enum value of its own.

The field **vote** records the type of the vote cast:

6.2.4.1 yes

Yes vote (approval)

Meaning: the person approves the bill / the motion.

6.2.4.2 no

No vote (rejection)

Meaning: the person rejects the bill / the motion.

6.2.4.3 abstention

Abstention

Meaning: the person takes part in the voting but abstains. When voting electronically, they press the “abstention” button.

6.2.5 Vote weight

The field **weight** records the weight of the vote:

- **Standard case:** 1.0 (one vote)
- **Special cases:** other values possible

6.2.5.1 Use cases for a divergent vote weight

1. **Substitution:** in some systems a person can vote on behalf of an absent person (weight: 2.0)
2. **Communal assemblies:** in special cases legal entities can hold several votes
3. **Historical systems:** in some cantons different groups of persons formerly had different vote weights

6.2.6 Group affiliation

The field **group_id** records the parliamentary group affiliation at the time of the voting:

Benefit: - Analysis of voting behaviour by group - Determination of party discipline - Identification of coalitions

Example: in a voting on the energy act 90% of the SP group vote yes, 80% of the SVP group vote no.

6.2.7 Position and order

The field **position** defines the grouping and sort order in the presentation:

Application: - Alphabetical sorting by surname - Sorting by parliamentary group - Sorting by vote cast (first yes, then no, then abstentions) - Grouping by parliamentary group, within the group by yes, no, abstentions and within the subgroup alphabetically

6.2.8 Description and context

The field **description** can record additional information:

Examples: - “Abstention due to a conflict of interest (board member of an energy company)” - “Absent due to illness”

6.2.9 Timestamps

- **datetime_created**: first publication
- **datetime_modified**: last update (e.g. in case of corrections to the publication)

6.2.10 Attendance vs. casting a vote

Important difference:

- **Attendance** (another entity): records the general presence at a sitting
- **IndividualVote**: records the specific vote cast in a voting

A person can be present at a sitting (Attendance) but be recorded as “absent” or “did_not_vote” in individual votings (e.g. when briefly leaving the room).

6.2.11 Roll-call vs. secret votings

IndividualVote entities are only recorded in roll-call (open) votings:

- **Roll-call voting**: every vote is recorded and is public
- **Secret voting**: only the overall result is recorded, no IndividualVotes

6.2.12 Class: IndividualVote

An individual vote cast by a member during a voting procedure.

6.2.12.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
parent_voting	0..1 Voting	The ID of the voting associated with the individual vote.
actor_id	0..1 PersonReference	Reference to the acting person (lightweight snapshot at time of linking).
seat_nr	0..1 String	The seat number of the individual vote, if applicable.
weight	0..1 Integer	The number of votes held by the individual, if applicable (e.g., in cases where a person has multiple votes).
individual_vote_type	0..1 IndividualVoteTypeEnum	Type of vote cast (yes, no, abstention, no vote, etc.).
type_label	0..1 String	Custom type label when standard type values don't apply.

Name	Cardinality and Range	Description
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

6.2.12.2 Usages

Used by	In slot	Role	Element
Container	individual_votes	range	IndividualVote

6.2.12.3 Examples

6.2.12.3.1 Example IndividualVote: No vote

```
individual_votes:
- global_uri: ops:vote_sg_2025_001_person_456
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: actors:person_andreas_eggenberger
    label: Andreas Eggenberger
  seat_nr: '2'
  individual_vote_type: 'no'
  datetime_created: '2025-03-15T14:30:00Z'
```

6.2.12.3.2 Example IndividualVote: No vote on the budget

```
individual_votes:
- global_uri: ops:vote_zh_budget_2026_person_102
  parent_voting: ops:voting_zh_budget_2026
  actor_id:
    global_uri: actors:person_jean_daniel_strub
    label: Jean-Daniel Strub
  seat_nr: '2'
  individual_vote_type: 'no'
  datetime_created: '2025-11-20T16:45:00Z'
```

6.2.12.3.3 Example IndividualVote: Abstention

```
individual_votes:
- global_uri: ops:vote_sg_2025_001_person_789
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: actors:person_thomas_ammann
    label: Thomas Ammann
  seat_nr: '3'
  individual_vote_type: abstention
  datetime_created: '2025-03-15T14:30:00Z'
```

6.2.12.3.4 Example IndividualVote: Yes vote

```
individual_votes:
- global_uri: ops:vote_sg_2025_001_person_123
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: actors:person_paul_schlegel
    label: Paul Schlegel
  seat_nr: '1'
```

```
individual_vote_type: 'yes'
datetime_created: '2025-03-15T14:30:00Z'
```

6.2.12.3.5 Example IndividualVote: Individual vote for selection option B

```
individual_votes:
- global_uri: ops:vote_zh_gr_2024_2023_361_b1
  parent_voting: ops:voting_zh_gr_2024_2023_361
  actor_id:
    global_uri: actors:person_zh_stadt_2
    label: Mitglied Auswahl B
  seat_nr: '47'
  individual_vote_type: other
  type_label: Auswahl B
  datetime_created: '2024-02-28T00:00:00Z'
```

6.2.12.3.6 Example IndividualVote: Individual vote for selection option C

```
individual_votes:
- global_uri: ops:vote_zh_gr_2024_2023_361_c1
  parent_voting: ops:voting_zh_gr_2024_2023_361
  actor_id:
    global_uri: actors:person_zh_stadt_3
    label: Mitglied Auswahl C
  seat_nr: '88'
  individual_vote_type: other
  type_label: Auswahl C
  datetime_created: '2024-02-28T00:00:00Z'
```

6.2.12.3.7 Example IndividualVote: Did not vote

```
individual_votes:
- global_uri: ops:vote_sg_2025_001_person_321
  parent_voting: ops:voting_sg_2025_001
  actor_id:
    global_uri: actors:person_ruedi_thomann
    label: Ruedi Thomann
  seat_nr: '4'
  individual_vote_type: not_voted
  datetime_created: '2025-03-15T14:30:00Z'
```

6.2.12.3.8 Example IndividualVote: Yes vote on the budget

```
individual_votes:
- global_uri: ops:vote_zh_budget_2026_person_101
  parent_voting: ops:voting_zh_budget_2026
  actor_id:
    global_uri: actors:person_thomas_wolf
    label: Thomas Wolf
  seat_nr: '1'
  individual_vote_type: 'yes'
  datetime_created: '2025-11-20T16:45:00Z'
```

6.2.12.3.9 Example IndividualVote: Individual vote for selection option A

```
individual_votes:
- global_uri: ops:vote_zh_gr_2024_2023_361_a1
  parent_voting: ops:voting_zh_gr_2024_2023_361
  actor_id:
    global_uri: actors:person_zh_stadt_1
    label: Mitglied Auswahl A
  seat_nr: '12'
  individual_vote_type: other
  type_label: Auswahl A
  datetime_created: '2024-02-28T00:00:00Z'
```

6.2.12.3.10 Example IndividualVote: Absent in a multiple-choice voting

```
individual_votes:
- global_uri: ops:vote_zh_gr_2024_2023_361_abs1
  parent_voting: ops:voting_zh_gr_2024_2023_361
```

```
actor_id:
  global_uri: actors:person_zh_stadt_4
  label: Abwesendes Mitglied
seat_nr: '103'
individual_vote_type: not_voted
datetime_created: '2024-02-28T00:00:00Z'
```

6.2.13 Enum: IndividualVoteTypeEnum

Type of individual vote cast by a member.

URI: [ops:IndividualVoteTypeEnum](#)

6.2.13.1 Permissible Values

Value	Description
yes	Vote in favor (yes) ops:enum/individual_vote_type/yes
no	Vote against (no) ops:enum/individual_vote_type/no
abstention	Abstention ops:enum/individual_vote_type/abstention
not_voted	Not Voted ops:enum/individual_vote_type/not_voted
tie_breaker	Tie-breaking vote, usually cast by the presiding officer ops:enum/individual_vote_type/tie_breaker
other	Other vote type ops:enum/individual_vote_type/other

6.3 Election

6.3.1 Term and meaning

An election denotes the designation of one or more persons to an office or a function by a parliamentary body. In contrast to votings, in which substantive questions are decided, elections concern decisions about persons.

6.3.2 Difference: election vs. voting

Criterion	Election	Voting
Subject	Persons	Substantive questions, bills
Result	Elected person(s)	Accepted / rejected
Procedure	Often secret	Often open
Majority	Mostly absolute	Mostly simple

6.3.3 Types of elections

The standard distinguishes different election types via the field **election_type**:

6.3.3.1 open

Open election

Characteristic: - The casting of votes is publicly visible - Every member casts their vote openly - It is traceable who elected whom

Application: - Where transparency is desired - In uncontested elections - In smaller bodies

6.3.3.2 secret

Secret election

Characteristic: - The casting of votes is anonymous - Voting slips or an electronic secret voting system - It is not traceable who elected whom

Application: - Elections of persons (standard) - Where a free, uninfluenced decision is to be guaranteed - Often prescribed by law

Examples at federal level: - Election of the Federal Council - Election of the federal judges - Election of the committee presidencies

Examples at cantonal level: - Election of the president of the parliament - Election of the president of the government - Election of the presidents of the highest cantonal courts - Election of the judges - Election of the state chancellor - Election of the committee presidencies

6.3.3.3 tacit

Tacit election

Characteristic: - No formal voting required - The election takes place by acclamation or consensus - Only if no opposing votes are raised

Application: - In case of unanimity - Uncontested elections - Re-elections without an opposing candidate

Example: re-election of a committee president without an opposing candidacy

6.3.4 Assignment to agenda items

Every election is assigned to an agenda item:

```
AgendaItem (election of the Federal Council)
├─ Election (election for department XY)
│   ├── Candidate A: 120 votes
│   ├── Candidate B: 75 votes
│   └─ Blank ballots: 5
```

6.3.5 Description and title

- **title:** title of the election (e.g. "Election of the WAK committee presidency")
- **description:** detailed description, context, special circumstances

6.3.6 Election result

The field **result** records the result:

- **elected**: person(s) elected
- **not_elected**: no person elected (e.g. absolute majority not reached)
- **deferred**: election postponed
- **withdrawn**: election withdrawn

6.3.7 Elected person(s)

The field **elected_person_id** contains the ID(s) of the elected person(s) according to eCH-0294 Actors.

In case of multiple elections (e.g. election of several committee members at once) several IDs can be recorded.

6.3.8 Distribution of votes

In open elections or after publication of the results:

- **total_votes**: total number of votes cast
- **valid_votes**: valid votes
- **invalid_votes**: invalid votes
- **blank_votes**: blank ballots

Additionally details per candidate (via separate entities or as structured data).

6.3.9 Election procedure

The field **procedure** describes the concrete procedure:

- **written_ballot**: written election with voting slips
- **electronic**: electronic election
- **show_of_hands**: show of hands (in open elections)
- **acclamation**: acclamation (in tacit elections)

6.3.10 Majority requirements

The field **majority_type** defines the required majority:

6.3.10.1 absolute

Absolute majority (more than half of those voting)

Application: - Federal Council election - Election of committee presidencies - Standard case for elections of persons

Example: with 200 votes cast at least 101 votes are required

Particularity: if nobody reaches the absolute majority in the first round, a second round usually follows in which a simple majority suffices.

6.3.10.2 simple

Simple majority (more votes than the other candidates)

Application: - Second round after an unsuccessful first round - Some committee elections

6.3.10.3 qualified

Qualified majority

Application: - Rarer in elections - Special functions with increased requirements

6.3.11 Rounds of voting

In elections requiring an absolute majority in the first round:

1st round (absolute majority required)

└ No candidate reaches the absolute majority

2nd round (simple majority suffices)

└ Candidate A elected

Every round is recorded as a separate Election entity, connected via the common agenda item.

6.3.12 Timestamps

- **datetime_created:** point in time of conducting the election
- **datetime_modified:** last update

6.3.13 URL and documentation

- **url:** multilingual URLs to election documents:
 - o candidate profiles
 - o election results
 - o protocols

6.3.14 Particularities of the various elections

6.3.14.1 Federal Council election

- Secret election
- Absolute majority required (in the 1st round)
- By the United Federal Assembly

6.3.14.2 Federal judge election

- Secret election
- Proportional principle (consideration of parties, regions, genders)

6.3.14.3 Committee presidencies

- Election by the respective parliament
- Often less public

6.3.14.4 Cantonal and communal level

- Great variety of election procedures
- Partly popular election instead of parliamentary election
- Differing majority requirements

6.3.15 Transparency and confidentiality

Field of tension: - **Secrecy of the ballot:** protection of the individual electoral decision -

Transparency: public interest in the election result

In secret elections: - Only the overall result is published - No IndividualVote entities - Protection of the freedom of choice

In open elections: - Individual votes cast can be recorded - Higher transparency - Potential social pressure effects

6.3.16 Class: Election

An election procedure for selecting persons to positions.

6.3.16.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
datetime_end	0..1 Datetime	The date and time when the meeting or voting ends.
election_type	0..1 ElectionTypeEnum	Type of election procedure.
type_label	0..1 String	Custom type label when standard type values don't apply.
title	0..1 String	Title of the element.
landing_page	0..1 String	URL providing further information.
total_absent	0..1 Integer	Total number of absent members. Distinction between absent/excused absent - presence is tracked on attendance list.
total	0..1 Integer	Total number of votes, excluding absent and president's vote.
majority_type	0..1 MajorityTypeEnum	Type of majority required for the vote (absolute, two-thirds, etc.).
majority_count	0..1 Integer	Number of votes required for the relevant majority threshold.
result_text	0..1 String	Free text describing the outcome of the vote, e.g., "Accepted with 78 votes".
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose.

Name	Cardinality and Range	Description
parent_agenda_item	0..1 String	Identifier of the agenda item this record belongs to. On an agenda item it builds a hierarchy of agenda items; on a voting, election or speech it names the agenda item under which the record was handled.
affair_id	0..1 String	The connection to the affairs (business items) of the agenda item.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

6.3.16.2 Usages

Used by	In slot	Role	Element
Container	elections	range	Election

6.3.17 Enum: ElectionTypeEnum

Type of election procedure.

URI: [ops:ElectionTypeEnum](#)

6.3.17.1 Permissible Values

Value	Description
secret	Secret election (Geheime Wahl) ops:enum/election_type/secret
open	Open election (Offene Wahl) ops:enum/election_type/open
silent	Silent election without opponent (Stille Wahl ohne Gegenkandidat) ops:enum/election_type/silent

7 Attendance

Attendance lists record who took part in a sitting. They document participation and are the basis on which a body's capacity to take decisions can be assessed.

7.1 Attendance

7.1.1 Term and meaning

Attendance records which members of a parliamentary body were present, absent or excused at a sitting. It serves to document participation and is a prerequisite for the quorum.

7.1.2 Two-level structure

The standard distinguishes two levels of attendance recording:

7.1.2.1 1. Attendance (aggregated level)

Summary of attendance for a meeting: - Total number of persons present - Total number of persons absent (excused / unexcused) - Quorum

7.1.2.2 2. IndividualAttendance (individual level)

Detailed recording for each individual person: - Who was present? - Who was absent? - Was the absence excused?

Meeting (National Council sitting 4 March 2024)

- └ Attendance (aggregated attendance)
 - └ IndividualAttendance (person A: present)
 - └ IndividualAttendance (person B: excused)
 - └ IndividualAttendance (person C: absent)
 - └ ...

7.2 Attendance (aggregated level)

7.2.1.1 Assignment to meeting and body

- **parent_meeting**: reference to the specific sitting to which the attendance list belongs
- **actor_id**: reference to the body (parliament, committee) according to eCH-0294 Actors
- **datetime_begin**: point in time of the attendance recording

7.2.1.2 Aggregated figures

- **total_count**: total number of all members of the body (reference value for quorum calculations, e.g. 200 for the National Council, 46 for the Council of States)
- **total_present**: number of members present
- **total_excused**: number of excused members
- **total_absent**: number of unexcused absent members

Example: - Total: 200 - Present: 185 - Excused: 12 - Absent: 3

7.2.1.3 Quorum

The quorum results from the ratio of `total_present` to `total_count` and the respective quorum rules of the body. It is therefore not stored as a separate field but calculated from the data where needed.

7.3 IndividualAttendance (individual level)

7.3.1.1 Link

- **parent_attendance**: reference to the superordinate Attendance aggregate (which in turn hangs on the meeting). The individual record is thereby cleanly assigned to the meeting.
- **actor_id**: reference to the person according to eCH-0294 Actors

7.3.1.2 Attendance type

The field **attendance_type** (enum AttendanceTypeEnum) records the type of attendance:

- **present**: present in person
- **remote**: present via remote access (e.g. video conference)
- **substitute**: substitution — another person participated as a stand-in

The modelling of substitution (e.g. who substituted for whom, with which voting right) is being elaborated further in [issue #24](#).

A second status axis present / excused / absent (“whether present”) in parallel to the existing axis “how present” is under discussion as an extension.

7.3.1.3 Reason

The field **reason** (multilingual) can record the reason for absence or lateness as free text.

7.3.2 Difference: Attendance vs. IndividualVote

Important delimitation:

Aspect	Attendance	IndividualVote
Records	Presence at the sitting	Vote cast in a voting
Point in time	Start of / during the sitting	Point in time of the voting
Granularity	Per meeting	Per voting

Example: a person can be present at the sitting (Attendance: present) but be recorded as absent for a specific voting (IndividualVote: absent) because they briefly left the room at that moment.

7.3.3 Purposes of use

The attendance entities enable:

1. **Documentation**: traceable recording of participation
2. **Quorum check**: ensuring the capacity to take decisions
3. **Transparency**: public information about attendance
4. **Accountability**: monitoring the fulfilment of duties
5. **Statistics**: evaluation of attendance rates
6. **Administration**: calculation of compensation and expenses

7.3.4 Class: Attendance

Aggregated attendance record for a meeting (number of members present, absent, excused).

7.3.4.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election, speech or protocol it names the meeting in which the record arose.
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
actor_id	0..1 GroupReference	Reference to the acting body/organ (lightweight snapshot at time of linking).
total_count	0..1 Integer	Total number of members of the body (reference value for quorum calculations).
total_present	0..1 Integer	Total number of members present.
total_absent	0..1 Integer	Total number of absent members. Distinction between absent/excused absent - presence is tracked on attendance list.
total_excused	0..1 Integer	Total number of excused absences.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

7.3.4.2 Usages

Used by	In slot	Role	Element
Container	attendances	range	Attendance
IndividualAttendance	parent_attendance	range	Attendance

7.3.5 Class: IndividualAttendance

Individual attendance record for a specific person at a meeting (linked via the parent Attendance aggregate).

7.3.5.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
parent_attendance	0..1 Attendance	The Attendance aggregate this individual attendance record belongs to.
actor_id	0..1 PersonReference	Reference to the acting person (lightweight snapshot at time of linking).
attendance_type	0..1 AttendanceTypeEnum	Type of individual attendance.
reason	* MultilingualString	Reason for absence or lateness (free-text, multilingual).
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

7.3.5.2 Usages

Used by	In slot	Role	Element
Container	individual_attendances	range	IndividualAttendance

7.3.6 Enum: AttendanceTypeEnum

Type of individual attendance.

URI: [ops:AttendanceTypeEnum](#)

7.3.6.1 Permissible Values

Value	Description
remote	Remote participation ops:enum/attendance_type/remote
substitute	Substitute (Stellvertretung) ops:enum/attendance_type/substitute

Value	Description
present	Present in person ops:enum/attendance_type/present

8 Speeches

Speeches record the parliamentary debate — who spoke when and on which agenda item, with the verbatim text and, where available, an audio or video recording.

8.1 Speech

8.1.1 Term and meaning

A speech denotes an oral contribution by a person during a parliamentary sitting. It is the central instrument of political debate and of expressing opinions in parliament.

8.1.2 Types of speeches

Parliamentary speeches take various forms:

8.1.2.1 Main statements

- Detailed positions on an affair
- Justification of motions
- Presentation of the group's opinion

8.1.2.2 Short interventions

- Brief statements
- Interposed questions
- Corrections

8.1.2.3 Group declarations

- Official position of a parliamentary group
- Delivered by the group's spokesperson

8.1.2.4 Government statements

- Positions of government members
- Answering of questions
- Defence of bills

8.1.3 Structure and assignment

A speech is always assigned to a specific context:

```
Meeting (sitting)
├─ AgendaItem
│   └─ Speech (statement of person A)
│       ├── TextSegment (transcription)
│       ├── Media (audio recording)
│       └── Media (video recording)
```

8.1.3.1 Assignment fields

- **meeting_id**: the sitting in which the speech was made
- **agenda_item_id**: the agenda item that was spoken to
- **person_id**: the speaking person (according to eCH-0294 Actors)

8.1.4 Identification of the speakers

- **person_id**: unique identification of the person

- **person_name**: name for quick access
- **role**: role of the person (e.g. “group president”, “rapporteur”, “Federal Councillor”)

8.1.5 Temporal recording

- **start_time**: start of the speech
- **end_time**: end of the speech
- **duration**: duration in seconds (calculated or recorded)

These time indications enable: - precise referencing in audio and video recordings - analysis of speaking time per person / group - monitoring of compliance with time limits

8.1.6 Language of the speech

The field **language** records the language in which the speech was made:

- **de**: German
- **fr**: French
- **it**: Italian
- **rm**: Romansh
- **en**: English

8.1.7 Text documents

The field **text_segments** references TextSegment entities containing the spoken text.

8.1.7.1 Different text versions

8.1.7.1.1 Raw transcript

- Verbatim transcription
- Unedited, with filler words
- Available directly after the sitting

8.1.7.1.2 Edited transcript

- Editorially revised
- Grammatically corrected
- Official protocol version

8.1.7.1.3 Translations

- Into other national languages
- For international publications

8.1.7.2 TextSegment structure

Every TextSegment can contain: - **text**: the actual text - **language**: language of the text - **version**: kind of version (raw, edited, translated) - **format**: format (plain, markdown, HTML)

8.1.8 Multimedia recordings

The field **media** references Media entities with audio and video recordings.

8.1.8.1 Audio recordings

- Original sound of the speech
- Format: MP3, WAV, etc.
- Technical metadata (quality, bitrate)

8.1.8.2 Video recordings

- Visual recording (in plenary sittings)
- Format: MP4, WebM, etc.
- Various resolutions

8.1.8.3 Livestreaming

- Real-time transmission
- URL of the stream
- Archiving after the sitting

8.1.9 Title and description

- **title:** short title (e.g. “Statement on energy policy”)
- **description:** summary or context of the speech

8.1.10 Type of speech

The field **speech_type** can distinguish various kinds:

- **statement:** position statement
- **question:** question
- **response:** answer (e.g. government to a question)
- **procedural:** procedural motion
- **declaration:** declaration

8.1.11 Placing a speech within the sitting

parent_meeting and parent_agenda_item record in which sitting and under which agenda item a speech was given. Both are needed because a speech can be delivered in two ways: embedded in the protocol, where the sitting follows from the surrounding Protocol but the agenda item does not — or flat in Container.speeches, where without these references any link would be missing. They carry the same values as on Voting and Election and thus make the speech evaluable regardless of the delivery form it came in.

8.1.12 Class: Speech

A speech or statement made during a meeting (also called Votum or speaker segment).

8.1.12.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
parent_meeting	0..1 String	Identifier of the meeting this record belongs to. On a meeting it names the superordinate meeting; on an agenda item, voting, election,

Name	Cardinality and Range	Description
		speech or protocol it names the meeting in which the record arose.
parent_agenda_item	0..1 String	Identifier of the agenda item this record belongs to. On an agenda item it builds a hierarchy of agenda items; on a voting, election or speech it names the agenda item under which the record was handled.
language	0..1 String	Language code in ISO 639-1 format (two lowercase letters, e.g. "de", "fr", "it", "en").
start	0..1 String	Start indicator or position.
datetime_begin	0..1 Datetime	The date and time when the meeting or voting begins.
datetime_end	0..1 Datetime	The date and time when the meeting or voting ends.
actor_fullname	0..1 String	Full name of the actor/person.
actor_id	0..1 PersonReference	Reference to the acting person (lightweight snapshot at time of linking).
role	0..1 String	Role of the person (e.g., commission speaker).
text	1 String	Text content of the element.
text_format	0..1 String	Format of text (text, html, html_with_timestamps).
text_type	0..1 String	Type of text (raw draft, edited version).
landing_page	0..1 String	URL providing further information.
media_url	0..1 String	URL to media file (audio/video).
media_type	0..1 String	Type of media (audio, video, document).
media_format	0..1 String	MIME type of the media file.
documents	* Work	List of documents (FRBR Works) linked to the entity.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

8.1.12.2 Usages

Used by	In slot	Role	Element
Container	speeches	range	Speech
Protocol	speeches	range	Speech

8.1.12.3 Examples

8.1.12.3.1 Example Speech: Speech with verbatim text and video recording

```
speeches:
- global_uri: ops:366631
  parent_meeting: parl:sr_winter25_sitzung_6
  parent_agenda_item: ops:69905
  language: fr
  datetime_begin: '2025-12-19T09:20:00+01:00'
  datetime_end: '2025-12-19T09:25:00+01:00'
  actor_fullname: Pascal Broulis
  actor_id:
    global_uri: actors:person_pascal_broulis
    wikidata_uri: http://www.wikidata.org/entity/Q116407
    label: Pascal Broulis
  role: speaker
  text: >-
    Je remercie la rapporteuse pour son rapport exhaustif. J'ai également lu avec
    attention les différents commentaires qui ont été effectués sur mon postulat.
    Cela reste un postulat, ce n'est pas une motion. D'abord, je ne partage pas l'avis
    selon lequel ce postulat n'apporterait pas une valeur ajoutée. En effet, un "benchmark",
    à savoir un modèle chiffré de performance, permettrait de mieux comprendre les
    raisons des retards que notre pays rencontre en comparaison avec les principaux
    pays européens.
  text_format: html
  text_type: final
  landing_page: >-
    https://www.parlament.ch/de/ratsbetrieb/amtliches-bulletin/amtliches-bulletin-die-videos?
    TranscriptId=366631
  media_url: https://par-pcache.simplex.tv/content?externalid=366631
  media_type: video
  media_format: video/mp4
```

9 Texts and media

Parliamentary debates are recorded not only as structured data but also as texts and multimedia recordings. These entities enable the management of transcripts, audio and video recordings and further media formats, as well as the technical infrastructure for data exchange and multilingualism.

9.1 TextSegment

9.1.1 Purpose

Records text passages with versioning and language variants. Used primarily for transcriptions of speeches, but can also be applied to other text documents.

9.1.2 Structure

- **text**: the actual text content
- **language**: language code (ISO 639-1)
- **format**: format of the text (plain, markdown, html)
- **version_type**: kind of version
 - o **raw**: unedited raw transcript
 - o **edited**: editorially revised version
 - o **translated**: translation into another language
 - o **summary**: summary

9.1.3 Design decision

Why a separate entity? - Allows several versions of the same text (raw, edited, translated) - Version control and traceability of changes - Flexibility regarding formats (plain, markdown, HTML for different output channels)

9.1.4 Application

Mainly linked with Speech entities:

Speech

- ├─ TextSegment (raw transcript, de)
- ├─ TextSegment (edited protocol, de)
- ├─ TextSegment (translation, fr)
- └─ TextSegment (summary, de)

9.2 Media

9.2.1 Purpose

References media files (audio, video, documents) belonging to parliamentary activities.

9.2.2 Structure

- **media_type**: kind of media file
 - o **audio**: audio recording
 - o **video**: video recording
 - o **document**: documents (PDF, etc.)
 - o **image**: images

- **url**: URL of the media file
- **mime_type**: MIME type (audio/mp3, video/mp4, application/pdf, etc.)
- **title**: title of the media file
- **description**: description
- **language**: language (for language-based media)
- **duration**: duration (for audio/video, in seconds)
- **file_size**: file size in bytes
- **quality**: quality indication (e.g. "720p", "high", "low")

9.2.3 Design decision

Why a generic Media entity? - Uniform structure for all media types - Extensible for new formats - Technical metadata recorded centrally - Several quality levels of the same recording possible

9.2.4 Application

Can be attached to various entities:

Speech

- └ Media (audio recording, MP3, 256 kbps)
- └ Media (audio recording, MP3, 128 kbps)
- └ Media (video recording, MP4, 1080p)
- └ Media (video recording, MP4, 480p)

AgendaItem

- └ Media (PDF of the bill)

Meeting

- └ Media (livestream URL)

9.2.5 Class: TextSegment

A text segment such as cross-references or subtitles in meeting protocols.

9.2.5.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
text	1 String	Text content of the element.

9.2.5.2 Usages

Used by	In slot	Role	Element
Protocol	text_segments	range	TextSegment

9.2.6 Class: Media

Media files or documents (including protocols in PDF/HTML/WORD or links to audio/video).

9.2.6.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uri or curie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uri or curie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
title	0..1 String	Title of the element.
media_type	0..1 String	Type of media (audio, video, document).
url	* MultilingualString	Landing page or further web address, multilingual.
version	0..1 String	Version number or identifier.
parent_type	0..1 String	Type of parent object (meeting, agenda, speech, affair).

10 Shared elements

10.1 Reference classes

PersonReference and GroupReference name a person or a group without describing them here: what a person or a body is, is defined by eCH-0294; council operations merely point to it. Besides the pointer, the reference retains the key characteristics **at the time of linking** — for a speech, for instance, the parliamentary group the speaker belonged to back then.

This serves three purposes:

- **Useful local data** without costly queries of the complete entity
- **No redundancy**, since not all information has to be repeated at every mention
- **Implicit versioning**, as the reference stays unchanged even if the linked person or group changes later

Unlike an entity, a reference is not identified in its own right — it merely names an identified entity. That is why `global_uri` is not mandatory here: all that is required is that at least one of `local_id` or `global_uri` is set. A system that only knows the local id of the referenced entity states that; it is resolved within the same delivery. Beyond the delivery, the `global_uri` does the pointing.

10.1.1 Class: PersonReference

Lightweight reference to a person with key identification data at time of linking. Preserves historical accuracy even if the person changes later. The referenced person is identified by `local_id` or `global_uri`; at least one of the two is required.

10.1.1.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier of the referenced entity. It is resolved within the same delivery. Inheritance: HasReferenceIdentification
<code>global_uri</code>	0..1 Uriorcurie	The unique, globally valid URI of the referenced entity. Unlike a <code>local_id</code> it also resolves beyond the delivery. Inheritance: HasReferenceIdentification
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. <code>http://www.wikidata.org/entity/Q813067</code> for Beat Jans. Inheritance: HasReferenceIdentification
<code>label</code>	1 String	Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name).
<code>label_long</code>	0..1 String	Optional long display name including academic titles and full official name (e.g. “Dr. Maria Muster-Beispiel”).
<code>group_label</code>	0..1 String	Name of the body/group at time of linking.

10.1.1.1.1.1 Constraints

At least one of the following must be set:

- `local_id`
- `global_uri`

10.1.1.2 Usages

Used by	In slot	Role	Element
IndividualVote	<code>actor_id</code>	range	PersonReference
IndividualAttendance	<code>actor_id</code>	range	PersonReference
Speech	<code>actor_id</code>	range	PersonReference

10.1.2 Class: GroupReference

Lightweight reference to a group with key identification data at time of linking. The referenced group is identified by `local_id` or `global_uri`; at least one of the two is required. A `local_id` is resolved within the same delivery, a `global_uri` also beyond it.

10.1.2.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier of the referenced entity. It is resolved within the same delivery. Inheritance: <code>HasReferenceIdentification</code>
<code>global_uri</code>	0..1 Uriorcurie	The unique, globally valid URI of the referenced entity. Unlike a <code>local_id</code> it also resolves beyond the delivery. Inheritance: <code>HasReferenceIdentification</code>
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: <code>HasReferenceIdentification</code>
<code>label</code>	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
<code>abbreviation</code>	* MultilingualValue	Abbreviation (can be multilingual).

10.1.2.1.1.1 Constraints

At least one of the following must be set:

- `local_id`
- `global_uri`

10.1.2.2 Usages

Used by	In slot	Role	Element
Legislature	<code>actor_id</code>	range	GroupReference
Meeting	<code>group_id</code>	range	GroupReference
Meeting	<code>actor_id</code>	range	GroupReference

Used by	In slot	Role	Element
Voting	actor_id	range	GroupReference
Election	actor_id	range	GroupReference
Attendance	actor_id	range	GroupReference

10.2 Multilingual texts

In Switzerland, designations, titles and descriptions often exist in several languages. Rather than keeping a separate field per language, a slot of type `MultilingualString` takes a list of entries with `text` and `language`. Those who keep only one language deliver a single entry — the language is to be stated there as well. Links are modelled the same way: many parliamentary information systems keep a separate address per language, which is why `url` is multilingual too.

10.2.1 Class: `MultilingualString`

A string that can contain text in multiple languages.

10.2.1.1 Attribute

Name	Cardinality and Range	Description
text	1 String	Text content of the element.
language	1 String	Language code in ISO 639-1 format (two lowercase letters, e.g. “de”, “fr”, “it”, “en”).

10.2.1.2 Usages

Used by	In slot	Role	Element
Legislature	name	range	MultilingualString
Session	name	range	MultilingualString
Session	url	range	MultilingualString
Meeting	name	range	MultilingualString
Meeting	url	range	MultilingualString
AgendaItem	agenda_item_title	range	MultilingualString
AgendaItem	agenda_item_description	range	MultilingualString
AgendaItem	url	range	MultilingualString
ProtocolItem	agenda_item_title	range	MultilingualString
ProtocolItem	agenda_item_description	range	MultilingualString
ProtocolItem	url	range	MultilingualString
Voting	voting_title	range	MultilingualString
IndividualAttendance	reason	range	MultilingualString
Media	url	range	MultilingualString

10.3 Mixin classes

Three classes carry no data of their own; they bundle slots that look the same across many classes — the identification of an entity, its creation and modification dates, and the temporal course of an event with planned and actual start and end. They come from the specialist group's common schema (eCH-0292) and are imported by its standards so that the same information is named alike and behaves alike everywhere.

A mixin is not a superclass: no instance of a mixin class is ever created, and nothing of it shows in the data. The attribute tables of the classes therefore list the inherited slots individually and note their origin under “Inheritance” — the three sections below explain what stands behind that note.

10.3.1 Class: HasIdentification

A mixin class that provides slots for the identification of an entity. It is used for entities that are identified in their own right; their `global_uri` is the identifier and therefore mandatory.

10.3.1.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier. For example, a UUID from the council information system.
<code>global_uri</code>	1 Uriorcurie	A unique, globally valid URI for the entity.
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans.

10.3.1.2 Mixin Usage

[Container](#), [Legislature](#), [Session](#), [Meeting](#), [AgendaItem](#), [Protocol](#), [Voting](#), [IndividualVote](#), [Election](#), [Attendance](#), [IndividualAttendance](#), [Speech](#), [TextSegment](#), [Motion](#), [Media](#)

10.3.2 Class: HasCreationModificationDates

A mixin class that provides slots for modeling creation and modification dates of an entity.

10.3.2.1 Attribute

Name	Cardinality and Range	Description
<code>date_created</code>	0..1 Date	The date when an entity was created.
<code>datetime_created</code>	0..1 Datetime	The date and time when an entity was created.
<code>date_modified</code>	0..1 Date	The date when an entity was last modified.
<code>datetime_modified</code>	0..1 Datetime	The date and time when an entity was last modified.

10.3.2.2 Mixin Usage

[Legislature](#), [Session](#), [Meeting](#), [AgendaItem](#), [Protocol](#), [Voting](#), [IndividualVote](#), [Election](#), [Attendance](#), [IndividualAttendance](#), [Speech](#)

10.3.3 Class: IsEventWithDuration

A mixin class that provides slots for modeling events or occurrences with time duration.

10.3.3.1 Attribute

Name	Cardinality and Range	Description
date_begin_actual	0..1 Date	The actual start date of an event or occurrence with time duration.
datetime_begin_act ual	0..1 Datetime	The actual start date and time of an event or occurrence with time duration.
date_begin_planned	0..1 Date	The planned start date of an event or occurrence with time duration.
datetime_begin_pla nned	0..1 Datetime	The planned start date and time of an event or occurrence with time duration.
date_end_actual	0..1 Date	The actual end date of an event or occurrence with time duration.
datetime_end_actua l	0..1 Datetime	The actual end date and time of an event or occurrence with time duration.
date_end_planned	0..1 Date	The planned end date of an event or occurrence with time duration.
datetime_end_plann ed	0..1 Datetime	The planned end date and time of an event or occurrence with time duration.

10.3.3.2 Mixin Usage

[Legislature](#), [Session](#), [Meeting](#), [AgendaItem](#)

11 Appendix A – References & bibliography

Where a version is stated, it is the one this standard was developed against.

11.1 Standards of the “Political Affairs” specialist group

The standards of the specialist group are developed jointly and reference one another. All of them currently carry the status “In Arbeit” (in progress; as of 10 August 2026); no version is therefore stated.

eCH-0292	eCH-0292: Meta-processes for political affairs – shared data elements, from which this standard takes the reference classes and the mixins: https://www.ech.ch/de/echech-0292
eCH-0294	eCH-0294: Political actors – defines the persons and groups that PersonReference and GroupReference point to: https://www.ech.ch/de/echech-0294
eCH-0295	eCH-0295: Parliamentary affairs – the affairs dealt with in agenda items, votings and speeches: https://www.ech.ch/de/echech-0295
eCH-0296	eCH-0296: Legal acts and legislative texts: https://www.ech.ch/de/echech-0296
eCH-0297	eCH-0297: Public consultations: https://www.ech.ch/de/echech-0297

11.2 Code lists and further sources

ISO 639-1	ISO (International Organization for Standardization). Language codes, used in the language slot of MultilingualString.
Dublin Core	DCMI Metadata Terms. Source of several slot_uri assignments (prefix dcterms): https://www.dublincore.org/specifications/dublin-core/dcmi-terms/
LinkML	Modelling language in which this standard is defined: https://linkml.io