

02.05.26 / 09:25 - 17:30
08.05.26 / 06:00 - 14:00



Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra

1. Identifier
2. Catalog
3. Structure
4. Semantic

3.  AKN4CH

of. AKN4CH⁺ - scope: regulations, directives, decisions
legislative procedure
proposals (drafts?)
latest version 5.2

Mark-up of Swiss Confederation Laws in AkomaNtoso XML (LegalDocML¹)

Common format for Swiss legislative
data using LegalDocML⁺ (XML sub-schema)
OR localization of AKN for ...

An Open Governance Initiative

VI

- * AKN4CH VII
1. Guideline
 2. Document type
 3. correspondence with CoV 4-2

Release: Draft

Date: 29 September 2025

20.09.2026

Author: Giona Fumasoli (BK)

¹ OASIS LegalDocumentML (LegalDocML) TC | OASIS

formerly known as. AKN 1

Document History

Revision date	Author	Version	Summary of Changes
29.09.2025	GF	0.1	Draft
18.12.2025	GF	0.2	First review after meeting with KAV
02.02.2026	GF	0.3	Addition of the missing points
06.03.2026	GF	0.4	Insertion of feedback, addition of new chapters, reformatting of chapter numbers
30.04.2026	GF	4.0	2
07.05.2026	MBG	T. 6	

Contents

1. INTRODUCTION.....	5
2. HIERARCHY OF SWISS LAW.....	6
3. SPECIFIC SWISS LEGAL DOCUMENTS IN XML.....	7
4. MODELLING OF SWISS LEGAL DOCUMENTS	8
4.1. Categorization of the Document Type.....	8
4.2. Structural Elements of the Document type.....	9
4.2.1. Sub-structural Elements of the Document type	10
4.3. Metadata	11
4.4. Akoma Ntoso structure of a legal document	15
4.4.1. Document structure.....	15
4.4.2. Identification part: <preamble>	17
4.4.3. Justificatory text. <preamble>	19
4.4.4. The main content: <body>	21
4.4.5. Closing formula: <conclusion>	25
4.4.6. Annexes: <attachments> or <components>.....	27
5. AKN TAGGING FOR STRUCTURAL BLOCKS.....	28
5.1. Metadata	28
5.2. Shared elements	31
5.3. Elements borrowed from HTML	32
5.4. Identification – IRI (Normative) vs. ELI.....	33
5.4.1. Introduction to compliant IRI syntaxes	33
5.4.2. European Legislation Identifier (ELI).....	33
5.4.3. Fedlex Naming Convention	33
5.5. Microstructure	35
5.5.1. Micro-structure elements	35
5.5.2. Special hierarchical constructs	37
5.5.2.1. Proviso (final disposition or final provision).....	37
5.6. Transitional (disposition or provision).....	37
5.7. Article content	38
5.7.1. Paragraphs	38
5.7.2. Lists	39

5.7.3.	Footnotes	44
5.7.4.	Side notes (titre marginal).....	45
5.7.5.	Tables	45
5.7.6.	Images and pictograms	58
5.7.7.	Formulas	60
6.	MODIFICATIONS	63
7.	HANDLING THE ANNEXES	65
8.	List of Annexes	66
	Annex I	67
	Annex II	69

AKN4EU
 Documentation (27 pages)
 I ~~Guidelines~~ (2020-03-06)

Volume I → sec below
 Volume II * 2 = 20 XML markup
 - tags + attributes
 - examples

1. Intro → (metadata + content) localization for EU
2. Contextual Issues
3. Use Cases
4. Design Principles ⇒ principal decisions on design
5. Examples
6. Physical specifications ?

7. Business	validation rules
8. Technical	" "
9. Glossary	

human-readable

CoV (common vocabulary)
 = all doc types of legis-
 lative procedure
 regulation, directive, etc.
 + resolutions (Erlass)
 + intl. agreement

* VII:

- Guidelines
- Document types
- CoV correspondence



1. INTRODUCTION

localization Akoma Ntoso for Switzerland (AKN4CH) ~~also called Fedlex XML~~ is not simply the customization of an XML standard, it is a methodology and the occasion to re-engineer the internal work processes and to innovate the document workflow in the light of the digitalization.

The AKN standard is very flexible to any possible scenario, this makes it fundamental in a scenario like the project of the OPC (KAV) to decide how to adopt AKN including all the requirements of the actors involved in the law-making process to attend the goal of a paperless society.

The objective is to improve interoperability between different institutions, to support interexchange between existing IT legacy systems, to reduce redundant and reiterative tasks, to enhance quality of the drafting and publication activities, to release documents in open government data form.

In order to produce a large benefit in all the institutions of the Swiss Confederation it is necessary an official AKN4CH guidelines that provide clear, reliable and common specifications to all the stakeholders. This document is designed for legal practitioners, technical experts, and stakeholders in legal informatics who are engaged in the creation, maintenance, and use of legal documentation in digital formats.

The Information Model described in this document (based on the Jolux Ontology of the Government of Luxembourg) is the cornerstone for the digital publication of Switzerland's legal documents: *on a national level*

- the Federal Gazette (or *Bundesblatt* also referred to as BBl),
- the Official Compilation (or *Amtliche Sammlung* also referred to as AS), and
- the Classified Compilation (or *Systematische Rechtssammlung* also referred to as SR)

These documents are seamlessly integrated into Fedlex², Switzerland's premier platform for the dissemination of federal law, ensuring accessibility and transparency in legal proceedings. *legislative*

1 The model described in this guide is based on the globally recognized Akoma Ntoso standard, as delineated by the LegalDocML Technical Committee at Oasis Open³. Documents that align with the guidelines described here, are assumed to adhere strictly to the XML schema (akomantoso30.xsd⁴), publicly available from the Appendix B of the Akoma Ntoso specification⁵.

localization Given the extensive documentation⁶, available on the Akoma Ntoso specification, this guide will focus on the applications and constraints that are distinctive to the Swiss legal system. As such this document aims to provide a tailored framework that aligns with the national legal traditions while maintaining international standards.

² <https://www.fedlex.admin.ch/en/home>

³ https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=legaldocml#technical

⁴ <https://docs.oasis-open.org/legaldocml/akn-core/v1.0/os/part2-specs/schemas/>

⁵ <https://docs.oasis-open.org/legaldocml/akn-core/v1.0/akn-core-v1.0-part2-specs.html>

⁶ http://www.akomantoso.org/?page_id=12

2. HIERARCHY OF SWISS LAW

Swiss law is known for its neutrality, pragmatism, and emphasis on political entities autonomy:

1. **Federal Constitution:** The supreme law of Switzerland, establishing the foundation for the country's legal and political system.
2. **Federal Laws:** Legislation enacted by the Swiss Federal Parliament.
3. **Cantonal Laws:** Laws established by the individual cantons, which retain sovereign rights not assigned to the Confederation.
4. **Communal Laws:** Laws at the municipal level, often dealing with local matters.
5. **International Law:** Treaties and conventions ratified by Switzerland are also integrated into the Swiss legal framework.

☐ The document contains examples in all the official languages as all the language versions will be marked up in the same way as, legally, they are considered equivalents. ^{DEFE}

Akoma Ntoso, an OASIS XML standard, is a framework for representing various Swiss (and international) ~~legal and~~ legislative documents that provides a consistent way to tag these documents for machine readability, improving digital processes and information management:

- **Standardized Structure:** Akoma Ntoso provides a common, flexible schema for different legal document types.
- **Flexibility:** While it uses common structures, it is flexible enough to accommodate the unique characteristics of national legal systems and practices, including language and specific document types.
- **Digitalization:** It supports the digitalization of legislative processes by enabling machine-readable formats, helping to manage and access them more efficiently.
- **Metadata and Referencing:** The standard allows for detailed metadata and unambiguous references between documents, which is crucial for long-term storage, analysis, and creating interconnected legal information services.

3. SPECIFIC SWISS LEGAL DOCUMENTS IN XML

- **Enacted Legislation:** ^(acts) Laws that have been passed and are in force, often published in the Swiss Official Compilation (AS) or Federal Gazette (BBI).
- **Proposed Legislation** ^(bills): Legislation under consideration by parliament.
- **Amendments:** ^{procedural} Formal changes to existing laws. ^{modifying}

The Swiss Laws are open structure documents, sometimes articulated in hierarchical structures in which the text is subdivided into higher and lower subdivisions, generally including a preamble and operative paragraphs. ^{individual articles}

The approach in this guide is twofold:

- **Model Restrictions:** the information model will be articulated through a series of business rules that refine the "Akoma Ntoso" model to suit the needs of the Swiss Federal legislation.
- **Illustrative Examples:** actual cases from published documents will illuminate the model's application, demonstrating that theoretical knowledge is grounded in practical use.

The "model restrictions" in this document can be considered a non-formal expression of the business rules outlined in a more formal specification. This formal specification can be found in the form of a Schematron schema, a set of rules identified as "AKN-fedlex.sch".

This guide can be read in parallel with its formal counterpart. Where applicable, a model restriction will reference the identifier of the matching restriction in the schematron schema available in Annex I. The identifier will be shown in square brackets as follows: [example-ID].

A typical validation scenario for an XML document that would be fully aligned with the guidelines in this reference, would be a combined validation using the generic XML schema for Akoma Ntoso and the Fedlex specific Schematron schema.

This reference should be regarded as a living resource, always reflective of the latest standards and practices. Hence, feedback is most welcome. Periodic updates to the content can be expected, in order to keep pace with evolving needs and legislative changes.

Note: in the remainder of this guide, on using the word "XML", the "machine readable XML expression of the Fedlex Information model, based on Akoma Ntoso" is implied.

⁷ <https://www.schematron.com/>

4. MODELLING OF SWISS LEGAL DOCUMENTS

4.1. Categorization of the Document Type

Akoma Ntoso Document Types	Category / Legal Document	Definition
bill/act	<i>Akoma Ntoso type :</i> <u>hierarchicalStructure</u> <i>Legal Document :</i> bill/act/ordinance/decreet/subsidiary legislation/executive orders/ normative standard/ administrative regulation/etc.	These are deliberative documents produced by parliamentary activities or from other empowered bodies. They are usually drawn up according to a hierarchical structure in which the text is divided into sections or chapters subdivided into clauses or articles, sub-paragraphs, etc.
doc	<i>Akoma Ntoso type :</i> <u>openStructure</u> <i>Legal Document:</i> any other type of document/Executive SummaryMemorandum/etc annexes/table/judicial documents <i>Botschaft des Bundesrats</i>	These are texts that are legally valid but do not have any particular structure. These include any parliamentary procedure document that has no particular textual structure and is not a collection of other documents. An example could be also the Report of the Amendments of a Bill, the Memorandum of a Bill, Order of Business, Legal Notice, judicial documents, etc.
officialGazette	<i>Akoma Ntoso type :</i> <u>collectionStructure</u> <i>fga, cc, oo / BBl, SR, AJ</i>	Used to represent an issue of an official publication body such as Official Compilation, Journal, Bulletin or Federal Register.
amendment	<i>Akoma Ntoso type :</i> <u>amendmentStructure</u> <i>Legal Document:</i> Amendment document <i>Antrag</i>	Used to describe specific amendment documents. It is a special document or a component of an amendment list, presented by the member(s) of parliament to a committee or assembly for discussion.
amendmentList	<i>Akoma Ntoso type:</i> <u>collectionStructure</u>	Used to represent a special document that includes <u>all the amendments</u>, collected and submitted to the official deliberative body for the discussion.
documentCollection	<i>Akoma Ntoso type :</i> collectionStructure <i>Legal Document :</i> collection of documents	Used to represent documents which are collections of other independent documents. A typical example is the electronic folder related to a bill. This folder is composed of several independent documents and by different expressions over time such as versions of the same bill.

4.2. Structural Elements of the Document type

Document type	Akoma Ntoso main element	Description
bill/act	<body>	The body is used for bills and acts and presents an explicit hierarchy of parts that can be identified with a meaningful name (such as section, chapter, etc.) and possibly provided with numbers and various types of headings. Akoma Ntoso provides a large number of names for these parts (<i>title, book, tome, part, chapter, section, paragraph, article, clause, division, level, list, subtitle, subpart, subchapter, subsection, subparagraph, subclause, sublist, point, indent, alinea</i>). Some legislative traditions may use names which may not match the part names specified above – for such cases a generic container called an hcontainer (i.e. hierarchical container) is provided which can be identified with a name and supports the same hierarchical structures provided by the named parts.
Doc (document) debateReport, statement	<mainBody>	The mainBody element of an open structure is a generic collector of all preceding structural elements in any order and number. This kind of open structure is meant for collecting and marking up those document types whose structure is too varied, or too different from the norm, or not well standardized, or too full of exceptions to be worth describing explicitly.
Collections	<collectionBody>	The collectionBody is used for including multiple documents that maintain their autonomy, but can be managed as a unique container. It is thus possible to compose an issue of the Official Compilation as a combination collection of several acts. The same for the Amendment List document composed of a set of separate amendment documents. This structure permits two different approaches: 1. to include directly in the collectionBody element the other documents (bill, doc, debate, act, etc.); 2. to include in the collectionBody element references to the documents using the element <documentRef>. The documentRef includes the attribute href that specifies the URI/IRI of the document. The cited document can be described in the same file inside of the element <component> or to link an external file using the URI/IRI. It is possible to associate with each sub document a num and a heading. A <documentRef> is a work-level or expression-level reference to a document that has independent existence, namely that it has a work-level or expression-level identifier, and that it is hosted within a containing document.
Amendment	<amendmentBody>	This element includes the body of the amendment that is composed of several important parts: <amendmentHeading>, <amendmentContent>, <amendmentReference>, and <amendmentJustification>.

Werschrift / Inhalt / Referenz / Begründung

4.2.1. Sub-structural Elements of the Document type

Sub-structural element	Akoma Ntoso main element	Description
Information on the document	<metadata>	Information on the document that qualifies and classifies the text as a whole or each fragment. An example is the keywords for assigning the topic to the document.
Introductory text	<preface> / <header>	The essential information related to the citing of the document, like the title of the document, the proponent authority, the identification numbers, the date of approval. It can also contain the long title and a table of contents.
Justificatory text	<preamble> that can include <formula> <recitals> and <citations>	The introductory part of a document stating its purpose, aims, and justification. Introduction, motivations, purposes, legal basis of a document, in formula, recitals and citations. Formula describes the enacting sentences that, in many legal traditions, are regular and fixed linguistic expressions. Recitals block includes motivations and justifications of the legal document. Citation blocks include references to other legal documents that are fundamental to the current text: legal basis, preparatory acts as well as the legislative procedures.
Main content	<body>: for bill/act <debateBody>: for debate record <judgmentBody>: for judgments <mainBody>: for open structure and for the debate report <amendmentBody>: for the amendment <collectionBody>: for the collection documents <portionBody>: for the portion of document	The main part of the document, the part that is prescriptive or states a declaration (enacting terms). The text is characterized by a structural complexity that can vary depending on the document's typology and purpose.
Conclusions	<conclusions>	Part in which we may find closing formulas date and signature.
Authorial notes	<authorialNote>	Part dedicated to including the authorial notes added by the author of the document.
Attachments	<attachments>	Documents can also include attachments with the function of completing and integrating information of the main text. Attachments can be an annex (informative or technical data which, does not appear in the body). Attachments or other types of Components can also be another act or international agreement that is approved by this act. Those documents are not annexed but attached to the act that approves them. Those documents are not annexed but attached to the act that approves them.
Components	<components>	Document can also include components that are independent works, expressions, or manifestations. Each component can have a < num> and/or a <heading> before the document.

4.3. Metadata

The Dublin Core⁸ is probably the most widespread and famous schema for metadata structures as applied to electronic documents. Yet, its generality limits the flexibility of metadata for the scopes and extent of applications internal to an organization. Far more interesting appear to be initiatives such as the one sponsored by the International Federation of Library Associations (IFLA), called Functional Requirements for Bibliographic Records (FRBR)⁹, which tries to capture several different natures in documents, such as the persistent characteristics of different versions of the same document, as expressed in the Work/Expression/Manifestation/Item specification of Akoma Ntoso.

Below you can see the metadata of a concrete example of the law on street traffic (Strassenverkeragesetz, also referred to with the abbreviation SVG)

- **WORK:** the abstract concept of the legal resource (e.g., SVG of 2025)

	Bibliographical context	Legal Context
WORK	"Work" is a distinct intellectual or artistic creation at the conceptual level. Qualifying characteristics: identity e.g. <i>Hamlet</i> = <i>work</i> Regardless of versions, variants, revisions, data formats and location. Even if a "Work" is translated in different languages, it is still the <i>same document</i>, the same "work".	"Work" refers to the original "content" of the legal document. <i>For examples, the abstract concept of the legal resource;</i>
	Example taken from the Swiss legislation	
	<pre> <FRBRWork> <FRBRthis value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/main-text"/> <FRBRuri value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401"/> <FRBRdate date="2025-04-01" name="jolux:dateApplicability"/> <FRBRdate date="1959-10-01" name="jolux:dateEntryInForce"/> <FRBRdate date="1958-12-19" name="jolux:dateDocument"/> <FRBRauthor href="#ch.bk" as="#publisher"/> <FRBRauthor href="#ch.bk" as="#rightsHolder"/> <FRBRcountry value="CH"/> <FRBRnumber value="741.01"/> <FRBRname xml:lang="de" value="Strassenverkehrsgesetz vom 19. Dezember 1958 (SVG)" shortForm="SVG"/> <FRBRname xml:lang="fr" value="Loi fédérale du 19 décembre 1958 sur la circulation routière (LCR)" shortForm="LCR"/> <FRBRname xml:lang="rm" value="Lescha davart il traffic sin via dals 19 da december 1958 (LTV)" shortForm="LTV"/> <FRBRname xml:lang="it" value="Legge federale del 19 dicembre 1958 sulla circolazione stradale (LCStr)" shortForm="LCStr"/> <FRBRauthoritative value="true"/> </FRBRWork> </pre>	

⁸ <http://dublincore.org/>

⁹ <http://www.ifla.org/VII/s13/frbr/frbr.pdf>

- **EXPRESSION:** any version of the WORK (whose content is specified and different from others for any reason: language, versions, etc.)

	Bibliographical context	Legal Context
EXPRESSION	“Expression” is the specific intellectual or artistic form that a work takes each time it is ‘realized’. Qualifying characteristics: content e.g. <i>Hamlet original version book</i> = expression or <i>Hamlet original version video</i> ≠ expression All different editions of the same version of the document, all are unified by the fact that they express the same actual content.	“Expression” refers to “form” of the legal document. <i>For examples, any version of the “work” whose content is specified and different from others for any reason: language, versions, etc.;</i>
	Example taken from the Swiss legislation <pre> <FRBRExpression> <FRBRthis value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/fr/main-text"/> <FRBRuri value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/fr"/> <FRBRdate date="2025-04-01" name="jolux:dateApplicability"/> <FRBRdate date="1959-10-01" name="jolux:dateEntryInForce"/> <FRBRdate date="1958-12-19" name="jolux:dateDocument"/> <FRBRauthor href="#ch.bk" as="#publisher"/> <FRBRauthor href="#ch.bk" as="#rightsHolder"/> <FRBRlanguage language="fr"/> </FRBRExpression> </pre>	

- **MANIFESTATION:** any electronic or physical format of the EXPRESSION: word, xml, pdf, etc.

	Bibliographical context	Legal Context
manifestation	“Manifestation” is the physical embodiment of an “expression” of a “work”. It is a specific form that the document assumes once it takes a concrete representation. Qualifying characteristics: data format e.g. <i>Hamlet original version book</i> – or <i>Hamlet original version video DVD</i> For physical documents, it could be a specific edition as published in a specific choice of paper, binding, etc. For electronic documents, it is the choice of a specific data format, process method, and so on.	“Manifestation” refers to the realization of the publishing work either on paper or in any electronic format. <i>For examples, any electronic or physical format of the “expression” MS Word, Open Office, XML, TIFF, PDF, etc.</i>
	Example taken from the Swiss legislation <pre> <FRBRManifestation> <FRBRthis value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/fr/xml/main-text"/> <FRBRuri value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/fr/xml"/> <FRBRdate date="2025-04-01" name="jolux:dateApplicability"/> <FRBRdate date="1959-10-01" name="jolux:dateEntryInForce"/> <FRBRdate date="1958-12-19" name="jolux:dateDocument"/> <FRBRauthor href="#ch.bk" as="#publisher"/> <FRBRauthor href="#ch.bk" as="#rightsHolder"/> <FRBRformat value="xml" fedlex:generator="2025-q2-rel-1.7.2"/> </FRBRManifestation> </pre>	

- **ITEM:** physical copy of any manifestation in the form of a file stored somewhere in some computer on the net or disconnected.

FRBR concepts are used differently when talking about documents in a variety of situations.

	Bibliographical context	Legal Context
Item	"Item" is one physical copy of a document in a concrete form of a "manifestation" of an "expression" of a "work". Qualifying characteristics: location e.g. <i>Hamlet original version book – hardback version of the Shakespeare Library, London</i> It could be an individual volume in a bookshelf, or a specific file in a specific directory of a specific computer. Qualifying Characteristic: positions or address	"Item" refers to a univocally identified exemplar of a certain manifestation. <i>For examples, the physical copy of any manifestation in the form of a file stored somewhere in some computer on the net or disconnected;</i> <i>e.g. the file called act32005.pdf on my computer containing a PDF representation of act 3, 2005</i>

In each case it is important to use the URI/IRI for the correct FRBR level of document. We describe here a few particularly frequent situations:

1. Legislative references will most probably refer to WORKs: acts referring to other acts do so regardless of the actual version, and references must be to something independent of all possible expressions, e.g., to the work.
2. The list of attachments and schedules belong to a specific EXPRESSION, so references to ExpressionComponents is specific of the expression level.
3. Within XML files the URI/IRI of the Manifestation must be used to refer to all components, including the main document, all attachments and all schedules.
4. Multimedia fragments within an XML manifestation (e.g., a drawing, a schema, a map, etc.) do not exist as independent ExpressionComponents, as they are a part of some ExpressionComponents. In fact, they are only ManifestationComponents, and as such are referred to in object and img elements with the appropriate ManifestationComponents URI/IRI. Even if the same multimedia content appears in different parts of the content of a Manifestation, each instance of that content must correspond to a different ManifestationComponent, and must be considered independently of the other.
5. It is an Item-level decision, once verified that the content is identical, to provide space-saving policies by storing only one copy of the multimedia content. This Item-level decision has no impact on references and names, which are still individually different from each other.
6. Non-document concepts are referred to within the metadata and content of Akoma Ntoso documents. References are always performed in two steps: the first step ties the reference point in the document to an item in the Reference section using internal IDs; the second step ties the item in the reference section to the actual concept through the URI/IRI of the concept.

The following table illustrates the difference between the URIs of the same situations:

Work	<FRBRuri value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401"/>
Expression	<FRBRuri value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/fr"/>
Manifestation	<FRBRuri value="https://fedlex.data.admin.ch/eli/cc/1959/679_705_685/20250401/fr/xml"/>

The difference between the URIs above is the following:

- the URI of the Work is the link to the initial version of a specific document
- the URI of the Expression ends with the specification of the language version of that specific document
- the URI of the Manifestation ends with the specification of the document format of that specific version of the document in that specific language version.

This table illustrates the difference of the metadata elements contained in the three situations with the following colour codes:

- In **green** font are the elements that are common to the three specifications. These elements contain the specification of the URIs of the document, the specifications of the dates of the document, the publisher and the rights holder that in our case is the Federal Chancellery.
- In **blue** font are the elements that belong only to the **Work**. These elements contain the indication of the languages of the base versions in which that document is available and the indication of the title in each language. Moreover, it also contains information on the legal authoritativeness of the document.
- In **purple** are the elements that belong only to the Expression. This element indicates the language of that specific version.
- In **orange** are the elements that belong only to the Manifestation. This element indicates the format of that specific version.

Work	Expression	Manifestation
<pre> <FRBRWork> <FRBRthis> <FRBRuri> <FRBRdate name="jolux:dateApplicability"> <FRBRdate name="jolux:dateEntryInForce"> <FRBRdate name="jolux:dateDocument"> <FRBRauthor as="#publisher"> <FRBRauthor as="#rightsHolder"> <FRBRcountry> <FRBRnumber> <FRBRname xml:lang="de"> <FRBRname xml:lang="fr"> <FRBRname xml:lang="rm"> <FRBRname xml:lang="it"> <FRBRauthoritative> </FRBRWork> </pre>	<pre> <FRBRExpression> <FRBRthis> <FRBRuri> <FRBRdate name="jolux:dateApplicability"> <FRBRdate name="jolux:dateEntryInForce"> <FRBRdate name="jolux:dateDocument"> <FRBRauthor as="#publisher"> <FRBRauthor as="#rightsHolder"> <FRBRlanguage language> </FRBRExpression> </pre>	<pre> <FRBRManifestation> <FRBRthis> <FRBRuri> <FRBRdate name="jolux:dateApplicability"> <FRBRdate name="jolux:dateEntryInForce"> <FRBRdate name="jolux:dateDocument"> <FRBRauthor as="#publisher"> <FRBRauthor as="#rightsHolder"> <FRBRformat value="xml"> </FRBRManifestation> </pre>

massgend

4.4. Akoma Ntoso structure of a legal document

A typical Swiss Law is made up of the following structural blocks:

4.4.1. Document structure

The structure of normative documents may contain the following elements:

Identification part Title, proponent authority, identification, etc.	always present
Justificatory text Purpose, motivations, justification or legal basis.	not always present.
Main content Main text usually articulated in hierarchical structures.	always present
Closing formula Closing formulas, date etc.	not always present.
Attachments Informative or technical documents.	not always present.

4.4.1.1. Modelling

The table below illustrates how an act element functions as a container that holds and organizes the document's content, ensuring the structural integrity and legal validity.

document type	<code><akomaNtoso></code> <code><act contains="originalVersion" name="{AKN4CH:subclass}"></code>
metadata	<code><meta></code> <code><identification source="{#{manifestationAuthor}}"></code> <code></identification></code> <code></meta></code>
identification part	<code><preface></code> <code>(...)</code> <code></preface></code>
justificatory text	<code><preamble></code> <code>(...)</code> <code></preamble></code>
main content	<code><body></code> <code>(...)</code> <code></body></code>
closing formula	<code><conclusions></code> <code>(...)</code> <code></conclusions></code>
attachments	<code><attachments></code> <code>(...)</code> <code></attachments></code>
	<code></act></code> <code></akomaNtoso></code>

Mapping

start chapter with this

4.4.1.2. Examples

Below are some practical examples of the Akoma Ntoso mark-up of the main blocks of a normative document.

document type source	<akomaNtoso> <act contains="originalVersion" name="{AKN4CH:subclass}">	
identification part ¹⁰	<preface> </preface>	Legge federale concernente le piattaforme per la comunicazione elettronica in ambito giudiziario (LCEG) <i>Titel</i> <i>Akkord</i>
preamble	<preamble> </preamble>	del 20 dicembre 2024 L'Assemblea federale della Confederazione Svizzera, visti gli articoli 92, 122 capoverso 1 e 123 capoverso 1 della Costituzione federale¹; visto il messaggio del Consiglio federale del 15 febbraio 2023²; decreta: RS 101 FF 2023 679 <i>Datum</i> <i>Authority</i> <i>Rechtsnach</i>
main content	<body> </body>	Sezione 1: Disposizioni generali Art. 1 Scopo e oggetto ¹ La presente legge si prefigge di garantire una comunicazione elettronica sicura e semplice in ambito giudiziario, tra privati e autorità nonché tra autorità. ² Essa disciplina: a. l'istituzione e l'esercizio di una o più piattaforme per la trasmissione elettronica di documenti in ambito giudiziario; b. la costituzione di un ente di diritto pubblico responsabile di una piattaforma centrale utilizzata, per quanto possibile, in tutta la Svizzera (piattaforma centrale); c. gli aspetti procedurali generali della comunicazione elettronica e della consultazione elettronica degli atti. Art. 2 Campo d'applicazione La presente legge si applica nella misura in cui lo preveda il pertinente diritto processuale. <i>Section</i> <i>Articles</i> <i>Paragraph</i>
closing formula	<conclusions> </conclusions>	19 settembre 2025 In nome del Consiglio federale svizzero: La presidente della Confederazione, Karin Keller-Sutter Il cancelliere della Confederazione, Viktor Rossi <i>BV</i>
annexes	<attachments> </attachments>	Allegato (art. 36) Modifica di altri atti normativi Gli atti normativi qui appresso sono modificati come segue: 1. Legge federale del 16 dicembre 2005¹² sugli stranieri e la loro integrazione <i>Attachment</i> <i>Section</i> <i>(Amendment)</i> <i>+ List</i>

Lo Numbering

¹⁰ [RU 2025 583 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario \(LCEG\) | Fedlex](#)

4.4.2. Identification part: <preface>

The identification part <preface> includes any matter found from the very beginning of a document up to where the <preamble> begins. It may contain information related to the title of the document, proponent authority, identification numbers, date of approval, etc. It may include long titles, tables of contents, and the like.

Normative documents may start with some or all of the information below, not necessarily in the same order:

- document type
- title "Gesetz vom xx.xx.xxxx betr."
- document authority Bundesversammlung / Bundesrat
- acronym Abkürzung, eg BGV
- identifier
- date of adoption dd.mm - yyyy

Key aspects of the Akoma Ntoso <preface> element:


- **Purpose:** To contain descriptive and identifying metadata about the document.
- **Content:** Includes details like the document's title, number, authors, and date.
- **Structure:** at the beginning of a document, before the <preamble> and main <body>.
- **Distinction from Preamble:** While both are introductory, the <preface> is for identification, whereas the <preamble> provides justification and context.
- **Inline Elements:** inline elements like <docTitle> and <docNumber> are often used to mark up specific pieces of identifying information.

In the AKN4CH schema, the <preface> element is used for introductory, identifying information that appears at the beginning of a document, such as the document's name, title, number, authors, and date. It may also include content understood as a preface.

The preface holds some essential information, with certain details being mandatory for the document's validity.

4.4.2.1. Examples

Notably, the document number (identified as *docNumber*) and the document title (*docTitle*) must be present and correctly located within the preface for the document to be considered valid. The image below illustrates how the *docNumber* and *docTitle* are incorporated into the preface, ensuring that this information is easily identifiable and accessible.



≠ identifier (SR)

¹¹ [SR 101 - Bundesverfassung der Schweizerischen Eidgenossenschaft vom 18. April 1999 | Fedlex](#)

modelling

```
akomaNtoso
1 <?xml version="1.0" encoding="UTF-8"?>
2 <akomaNtoso xmlns="http://docs.oasis-open.org/legaldocml/ns/akn/3.0">
3   <act name="publicLaw">
4     <meta> [63 lines]
5     <preface>
6       <p><docNumber>101</docNumber></p>
7       <p><docTitle>Bundesverfassung <br/>der Schweizerischen
8       Eidgenossenschaft</docTitle></p>
9       <p>vom 18. April 1999 (Stand am 13. Februar 2022)</p>
10    </preface>
11    <preamble> [25 lines]
12    <body> [9823 lines]
13    <components> [3686 lines]
14  </act>
15 </akomaNtoso>
```

However, the document number is not always present, as shown in the example below:

source¹²

**Legge federale
concernente le piattaforme per la comunicazione elettronica in ambito
giudiziario**
(LCEG)
del 20 dicembre 2024

keine SR-Nummer

modelling

```
<preface>
<p>
<docTitle>Legge federale
<br/>concernente le piattaforme per la comunicazione elettronica in ambito giudiziario</docTitle>
</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">(LCEG)</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">del 20 dicembre 2024</p>
</preface>
```

The <preface> is a mandatory structure element for the file to be a valid Akoma Ntoso xml.

MUST

¹² [RU 2025 583 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario \(LCEG\) | Fedlex](#)

4.4.3. Justificatory text <preamble>

The justificatory text includes any matter found after the <preface> up to where the <body> begins. It may contain one or more paragraphs stating purpose, aims, and justification of a normative document. They may refer to the legal basis, other normative documents, statements, etc.

This part may consist of one or more different paragraphs, usually not numbered, which state the considerations on the legal basis and rationale of a document. At times it might be structured as a single long sentence formatted into multiple paragraphs for readability, in which each paragraph begins with a verb.

The preambular part usually begins with an "enacting formula", followed by unnumbered paragraphs.

The preamble typically begins with a present, past or perfect participle or participial phrase in italics, and ends with a comma. Preamble paragraphs may be subdivided as follows:

- First-degree sub-paragraphs: e.g. identified by lower-case letters between parentheses.
- Second-degree sub-paragraphs: e.g. identified by lower-case roman numerals between parentheses.

Some or all the informational parts below, but not necessarily in the same order, may be found:

- Recitals: motivations and justifications of the legal document.
- Citations: references to other legal documents.
- Enacting Formula: enacting sentences.
- Paragraph(s).

Key aspects of the Akoma Ntoso <preamble> element:

- **Purpose:** To explain the reasons and intent behind the document, such as a constitution or statute.
- **Content:** May include informational parts like enacting sentences (<formula>), preambular paragraphs (<p>), and containers (<container>) to group them.
- **Structure:** Can be one or more paragraphs, sometimes starting with a verb.
- **Elements:** Uses specific Akoma Ntoso elements to structure the text, such as:
 - <preamble>: The main element to contain the preambular text.
 - <formula>: To mark enacting or promulgation sentences.
 - <p> or <container>: For the actual preambular paragraphs.
 - <crossHeading>: To explicitly identify preambular paragraphs when referring to the concept of a preamble.

4.4.3.1. Examples

In the context of Akoma Ntoso, the <preamble> element marks the introductory part of a legal or official document, stating its purpose, aim, and justification. It may consist of one or more paragraphs, often starting with a formula identifying the authorities that are promulgating the document, and can include preambular paragraphs and concluding formulas.

source¹³

Präambel

Im Namen Gottes des Allmächtigen!
Das Schweizer Volk und die Kantone,

in der Verantwortung gegenüber der Schöpfung,

im Bestreben, den Bund zu erneuern, um Freiheit und Demokratie, Unabhängigkeit und Frieden in Solidarität und Offenheit gegenüber der Welt zu stärken,

im Willen, in gegenseitiger Rücksichtnahme und Achtung ihre Vielfalt in der Einheit zu leben,

im Bewusstsein der gemeinsamen Errungenschaften und der Verantwortung gegenüber den künftigen Generationen,

gewiss, dass frei nur ist, wer seine Freiheit gebraucht, und dass die Stärke des Volkes sich misst am Wohl der Schwachen,
geben sich folgende Verfassung¹:

¹ Angenommen in der Volksabstimmung vom 18. April 1999 (BB vom 18. Dez. 1998, BRB vom 11. Aug. 1999 – AS 1999 2556; BBl 1997 I 1; 1999 162, 5986).

modelling

```
<preamble>
<p fedlex:role="heading"><b>Präambel</b></p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">Im Namen Gottes des Allmächtigen!</p>
<p>Das Schweizer Volk und die Kantone,</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">in der Verantwortung gegenüber der Schöpfung,</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">im Bestreben, den Bund zu erneuern, um Freiheit und
Demokratie, Unabhängigkeit und Frieden in Solidarität und Offenheit gegenüber der Welt zu stärken,</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">im Willen, in gegenseitiger Rücksichtnahme und
Achtung ihre Vielfalt in der Einheit zu leben,</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">im Bewusstsein der gemeinsamen
Errungenschaften und der Verantwortung gegenüber den künftigen Generationen,</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">gewiss, dass frei nur ist, wer seine Freiheit
gebraucht, und dass die Stärke des Volkes sich misst am Wohl der Schwachen,</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">geben sich folgende Verfassung
<inline name="man-font-style-normal">
<authorialNote>
<p>Angenommen in der<ref href="http://www.admin.ch/ch/d/pore/va/19990418/index.html">
Volksabstimmung vom 18. April 1999 </ref>(BB vom 18. Dez. 1998, BRB vom 11. Aug. 1999 –
<ref href="https://fedlex.data.admin.ch/eli/oc/1999/404">AS <b>1999</b>2556</ref>;
<ref href="https://fedlex.data.admin.ch/eli/fga/1997/1_1_1">BBl<b>1997</b>I 1</ref>;
<b>1999</b>162, <ref href="https://fedlex.data.admin.ch/eli/fga/1999/1_5986_5306_4968">
5986</ref>).</p>
</authorialNote>
</inline>:
</p>
</preamble>
```

However, the document number is not always present, as shown in the example below:

source¹⁴

L'Assemblea federale della Confederazione Svizzera,

visti gli articoli 92, 122 capoverso 1 e 123 capoverso 1 della Costituzione federale¹;

visto il messaggio del Consiglio federale del 15 febbraio 2023²,

decreta:

¹ RS 101

² FF 2023 679

doc Nr. 2

¹³ SR 101 - Bundesverfassung der Schweizerischen Eidgenossenschaft vom 18. April 1999 | Fedlex

¹⁴ RU 2025 583 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario (LCEG) | Fedlex

modelling	<pre> <preamble> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> L'Assemblea federale della Confederazione Svizzera,</p> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">visti gli articoli 92, 122 capoverso 1 e 123 capoverso 1 della Costituzione federale <authorialNote><p><ref fedlex:rs- uri="https://fedlex.data.admin.ch/eli/cc/1999/404" fedlex:rs="101" href="https://fedlex.data.admin.ch/vocabulary/l egal-taxonomy/4715">RS 101</ref></p> </authorialNote>;
visto il messaggio del Consiglio federale del 15 febbraio 2023 <authorialNote> <p><ref xmlns:tmp="urn:com:c- moria:legi4ch:xslt:temp" href="https://fedlex.data.admin.ch/eli/fga/2023/679">FF2023679</ref></p> </authorialNote>, </p> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">decreta:</p> </preamble> </pre>
-----------	---

The <preamble> is mandatory structure element for the file to be a valid Akoma Ntoso xml.

4.4.4. The main content: <body>

The main content includes any matter found after the <preamble> up to the <conclusion>, or <attachments>, or the end of the document. It contains the main part of the document, which is characterised by a structural complexity that may vary depending on the document typology and purpose.

It is usually articulated in hierarchical structures in which the text is subdivided into higher subdivisions, basic units and lower subdivisions.

The higher subdivision may be called parts, sections, chapter etc. and groups the basic units. Higher subdivision may have Roman or Arabic numbers or letters to identify them and may or may not have a title.

The basic units (e.g. articles, clauses) may or may not have heading and may be numbered (Roman or Arabic numbers or letters) with a single numeration for the entire body or within each of the parts of which they may be composed of.

The lower subdivision may include paragraphs, sub-paragraphs, sub-points, etc. Single paragraph are usually not numbered or may be numbered with Roman or Arabic numbers or letters with different styling conventions.

Normative documents are usually modelled in hierarchical structures. By hierarchical structure we mean a structure organized with higher subdivision that groups basic units and lower subdivisions inside of the basic unit, much like a hierarchy of headings in a word document as heading1, heading2, heading3 and so on. The "hierarchy" in the hierarchy structure is analogous to a typical heading hierarchy in a document.

The Akoma Ntoso standard is neutral with respect to the legal drafting traditions and provides most of the hierarchical elements for modelling the body structure in a very precise way without prescribing any fixed order for the different hierarchical elements. It explicitly supports the following hierarchical containers in alphabetical order: alinea, article, book, chapter, clause, division, hcontainer, indent, level, list, paragraph, part, point, proviso, rule, section, subchapter, subclause, subdivision, sublist, subparagraph, subpart, subrule, subsection, subtitle, title, tome and transitional.

In Akoma Ntoso, the <body> element is a conceptual container that holds the main content and structures of a document, though the specific name of this element varies depending on the document type. For instance, a <debateBody> element is used for debates, a <judgmentBody> for court judgments, and a <mainBody> for general purposes, with each providing a specific set of structures for that type of content. The goal is to provide human and

machine-readable models for different document types while maintaining a common basic structure.

Purpose and Function of the <body/> (Generic Concept):

- **Content Container:** the concept of a "body" element in AKN serves as a primary container for the substantive content of a document.
- **Document-Specific Structures:** the actual name of the body element changes to reflect the document's nature, such as <debateBody>, <judgmentBody>, or <mainBody>.
- **Hierarchical Content:** the body elements contain the core hierarchical structures and elements that define the content and arguments within a document.
- **Structural Elements:** these elements are primarily "structural" in nature, meaning they contain other elements rather than direct text content.
- **Common Framework:** all document types within AKN share common basic structures, providing consistency and facilitating interoperability.

The <body> is mandatory structure element for the file to be a valid Akoma Ntoso xml. The image below provides an example of the hierarchical organization typical in the body:

```

akomaNtoso
1 <?xml version="1.0" encoding="UTF-8"?>
2 <akomaNtoso xmlns="http://docs.oasis-open.org/legaldocml/ns/akn/3.0">
3   <act name="publicLaw">
4     <meta>
68     <preface> [63 lines]
73     <preamble> [4 lines]
99     <body> [25 lines]
100       <title eId="tit_1"> [135 lines]
236       <title eId="tit_2"> [952 lines]
1189       <title eId="tit_3">
1190         <num>3. Titel</num>
1191         <heading>Bund, Kantone und Gemeinden</heading>
1192         <chapter eId="tit_3/chap_1">
1193           <num>1. Kapitel</num>
1194           <heading>Verhältnis von Bund und Kantonen</heading>
1195           <section eId="tit_3/chap_1/sec_1"> [99 lines]
1295           <section eId="tit_3/chap_1/sec_2">
1296             <num>2. Abschnitt</num>
1297             <heading>Zusammenwirken von Bund und
1298             Kantonen</heading>
1324             <article eId="art_44"> [25 lines]
1344             <article eId="art_45"> [19 lines]
1399             <article eId="art_46"> [54 lines]
1433             <article eId="art_47"> [33 lines]
1517             <article eId="art_48"> [83 lines]
1635             <article eId="art_48_a"> [117 lines]
1652             <article eId="art_49"> [16 lines]
1653           </section>
           <section eId="tit_3/chap_1/sec_3"> [27 lines]

```

As illustrated in the example hierarchy, title elements form the uppermost layer within the body of the document. Nested within a title are chapter elements, and within a chapter, section elements exist. The article elements are positioned at the deepest level of the hierarchy.

There are cases where the hierarchical levels are either not named or their naming is unclear. For instance, in some cases the reference might be simply stated as §7(f)(2), where it is not clear how the lower levels are named. For these undefined or inconsistent cases, the more generic <level> element may be used.

4.4.4.1. Examples

source¹⁵

- 1. Titel: Allgemeine Bestimmungen

- Art. 1 Schweizerische Eidgenossenschaft

Das Schweizervolk und die Kantone Zürich, Bern, Luzern, Uri, Schwyz, Obwalden und Nidwalden, Glarus, Zug, Freiburg, Solothurn, Basel-Stadt und Basel-Landschaft, Schaffhausen, Appenzell Ausserrhoden und Appenzell Innerrhoden, St. Gallen, Graubünden, Aargau, Thurgau, Tessin, Waadt, Valais, Neuchâtel, Genève und Jura bilden die Schweizerische Eidgenossenschaft.

- Art. 2 Zweck

¹ Die Schweizerische Eidgenossenschaft schützt die Freiheit und die Rechte des Volkes und wahrt die Unabhängigkeit und die Sicherheit des Landes.

² Sie fördert die gemeinsame Wohlfahrt, die nachhaltige Entwicklung, den inneren Zusammenhalt und die kulturelle Vielfalt des Landes.

³ Sie sorgt für eine möglichst grosse Chancengleichheit unter den Bürgerinnen und Bürgern.

⁴ Sie setzt sich ein für die dauerhafte Erhaltung der natürlichen Lebensgrundlagen und für eine friedliche und gerechte internationale Ordnung.

attach example of §7(f)(2)

¹⁵ [SR 101 - Bundesverfassung der Schweizerischen Eidgenossenschaft vom 18. April 1999 | Fedlex](#)

modelling	<pre> <body> <title eld="tit_1"> <num>1. Titel:</num> <heading>Allgemeine Bestimmungen</heading> <article eld="art_1"> <num>Art. 1</num> <heading>Schweizerische Eidgenossenschaft</heading> <paragraph eld="art_1/para"> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">Das Schweizervolk und die Kantone Zürich, Bern, Luzern, Uri, Schwyz, Obwalden und Nidwalden, Glarus, Zug, Freiburg, Solothurn, Basel-Stadt und Basel-Landschaft, Schaffhausen, Appenzell Ausserrhoden und Appenzell Innerrhoden, St. Gallen, Graubünden, Aargau, Thurgau, Tessin, Waadt, Wallis, Neuenburg, Genf und Jura bilden die Schweizerische Eidgenossenschaft.</p> </content> </paragraph> </article> <article eld="art_2"> <num>Art. 2</num> <heading>Zweck</heading> <paragraph eld="art_2/para_1"> <num>1</num> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Die Schweizerische Eidgenossenschaft schützt die Freiheit und die Rechte des Volkes und wahrt die Unabhängigkeit und die Sicherheit des Landes.</p> </content> </paragraph> <paragraph eld="art_2/para_2"> <num>2</num> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Sie fördert die gemeinsame Wohlfahrt, die nachhaltige Entwicklung, den inneren Zusammenhalt und die kulturelle Vielfalt des Landes.</p> </content> </paragraph> <paragraph eld="art_2/para_3"> <num>3</num> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Sie sorgt für eine möglichst grosse Chancengleichheit unter den Bürgerinnen und Bürgern.</p> </content> </paragraph> <paragraph eld="art_2/para_4"> <num>4</num> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Sie setzt sich ein für die dauerhafte Erhaltung der natürlichen Lebensgrundlagen und für eine friedliche und gerechte internationale Ordnung.</p> </content> </paragraph> </article> </pre>
source ¹⁶	 Sezione 1: Disposizioni generali  Art. 1 Scopo e oggetto ¹ La presente legge si prefigge di garantire una comunicazione elettronica sicura e semplice in ambito giudiziario, tra privati e autorità nonché tra autorità. ² Essa disciplina: - l'istituzione e l'esercizio di una o più piattaforme per la trasmissione elettronica di documenti in ambito giudiziario; - la costituzione di un ente di diritto pubblico responsabile di una piattaforma centrale utilizzata, per quanto possibile, in tutta la Svizzera (piattaforma centrale); - gli aspetti procedurali generali della comunicazione elettronica e della consultazione elettronica degli atti.  Art. 2 Campo d'applicazione La presente legge si applica nella misura in cui lo preveda il pertinente diritto processuale.

¹⁶ [RU 2025 583 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario \(LCEG\) | Fedlex](#)

modelling

```
<body>
<section eld="sec_1">
  <num>Sezione 1:</num>
  <heading>Disposizioni generali</heading>
  <article eld="art_1">
    <num><b>Art. 1</b></num>
    <heading>Scopo e oggetto</heading>
    <paragraph eld="art_1/para_1">
      <num>1</num>
      <content>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> La presente legge si prefigge di
          garantire una comunicazione elettronica sicura e semplice in ambito giudiziario, tra privati e
          autorità nonché tra autorità.</p>
      </content>
    </paragraph>
    <paragraph eld="art_1/para_2">
      <num>2</num>
      <content>
        <blockList>
          <listIntroduction eld="art_1/para_2/listintro" xmlns:mig="urn:com:c-moria:legi4ch:xslt:
            migration"> Essa disciplina:</listIntroduction>
            <item eld="art_1/para_2/lbl_a">
              <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a.</num>
              <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'istituzione e l'esercizio di una
                o più piattaforme per la trasmissione elettronica di documenti in ambito giudiziario;</p>
            </item>
            <item eld="art_1/para_2/lbl_b">
              <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b.</num>
              <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">la costituzione di un ente di
                diritto pubblico responsabile di una piattaforma centrale utilizzata, per quanto possibile,
                in tutta la Svizzera (piattaforma centrale);</p>
            </item>
            <item eld="art_1/para_2/lbl_c">
              <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">c.</num>
              <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">gli aspetti procedurali generali
                della comunicazione elettronica e della consultazione elettronica degli atti.</p>
            </item>
          </blockList>
        </content>
      </paragraph>
    </article>
    <article eld="art_2">
      <num><b>Art. 2</b></num>
      <heading>Campo d'applicazione</heading>
      <paragraph eld="art_2/para">
        <content>
          <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">La presente legge si applica nella
            misura in cui lo preveda il pertinente diritto processuale.</p>
        </content>
      </paragraph>
    </article>
  </section>
```

4.4.5. Closing formula: <conclusion>

The closing formula includes all concluding material (e.g. closing formula(s), date(s) and signature(s)) and is placed at the end of the main document, typically before the Annexes.

Some or all the info parts below, not necessarily in the same order, may be found in this part:

- date of execution
- place/site
- witnessing clause
- parties

Inkrafttreten? x Beschluss

4.4.5.1. Example

source ¹⁷	<table><tr><td>19 settembre 2025</td><td> In nome del Consiglio federale svizzero: La presidente della Confederazione, Karin Keller-Sutter Il cancelliere della Confederazione, Viktor Rossi </td></tr></table>	19 settembre 2025	In nome del Consiglio federale svizzero: La presidente della Confederazione, Karin Keller-Sutter Il cancelliere della Confederazione, Viktor Rossi
19 settembre 2025	In nome del Consiglio federale svizzero: La presidente della Confederazione, Karin Keller-Sutter Il cancelliere della Confederazione, Viktor Rossi		
modelling	<pre><table fedlex:function="layout"> <tr> <td> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> 19 settembre 2025</p> </td> <td> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">In nome del Consiglio federale svizzero:</p> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">La presidente della Confederazione, Karin Keller-Sutter
Il cancelliere della Confederazione, Viktor Rossi</p> </td> </tr> </table></pre>		

¹⁷ [RU 2025 583 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario \(LCEG\) | Fedlex](#)

4.4.6 Annexes <attachments> or <components>

The <components> element in AKN4CH Akoma Ntoso is a closing XML tag designed to encapsulate all concluding information, such as the signature, date, place, and registration details. The element is placed at the end of the main document body, typically just before the start of any annexes or appendices, if any. This element can contain the following types of information, although the elements and their order may vary:

- **Signature of Judges:** The signatures of the judges who presided over the case.
- **Date and Place:** The date and location where the judgment was issued.
- **Date Registered:** The date the judgment was officially registered.
- **Registrar:** Information about the registrar who handled the case.
- **Original Version:** Details about the original language version of the document.
- **Other Details:** Any other concluding material relevant to the specific document.

The Components is not mandatory element for the file to be a valid Akoma Ntoso xml. ✓

4.4.6.1. Example

source ¹⁸	
modelling	<pre><preface> <container name="headerOfAnnex"> <block name="heading">Allegato</block> </container> </preface> <mainBody> <p>(art. 36)</p> <level eld="annex_u1/lvl_u1"> <heading>Modifica di altri atti normativi</heading> <intro> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Gli atti normativi qui appresso sono modificati come segue:</p> </intro> <level eld="annex_u1/lvl_u1/lvl_1"> <num>1. </num> <heading>Legge federale del 16 dicembre 2005 <inline name="man-font-weight-normal"> <authorialNote> <p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/cc/2007/758" fedlex:rs="142.20" href="https://fedlex.data.admin.ch/vocabulary/legal-taxonomy/4851">RS142.20</ref></p> </authorialNote> </inline> sugli stranieri e la loro integrazione </heading></pre>

where is comparable?

The annexes block includes all additional material in normative documents. They are generally autonomous documents that the normative document adopts or endorses. They all retain their independent structure and formats. When such a document appears after the closing formula, it is structurally considered an annex.

The "additional material" typically appears after the main text of the normative document and may be titled with the word Annex, Attachment, Schedule, Tables, etc. and, usually, a

¹⁸ [RU 2025 583 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario \(LCEG\) | Fedlex](#)

descriptive heading and are used as a means of presenting provisions or parts of provisions separately from the body of the enacting terms, in particular because of their technical nature.

5. AKN TAGGING FOR STRUCTURAL BLOCKS

5.1. Metadata

The FRBR model offers an excellent framework to deal with legal texts. In legal domain, we've a lot of derivations due to the constant amendments of normative acts.

Akoma Ntoso makes careful use of the FRBR hierarchy of document definitions: a legal document (such as an act), which may assume different content after being revised and amended, is nonetheless a single work - which gets multiple expressions whenever some specific content is generated (for instance, through an amendment). Each of these expressions has the chance of then being expressed in some electronic form (as a PDF document, or an HTML document, or, in our case, as a specific XML document using vocabulary and grammar from the Akoma Ntoso markup language) thereby generating at least one manifestation. Each physical file where the manifestation is located is therefore an item.

Besides the FRBR levels, an identifier must conform to the URI/IRI syntax and the Akoma Ntoso Naming Convention. While defining a URI/IRI it is important to define:

- 1. the country, *CH*
- 2. the type of the document, *act / bill*
- 3. the date of the document and, where applicable, also the version
- 4. the main language, and also *DTIE*
- 5. the different parts like annexes, exhibits, table, etc.

The metadata within the XML document is intentionally kept to the essentials. ! ✓

The image below displays the metadata structure for Work, Expression, and Manifestation, along with the necessary references to show the details mentioned above:

```
akomaNtoso
1  <?xml version="1.0" encoding="UTF-8"?>
2  <akomaNtoso xmlns="http://docs.oasis-open.org/legaldocml/ns/akn/3.0">
3    <act name="publicLaw">
4      <meta>
5        <identification source="#ch.bk">
6          ① <FRBRWork> [21 lines]
7          ② <FRBRExpression> [10 lines]
8          ③ <FRBRManifestation> [11 lines]
9        </identification>
10       <references source="#ch.bk">
11         <TLCOrganization eId="ch.bk" [2 lines]
12         <TLCRole eId="publisher" [2 lines]
13         <TLCRole eId="rightsHolder" [2 lines]
14         <TLCTReference name="language" [1 line]
15         <TLCTReference name="format" [1 line]
16       </references>
17     </meta>
```

The Fedlex platform extends beyond simple data storage, utilizing an advanced knowledge graph to manage a document's comprehensive metadata. This includes lifecycle stages,

chronological records, citations, and more. Take, for example, the publication page of SR 101¹⁹. It serves as a practical reference for the kind of metadata that is available.

The Akoma Ntoso metadata section provides a separate place for enriching a document with metadata, a place that is clearly identified as such and is dated and authored differently than the content of the text itself.

The metadata elements of Akoma Ntoso are organized in a block called <meta> and inside we find few main sections:

identification:	containing all relevant facts about <u>document</u> , <u>dates</u> and <u>authors</u> . This block also includes <u>translation</u> information when the document is derived by other languages and <u>properties</u> such as the prescriptiveness of the document and the <u>authoritativeness</u> .
publication:	<u>publication</u> metadata
classification:	keyword classification <i>Systematisches Register</i>
lifecycle:	list of the events that <u>modify the document</u> .
workflow:	list of the procedural steps necessary for delivery of the document or that have some role in the legislative process.
analysis:	list of the qualification of the provisions and assertions on the text.
temporalData	list of temporal parameters as a set of events (e.g. time intervals of <u>enter into force</u> and time of efficacy).
references:	list of the <u>external resources</u> connected with the document as well as of all individuals, organizations , and concepts that are relevant to understanding the content and the history of the document.
notes:	annotations inserted by the editor or by the author to explain and detail the text content of the document
proprietary:	local and proprietary metadata
Presentation	specifications of metadata useful for assisting with the document rendering.

To preserve the integrity and consistency of information, especially in how documents interrelate, redundancy is avoided by not replicating this metadata within the XML documents themselves. This practice ensures that each document, whether downloaded as XML, MS Word (docx), or PDF, remains consistent and true to the original text.

¹⁹ <https://www.fedlex.admin.ch/eli/cc/1999/404/de>

business rules

For users interested in the full richness of information contained in the legal texts, there is a dedicated SPARQL endpoint²⁰ available. It allows for in-depth queries against the extensive metadata held within the knowledge graph, providing a comprehensive understanding of the text's context and connections.

By streamlining the metadata directly within the XML documents and offering robust query capabilities through the SPARQL endpoint, users are afforded a balance between document fidelity and rich metadata access.

The Fedlex publishing process involves an automated transformation of documents from their original MS Word format to the XML format used for publication. To ensure that any feedback can be accurately addressed, the version information of the transformation tool is included within the Manifestation metadata of the XML document. This inclusion allows for precise tracing and improvements specific to the version of the tool used.

This information is captured as an extension attribute within the Fedlex namespace²¹. This guide demonstrates how extension attributes are used inside the Fedlex information model. Extensions attributes are used sparsely, and the permitted attribute names and values are restricted by rules. [FLX-XF-001]²²

The following image shows how this attribute is structured within the metadata:

```
<identification source="#ch.bk">
  <FRBRWork> [21 lines]
  <FRBRExpression> [10 lines]
  <FRBRManifestation>
    <FRBRthis> [1 line]
    <FRBRuri
      value="https://fedlex.data.admin.ch/eli/cc/2002/412/20211119/de/xml"/>
    <FRBRdate date="1996-12-15" name="jolux:dateEntryInForce"/>
    <FRBRdate date="1992-11-25" name="jolux:dateDocument"/>
    <FRBRdate date="2021-11-19" name="jolux:dateApplicability"/>
    <FRBRauthor href="#ch.bk" as="#publisher"/>
    <FRBRauthor href="#ch.bk" as="#rightsHolder"/>
    <FRBRformat value="xml"
      fedlex:generator="2023-q3-rel-1.4.6"
      xmlns:fedlex="http://fedlex.admin.ch/" />
  </FRBRManifestation>
</identification>
<references source="#ch.bk">
  <TLCOrganization eId="ch.bk" [2 lines]
  <TLCRole eId="publisher" [2 lines]
  <TLCRole eId="rightsHolder" [2 lines]
</references>
```



technical rules

By embedding the generator version details directly into the document's metadata, a clear audit trail for the transformation process exists, enabling the management of document quality and the effective response to user feedback. [FLX-XF-002]²²

provenance

Each level of this hierarchy can be identified by a number (num) and may also include a title (heading). When both are used, the numbering will precede the title. [FLX-HD-002]²²

A num is optional, but cannot appear more than once in a hierarchical container. [FLX-HD-001]²²

²⁰ <https://fedlex.data.admin.ch/en-CH/sparql>

²¹ xmlns:fedlex="http://fedlex.admin.ch/"

²² See schematron rule description in Annex I

Also a heading is optional, and cannot appear more than once in a hierarchical container. [FLX-HD-004]²²

Occasionally a hierarchical container can have a subheading. When present, a subheading will be preceded by the optional *num* and/or *heading*. [FLX-HD-003] [FLX-HD-005]²³

A subheading is optional but cannot appear more than once in a hierarchical container. [FLX-HD-006]²³

As a subheading often has a referential characteristic, it has the possibility to carry an extension attribute *role* in the Fedlex namespace, with the value "reference". Note that this attribute with value "reference" is only allowed on subheading elements. [FLX-XF-005]²³

The below image shows an example of a subheading with referential characteristic in use. (example taken from RS 732.441²⁴)

business rule

modelling	<pre><article eld="art_1"> <num>Art. 1</num> <heading>In generale</heading> <subheading fedlex-role="reference">(art 8 cpv. 2 LRCN)</subheading> <level eld="art_1/para"> <content> <blocklist></pre>
-----------	--

La V - 6

5.2. Shared elements

Other elements inline are shared by all the types of documents:

<date>	The date element permits marking up any date in the text and associating a particular meaning using the refersTo attribute. <date date="2013-04-04" refersTo="#signatureDate">four April 2013</date> or to specify the time and zone <date date="2013-04-04T12:00:00" refersTo="#signatureDate">four April 2013</date>. The attribute date is used to give a normalized value for a date according to the XSD syntax YYYY-MM-DD or a normalized value for a dateTime according to the XSD syntax YYYY-MM-DDThh:mm:ss(zzzz)
<time>	The time element is an inline element to identify a time expressed in the text and to propose a normalized representation in the time attribute.
<person>	The person element is an inline element to identify a person expressed in the text and connect he/she to the ontological class.
<organization>	The organization element is an inline element to identify an organization expressed in the text and connect it to the ontological class.
<concept>	The concept element is an inline element to identify a concept expressed in the text and connect it to the ontological class.
<object>	The object element is an inline element to identify an object expressed in the text and to connect it to the ontological class.
<event>	The event element is an inline element to identify an event (e.g. All Saints, EasterMonday) expressed in the text and to connect it to the ontological class.
<location>	The location element is an inline element to identify a location (e.g. Bern, Federal Building) expressed in the text and connect it to the ontological class.
<process>	The process element is an inline element to identify a process (e.g. voting of the bill) expressed in the text and to connect it to the ontological class.
<role>	The role element is an inline element to identify a role (e.g. member of assembly, secretary, president, judge, solicitor, etc.) expressed in the text and connect it to the ontological class.
<term>	The term element is an inline element to identify a term (e.g. privacy, IPR, etc.) expressed in the text and to connect it to the ontological class.
<quantity>	The quantity element quantity is an inline element to identify a quantity (e.g. 20 attendees, IPR, etc.) expressed in the text and to connect it to the ontological class.

²³ See schematron rule description in Annex I

²⁴ <https://www.fedlex.admin.ch/eli/cc/2021/860/it>

X or answer

<def>	The def element is an inline element to identify a definition (e.g. "stalking" is defined as...) expressed in the text and to connect it to the ontological class.
<entity>	The entity element is an inline element to identify an entity expressed in the text and to connect it to the ontological class.

5.3. Elements borrowed from HTML

Name of the element	Group in Akoma Ntoso	Description
<div>	HTML containers	The element <div> is an HTML element but is NOT used as in HTML. Instead of being used as a generic block, Akoma Ntoso uses <div> as a generic container to define a container not included in the regular vocabulary.
<p>	HTML block	The element <p> is an HTML element used as in HTML, for the generic paragraph of text (a block).
/	HTML block	The elements / are HTML elements for defining unnumbered or numbered list.
	HTML block	The element is an HTML item of or .
<table>	HTML block	The element <table> is HTML element to define a table.
<th> / <tr> / <td> / <caption>	HTML block	The elements <th>/<tr>/<td>/<caption> are HTML elements of the table.
	HTML inline	The element is an HTML element used as in HTML, for the generic inline.
	HTML inline	The element b is an HTML element used as in HTML, for indicating bold style.
<i>	HTML inline	The element i is an HTML element used as in HTML, for indicating italic style.
<a>	HTML inline	The element a is an HTML element used as in HTML, for indicating a link to hypertext resources.
<u>	HTML inline	The element u is an HTML element used as in HTML, for indicating underline style.
<sub>	HTML inline	The element sub is an HTML element used as in HTML, for indicating text as subscripts.
<sup>	HTML inline	The element sup is an HTML element used as in HTML, for indicating text as superscripts.
<abbr>	HTML inline	Sometime the act is named with an abbreviation. Akoma Ntoso manages abbreviation using the element <abbr> (e.g. LCR for the "Loi fédérale sur la circulation routière").
 	HTML marker	It is the line break used in the HTML definition.
	HTML marker	It is used as pointer for declaring the position where to embed an image in the XML manifestation.
<eop> / <eol>	HTML marker	These are used to identify the end of page (and also end of line) as markers by their mere presence at a given position. Therefore, they are placed nearest to the end of the page and line according to the reference copy in printed form. There is the assumption that the corresponding beginning of page and line are immediately after the previous <eop> and <eol>.

5.4. Identification – IRI (Normative) vs. ELI

5.4.1. Introduction to compliant IRI syntaxes

The Akoma Ntoso standard defines a number of referenceable concepts used in many situations in the lifecycle of legal documents. The purpose of this section is to provide:

- a) a standard referencing mechanism to these concepts through the use of IRI (Internationalized Resource Identifier) references associated to classes and instances of an ad hoc ontology (the Akoma Ntoso Naming Convention).
- b) a set of requirements for other naming conventions to be usable within Akoma Ntoso XML resources in a proper way (Functionally Equivalent Naming Conventions - FENC).

5.4.2. European Legislation Identifier (ELI)

ELI/XML is an encoding of ELI metadata in an XML schema (XSD). It can be used standalone or imported into other XML documents, typically in a metadata header. The ELI/XML schema is provided with a set of XML transformations to generate ELI in RDF/XML, RDFa header or HTML+RDFa. It is meant to facilitate the integration of ELI in XML-based document workflows.

5.4.3. Fedlex Naming Convention

Fedlex naming conventions are based on the ELI standard²⁵, which provides a structured naming scheme for federal legal resources like laws, compilations, and treaties. The convention uses unique URIs (Uniform Resource Identifiers) to identify specific legal documents and their versions. Components of the naming convention

- **Collection type** (identifies the type of legal document):
 - fga: Federal Gazette
 - oc: Official Compilation
 - cc: Classified Compilation
 - cons: Consultation procedures
 - treaty: International treaties
- **Unique identifiers:** Each document has a unique numerical identifier within its collection, such as RS 832.202²⁶ for a Classified Compilation entry whose reference for the Official collection would be RO 199 2879. This document is not yet in xml format.
- **Versioning:** The URIs can specify a particular version of a document, reflecting changes over time. The dates are handled within the ontology as FRBR dates such as jolux:dateApplicability, jolux:dateEntryInForce, jolux:dateDocument²⁷ in all the sections of <FRBRWork>, <FRBRExpression> and <FRBRManifestation>.

Values for the 2021 version	Values for the 2024 version
<FRBRdate date="2000-01-01" name="jolux:dateEntryInForce"/>	<FRBRdate date="2000-01-01" name="jolux:dateEntryInForce"/>
<FRBRdate date="1999-04-18" name="jolux:dateDocument"/>	<FRBRdate date="1999-04-18" name="jolux:dateDocument"/>
<FRBRdate date="2021-01-01" name="jolux:dateApplicability"/>	<FRBRdate date="2024-03-03" name="jolux:dateApplicability"/>

- **Citations:** References to other documents are structured to link directly from the citing article to the cited article.

²⁵ [European Legislation Identifier - Wikipedia](#)

²⁶ A full list of acronyms used in this document is available in Annex II

²⁷ [SR 101 - Bundesverfassung der Schweizerischen Eidgenossenschaft vom 18. April 1999 | Fedlex](#)

modelling	<pre> <item eId="art_1/para/lbl_q"> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">q) </num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'expression «tiers intervenant» désigne toute Partie contractante ou toute personne concernée ou le Commissaire aux droits de l'homme du Conseil de l'Europe qui, comme prévu à l'art. 36 par. 1, 2 et 3 de la Convention, a exercé son droit de présenter des observations écrites et de prendre part à une audience, ou y a été invité;</p> </item> </pre>
-----------	---

5.4.4. References

At the moment references within the text are not marked up. The only references available in the documents are those in the footnotes. See chapter footnotes for examples.

5.4.4.1. External reference

```

<item eId="art_1/para/lbl_q">
  <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">q) </num>
  <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'expression «tiers intervenant» désigne toute Partie contractante ou toute personne concernée ou
  le Commissaire aux droits de l'homme du Conseil de l'Europe qui, comme prévu à l'art. 36 par. 1, 2 et 3 de la Convention, a exercé son droit de
  présenter des observations écrites et de prendre part à une audience, ou y a été invité;</p>
</item>

```

5.4.4.2. Internal reference

```

<paragraph eId="art_33/para_1">
  <num>1.</num>
  <content>
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
      Tous les documents déposés au greffe par les parties ou par des tiers intervenants en rapport avec une requête, à l'exception a) de ceux déposés dans
      le cadre de négociations menées en vue de parvenir à un règlement amiable comme le prévoit l'art. 62 du présent règlement, ou b) de ceux présentés dans
      le cadre d'une procédure conduite sur la base de l'art. 44
      <i>f</i>
      du présent règlement, sont accessibles au public, selon les modalités pratiques édictées par le greffier, à moins que le président de la chambre n'en
      décide autrement pour les raisons indiquées au par. 2 du présent article, soit d'office, soit à la demande d'une partie ou de toute autre personne
      intéressée.
    </p>
  </content>
</paragraph>

```

what is the difference?

both visible!

(fedlex.admin.ch/filestore/fedlex.data.admin.ch/eli/cc/2006/596/20250428/fr/xml/fedlex-data-admin-ch-eli-cc-2006-596-20250428-fr-xml-1.xml)

5.5. Microstructure

5.5.1. Micro-structure elements


For hierarchical structure we mean a structure organized with higher levels that group basic units, basic units (article, section, etc.) and lower levels inside of the basic unit.

The Akoma Ntoso standard is neutral with respect to the legal drafting techniques of the different legal traditions, providing most of the hierarchical elements for modelling the body structure: book, tome, part, subpart, title, subtitle, chapter, subchapter, section, subsection, clause, subclause, paragraph, subparagraph, division, point, indent, alinea, list, sublist.

For these reasons, the main requirements of structuring legal text are covered.

The following table shows an example use of hierarchical elements:

	<i>Swiss tradition</i>	<i>Akoma Ntoso</i>	<i>Used in AKN4CH</i>
Higher Division	(Tome)	(Tome)	No X
	(Part/Partie)	(Part)	No X
	Livre <i>Buch</i>	Book	Yes
	Title/Titre <i>Titel</i>	Title	Yes
	Chapter/Chapitre <i>Kapitel</i>	Chapter	Yes
	Section/section/ <i>Abschnitt</i>	Section	Yes
	Subsection/Sous-Section	Subsection	Yes
	<i>Sensory</i>	Level	Yes
Basic Unit	Article (rule)/article	article/section/rule	Yes
Subdivision	unnumbered paragraph/alinea	Subsection/Alinea/clause	Yes
	Paragraph/paragraphe	Paragraph	Yes
	(Proviso)	(Proviso)	Yes
	Subparagraph/sous paragraphe	Subparagraph	No X
		Division	Yes
	Point/point/	point/item	Yes



This more restrictive and specific organization ensures that the structure of Swiss Federal law is both consistent and logically ordered, following the specific guidelines of the Fedlex Information Model. [FLX-HR-001-xx]²⁸

Error! Reference source not found. expresses these rules for direct or indirect containment.

Can directly or indirectly contain	book	title	part	chapter	sub-chapter	section	Sub-section	article
book		X	X	X	X	X	X	X
title	X		X	X	X	X	X	X
part				X	X	X	X	X
chapter					X	X	X	X
subchapter						X	X	X
section							X	X
subsection								X
article								

Any of the hierarchical component types shown in the table above, have the possibility to appear as the top level element in the body of an act. [FLX-BD-001]²⁹

Swiss legislative practice maintains a disciplined approach to structuring legal texts. Notably, it is not allowed to house more than 10 legal articles within a single hierarchical container. If a situation arises where an 11th article is introduced into a chapter, the structure is then refined by introducing a section as an intermediary level to maintain clarity and navigability.

The Fedlex Information Model accommodates the inclusion of generic level containers at any stage in the document hierarchy. This flexibility allows for the integration of these components alongside the more precisely defined hierarchical structure as detailed earlier. [FLX-XF-004]³⁹

In regard to direct and indirect containment rules, generic levels should be perceived as 'transparent.' A <level> element possesses the capability to function as a child element to any hierarchical component outlined in the Information Model. However, the permissibility of child elements within a level element is dictated by its ancestors. [FLX-HR-001-IV]³⁹

Note that all hierarchical elements should have a unique identifier by means of an eld attribute. [FLX-HR-002-xx]³⁰

²⁸ See schematron rule description in Annex I. 'xx' in the rule identifier indicates all rules following this pattern.

²⁹ See schematron rule description in Annex I.

³⁰ See schematron rule description in Annex I.

Schlussbestimmung
- Interaktiv

5.5.2. Special hierarchical constructs

5.5.2.1. Proviso (final disposition or final provision)

A proviso represents a specific type of article, typically positioned towards the end of a legislative text. A text can have multiple proviso, potentially intermixed with transitional (as will be discussed later). Structurally, a proviso is similar to an article in terms of content. However, an article has a mandatory num. A proviso in general is not numbered.

The image below presents an example of how a proviso is incorporated within the context of the legislative text:

```
</title>
</book>
<proviso eId="disp_1"> [19 lines]
<proviso eId="disp_2">
  <heading>Schlussbestimmungen der Änderung vom 13. Dezember 2002<inline
    name="man-font-weight-normal"><authorialNote>
      <p> [2 lines]
    </authorialNote></inline></heading>
  <paragraph eId="disp_2/para">
    <content>
      <p>1. Vollzug von Strafen</p>
```

This example illustrates the practical application of a proviso and its positioning within the document, providing clarity on its usage and differentiation from standard articles.

5.6. Transitional (disposition or provision)

Übergangsbestimmung

Transitional are distinct elements within a legal text, typically positioned towards the end of a legislative text. It is not unusual for a document to contain several transitional provisions, which may be interspersed among provisos.

Structurally, a <transitional> element is similar to an <article> element in terms of content. Contrary to the first, an article has a mandatory number represented by the <num> element.

The following image provides a clear example of how transitional provisions are integrated within the broader context of a legislative document:

This example illustrates the practical application of a transitional and its positioning within the document, providing clarity on its usage and differentiation from standard articles.

```
</title>
</book>
<proviso eId="disp_1"> [19 lines]
<proviso eId="disp_2"> [131 lines]
<transitional eId="disp_3"> [17 lines]
<transitional eId="disp_4"> [17 lines]
<transitional eId="disp_5">
  <heading>Übergangsbestimmung zur Änderung vom 19. Juni 2015<inline
    name="man-font-weight-normal"><authorialNote>
      <p> [4 lines]
    </authorialNote></inline></heading>
  <paragraph eId="disp_5/para">
    <content>
      <p>Wurde der Täter innerhalb der letzten fünf Jahre vor der Tat nach
        bisherigem Recht zu einer Geldstrafe von mehr als 180 Tagessätzen
        verurteilt, so ist der Aufschub des Vollzugs einer Strafe (Art. 42 Abs.
        1) nur zulässig, wenn besonders günstige Umstände vorliegen.</p>
    </content>
  </paragraph>
</transitional>
</body>
```


5.7. Article content

In legislative texts, in a conceptual sense, an *article* serves as a terminal point in the document's hierarchy. Its content is encapsulated within its paragraph child elements.

```
<level eId="tit_I/lvl_u6" fedlex:role="marginal">
  <heading>Signaux et marques</heading>
  <article eId="art_5">
    <num>
      <b>Art. 5</b>
    </num>
    <paragraph eId="art_5/para_1">
      <num>1</num>
      <content>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Les limitations et prescriptions relatives à la circulation des véhicules automobiles et des cycles doivent être indiquées par des signaux ou des marques, lorsqu'elles ne s'appliquent pas à l'ensemble du territoire suisse.</p>
      </content>
    </paragraph>
    <paragraph eId="art_5/para_2">
      <num>2</num>
      <content>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Il n'est pas nécessaire d'indiquer par des signaux ou marques les routes et les endroits qui sont manifestement réservés à l'usage privé ou à des fins spéciales.</p>
      </content>
    </paragraph>
    <paragraph eId="art_5/para_3">
      <num>3</num>
      <content>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Sur les routes ouvertes à la circulation des véhicules automobiles ou des cycles, ainsi qu'à leurs abords, seuls peuvent être employés les signaux et marques prévus par le Conseil fédéral; ils ne peuvent être placés que par les autorités compétentes ou avec leur approbation.</p>
      </content>
    </paragraph>
  </article>
</level>
```

5.7.1. Paragraphs

Each *article* has a mandatory numerical label (`<num>`) and may also feature a *heading* (`<heading>`). [FLX-ART-001]³¹ When both are present, the numbering should precede the *heading*. [FLX-HD-002]³¹ As with other hierarchical constructs, an *article* can have a *subheading* that can only appear after the mandatory *num* and the optional *heading*. [FLX-HD-003]³¹

Within the main text of an *act*, *article* numbers are unique. However, there is an exception: if an act includes a "*final title*" — a single title element that is marked as '*final*' — then the article numbering would recommence inside that "*final title*".

The image below shows how content is organized within an *article*, showing the relationship between the *article* and its legal *paragraph* children:

```
<article eId="art_132">
  <num><b>Art. 132</b></num>
  <heading>Stempelsteuer und Verrechnungssteuer</heading>
  <paragraph eId="art_132/para_1">
    <num>1</num>
    <content>
      <p> Der Bund kann auf dem Ertrag von beweglichem Kapitalvermögen, auf Lotteriegewinnen und auf Versicherungsleistungen eine Verrechnungssteuer erheben. Vom Steuerertrag fallen 10 Prozent den Kantonen zu.</p>
    </content>
  </paragraph>
  <paragraph eId="art_132/para_2">
    <num>2</num>
    <content>
      <p> Der Bund kann auf dem Ertrag von beweglichem Kapitalvermögen, auf Lotteriegewinnen und auf Versicherungsleistungen eine Verrechnungssteuer erheben. Vom Steuerertrag fallen 10 Prozent den Kantonen zu.</p>
      <authorialNote>
        <p> Angenommen in der <ref
      </authorialNote>
    </content>
  </paragraph>
</article>
```

A *paragraph* can only appear in the context of an *article* (or a *subdivision*). [FLX-PR-002]³² and can have a *num*, a *heading* and a *subheading* (rules are as specified with hierarchical

³¹ See schematron rule description in Annex I.


³² See schematron rule description in Annex I.

components) and also a content element. [FLX-PR-001]³² A paragraph requires a unique identifier by means of an *eld* attribute. [FLX-PR-003]³²

Occasionally, *paragraphs* may require additional grouping, which could involve an intertitle. In such instances, a *subdivision* element is used to provide this structure. [FLX-SD-001]³²

A subdivision can only appear in the context of an article. [FLX-SD-002]³² and requires a unique identifier by means of an *eld* attribute. [FLX-SD-003]³²

The following image depicts an example of an article that incorporates such *subdivisions*:



```
<article eId="art_196">
  <num><b>Art. 196</b></num>
  <heading>Übergangsbestimmungen gemäss Bundesbeschluss vom <br/>18. Dezember
    1998 über eine neue Bundesverfassung<authorialNote>
      <p> Angenommen in der <ref
        [13 lines]
      </authorialNote></heading>
  <subdivision eId="art_196/subdiv_u1">
    <heading>Übergangsbestimmung zu Art. 84 (Alpenquerender
      Transitverkehr)</heading>
    <paragraph eId="art_196/subdiv_u1/para">
      [7 lines]
    </paragraph>
  </subdivision>
  <subdivision eId="art_196/subdiv_u2">
    <heading>Übergangsbestimmung zu Art. 85 (Pauschale
      Schweißverkehrsabgabe)</heading>
    <paragraph eId="art_196/subdiv_u2/para_1">
      [8 lines]
    <paragraph eId="art_196/subdiv_u2/para_2">
      [138 lines]
    <paragraph eId="art_196/subdiv_u2/para_3">
```

5.7.2. Lists

A paragraph can contain one or more lists that can contain each one or more lists. If a list is in the *<preamble>* it must be marked up as *<blocklist>*.

From the Akoma Ntoso perspective, it was decided to use *<blocklist>* instead of *<list>*, as it would be easier for the management of complex textual and legal structures.

In Akoma Ntoso, the difference between the two types of lists lies in their intended semantic structure, content model and similarity with HTML elements:

- **<blocklist>** is designed specifically for complex legal texts, often acting as container for numbered or lettered paragraphs (*<items>*) that include block-level content.
 - The purpose of a blocklist is to be used for lists or items that contain complex, structured content within each item, such as a set of paragraphs, sub-paragraphs or enumerated statements.
 - Structurally, the *<blocklist>* is a container that holds a list of *<item>* which in turn can contain block-level elements like paragraphs (*<p>*), images, tables or nested lists.
- **<list>** is more akin to the simpler HTML unordered (**) or ordered (**) lists.
 - The purpose of a list is to be used for simpler lists. The *<list>* is a simple container composed by *<item>* elements. The structure of a list item is more strict, compared to the one of a *<blocklist>* item.

5.7.2.1. Examples

For AKN4CH it was decided to use *<blocklists>* for all kind of lists. Lists do not always have an introductory sentence:

source³³

- Aptitude et qualifications nécessaires à la conduite

- Art. 14⁴¹

¹ Tout conducteur de véhicule automobile doit posséder l'aptitude et les qualifications nécessaires à la conduite.

² Est apte à la conduite celui qui remplit les conditions suivantes:

- a. il a atteint l'âge minimal requis;
- b. il a les aptitudes physiques et psychiques requises pour conduire un véhicule automobile en toute sécurité;
- c. il ne souffre d'aucune dépendance qui l'empêche de conduire un véhicule automobile en toute sécurité;
- d. ses antécédents attestent qu'il respecte les règles en vigueur ainsi que les autres usagers de la route.

modelling

```
<paragraph eId="art_14/para_2">
  <num>2</num>
  <content>
    <blockList>
      <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eId="art_14/para_2/listintro"> Est apte à la conduite celui qui remplit les conditions suivantes:</listIntroduction>
      <item eId="art_14/para_2/lbl_a">
        <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a.</num>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">il a atteint l'âge minimal requis;</p>
      </item>
      <item eId="art_14/para_2/lbl_b">
        <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b.</num>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">il a les aptitudes physiques et psychiques requises pour conduire un véhicule automobile en toute sécurité;</p>
      </item>
      <item eId="art_14/para_2/lbl_c">
        <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">c.</num>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">il ne souffre d'aucune dépendance qui l'empêche de conduire un véhicule automobile en toute sécurité;</p>
      </item>
      <item eId="art_14/para_2/lbl_d">
        <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">d.</num>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">ses antécédents attestent qu'il respecte les règles en vigueur ainsi que les autres usagers de la route.</p>
      </item>
    </blockList>
  </content>
</paragraph>
```

An example of second level lists³⁴:

source³⁴

³ Il accomplit les tâches suivantes:

- a. il couvre la responsabilité civile pour les dommages causés en Suisse:
 1. par des véhicules automobiles ou des remorques non identifiés ou non assurés, dans la mesure où la présente loi prévoit une obligation d'assurance;
 2. par des cycles ou des engins assimilés à des véhicules, lorsque l'auteur du dommage ne peut être identifié ou que le dommage n'est couvert ni par lui-même, ni par une assurance-responsabilité civile, ni par un tiers responsable du dommage à la place de l'auteur, ni par une autre assurance;
- b. il exploite l'organisme d'indemnisation visé à l'art. 79d.

modelling

```
<paragraph eId="art_76/para_3">
  <num>3</num>
  <content>
    <blockList>
      <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eId="art_76/para_3/listintro"> Il accomplit les tâches suivantes:
      <item eId="art_76/para_3/lbl_a">
        <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a.</num>
        <blockList>
          <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eId="art_76/para_3/lbl_a/listintro">il couvre la responsabilité civile pour les dommages causés en Suisse:</listIntroduction>
          <item eId="art_76/para_3/lbl_a/lbl_1">
            <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">1.</num>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">par des véhicules automobiles ou des remorques non identifiés ou non assurés, dans la mesure où la présente loi prévoit une obligation d'assurance,</p>
          </item>
          <item eId="art_76/para_3/lbl_a/lbl_2">
            <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">2.</num>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">par des cycles ou des engins assimilés à des véhicules, lorsque l'auteur du dommage ne peut être identifié ou que le dommage n'est couvert ni par lui-même, ni par une assurance-responsabilité civile, ni par un tiers responsable du dommage à la place de l'auteur, ni par une autre assurance;</p>
          </item>
        </blockList>
      </item>
      <item eId="art_76/para_3/lbl_b">
        <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b.</num>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">il exploite l'organisme d'indemnisation visé à l'art. 79</p>
      </item>
    </blockList>
  </content>
</paragraph>
```

An example of a third level list:

³³ [RS 741.01 - Loi fédérale du 19 décembre 1958 sur la circulation routière \(LCR\) | Fedlex](#)

³⁴ [RS 741.01 - Loi fédérale du 19 décembre 1958 sur la circulation routière \(LCR\) | Fedlex](#)

Art. 49 Content of the report

The report must include the following information:

- a. the manufacturer's name and address;
- b. the name of the person responsible for placing the substance or preparation on the market in the EEA in accordance with Article 17 paragraph 1 letter a of the CLP Regulation¹⁰¹, if the manufacturer's identity is not mentioned on the label;
- c. in the case of substances:
 1. the chemical name in accordance with Article 18 paragraph 2 letters a-d of the CLP Regulation,
 2. the CAS number,
 3. the EC number,
 4. the classification and labelling,
 5. the intended uses,
 6. in the case of substances dangerous to the environment: the quantity likely to be placed on the market annually according to one of the following categories: less than 1 tonne, 1-10 tonnes, 10-100 tonnes, more than 100 tonnes,
 - 7.¹⁰² in the case of nanomaterials:
 - the composition, particle form and mean particle size and, where available, the number size distribution, specific surface area by volume, crystal structure, aggregation status, surface coating and surface functionalisation, and
 - the quantity expected to be placed on the market annually according to one of the following categories: less than 1 kilogramme, 1-10 kilogrammes, 10-100 kilogrammes, 100-1000 kilogrammes, 1-10 tonnes, 10-100 tonnes, more than 100 tonnes,
8. an indication of whether the substance is considered to be PBT or vPvB,
9. the chemical safety report available in the EEA, provided that it can be obtained by the manufacturer with reasonable effort;

³⁵ SR 813.11 - Ordinance of 5 June 2015 on Protection against Dangerous Substances and Preparations (Chemicals Ordinance, ChemO) | Fedlex


```

<article eld="art_49">
  <num><b>Art. 49</b></num>
  <heading>Content of the report</heading>
  <paragraph eld="art_49/para_1">
    <num>1</num>
    <content>
      <blockList>
        <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eld="art_49/para_1/listintro"> The report
        must include the following information:</listIntroduction>
          <item eld="art_49/para_1/lbl_a">
            <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a. </num>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the manufacturer's name and address;</p>
          </item>
          <item eld="art_49/para_1/lbl_b">
            <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b. </num>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">name of the person responsible for placing the
            substance or preparation on the market in the EEA in accordance with Article 17 paragraph 1 letter a of the
            CLP Regulation
            <authorialNote>
              <p>See footnote to Art. 2 para. 4.</p>
            </authorialNote>,
            if the manufacturer's identity is not mentioned on the label;</p>
          </item>
          <item eld="art_49/para_1/lbl_c">
            <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">c. </num>
            <blockList>
              <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eld="art_49/para_1/lbl_c/listintro">in
              the case of substances:</listIntroduction>
              <item eld="art_49/para_1/lbl_c/lbl_1">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">1. </num>
                <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the chemical name in accordance with Article 18
                paragraph 2 letters a–d of the CLP Regulation,</p>
              </item>
              <item eld="art_49/para_1/lbl_c/lbl_2">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">2. </num>
                <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the CAS number,</p>
              </item>
              <item eld="art_49/para_1/lbl_c/lbl_3">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">3. </num>
                <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the EC number, </p>
              </item>
              <item eld="art_49/para_1/lbl_c/lbl_4">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">4. </num>
                <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the classification and labelling,</p>
              </item>
              <item eld="art_49/para_1/lbl_c/lbl_5">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5. </num>
                <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the intended uses,</p>
              </item>
              <item eld="art_49/para_1/lbl_c/lbl_6">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">6. </num>
                <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">in the case of substances dangerous to the
                environment: the quantity likely to be placed on the market annually according to one of the following
                categories: less than 1 tonne, 1–10 tonnes, 10–100 tonnes, more than 100 tonnes,</p>
              </item>
              <item eld="art_49/para_1/lbl_c/lbl_7">
                <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">7.
                <authorialNote>
                  <p>Amended by No I of the O of 31 Jan. 2018, in force since 1 March 2018
                  (<ref href="https://fedlex.data.admin.ch/eli/oc/2018/102"> AS<b>2018</b>801</ref>).</p>
                </authorialNote>
              </num>
              <blockList>
                <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eld="art_49/para_1/lbl_c/lbl_7/
                listintro">in the case of nanomaterials:</listIntroduction>
                <item eld="art_49/para_1/lbl_c/lbl_7/bull_u1">
                  <num>– </num>
                  <p>the composition, particle form and mean particle size and, where available, the number size
                  distribution, specific surface area by volume, crystal structure, aggregation status, surface coating
                  and surface functionalisation, and</p>
                </item>
                <item eld="art_49/para_1/lbl_c/lbl_7/bull_u2">
                  <num>– </num>
                  <p>the quantity expected to be placed on the market annually according to one of the following
                  categories: less than 1 kilogramme, 1–10 kilogrammes, 10–100 kilogrammes, 100–1000

```

	kilogrammes, 1–10 tonnes, 10–100 tonnes, more than 100 tonnes,</p> </item> </blockList> </item> <item eId="art_49/para_1/lbl_c/lbl_8"> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">8. </num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">an indication of whether the substance is considered to be PBT or vPvB,</p></item> <item eId="art_49/para_1/lbl_c/lbl_9"> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">9. </num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">the chemical safety report available in the EEA, provided that it can be obtained by the manufacturer with reasonable effort;</p> </item> </blockList> </item>
--	--

In the mark-up perform the following checks:

MUST

- a. All the content has been embedded into a container (paragraph, list, etc).
- b. All the list numbers or letters have been marked up as such. If correctly marked up, they usually appear on a different line than the content of the point of the list.

5.7.3. Footnotes

All notes within the document are categorized as authorialNote. This categorization is used predominantly because these notes often contain cross-references to other acts and are maintained inline for coherence. To ensure publications consistency, hard line-breaks within a heading are represented in the model as `<br>` elements. [FLX-TXT-001]³⁶

5.7.3.1. Example

source ³⁷	Art. 10³ Interdiction de se dissimuler le visage^{4*} ¹ Nul ne peut se dissimuler le visage dans l'espace public, ni dans les lieux accessibles au public ou dans lesquels sont fournies des prestations ordinairement accessibles par tout un chacun; l'interdiction n'est pas applicable dans les lieux de culte. ² Nul ne peut contraindre une personne de se dissimuler le visage en raison de son sexe. ³ La loi prévoit des exceptions. Celles-ci ne peuvent être justifiées que par des raisons de santé ou de sécurité, par des raisons climatiques ou par des coutumes locales. ³ Accepté en votation populaire du 7 mars 2021, en vigueur depuis le 7 mars 2021 (AF du 19 juin 2020, ACF du 31 mai 2021; RO 2021 310; FF 2017 6109; 2019 2895; 2020 5345; 2021 1185). ^{4*} avec disposition transitoire
modelling	<pre> <article eld="art_10_a"> <num>Art. 10<i>a</i></num> <authorialNote> <p>Accepté en <ref href="http://www.admin.ch/ch/f/pore/va/20210307/index.html">votation populaire du 7 mars 2021</ref>, en vigueur depuis le 7 mars 2021 (AF du 19 juin 2020, ACF du 31 mai 2021; <ref href="https://fedlex.data.admin.ch/eli/oc/2021/310">RO2021310</ref>; <ref href="https://fedlex.data.admin.ch/eli/fga/2017/1844">FF20176109</ref>; <ref href="https://fedlex.data.admin.ch/eli/fga/2019/868">20192895</ref>; <ref href="https://fedlex.data.admin.ch/eli/fga/2020/1295">20205345</ref>; <ref href="https://fedlex.data.admin.ch/eli/fga/2021/1185">20211185</ref>). </p> </authorialNote> </num> <heading>Interdiction de se dissimuler le visage <authorialNote> <p><sup xmlns:tmp="urn:com:c-moria:legi4ch:xslt:temp">*</sup> avec disposition transitoire</p> </authorialNote> </heading> (...) </article> </pre>

³⁶ See schematron rule description in Annex I.


³⁷ [RS 101 - Constitution fédérale de la Confédération suisse du 18 avril 1999 | Fedlex](#)

5.7.4. Side notes (titre marginal)

Some acts may exhibit deeper levels of hierarchy than those already outlined. Such levels do not carry specific semantic weight. Instead, they are denoted as generic levels. In the printed versions of Swiss legislation, these generic levels are often labelled with marginal notes.

The image below is an excerpt from SR 210³⁸. It demonstrates a deeper nesting in practice, with the inclusion of marginal notes to facilitate ease of reading and interpretation.

5.7.4.1. Example

source ³⁴	Erster Teil: Das Personenrecht Erster Titel: Die natürlichen Personen Erster Abschnitt: Das Recht der Persönlichkeit Art. 11 A. Persönlichkeit im Allgemeinen I. Rechtsfähigkeit 1 Rechtsfähig ist jedermann. 2 Für alle Menschen besteht demgemäss in den Schranken der Rechtsordnung die gleiche Fähigkeit, Rechte und Pflichten zu haben.
modelling	<pre><book eld="book_1"> <num>Erster Teil: </num> <heading>Das Personenrecht</heading> <title eld="book_1/tit_1"> <num>Erster Titel: </num> <heading>Die natürlichen Personen</heading> <chapter eld="book_1/tit_1/chap_1"> <num>Erster Abschnitt: </num> <heading>Das Recht der Persönlichkeit</heading> <level eld="book_1/tit_1/chap_1/lvl_A" fedlex:role="marginal"> <num>A. </num> <heading>Persönlichkeit im Allgemeinen</heading> <level eld="book_1/tit_1/chap_1/lvl_A/lvl_I" fedlex:role="marginal"> <num>I. </num> <heading>Rechtsfähigkeit</heading> <article eld="art_11"> <num>Art. 11</num> <paragraph eld="art_11/para_1"> <num>1</num> <content><p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Rechtsfähig ist jedermann.</p> </content> </paragraph> </article> </level> </level> </chapter> </title> </book></pre> 

The image illustrates how these generic levels are represented within the Fedlex XML model, including the marginal notes in the printed document that receive a role attribute in the Fedlex namespace, with a value "marginal". [FLX-XF-003]³⁹:

Note that this attribute with value "marginal" is only allowed on level elements. [FLX-XF-004]³⁹

5.7.5. Tables

Akoma Ntoso inherits the markup of tables from the HTML markup language.

³⁸ https://www.fedlex.admin.ch/eli/cc/24/233_245_233/de

³⁹ See schematron rule description in Annex I.

7

A table structure is enclosed in the opening and closing tags <table>, <tr>, <td>.

This said, in the same way as lists, tables can also contain other tables on different levels.

5.7.5.1. Examples

Below is an example of a simple table, that contains simple text and footnotes:

source⁴⁰

-  **Chapitre 1 Définitions et champ d'application**

-  **Art. 1 Contenu, abréviations et définitions**

¹ La présente ordonnance régit les signaux, marques et réclames sur les routes et à leurs abords, les signes et les instructions à donner par la police et détermine les mesures et restrictions nécessaires à la circulation.

² Au sens de la présente ordonnance on entend par

Agrandir le tableau 

a. DETEC ³	le Département fédéral de l'environnement, des transports, de l'énergie et de la communication ⁴ ;
b. ⁵ OFROU	l'Office fédéral des routes;
c. autorité	celle qui est compétente selon le droit cantonal pour ordonner la mise en place ou la suppression des signaux et des marques;
d. loi sur la procédure administrative	la loi fédérale du 20 décembre 1968 sur la procédure administrative ⁶ ;
e. LCR	la loi fédérale du 19 décembre 1958 sur la circulation routière ⁷ ;
f. OCR	l'ordonnance du 13 novembre 1962 sur les règles de la circulation routière ⁸ ;
g. ⁹ OETV	l'ordonnance du 19 juin 1995 concernant les exigences techniques requises pour les véhicules routiers ¹⁰ ;
h. ¹¹ SDR	l'ordonnance du 29 novembre 2002 relative au transport des marchandises dangereuses par route ¹² ;
i. ¹³ ORN	l'ordonnance du 7 novembre 2007 sur les routes nationales ¹⁴ .

⁴⁰ RS 741.21 - Ordonnance du 5 septembre 1979 sur la signalisation routière (OSR) | Fedlex

```

<chapter eld="chap_1">
<num>Chapitre 1</num>
<heading>Définitions et champ d'application</heading>
<article eld="art_1">
<num><b>Art. 1</b></num>
<heading>Contenu, abréviations et définitions</heading>
<paragraph eld="art_1/para_1">
<num>1</num>
<content>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> La présente ordonnance régit les signaux, marques et réclames sur les routes et à leurs abords, les signes
et les instructions à donner par la police et détermine les mesures et restrictions nécessaires à la circulation. </p>
</content>
</paragraph>
<paragraph eld="art_1/para_2">
<num>2</num>
<content><p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Au sens de la présente ordonnance on entend par</p>
<table border="1">
<tr>
<td>
<blockList>
<item>
<num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a. </num>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">DETEC
<authorialNote>
<p>Nouveau terme selon le ch. I de l'O du 1<sup xmlns:ttmp="urn:com:c-moria:legi4ch:xslt:temp">er</sup> avr. 1998, en vigueur depuis le 1<sup
xmlns:ttmp="urn:com:c-moria:legi4ch:xslt:temp">er</sup> juin 1998 (<ref href="https://fedlex.data.admin.ch/eli/oc/1998/1440_1440">RO<b>1998</b>
1440</ref>). Il a été tenu compte de cette mod. dans tout le texte. </p>
</authorialNote>
</p>
</item>
</blockList>
</td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">le Département fédéral de l'environnement, des transports, de l'énergie et de la communication
<authorialNote>
<p>Nouveau terme selon le ch. I de l'O du 1<sup xmlns:ttmp="urn:com:c-moria:legi4ch:xslt:temp">er</sup> avr. 1998, en vigueur depuis le 1<sup
xmlns:ttmp="urn:com:c-moria:legi4ch:xslt:temp">er</sup> juin 1998 (<ref href="https://fedlex.data.admin.ch/eli/oc/1998/1440_1440">RO<b>1998</b>
1440</ref>). </p>
</authorialNote>;
</p>
</td>
</tr>
</table>
<blockList>
<item>
<num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b.
<authorialNote>

```


	<p>Nouvelle teneur selon le ch. I de l'O du 24 juin 2015, en vigueur depuis le 1<sup><a >ro2015<="" a="" b>2459<="" href="https://fedlex.data.admin.ch/eli/oc/2015/461" ref><=""></sup></p> <er</sup> janv. 2016 (<ref href="https://fedlex.data.admin.ch/eli/oc/2015/461">RO20152459</ref>).</p> </authorialNote> </num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">OFFROU</p> </item> </blockList> </td> <td> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'Office fédéral des routes;</p> </td> <tr> <td> <blockList> <item> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">c.</num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">autorité</p> </item> </blockList> </td> <td> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">celle qui est compétente selon le droit cantonal pour ordonner la mise en place ou la suppression des signaux et des marques;</p> </td> </tr> <tr> <td> <blockList> <item> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">d.</num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">loi sur la procédure administrative</p> </item> </blockList> </td> <td> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">la loi fédérale du 20 décembre 1968 sur la procédure administrative <authorialNote><p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/cc/1969/737_757_755" fedlex:rs="172.021" href="https://fedlex.data.admin.ch/vocabulary/legal-taxonomy/5059">RS172.021</ref></p> </authorialNote>; </p> </td> </tr> <tr> <td> <blockList> <item> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">e.</num>
--	---

```

<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">LCR<p>
</item>
</blockList>
</td>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">la loi fédérale du 19 décembre 1958 sur la circulation routière
<authorialNote>
8613">RS<b>741.01</b></ref><p></authorialNote>;
</p>
</td>
</tr>
<tr>
<td>
<blockList>
<item>
<num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">f. </num>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">OCR<p>
</item>
</blockList>
</td>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'ordonnance du 13 novembre 1962 sur les règles de la circulation routière
<authorialNote>
<p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/cc/1962/1364_1409_1420" fedlex:rs="741.11" href="https://fedlex.data.admin.ch/vocabulary/legal-taxonomy/8624">RS<b>741.11</b></ref><p>
legal-taxonomy/8624">
</authorialNote>;
</p>
</td>
</tr>
<tr>
<td>
<blockList>
<item>
<num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">g.
<authorialNote>
<p>Nouvelle teneur selon l'annexe 1 ch. II 5 de l'O du 19 juin 1995 concernant les exigences techniques requises pour les véhicules routiers, en vigueur depuis le 1<sup xmlns:tmp="urn:com:c-moria:legi4ch:xslt:temp">er</sup> oct. 1995 (<ref href="https://fedlex.data.admin.ch/eli/cc/1995/4425_4425_4425">RO<b>1995</b></ref>).</p>
</authorialNote>
</num>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">OETV<p>
</item>
</blockList>
</td>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'ordonnance du 19 juin 1995 concernant les exigences techniques requises pour les véhicules routiers
<authorialNote><p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/cc/1995/4425_4425_4425" href="https://fedlex.data.admin.ch/vocabulary/

```



```

legal-taxonomy/8648">RS<b>741.41</b></ref> </p>
</authorialNote>;
</td>
</tr>
<tr>
<td>
<blockList>
<item>
<num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">h.
<authorialNote>
<p>Nouvelle teneur selon le ch. I de l'O du 17 août 2005, en vigueur depuis le 1<sup xmlns:tmp="urn:com:c-moria:legi4ch:xslt:tmp">er</sup> mars 2006
(<ref href="https://fedlex.data.admin.ch/eli/oc/2005/582">RO<b>2005</b><b>4495</b></ref>).</p>
</authorialNote>
</num>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">SDR</p>
</item>
</blockList>
</td>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'ordonnance du 29 novembre 2002 relative au transport des marchandises dangereuses par route
<authorialNote>
<p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/oc/2002/685" fedlex:rs="741.621" href="https://fedlex.data.admin.ch/vocabulary/legal-taxonomy/8690">
RS<b>741.621</b></ref> </p>
</authorialNote>;
</p>
</td>
</tr>
<tr>
<td>
<blockList>
<item>
<num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">i.
<authorialNote>
<p>Introduite par l'annexe 4 ch. II 6 de l'O du 7 nov. 2007 sur les routes nationales, en vigueur depuis le 1<sup xmlns:tmp="urn:com:c-moria:legi4ch:xslt:tmp">er</sup> janvier 2008 (<ref href="https://fedlex.data.admin.ch/eli/oc/2007/796">RO<b>2007</b><b>5957</b></ref>).</p>
</authorialNote>
</num>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">ORN</p>
</item>
</blockList>
</td>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">l'ordonnance du 7 novembre 2007 sur les routes nationales
<authorialNote>
<p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/oc/2007/796" fedlex:rs="725.111" href="https://fedlex.data.admin.ch/vocabulary/legal-taxonomy/8454">
RS<b>725.111</b></ref> </p>
</authorialNote>.

```

	</p> </td> </tr> </table> </content> </paragraph>
--	--



Below is an example of a nested table:

source⁴¹

V. Plaques complémentaires				
5.01, 5.03, 5.07, 5.11, 5.12, 5.15, 5.17	La largeur des plaques correspond à la largeur du signal auquel elles sont ajoutées; la hauteur à env. $\frac{1}{3}$ de la largeur.			
5.02, 5.10	La largeur des plaques correspond à la largeur du signal auquel elles sont ajoutées; la hauteur à env. $\frac{2}{3}$ de la largeur.			
5.04 à 5.06	La hauteur des plaques correspond à $\frac{3}{5}$ de la largeur du signal auquel elles sont ajoutées; la largeur à $\frac{1}{3}$ de la hauteur.			
5.09				
- Longueur du côté	100 cm	80 cm	60 cm	50 cm
5.13				
- Longueur du côté	90 cm	70 cm	50 cm	35 cm
5.14				
- Longueur du côté	-	-	50 cm	35 cm
	Les plaques 5.13 et 5.14 peuvent aussi avoir la forme d'un rectangle; leur largeur correspond à la largeur du signal auquel elles sont ajoutées; leur hauteur à env. $\frac{1}{3}$ de la largeur.			
5.16				
- Longueur du côté	100 cm	80 cm	60 cm	40 cm
5.18	La plaque est carrée. Sa longueur latérale correspond au diamètre de la plage éclairante du feu rouge de l'installation de signaux lumineux (10 cm, 20 cm ou 30 cm).			

⁴¹ [RS 741.21 - Ordonnance du 5 septembre 1979 sur la signalisation routière \(OSR\) | Fedlex](#)

```

<tr>
  <td colspan="5">
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">V. Plaques complémentaires</p>
  </td>
</tr>
<tr>
  <td>
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.01, 5.03, 5.07, 5.11, 5.12, 5.15, 5.17</p>
  </td>
  <td colspan="4">
    <p>La largeur des plaques correspond à la<br/>largeur du signal auquel elles sont ajoutées; la hauteur à env.<sup xmlns:tms="urn:com:c-moria:legi4ch:xslt:temp">1</sup></sub>3</sub> de la largeur.</p>
  </td>
</tr>
<tr>
  <td>
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.02, 5.10</p>
  </td>
  <td colspan="4">
    <p>La largeur des plaques correspond à la<br/>largeur du signal auquel elles sont ajoutées; la hauteur à env.<sup xmlns:tms="urn:com:c-moria:legi4ch:xslt:temp">2</sup></sub>3</sub> de la largeur.</p>
  </td>
</tr>
<tr>
  <td>
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.04 à 5.06</p>
  </td>
  <td colspan="4">
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">La hauteur des plaques correspond à<sup xmlns:tms="urn:com:c-moria:legi4ch:xslt:temp">3</sup></sub>5</sub> de la largeur du signal auquel elles sont ajoutées; la largeur à<sup xmlns:tms="urn:com:c-moria:legi4ch:xslt:temp">1</sup></sub>3</sub> de la hauteur.</p>
  </td>
</tr>
<tr>
  <td><p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.09</p></td>
  <td> </td>
  <td> </td>
  <td> </td>
  <td> </td>
</tr>
<tr>
  <td><blockList>
    <item>
      <num>– </num>
      <p>Longueur du côté</p>
    </item>
  </blockList>
  </td>
  <td><p>100 cm</p></td>
  <td><p> 80 cm</p></td>
  <td><p> 60 cm</p></td>
  <td><p> 50 cm</p></td>
</tr>
<tr>
  <td><p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.13</p></td>
  <td> </td>
  <td> </td>
  <td> </td>
  <td> </td>
</tr>
<tr>
  <td>
    <blockList>
      <item>
        <num>– </num>
        <p>Longueur du côté</p>
      </item>
    </blockList>
  </td>
  <td><p> 90 cm</p></td>
  <td><p> 70 cm</p></td>
  <td><p> 50 cm</p></td>
  <td><p> 35 cm</p></td>
</tr>
<tr>
  <td>

```



```

<td>
  <blockList>
    <item>
      <num>
        <placeholder fedlex:message="E40S10-TAB">[tab]</placeholder>
      </num>
      <p>5.14</p>
    </item>
  </blockList>
</td>
<td> </td>
<td> </td>
<td> </td>
</tr>
<tr>
  <td>
    <blockList>
      <item>
        <num>– </num>
        <p>Longueur du côté</p>
      </item>
    </blockList>
  </td>
  <td><p>–</p></td>
  <td><p>–</p></td>
  <td><p> 50 cm</p></td>
  <td><p> 35 cm</p></td>
</tr>
<tr>
  <td> </td>
  <td colspan="4">
    <p>Les plaques 5.13 et 5.14 peuvent aussi avoir la forme d'un rectangle; leur largeur correspond à la largeur du signal auquel elles sont ajoutées; leur hauteur à env.<sup xmlns:tmp="urn:com:c-moria:legi4ch:xslt:temp">1</sup> <sub>3</sub> de la largeur.</p>
  </td>
</tr>
<tr>
  <td><p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.16</p></td>
  <td> </td>
  <td> </td>
  <td> </td>
  <td> </td>
</tr>
<tr>
  <td>
    <blockList>
      <item>
        <num>– </num>
        <p>Longueur du côté</p>
      </item>
    </blockList>
  </td>
  <td><p>100 cm</p></td>
  <td><p> 80 cm</p></td>
  <td><p> 60 cm</p></td>
  <td><p> 40 cm</p></td>
</tr>
<tr>
  <td>
    <blockList>
      <item>
        <num>
          <placeholder fedlex:message="E40S10-TAB">[tab]</placeholder>
        </num>
        <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">5.18</p>
      </item>
    </blockList>
  </td>
  <td colspan="4">
    <p>La plaque est carrée. Sa longueur latérale correspond au diamètre de la plage éclairante du feu rouge de l'installation de signaux lumineux (10 cm, 20 cm ou 30 cm).</p>
  </td>
</tr>

```

-  2 Carte de stationnement pour personnes handicapées

La carte de stationnement mesure 14,8 cm de large et 10,6 cm de haut. Le fond de la carte est bleu clair, le signe «Personne handicapée» est blanc sur fond bleu foncé. Pour les autres questions relatives à l'aspect de la carte, on se référera à l'illustration ci-dessous.

	Carte de stationnement pour personnes handicapées	Titulaire de la carte Prénoms Signature CH
Visiteur principal Numéro de la carte Autorité ayant délivré l'autorisation	Parkkarte Contrassegno di parcheggio Parking Card Parkeringskort Κάρτα σταθμεύσης Tarjeta de estacionamiento Parkkeerkaart Cartão de estacionamento Pysäköntilupa Parkeringstillstånd	Les facilités de stationnement auxquelles les bénéficiaires ont droit se basent sur les réglementations en vigueur dans le pays de séjour en question. La carte de stationnement, recto tourné vers l'extérieur, doit être placée de manière bien visible derrière le pare-brise.

```
<level_eld="annex_3/lvl_u1/lvl_2">
<num>2 </num>
<heading>Carte de stationnement pour personnes handicapées</heading>
<content>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">(art. 65, al. 5, OSR, art. 20a<i>, </i>OCR)</p>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">La carte de stationnement mesure 14,8 cm de large et
10,6 cm de haut. Le fond de la carte est bleu clair, le signe «Personne handicapée» est blanc sur fond bleu foncé.
Pour les autres questions relatives à l'aspect de la carte, on se référera à l'illustration ci-dessous. </p>
<table fedlex:function="layout">
<tr>
<td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
<p>

</p>
</td>
<td> </td>
<td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
<p>

</p>
</td>
</tr>
<tr>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">(Recto)</p>
</td>
<td> </td>
<td>
<p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">(Verso)</p>
</td>
</tr>
</table>
</content>
</level>
```

55



Below is an example of a nested table with images and footnotes:

source⁴³

1.1 Group 1		
Expand table		
a.	 in conjunction with	H300 ²²² : Fatal if swallowed, or H310: Fatal in contact with skin, or H330: Fatal if inhaled, or combinations of the above hazard statements
b.		
c. Substances and preparations labelled as follows in accordance with Annex 1.10 to the ORRChem ²²³ :		
	 in conjunction with	H340: May cause genetic defects, or H350: May (<i>if inhaled</i>) cause cancer, or H360: May damage fertility or the unborn child
²²² The number of the hazard statement need not appear in the labelling.		
²²³ SR 814.81		

⁴³ SR 813.11 - Ordinance of 5 June 2015 on Protection against Dangerous Substances and Preparations (Chemicals Ordinance, ChemO) | Fedlex

modelling

```

<level eId="annex_5/lvl_u1/lvl_1/lvl_1_1">
  <num>1.1</num>
  <heading>Group 1</heading>
  <content>
    <table border="1">
      <tr>
        <td>
          <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a.</p>
          </td>
          <td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
            <p>
              
            </p>
            <p>in conjunction with</p>
          </td>
          <td>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">H300
              <authorialNote>
                <p> The number of the hazard statement need not appear in the labelling.</p>
              </authorialNote>: Fatal if swallowed, or</p>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">H310: Fatal in contact with skin, or</p>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">H330: Fatal if inhaled, or</p>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">combinations of the above hazard statements</p>
          </td>
        </tr>
        <tr>
          <td>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b.</p>
            </td>
            <td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
              <p>
                
              </p>
            </td>
            <td> </td>
          </tr>
        <tr>
          <td>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">c.</p>
            </td>
            <td colspan="2">
              <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">Substances and preparations labelled as follows in
                accordance with Annex 1.10 to the ORRChem
                <authorialNote>
                  <p><ref fedlex:rs-uri="https://fedlex.data.admin.ch/eli/cc/2005/478" fedlex:rs="814.81"
                    href="https://fedlex.data.admin.ch/vocabulary/legal-taxonomy/9592">SR<b>814.81</b></ref></p>
                </authorialNote>:
              </p>
            </td>
          </tr>
        <tr>
          <td> </td>
          <td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
            <p>
              
            </p>
            <p>in conjunction with</p>
          </td>
          <td>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">H340: May cause genetic defects, or</p>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">H350: May (<i>if inhaled</i>) cause cancer, or</p>
            <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">H360: May damage fertility or the unborn child</p>
          </td>
        </tr>
      </table>
    </content>
  </level>

```


5.7.6. Images and pictograms

Akoma Ntoso has different ways to represent images in a file:

At the moment, images are inserted by reference, meaning that they are in an external folder to which points their URI.

5.7.6.1. Example of a pictogram

source ⁴⁴	Art. 64a¹⁶⁷ Plaques complémentaires pour les signaux des pistes cyclables et des chemins pour piétons ¹ Ajoutée au signal «Chemin pour piétons» (2.61), la plaque complémentaire «  autorisés» permet aux cyclistes et aux conducteurs de cyclomoteurs d'emprunter le chemin pour piétons. Sur les trottoirs, cette signalisation est admise à titre exceptionnel, notamment pour garantir la sécurité sur le chemin de l'école, pour autant que le trottoir soit peu fréquenté et que la circulation soit relativement dense sur la route. Sont applicables les dispositions relatives à l'utilisation commune visées à l'art. 33, al. 4. ² Ajoutée aux chemins pour piétons visés à l'al. 1, la plaque complémentaire «  interdits» interdit aux conducteurs de cyclomoteurs lourds et de cyclomoteurs rapides d'emprunter le chemin indiqué.
modelling	<pre><heading>Plaques complémentaires pour les signaux des pistes cyclables et des chemins pour piétons</heading> <paragraph eId="art_64_a/para_1"> <num>1</num> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Ajoutée au signal «Chemin pour piétons» (2.61), la plaque complémentaire
 « autorisés» permet aux cyclistes et aux conducteurs de cyclomoteurs d'emprunter le chemin pour piétons. Sur les trottoirs, cette signalisation est admise à titre exceptionnel, notamment pour garantir la sécurité sur le chemin de l'école, pour autant que le trottoir soit peu fréquenté et que la circulation soit relativement dense sur la route. Sont applicables les dispositions relatives à l'utilisation commune visées à l'art. 33, al. 4. </p> </content> </paragraph> <paragraph eId="art_64_a/para_2"> <num>2</num> <content> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> Ajoutée aux chemins pour piétons visés à l'al. 1, la plaque complémentaire « interdits» interdit aux conducteurs de cyclomoteurs lourds et de cyclomoteurs rapides d'emprunter le chemin indiqué. </p> </content> </paragraph></pre>

5.7.6.2. Example of image

source ⁴⁵	 1.05 Chaussée glissante (art. 5)  1.06 Cassis (art. 6)
----------------------	--

⁴⁴ RS 741.21 - Ordonnance du 5 septembre 1979 sur la signalisation routière (OSR) | Fedlex

⁴⁵ RS 741.21 - Ordonnance du 5 septembre 1979 sur la signalisation routière (OSR) | Fedlex

modelling	<pre> <tr> <td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> <p> </p> <blockList> <item> <num>1.05</num> <p>Chaussée glissante
</p> <p>(art. 5)</p> </item> </blockList> </td> <td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> <p> </p> <blockList> <item> <num>1.06</num> <p>Cassis
</p> <p>(art. 6)</p> </item> </blockList> </td> </tr> </pre>
-----------	---

5.7.7. Formulas

Simple formulas are marked up using simple html markup tags such as <sup> for superscript or <sub> for subscript, when the formula does not contain mathematical signs.

5.7.7.1. Example of simple formula

source ⁴⁶	² L'équivalent de dose individuel total se calcule avec deux dosimètres comme suit: $H_{\text{total}}(10) = H_{\text{sous}}(10) + a \cdot H_{\text{sur}}(10)$ $H_{\text{total}}(0,07) = H_{\text{sous}}(0,07) + H_{\text{sur}}(0,07)$ où H_{sous} représente la dose indiquée par le dosimètre placé sous le tablier de radioprotection et H_{sur} celle du dosimètre placé sur le tablier de radioprotection, et $a = 0,1$, lorsque le tablier de radioprotection ne protège pas la glande thyroïde, ou $a = 0,05$, si le tablier la protège.
modelling	<pre> <paragraph eld="art_11/para_2"> <num>2</num> <content> <blockList> <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eld="art_11/para_2/listintro"> L'équivalent de dose individuel total se calcule avec deux dosimètres comme suit:</listIntroduction> <item eld="art_11/para_2/bull_u1"> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"/> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> <i>H</i><sub>total</sub>(10) = <i>H</i><sub>sous</sub>(10) + <i>a</i>·<i>H</i><sub>sur</sub>(10)</p> </item> <item eld="art_11/para_2/bull_u2"> <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"/> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> <i>H</i><sub>total</sub>(0,07) = <i>H</i><sub>sous</sub>(0,07) + <i>H</i><sub>sur</sub>(0,07)</p> </item> </blockList> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">où <i>H</i><sub>sous</sub> représente la dose indiquée par le dosimètre placé sous le tablier de radioprotection et <i>H</i><sub>sur</sub> celle du dosimètre placé sur le tablier de radioprotection, et <i>a</i>= 0,1, lorsque le tablier de radioprotection ne protège pas la glande thyroïde, ou <i>a</i>= 0,05, si le tablier la protège.</p> </content> </paragraph> </pre>

Also when cited in a simple sentence, the chemical elements are simply marked up as html.

5.7.7.2. Example of markup of a chemical element in a sentence

source ⁴⁷	Art. 12 Surveillance de la dose équivalente au cristallin ¹ La dose équivalente au cristallin est déterminée à l'aide: - d'un dosimètre du cristallin et de l'équivalent de dose individuel au cristallin $H_p(3)$, ou - d'un dosimètre du corps entier et de l'équivalent de dose individuel en surface $H_p(0,07)$.
----------------------	--

⁴⁶ RS 814.501.43 - Ordonnance du DFI du 29 janvier 2026 sur la dosimétrie individuelle et la dosimétrie de l'environnement (Ordonnance sur la dosimétrie, ODoS) | Fedlex

⁴⁷ RS 814.501.43 - Ordonnance du DFI du 29 janvier 2026 sur la dosimétrie individuelle et la dosimétrie de l'environnement (Ordonnance sur la dosimétrie, ODoS) | Fedlex

modelling	<pre> <article eld="art_12"> <num>Art. 12</num> <heading>Surveillance de la dose équivalente au cristallin</heading> <paragraph eld="art_12/para_1"> <num>1</num> <content> <blockList> <listIntroduction xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration" eld="art_12/para_1/listintro"> La dose équivalente au cristallin est déterminée à l'aide:</listIntroduction> <item eld="art_12/para_1/lbl_a"> <num> xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">a. </num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">d'un dosimètre du cristallin et de l'équivalent de dose individuel au cristallin <i>H</i></sub>p</sub> (3), ou</p> </item> <item eld="art_12/para_1/lbl_b"> <num> xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">b. </num> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">d'un dosimètre du corps entier et de l'équivalent de dose individuel en surface <i>H</i></sub>p</sub>(0,07).</p> </item> </blockList> </content> </paragraph> </pre>
-----------	--

At the moment, complex formulas are inserted as images but will be codified as *mathml*.

5.7.7.3. Example of a complex formula inserted in a table as image

source ⁴⁷	<table border="1"> <tr> <td>Halbwertszeit, effektive/Période effective/Tempo di dimezzamento effettivo</td><td> $T_{eff} = \frac{T_{biol} \cdot T_{phys}}{T_{biol} + T_{phys}}$ La période effective est calculée comme suit à partir de la période biologique et de la période physique d'un radionucléide: </td></tr> </table>	Halbwertszeit, effektive/Période effective/Tempo di dimezzamento effettivo	$T_{eff} = \frac{T_{biol} \cdot T_{phys}}{T_{biol} + T_{phys}}$ La période effective est calculée comme suit à partir de la période biologique et de la période physique d'un radionucléide:
Halbwertszeit, effektive/Période effective/Tempo di dimezzamento effettivo	$T_{eff} = \frac{T_{biol} \cdot T_{phys}}{T_{biol} + T_{phys}}$ La période effective est calculée comme suit à partir de la période biologique et de la période physique d'un radionucléide:		
modelling	<pre> <tr> <td> <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">Halbwertszeit, effektive/Période effective/Tempo di dimezzamento effettivo</p> </td> <td xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"> <p> La période <i>effective</i> est calculée comme suit à partir de la période <i>biologique </i> et de la période <i>physique</i> d'un radionucléide:</p> </td> </tr> </pre>		

5.7.7.4. Example of a simple formula encoded in mathxml

source ⁴⁸	e. Dépendance énergétique: $0.5 \leq \frac{H_m}{H_t} \leq 3.0$
----------------------	--

⁴⁸ RS 741.21 - Ordonnance du 5 septembre 1979 sur la signalisation routière (OSR) | Fedlex

modelling

```
<item eld="annex_3/lvl_u1/list_u1/lbl_e">
  <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">e. </num>
  <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">Dépendance énergétique:</p>
</item>
</blockList>
<p>
  <foreign-block xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">
    <foreign fedlex:original-width="" fedlex:original-height="" fedlex:original-text-width=""
      fedlex:original-page-width="" type="mathml">
      <mn>0,5</mn>
      <mo>≤</mo>
      <mfrac>
        <mrow>
          <msub>
            <mrow><mi>H</mi></mrow>
            <mrow><mi>m</mi></mrow>
          </msub>
        </mrow>
        <mrow>
          <msub>
            <mrow><mi>H</mi></mrow>
            <mrow><mi>t</mi></mrow>
          </msub>
        </mrow>
      </mfrac>
      <mo>≤</mo>
      <mn>3,0</mn>
    </foreign>
  </foreign-block>
</p>
<blockList eld="annex_3/lvl_u1/list_u2">
  <item eld="annex_3/lvl_u1/list_u2/bull_u1">
    <num xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration"/>
    <p xmlns:mig="urn:com:c-moria:legi4ch:xslt:migration">pour les spectres de rayonnement réalistes dans le
      domaine d'utilisation du dosimètre</p>
  </item>
```

6. MODIFICATIONS

Modifying acts describe the impact of a law on other laws. The image below exemplifies how a modification (element *mod*) is captured within the Fedlex Information Model. The example is taken from the Official Compilation (AS 2022 731⁴⁹).

```
<level eId="lvl_I/lvl_1">
  <num>1.</num>
  <heading>Bundesgesetz vom 18. März 1994<inline name="man-font-weight-normal"><au
    <p> [3 lines]
  </authorialNote></inline> über die Krankenversicherung</heading>
  <content>
    <p>
      <mod eId="mod_ul">
        <ref ref="https://fedlex.data.admin.ch/eli/cc/1995/1328_1328_1328"
          >Gliederungstitel vor
          Art. 21</ref>
        <quotedStructure>
          <paragraph eId="mod_ul/para_4.">
            <num>4.</num>
            <content>
              <p>Abschnitt: Datenweitergabe und Statistiken</p>
            </content>
          </paragraph>
        </quotedStructure></mod>
      </p>
    </content>
  </level>
```

In contrast to the model for an act, that does not have a modifying by nature, a modifying act possesses a unique structure. It permits a content element to be a direct descendant of any hierarchical element (illustrated as level in the above example). Provided that this content element encompasses one or more mod elements, the usual requirement for an article element is circumvented. [FLX-HR-003]⁵⁰

The mod element itself is pivotal as it concretizes the modification, holding a ref attribute that points to the specific act undergoing modification.

Moreover, when the modification contains a replacement text (structured) to be introduced in the impacted law, this text is conveyed within a quotedStructure child element, ensuring that the replacement text is properly structured and encapsulated.

Although a modification is clearly modelled as such in the published XML documents, the impacts and modification history of the impacted acts/documents are not maintained in the XML model described in this guide.

As stated earlier in this reference, the Fedlex platform extends beyond simple data storage, utilizing an advanced knowledge graph to manage a document's comprehensive metadata. This includes impacts, changes and lifecycle stages, chronological records and more. To preserve the integrity and consistency of information, redundancy is avoided by not replicating this metadata within the XML documents themselves.

⁴⁹ <https://www.fedlex.admin.ch/eli/oc/2022/731/de>


⁵⁰ See schematron rule description in Annex I.

S PARQL

7. HANDLING THE ANNEXES

Information that appears after the main body of an act—such as appendices, annexes, forms, and tables—is collectively categorized under components, which serve as *annexes* to the document. While legislative texts may sometimes present nested annexes within appendices and vice versa, this model adopts a more streamlined approach for simplicity. *Components* can not be nested.

The image below depicts how an annex is represented within the Fedlex Information Model:



A document according to this model may contain any number of annexes (labeled as component). These components may take one of two forms:

- As an act, utilizing the hierarchical structure previously outlined. This arrangement is typically applied when a modifying act is included as part of an annex.
- As a doc, which applies to all other instances and features a simplified hierarchy. Here, level components are used exclusively, containing block element content.

Missing descriptions to be added to this document:

Add links to Oasis website description of Akoma Ntoso elements

Ajouter les options proposées dans le document pour la conversion du processus de consultation

8. List of Annexes

Annex I - Schematron rules description and codes

Annex II - List of acronyms used in this document

abréviations

Annex I

Schematron rules description and codes

ID	Category	Description	Rule
FLX-RT-001	Document Root Restrictions	the document root should be "act"	The document root should only contain an act
FLX-PF-001	Preface Restrictions	the <u>preface</u> should have a docNumber	Missing docNumber in preface
FLX-PF-002	Preface Restrictions	the preface should have a docTitle	Missing docTitle in preface
FLX-BD-001	Body Restrictions	lists all elements allowed as a top level in an act	Illegal element <value-of select="local-name()"/> in body
FLX-HR-001-ti	Hierarchical Component Restrictions	<u>title</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-ti	Hierarchical Component Restrictions	<u>title</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-bk	Hierarchical Component Restrictions	<u>book</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-bk	Hierarchical Component Restrictions	<u>book</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-pt	Hierarchical Component Restrictions	<u>part</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-pt	Hierarchical Component Restrictions	<u>part</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-ch	Hierarchical Component Restrictions	<u>chapter</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-ch	Hierarchical Component Restrictions	<u>chapter</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-sh	Hierarchical Component Restrictions	<u>subchapter</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-sh	Hierarchical Component Restrictions	<u>subchapter</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-sc	Hierarchical Component Restrictions	<u>section</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-sc	Hierarchical Component Restrictions	<u>section</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-ss	Hierarchical Component Restrictions	<u>subsection</u> has strict rules on what content it can have	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-ss	Hierarchical Component Restrictions	<u>subsection</u> requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-001-lv	Hierarchical Component Restrictions	<u>level</u> requires an eld	Hierarchy mismatch on <value-of select="local-name()"/>
FLX-HR-002-lv	Hierarchical Component Restrictions	a level is 'transparent' so the local name is the first non-transparent node on the ancestor axis	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HR-003	Hierarchical Component Restrictions	level in body can only have content if the content caters for modifications	content in <value-of select="local-name()"/> only allowed for modifications
FLX-HR-004	Hierarchical Component Restrictions	level requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-HD-001	Heading Section Restriction	restrictions on num (num?, heading?, subheading?)	A hierarchical component should have a maximum of one <value-of select="local-name()"/>

FLX-HD-002	Heading Section Restriction	restrictions on num (num?, heading?, subheading?)	If a hierarchical component has both a <value-of select="local-name()"/> and a heading, the num should come first
FLX-HD-003	Heading Section Restriction	restrictions on num (num?, heading?, subheading?)	If a hierarchical component has both a <value-of select="local-name()"/> and a subheading, the num should come first
FLX-HD-004	Heading Section Restriction	restrictions on heading (num?, heading?, subheading?)	A hierarchical component should have a maximum of one <value-of select="local-name()"/>
FLX-HD-005	Heading Section Restriction	restrictions on heading (num?, heading?, subheading?)	If a hierarchical component has both a <value-of select="local-name()"/> and a subheading, the heading should come first
FLX-HD-006	Heading Section Restriction	restrictions on heading (num?, heading?, subheading?)	A hierarchical component should have a maximum of one <value-of select="local-name()"/>
FLX-ART-001	Article Restriction	in an article num is mandatory	num is mandatory in a <value-of select="local-name()"/>
FLX-ART-002	Article Restriction	in an article only heading elements, paragraphs or subdivisions are allowed	Content not allowed in <value-of select="local-name()"/>
FLX-ART-003	Article Restriction	article requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-SD-001	Article Restriction	in a subdivision only heading elements and paragraphs are allowed	Content not allowed in <value-of select="local-name()"/>
FLX-SD-002	Article Restriction	a subdivision is only allowed in the context of an article	<value-of select="local-name()"/> only allowed in the context of an article
FLX-SD-003	Article Restriction	subdivision requires an eld	value-of select="local-name()"/> needs a unique identifier eld
FLX-PR-001	Article Restriction	in a paragraph only heading elements and content are allowed	Content not allowed in <value-of select="local-name()"/>
FLX-PR-002	Article Restriction	a paragraph is only allowed in the context of an article or a subdivision	<value-of select="local-name()"/> only allowed in the context of an article or subdivision
FLX-PR-003	Article Restriction	paragraph requires an eld	<value-of select="local-name()"/> needs a unique identifier eld
FLX-TXT-001	Text Content Restriction	Text Content Restriction	<value-of select="local-name()"/> restricted to heading type elements only
FLX-XF-001	Extension Attributes Restrictions	only defined fedlex extension attributes are allowed throughout the document	[[\${id}]] Fedlex extension attribute not supported: <value-of select="local-name()"/>
FLX-XF-002	Extension Attributes Restrictions	fedlex:generator only allowed on FRBR format	Fedlex extension attribute 'generator' not allowed on <value-of select="parent::*local-name()"/>
FLX-XF-003	Extension Attributes Restrictions	fedlex:role values are either 'reference' or 'marginal'	Fedlex extension attribute 'role', value not allowed: <value-of select="*/"/>
FLX-XF-004	Extension Attributes Restrictions	fedlex:role value 'marginal' only allowed on level elements	Fedlex extension attribute 'role', with value 'marginal' not allowed on <value-of select="parent::*local-name()"/>
FLX-XF-005	Extension Attributes Restrictions	fedlex:role value 'reference' only allowed on subheading elements	Fedlex extension attribute 'role', with value 'marginal' not allowed on <value-of select="parent::*local-name()"/>

Annex II

List of international acronyms and definitions used in this document

Acronym	Definition	Source
AKN	Akoma Ntoso (xml schema)	http://akomantoso.info/
AKN4CH	Akoma Ntoso subschema for Switzerland	N/A
XML	eXtended Markup Language	https://www.w3schools.com/xml/xml_what_is.asp
LegalDocML	Legal Document xml Oasis standard	https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=legaldocml#overview
OGI	Open governance Initiative	https://en.wikipedia.org/wiki/Open_Government_Initiative
OASIS	Open standard	https://www.oasis-open.org/
Jolux	Journal du Luxembourg	https://swiss.github.io/fedlex-jolux/
IFLA	International Federation of Library Associations	https://www.ifla.org/
FRBR	Functional Requirements for Bibliographic Records	https://en.wikipedia.org/wiki/Functional_Requirements_for_Bibliographic_Records
ELI	European Legislation Identifier	https://en.wikipedia.org/wiki/European_Legislation_Identifier
URI	Uniform Resource Identifiers	https://en.wikipedia.org/wiki/Uniform_Resource_Identifier
IRI	Internationalized Resource Identifier	https://en.wikipedia.org/wiki/IRI
HTML	Hyper Text Markup Language	https://www.w3schools.com/html/default.asp
SPARQL	Semantic query language for databases	https://en.wikipedia.org/wiki/SPARQL
Schematron	Rule-based validation language	https://en.wikipedia.org/wiki/Schematron
EOP	End of Page	https://docs.oasis-open.org/legaldocml/akn-core/v1.0/os/part2-specs/os-part2-specs_xsd_Element_eop.html
EOL	End of Line	https://docs.oasis-open.org/legaldocml/akn-core/v1.0/os/part2-specs/os-part2-specs_xsd_Element_eol.html
FENC	Functionally Equivalent Naming Conventions	https://docs.oasis-open.org/legaldocml/akn-nc/v1.0/csprd03/akn-nc-v1.0-csprd03.html

List of Fedlex acronyms and definitions

Acronym	Definition	Source
Fedlex	Federal Collection of Swiss Laws	https://www.fedlex.admin.ch/
OPC	Official Publication Center of the Swiss Federal Chancellery	Official Publications Centre (OPC)
KAV	Kompetenzzentrum Amtliche Veröffentlichungen (KAV) (DE)	Kompetenzzentrum Amtliche Veröffentlichungen (KAV)
CPU	Center da las publicaziuns uffizialas (RM)	Center da las publicaziuns uffizialas (CPU)
CPU	Centro delle pubblicazioni ufficiali (IT)	Centro delle pubblicazioni ufficiali (CPU)
CPO	Centre des publications officielles (FR)	Centre des publications officielles (CPO)
FG	Federal Gazette	Bundesblatt Fedlex
BBI	Bundesblatt (DE)	https://www.fedlex.admin.ch/de/fga/index
FF	Feuille fédérale (FR)	Feuille fédérale Fedlex
FF	Foglio federale (IT)	Foglio federale Fedlex
AS	Amtliche Sammlung (DE)	Amtliche Sammlung Fedlex
RO	Recueil officiel (FR)	Recueil officiel Fedlex
RU	Raccolta ufficiale (IT)	Raccolta ufficiale Fedlex
SR	Systematische Rechtssammlung (DE)	Systematische Rechtssammlung Fedlex
RS	Recueil systématique (FR)	Recueil systématique Fedlex
RS	Raccolta sistematica (IT)	Raccolta sistematica Fedlex
CS	Collecziun sistematica dal dretg federal (RM)	Collecziun sistematica dal dretg federal Fedlex
CC	Classified Compilation	Classified Compilation Fedlex
OC	Official Compilation	N/A
LCEG	Legge federale concernente le piattaforme per la comunicazione elettronica in ambito giudiziario (IT)	RS 172.023 - Legge federale del 20 dicembre 2024 concernente le piattaforme per la comunicazione elettronica in ambito giudiziario (LCEG) Fedlex
BEKJ	Bundesgesetz über die Plattformen für die elektronische Kommunikation in der Justiz (DE)	SR 172.023 - Bundesgesetz vom 20. Dezember 2024 über die Plattformen für die elektronische Kommunikation in der Justiz (BEKJ) Fedlex
LPCJ	Loi fédérale sur les plateformes de communication électronique dans le domaine judiciaire (FR)	RS 172.023 - Loi fédérale du 20 décembre 2024 sur les plateformes de communication électronique dans le domaine judiciaire (LPCJ) Fedlex
SVG	Strassenverkehrsgesetz (DE)	SR 741.01 - Strassenverkehrsgesetz vom 19. Dezember 1958 (SVG) Fedlex
LCR	Loi fédérale sur la circulation routière (FR)	RS 741.01 - Loi fédérale du 19 décembre 1958 sur la circulation routière (LCR) Fedlex
LVT	Lescha davart il traffic (RM)	SR 741.01 - Lescha davart il traffic sin via dals 19 da december 1958 (LTV) Fedlex
LCStr	Legge federale sulla circolazione stradale (IT)	RS 741.01 - Legge federale del 19 dicembre 1958 sulla circolazione stradale (LCStr) Fedlex
OSStr	Ordinanza sulla segnaletica stradale (IT)	RS 741.21 - Ordinanza del 5 settembre 1979 sulla segnaletica stradale (OSStr) Fedlex
SSV	Signalisationsverordnung	SR 741.21 - Signalisationsverordnung vom 5. September 1979 (SSV) Fedlex
OSR	Ordonnance sur la signalisation routière	RS 741.21 - Ordonnance du 5 septembre 1979 sur la signalisation routière (OSR) Fedlex