

eCH-0294 Political Actors: Persons, Groups and Bodies

Name	Political Actors: Persons, Groups and Bodies
eCH number	eCH-0294
Category	Standard
Maturity level	Defined
Version	1.0.0
Status	Proposal
Adopted on	
Issue date	2026-08-10
Replaces version	
Prerequisites	
Annexes	-
Languages	German (original) - English (data model)
Authors	Political Affairs specialist group: Julie Silberstein, Laurence Brandenberger, Daniela Koller, Thomas Roth, Stefan Oderbolz, Fabian Davolio, Orhan Saeedi, Christian Gutknecht, Michael Luggen
Publisher / Distribution	eCH Association, Affolternstrasse 52, 8050 Zürich

1 Abstract

The standard eCH-0294 “Political Actors: Persons, Groups and Bodies” defines a uniform data model for the structured publication of political actors in Switzerland. It covers natural persons, political groups and bodies, memberships between persons and groups, as well as interest links. The aim is to provide comparable, machine-readable and reusable information across all federal levels in order to improve the transparency, traceability and analytical capability of political processes.

The standard is aimed at public bodies at all levels of government, political actors, the media, research and the general public, and it creates a foundation for interoperable political information systems in Switzerland.

2 Table of Contents

1	Abstract.....	2
2	Table of Contents.....	3
3	Introduction.....	5
3.1	The “Political Affairs” standard family.....	5
3.2	Distinction from the “Political Rights” specialist group.....	5
3.3	The eCH-0294 standard – Political Actors: Persons, Groups and Bodies.....	6
4	Person.....	7
4.1	Class: Person.....	7
4.2	Class: Name.....	11
4.3	Enum: NameTypeEnum.....	11
4.4	Class: LanguageProficiency.....	13
4.5	Class: Citizenship.....	13
4.6	Class: Gender.....	14
4.7	Enum: GenderCodeEnum.....	14
4.8	Class: Occupation.....	15
4.9	Class: Training.....	16
4.10	Enum: TrainingTypeEnum.....	17
5	Groups and Bodies (Groups).....	20
5.1	Class: Group.....	20
5.2	Class: GroupType.....	26
5.3	Enum: GroupTypeEnum.....	27
6	Memberships.....	30
6.1	Class: Membership.....	30
6.2	Class: RoleType.....	34
6.3	Enum: RoleEnum.....	34
6.4	Class: ElectoralDistrict.....	35

7	Interest Links.....	37
7.1	Class: InterestLink.....	38
7.2	Enum: InterestTypeEnum.....	43
7.3	Enum: LegalFormEnum.....	44
8	Shared Elements.....	47
8.1	Reference Classes.....	47
8.2	Class: PersonReference.....	47
8.3	Class: GroupReference.....	48
8.4	Reused Classes.....	49
8.5	Class: Address.....	49
8.6	Enum: AddressTypeEnum.....	50
8.7	Class: Contact.....	50
8.8	Mixin classes.....	51
8.9	Class: HasIdentification.....	51
8.10	Class: HasReferenceIdentification.....	51
8.11	Class: HasTemporalValidity.....	52
8.12	Class: HasCreationModificationDates.....	52
9	Appendix A – References & Bibliography.....	53
9.1	Standards of the “Political Affairs” specialist group.....	53
9.2	Further eCH standards.....	53
9.3	Code lists and further sources.....	53

3 Introduction

3.1 The “Political Affairs” standard family

Political activity in Switzerland takes place at federal, cantonal and communal level – in parliaments and communal assemblies, in executives and administrations, in consultations and hearings, as well as through the direct-democratic participation of eligible voters. To this end, the “Political Affairs” specialist group of the eCH Association is developing a family of coordinated standards that structure this data across all federal levels. The standards use common data elements (eCH-0292) and reference one another via unique identifiers.

The family comprises:

- **eCH-0292 – Common Data Elements (Meta):** Defines the cross-cutting data elements and meta-processes on which the other standards build.
- **eCH-0293 – Public Council Operations (Operations):** Describes public council operations – meetings, agenda items, statements, as well as votes and elections.
- **eCH-0294 – Political Actors (Actors) – this standard:** Defines persons, groups and bodies in the political context, as well as their memberships and interest links. The other standards reference these actors via their identifiers.
- **eCH-0295 – Parliamentary Affairs (Affairs):** Describes the life cycle of political affairs.
- **eCH-0296 – Enactments and Legal Texts (Laws):** Records the results of the parliamentary process – the adopted laws and enactments.
- **eCH-0297 – Public Consultations (Consultations):** Structures consultation procedures, which are often the starting point for parliamentary affairs.

The aim of this standard family is to create a commonly usable structure for political data and to provide organisations that publish information on political affairs with a robust data model.

3.2 Distinction from the “Political Rights” specialist group

Alongside the “Political Affairs” specialist group, the eCH Association also maintains the “Political Rights” specialist group. Both concern the political domain, but cover different areas:

- **Political Affairs** (this standard family) describes the parliamentary and governmental process of forming opinions and reaching decisions: the actors (eCH-0294), council operations (eCH-0293), parliamentary affairs (eCH-0295), the enactments arising from them (eCH-0296), as well as the upstream consultations (eCH-0297).
- **Political Rights** deals with the exercise of political rights by eligible voters: voting and electoral registers, the conduct of popular votes and elections, electronic voting (eVoting), voting cards, as well as voting and election results (among others eCH-0045, eCH-0110, eCH-0155, eCH-0157, eCH-0159, eCH-0222, eCH-0228, eCH-0252, eCH-0310).

There are two points of contact:

- **Votes and elections:** eCH-0293 records votes and elections **within council operations** (e.g. recorded votes in parliament or the election of authority members by the council), whereas popular votes and popular elections, together with the associated registers, conduct and results, are covered by the “Political Rights” specialist group.

-
- **Elected persons:** Candidates and elected persons appear in the election results of the “Political Rights” specialist group. As soon as persons hold a mandate, they are recorded in eCH-0294 as political actors with their roles and memberships.

3.3 The eCH-0294 standard – Political Actors: Persons, Groups and Bodies

This standard defines four main classes:

- **Person** – Natural persons in the political context
- **Group** – Committees, parties, parliamentary groups, councils, commissions, organisations, etc.
- **Membership** – Link between persons and groups
- **InterestLink** – Interest links of persons

Membership is the central connecting element between Person and Group and records in which parliament, in which commission, etc. a person is or was active. InterestLink enables the description of interest links.

4 Person

The person schema describes natural persons in the political context.

- **Stable person, temporally valid attributes:** The Person itself carries no temporal validity, but its attributes do – name, citizenship, gender, occupation and training each carry their own `valid_from/valid_through`. This keeps the identity of the person stable while individual details change over time and the history is preserved (e.g. a change of name upon marriage). The electoral district, by contrast, is not an attribute of the person: it is attached to the Membership (`electoral_district`) and inherits its temporal validity – a change of electoral district is therefore reflected in the respective membership.
- **Display name (`label`) mandatory, name structure (`names`) optional:** Every person has a short display name. This means a name is always available, even when the details are incomplete. The recommended combination is the official name (`PersonOfficialName`) and the call name (`PersonCallFirstName`). Academic titles can also be represented via `label_long`.
- **Name types according to the official taxonomy:** The name types (`NameTypeEnum`) adopt the taxonomy of the register harmonisation (including official name, original name, alliance name, call name, as well as variants for foreign identity documents). The authoritative reference is the [official catalogue of attributes](#), published by the Federal Statistical Office under Art. 4 of the Register Harmonisation Act (RHG, SR 431.02); the numbers in the value descriptions (211–224) are the attribute numbers of that catalogue. The corresponding exchange format is defined by the eCH standard [eCH-0011 Personal Data Standard](#), on which this standard builds. This makes the names compatible with the official person registers and their semantics clear.
- **Date of birth at two levels of precision (`birth_year` / `birth_date`):** If the exact date of birth is not available or not intended for publication, only the year of birth may be given. If a `birth_date` is available, it takes precedence.
- **Multiple values instead of single values:** Names, citizenships and gender entries are modelled as lists with temporal validity – for example for dual citizenships, changes of name or a changing gender entry.
- **Gender: official codes plus an open category (`GenderCodeEnum`):** male and female correspond to the values of the register harmonisation and refer via meaning to the I14Y concepts `sex/1` and `sex/2`. For `non_binary` there is deliberately no counterpart: the official code list only knows “undefined” as its third value, which means something different from a positive statement beyond male and female. If the gender is not known, no entry is created at all — a missing entry and `non_binary` are to be clearly distinguished.
- **Harmonisation across federal levels (long-term goal):** Linking the same person across the federal levels is an important long-term goal. Building a central person database is beyond the means of the eCH specialist group. Since an open, established infrastructure already exists for this purpose, **Wikidata is recommended as a cross-cutting identifier** (`wikidata_uri`); together with globally unique identifiers (URIs), the mapping can thus be harmonised step by step across the systems.

4.1 Class: Person

A person with identifiers, names, addresses, citizenships, and occupations.

4.1.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uri	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uri	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
label	1 String	Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name). Preferred: PersonOfficialName combined with PersonCallFirstName.
label_long	0..1 String	Optional long display name including academic titles and full official name (e.g. "Dr. Maria Muster-Beispiel").
birth_year	0..1 Integer	Year of birth. Only to be used, if there is no full <code>birthDate</code> available.
birth_date	0..1 Date	Exact date of birth if available and public. This field has precedence over the field <code>birthYear</code> .
death_date	0..1 Date	Exact date of death.
picture	0..1 Uri	Link to an image (preferred: PNG, then JPG, then GIF).
names	* Name	Names of the person with type and value.
addresses	* Address	Addresses with type (private, business, local).
language_proficiencies	* LanguageProficiency	Language proficiencies of the person.
citizenships	* Citizenship	Citizenships of the person.
genders	* Gender	Gender of the person.
occupations	* Occupation	Occupations or professions of the person.
trainings	* Training	Trainings or educations of the person. Guideline: generally only provide the highest qualification obtained.
contacts	* Contact	Contact information (email, website, social media). Guideline: email is quasi-mandatory and should always be provided where available.
interest_links	* InterestLink	Collection of interest links.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created.

Name	Cardinality and Range	Description
		Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates

4.1.2 Usages

Used by	In slot	Role	Element
Container	persons	range	Person

4.1.3 Examples

4.1.3.1 Example Person: Name variant alongside the official double name

```
persons:
- local_id: 280958
  global_uri: https://parlament.winterthur.ch/behoerdenmitglieder/280958
  label: Cristina Bozzi-Brunel
  names:
  - name_type: PersonFirstName
    value: Cristina
  - name_type: PersonOfficialName
    value: Bozzi-Brunel
  - name_type: PersonOriginalName
    value: Brunel
```

4.1.3.2 Example Person: Call name differing from the official first name

```
persons:
- local_id: 1269
  global_uri: >-
    https://www4.ti.ch/poteri/gc/parlamento/composizione-del-parlamento/composizione-nelle-
    ultime-legislature/dettaglio-deputati/?user_gcparlamento_pi3%5BcanID%5D=1269
  label: Gerri Beretta-Piccoli
  names:
  - name_type: PersonFirstName
    value: Fausto
  - name_type: PersonCallFirstName
    value: Gerri
  - name_type: PersonOfficialName
    value: Beretta-Piccoli
```

4.1.3.3 Example Person: Non-binary gender entry with occupation and training

```
persons:
- local_id: 72c7232be92944e3876f3b6723824ff9
  global_uri: >-
    https://stadtrat.bern.ch/de/mitglieder/detail.php?gid=72c7232be92944e3876f3b6723824ff9
  label: Sofia Fisch
  birth_year: 1996
  names:
  - name_type: PersonFirstName
    value: Sofia
  - name_type: PersonOfficialName
    value: Fisch
  genders:
  - gender_code: non_binary
    label: divers
  occupations:
  - label: Jurist*in
    is_active: true
```

```
trainings:
- training_type: '3223'
  value: MLaw
```

4.1.3.4 Example Person: Telling apart persons with identical names via the label

```
persons:
- local_id: 6447
  global_uri: https://www.ur.ch/behoerdenmitglieder/6447
  label: Alois Arnold (1981)
  birth_year: 1981
  names:
  - name_type: PersonFirstName
    value: Alois
  - name_type: PersonOfficialName
    value: Arnold
```

4.1.3.5 Example Person: Fully recorded person

```
persons:
- local_id: 4032
  global_uri: https://www.admin.ch/de/beat-jans
  wikidata_uri: http://www.wikidata.org/entity/Q813067
  label: Beat Jans
  label_long: Beat Jans, dipl. nat. ETH
  birth_year: 1964
  birth_date: 1964-07-12
  picture: https://commons.wikimedia.org/wiki/File:Beat_Jans_(2026)_(cropped).jpg
  names:
  - name_type: PersonFirstName
    value: Beat
  - name_type: PersonOfficialName
    value: Jans
    valid_from: 1964-07-12
  addresses:
  - address_type: businessAddress
    postal_locality: Basel-Stadt
  language_proficiencies:
  - language: de
    is_correspondence: true
    is_native: true
  citizenships:
  - country: CH
    valid_from: 1964-07-12
  genders:
  - gender_code: male
    valid_from: 1964-07-12
  occupations:
  - label: Politiker
    valid_from: 1964-01-01
    is_active: true
  trainings:
  - training_type: '3223'
    value: dipl. nat. ETH
  contacts:
  - contact_type: email
    value: beat.jans@admin.ch
  - contact_type: contact_website
    value: http://www.beat-jans.ch
```

4.1.3.6 Example Person: Telling apart persons with identical names via the label second person

```
persons:
- local_id: 6370
  global_uri: https://www.ur.ch/behoerdenmitglieder/6370
  label: Alois Arnold (1965)
  birth_year: 1965
  names:
  - name_type: PersonFirstName
```

```
value: Alois
- name_type: PersonOfficialName
value: Arnold
```

4.2 Class: Name

A name with a type (e.g., call name, official name), a value, and a temporal validity.

4.2.1 Attribute

Name	Cardinality and Range	Description
name_type	1 NameTypeEnum	Type of name according to eCH-0011 (personNameData).
value	1 String	The value of an information besides other attributes such as type, language, etc.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.2.2 Usages

Used by	In slot	Role	Element
Person	names	range	Name

4.3 Enum: NameTypeEnum

Categories of name types according to eCH-0011 (personNameData) and the official catalogue of attributes of the register harmonisation (<https://www.bfs.admin.ch/bfs/de/home/register/personenregister/registerharmonisierung/nomenklaturen.assetdetail.24565576.html>), URI according to I14Y identifier but as class and not as attribute. Descriptions and translations according to I14Y.

URI: [act:NameTypeEnum](#)

4.3.1 Permissible Values

Value	Description
PersonOfficialName	Name according to official documents. The official name corresponds to the name appearing in the Swiss civil register. For foreign nationals with no civil status events in Switzerland, the official name corresponds to the name appearing on the foreign passport or identity card (see 'Name according to foreign passport' or SEM guidelines on the determination and spelling of names of foreign nationals dated 1 January 2012. If no official documents exist, see also 'Name according to declaration' (e.g. in the case of asylum seekers). The official name may consist of one or more parts. According to the official catalogue of attributes (No. 211) for the harmonisation of registers.

Value	Description
PersonOriginalName	https://register.ld.admin.ch/i14y/concept/personOfficialName Name of filiation according to official documents, which corresponds to the person's name before their first marriage or registered partnership. It may also be a maiden name acquired by decision to change one's name (see Art. 24, para. 2 OEC, RS 211.112.2). According to the official catalogue of attributes (No. 212) for the harmonisation of registers.
PersonAllianceName	https://register.ld.admin.ch/i14y/concept/personOriginalName The alliance name shows the connection between two people who are married or living in a registered partnership. An alliance name that has already been used may be retained after the dissolution of the marriage or partnership if the official name has not been changed upon dissolution. It is attached to the official name with a hyphen and is formed with the partner's maiden name or the person's own maiden name. Upon request, the alliance name may be entered in the passport or on the identity card. According to the official catalogue of attributes (No. 213) for the harmonisation of registers.
PersonNameOnForeignPassport	https://register.ld.admin.ch/i14y/concept/personAllianceName For persons of foreign nationality. This name corresponds to the entry marked in the machine-readable zone of the passport. If this zone includes abbreviated surnames or first names, these must, as far as possible, be recorded in full, according to the entry in the passport. According to the official catalogue of attributes (No. 214) for the harmonisation of registers.
PersonAliasName	https://register.ld.admin.ch/i14y/concept/personNameOnForeignPassport Name (e.g. stage name, religious name) which, on the basis of an accepted application, may be used by the person. The alias name may consist of one or more parts (e.g. also the alias first name and alias surname). According to the official catalogue of attributes (No. 215) for the harmonisation of registers.
PersonOtherName	https://register.ld.admin.ch/i14y/concept/personAliasName Other official names according to Swiss civil status documents (Art. 24, para. 3 OEC) or according to foreign documents, which are neither surnames nor first names. According to the official catalogue of attributes (No. 216) for the harmonisation of registers.
PersonDeclaredForeignerName	https://register.ld.admin.ch/i14y/concept/personOtherName For foreign nationals who do not have official documents (mainly in the field of asylum). According to the official catalogue of attributes (No. 217) for the harmonisation of registers.
PersonFirstName	https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerName First names taken from the birth certificate, the civil registry (Infostar) in the order in which they appear, or taken from foreign identity documents. According to the official catalogue of attributes (No. 221) for the harmonisation of registers.

Value	Description
	https://register.ld.admin.ch/i14y/concept/personFirstName
PersonCallFirstName	A person has the right to choose a common first name from the list of their official first names. The common first name may consist of one or more first names (from those listed under 'official first names'). According to the official catalogue of attributes (No. 222) for the harmonisation of registers.
	https://register.ld.admin.ch/i14y/concept/personCallFirstName
PersonFirstNameOnForeignPassport	For persons of foreign nationality. To be used in combination with the name as it appears on the foreign passport. According to the official catalogue of attributes (No. 223) for the harmonisation of registers.
	https://register.ld.admin.ch/i14y/concept/personFirstNameOnForeignPassport
PersonDeclaredForeignerFirstName	For persons of foreign nationality who do not have official documents (mainly in the field of asylum). To be used in combination with the defined Name according to declaration. According to the official catalogue of attributes (No. 224) for the harmonisation of registers.
	https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerFirstName

4.4 Class: LanguageProficiency

Language proficiency of a person indicating the language and whether it is the preferred language or native language.

4.4.1 Attribute

Name	Cardinality and Range	Description
language	1 String	Language code in ISO 639-1 format (two lowercase letters, e.g. "de", "fr", "it", "en").
is_correspondence	0..1 Boolean	Indicates if this is the preferred language.
is_native	0..1 Boolean	Indicates if this is the native language.

4.4.2 Usages

Used by	In slot	Role	Element
Person	language_proficiencies	range	LanguageProficiency

4.5 Class: Citizenship

Citizenship (also used for Nationality) of a person indicating the country and temporal validity. If there is no valid_from provided, the information is not known. If it is known that the citizenship is valid from birth, the birthdate is to be repeated here. If there is no valid_through, the citizenship is still active.

4.5.1 Attribute

Name	Cardinality and Range	Description
country	1 String	ISO 3166-1 alpha-2 country code.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.5.2 Usages

Used by	In slot	Role	Element
Person	citizenships	range	Citizenship

4.6 Class: Gender

Gender of a person indicating a gender code and temporal validity.

4.6.1 Attribute

Name	Cardinality and Range	Description
gender_code	1 GenderCodeEnum	Gender code. Recommended values: male, female, non_binary.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
pronouns	* String	Pronouns used by the person.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.6.2 Usages

Used by	In slot	Role	Element
Person	genders	range	Gender

4.7 Enum: GenderCodeEnum

Gender codes for persons. If the gender is not known, no gender entry shall be added. The non_binary code shall be used together with a label to provide further details about the self-identified gender.

URI: [act:GenderCodeEnum](#)

4.7.1 Permissible Values

Value	Description
male	Male. https://register.ld.admin.ch/i14y/concept/sex/1
female	Female. https://register.ld.admin.ch/i14y/concept/sex/2
non_binary	Diverse / non-binary.

4.8 Class: Occupation

Occupation or profession of a person indicating a label, an ISCO-19 code, whether the activity is paid, and temporal validity.

4.8.1 Attribute

Name	Cardinality and Range	Description
is_paid	0..1 Boolean	Indicates whether the activity is paid.
occupation_code	0..1 String	ISCO-19 code of the occupation.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
organization_uid	0..1 String	UID of the organization from the federal UID register (uid.admin.ch), in the exchange format of eCH-0108: CHE followed by nine digits, without separators (e.g. CHE106063525). The last digit is a check digit calculated modulo 11. The dotted form CHE-106.063.525 is the presentation used by uid.admin.ch and is not recorded here.
organization_name	* MultilingualValue	Name of the organization or enterprise, with the language it is published in. Bilingual registers state the name in both languages; one entry is recorded per language.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.8.1.1.1 Constraints

At least one of the following must be set:

- occupation_code
- label

4.8.2 Usages

Used by	In slot	Role	Element
Person	occupations	range	Occupation

4.8.3 Examples

4.8.3.1 Example Occupation: swiss politicians Sofia Fisch Juristin

```
occupations:
- label: Jurist*in
  is_active: true
```

4.8.3.2 Example Occupation: swiss politicians Beat Jans Politiker

```
occupations:
- label: Politiker
  valid_from: 1964-01-01
  is_active: true
```

4.9 Class: Training

Training or education of a person indicating a type (e.g., school diploma, university degree, military service), a label, an ISCO-19 code, and temporal validity.

4.9.1 Attribute

Name	Cardinality and Range	Description
training_type	0..1 TrainingTypeEnum	Type of training or education.
training_code	0..1 String	ISCO-19 code of the training or education.
value	0..1 String	The value of an information besides other attributes such as type, language, etc.
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

4.9.1.1.1 Constraints

At least one of the following must be set:

- training_type
- training_code
- value

4.9.2 Usages

Used by	In slot	Role	Element
Person	trainings	range	Training

4.10 Enum: TrainingTypeEnum

Types of training or education based on the Swiss BFS LEVEL_EDUC codelist.

URI: [act:TrainingTypeEnum](#)

4.10.1 Permissible Values

Value	Description
10	Maximum compulsory school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/10
110	No education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/110
120	Compulsory school attended but not completed. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/120
130	Compulsory school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/130
140	1 year of education / transitional education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/140
20	Upper secondary level. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/20
22	Upper secondary level - Vocational education and training (VET). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/22
220	Apprenticeship in a company (EFZ/EBA) / basic vocational training / vocational school / trade school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/220
2210	Apprenticeship 2 years (EBA) / basic vocational training / vocational school / trade school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2210
2211	Apprenticeship in a company 2 years (EBA) / basic vocational training. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2211
2212	Vocational school / trade school 2 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2212
2220	Apprenticeship 3-4 years (EFZ) / vocational school / trade school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2220
2221	Apprenticeship in a company 3-4 years (EFZ). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2221
2222	Vocational school / trade school 3-4 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2222
24	Upper secondary level - general education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/24
241	Upper secondary specialised schools / diploma middle school. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/241

Value	Description
2411	Upper secondary specialised schools / diploma middle school 2 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2411
2412	Upper secondary specialised schools / diploma middle school 3 years. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2412
242	Baccalaureate / teaching diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/242
2421	Baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2421
2422	Teaching diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2422
243	Vocational / specialised baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/243
2431	Vocational baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2431
2432	Specialised baccalaureate. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2432
30	Tertiary level. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/30
31	Professional education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/31
310	Professional examination with federal diploma / advanced federal diploma / PET diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/310
311	Professional examination with federal diploma of higher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/311
312	Professional examination with advanced federal diploma of higher education / PET diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/312
313	College of Higher Education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/313
3131	College of Higher Education 2 years full time or 3 years part-time. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3131
3132	College of Higher Education 3 years full time or 4 years part-time. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3132
32	Higher education institutions. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/32
321	Bachelor universities, institutes of technology, universities of applied sciences, universities of teacher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/321

Value	Description
3211	Bachelor universities of applied sciences (including UAS diploma). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3211
3212	Bachelor universities of teacher education (including UTE first degree). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3212
3213	Bachelor universities, institutes of technology (UIT). https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3213
322	Master universities, institutes of technology, universities of applied sciences, universities of teacher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/322
3221	Master universities of applied sciences. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3221
3222	Master universities of teacher education. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3222
3223	Master universities, institutes of technology (UIT) including UNI / UIT diploma. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3223
323	Doctorate or habilitation. https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/323
military	Military service (Swiss army). Use value to specify the rank reached.

5 Groups and Bodies (Groups)

The group schema represents political groups, organisations and corporate bodies.

- **One generic model instead of many special classes:** Parliaments, parties, parliamentary groups, committees, departments, courts and civil-society organisations are all represented as *one* class Group and distinguished via `group_type`. This keeps the model simple and extensible without schema changes – the legislature, executive, judiciary and civil society can thus all be represented equally.
- **Groups and sub-groups via parent_groups:** Subordinate groups reference their superordinate group – e.g. a committee of the Council of States, a subcommittee within a committee, a cantonal party under its parent party, or an authority within a directorate. The hierarchy thus arises from these references rather than from a fixed level structure. It usually remains within the same `group_type`; however, cross-type references are possible (e.g. a parliamentary group that references its parliament). What counts is super-/subordination alone: the parties carrying a parliamentary group are not superordinate to it. Their relation to the group is deliberately not modelled in the standard – it is not a hierarchy, and no robust general form for it exists, since parliamentary groups are tied to parties more or less closely depending on the council. Where the affiliation has to be visible, it is so through the memberships of the individual persons. The reference takes the form of a GroupReference – the same form in which a membership names its group. That the link expresses a superordinate/subordinate relation is stated by the `parent_groups` slot itself; the reference merely carries the addressing. That addressing may use the `local_id` where the parent group is part of the same delivery, or the `global_uri` where it lies outside it – a cantonal party can thus reference its national party without that party having to be delivered. Where both are known, both are stated.
- **Temporal validity for groups as well:** Using `valid_from/valid_through`, it is possible to represent, for example, committees that exist only during a legislative period, or renamings and mergers of parties.

5.1 Class: Group

A political group, organization, or body (e.g., party, committee, parliament, department).

5.1.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
<code>global_uri</code>	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
<code>group_type</code>	1 GroupType	Type of group (e.g., party, commission, parliament, or similar). The exact naming and description of the group is provided via <code>label</code> .

Name	Cardinality and Range	Description
label	1..* MultilingualValue	Name of the group, with the language it is published in. Where a group is officially named in several languages, one entry per language is recorded.
abbreviation	* MultilingualValue	Abbreviation (can be multilingual).
description	* MultilingualValue	Description of the entity.
organization_uid	0..1 String	UID of the organization from the federal UID register (uid.admin.ch), in the exchange format of eCH-0108: CHE followed by nine digits, without separators (e.g. CHE106063525). The last digit is a check digit calculated modulo 11. The dotted form CHE-106.063.525 is the presentation used by uid.admin.ch and is not recorded here.
legal_form	0..1 LegalFormEnum	Legal form of the organization. See controlled vocabulary: https://register.ld.admin.ch/i14y/concept/legalForm
landing_page	* MultilingualUri	Website providing further information. Where the site is published under a separate address per language, one entry per language is recorded.
parent_groups	* GroupReference	Reference to the parent groups as a GroupReference, i.e. stated by their local_id or their global_uri. Only genuine super-/subordination belongs here: the parent party of a cantonal party, the hierarchy within the executive, a sub-commission under its commission, or a parliamentary group under its parliament. (parentGroup is typically used within the same group_type, but cross-type links are permitted, e.g. parliamentary group → parliament.) The parties carrying a parliamentary group are not a superordinate group of it and are therefore not stated here.
spatial	0..1 String	Spatial reference to a LINDAS resource (fos-municipality number, fos-canton number, district, or country). Formats: municipality: https://ld.admin.ch/municipality/1234 , district: https://ld.admin.ch/district/2301 , canton: https://ld.admin.ch/canton/23 , country: https://ld.admin.ch/country/CHE .
contacts	* Contact	Contact information (email, website, social media). Guideline: email is quasi-mandatory and should always be provided where available.
addresses	* Address	Addresses with type (private, business, local).

Name	Cardinality and Range	Description
statutes_url	0..1 String	URL to party statutes (PDF or webpage; optional for parties).
party_color	0..1 String	Party color as hexadecimal value (optional for parties, e.g., “#FF0000”).
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: HasTemporalValidity

5.1.2 Usages

Used by	In slot	Role	Element
Container	groups	range	Group

5.1.3 Examples

5.1.3.1 Example Group: Parliamentary group referencing the parliament it belongs to

```
groups:
- local_id: 1266
  global_uri: https://grosserrat.bs.ch/gremien/parteien-und-fraktionen/mitte-evp
  label:
    - value: Die Mitte / Evangelische Volkspartei
      language: de
  group_type:
    group_type_enum: parliamentary_group
    label:
      - value: Fraktion
        language: de
  spatial: https://ld.admin.ch/canton/12
  parent_groups:
  - local_id: 33
    global_uri: https://www.grosserrat.bs.ch/
    label: Grosser Rat Basel-Stadt
```

5.1.3.2 Example Group: Committee referencing its cantonal council

```
groups:
- local_id: 3
  global_uri: >-
    https://ar.ch/kantonsrat/kommissionen/staendige-kommissionen-des-kantonsrates/
    geschaeftspruefungskommission/
```

```

label:
- value: Geschäftsprüfungskommission
  language: de
abbreviation:
- value: GPK
  language: de
group_type:
  group_type_enum: committee
  label:
    - value: Kommission
      language: de
spatial: https://ld.admin.ch/canton/15
parent_groups:
- local_id: 34
  global_uri: https://www.ar.ch/kantonsrat/
  label: Kantonsrat Appenzell Ausserrhoden

- local_id: 34
  global_uri: https://www.ar.ch/kantonsrat/
  label:
    - value: Kantonsrat Appenzell Ausserrhoden
      language: de
  group_type:
    group_type_enum: council_legislative
    label:
      - value: Parlament (Legislativrat)
        language: de
  spatial: https://ld.admin.ch/canton/15

```

5.1.3.3 Example Group: State chancellery referencing its government

```

groups:
- local_id: 7172
  global_uri: https://www.bs.ch/regierungsrat/staatskanzlei
  label:
    - value: Staatskanzlei Basel-Stadt
      language: de
  group_type:
    group_type_enum: council_secretariat
    label:
      - value: Staatskanzlei
        language: de
  spatial: https://ld.admin.ch/canton/12
  parent_groups:
  - local_id: 1300
    global_uri: https://www.regierungsrat.bs.ch/
    label: Regierungsrat Basel-Stadt

- local_id: 1300
  global_uri: https://www.regierungsrat.bs.ch/
  label:
    - value: Regierungsrat Basel-Stadt
      language: de
  group_type:
    group_type_enum: council_executive
    label:
      - value: Regierung (Exekutivrat)
        language: de
  spatial: https://ld.admin.ch/canton/12

```

5.1.3.4 Example Group: Bilingual delegation to an intercantonal body

```

groups:
- local_id: 5000
  global_uri: https://www.fr.ch/parlinfo/app/organizations/a1acb0c030d54b3baed840fe8bbbed6b5
  label:
    - value: Freiburger Delegation IPK strafrechtliche Einschliessung
      language: de
    - value: Délégation FR à la CIP détention pénale

```

```

  language: fr
abbreviation:
- value: Del-StRFE
  language: de
- value: Del-DetPen
  language: fr
description:
- value: >-
  Die Interparlamentarische Aufsichtskommission strafrechtliche Einschliessung
  besteht aus 18 Grossrätinnen und Grossräten aus den sechs Vertragskantonen Freiburg,
  Genf, Jura, Neuenburg, Waadt und Wallis.
  language: de
- value: >-
  La Commission interparlementaire de contrôle détention pénale est composée de
  18 députés issus des six cantons partenaires : Fribourg, Genève, Jura, Neuchâtel,
  Vaud et Valais.
  language: fr
landing_page:
- value: https://www.fr.ch/de/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbed6b5
  language: de
- value: https://www.fr.ch/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbed6b5
  language: fr
group_type:
  group_type_enum: delegation
  label:
  - value: Delegation
    language: de
  - value: Délégation
    language: fr
spatial: https://ld.admin.ch/canton/10
valid_from: 2007-12-12

```

5.1.3.5 Example Group: Extra-parliamentary commission with decision-making powers

```

groups:
- global_uri: https://www.weko.admin.ch/
  label:
  - value: Wettbewerbskommission
    language: de
  - value: Commission de la concurrence
    language: fr
  - value: Commissione della concorrenza
    language: it
abbreviation:
- value: WEKO
  language: de
- value: COMCO
  language: fr
- value: COMCO
  language: it
landing_page:
- value: https://www.weko.admin.ch/de
  language: de
- value: https://www.weko.admin.ch/fr
  language: fr
- value: https://www.weko.admin.ch/it
  language: it
group_type:
  group_type_enum: committee_extraparliamentary
  label:
  - value: Ausserparlamentarische Kommission
    language: de
spatial: https://ld.admin.ch/country/CHE

```

5.1.3.6 Example Group: Cantonal party referencing its national party

```

groups:
- global_uri: https://www.evp-bs.ch/
  label:
  - value: Evangelische Volkspartei Basel-Stadt

```

```

    language: de
  abbreviation:
    - value: EVP BS
      language: de
  group_type:
    group_type_enum: party
    label:
      - value: Partei
        language: de
  spatial: https://ld.admin.ch/canton/12
  parent_groups:
    - global_uri: https://www.evppev.ch/
      label: Evangelische Volkspartei der Schweiz
      abbreviation:
        - value: EVP
          language: de

```

5.1.3.7 Example Group: Municipal parliament with spatial reference

```

groups:
- local_id: 700
  global_uri: >-
    https://www.stadt.sg.ch/home/verwaltung-politik/demokratie-politik/stadtparlament.html
  label:
    - value: Stadtparlament St. Gallen
      language: de
  group_type:
    group_type_enum: council_legislative
    label:
      - value: Parlament (Legislativrat)
        language: de
  spatial: https://ld.admin.ch/municipality/3203

```

5.1.3.8 Example Group: Association with UID and legal form from the commercial register

```

groups:
- global_uri: https://www.frc.ch/
  organization_uid: CHE106063525
  legal_form: '0109'
  label:
    - value: Fédération romande des consommateurs
      language: fr
  abbreviation:
    - value: FRC
      language: fr
  group_type:
    group_type_enum: association
    label:
      - value: Verein
        language: de
  spatial: https://ld.admin.ch/canton/22

```

5.1.3.9 Example Group: Council bureau referencing its parliament

```

groups:
- local_id: 50
  global_uri: https://grosserrat.bs.ch/gremien/praesidium-und-buero
  label:
    - value: Büro des Grossen Rates
      language: de
  group_type:
    group_type_enum: council_bureau
    label:
      - value: Ratsbüro
        language: de
  spatial: https://ld.admin.ch/canton/12
  parent_groups:
    - local_id: 33
      global_uri: https://www.grosserrat.bs.ch/

```

label: Grosser Rat Basel-Stadt

```
- local_id: 33
  global_uri: https://www.grosserrat.bs.ch/
  label:
    - value: Grosser Rat Basel-Stadt
      language: de
  group_type:
    group_type_enum: council_legislative
    label:
      - value: Parlament (Legislativrat)
        language: de
  spatial: https://ld.admin.ch/canton/12
```

5.1.3.10 Example Group: Interest group with a trilingual name and contact

```
groups:
- local_id: 6627
  global_uri: https://www.parlament.ch/de/organe/gruppen/konsumenteninformation-und-schutz
  label:
    - value: Konsumenteninformation und -schutz
      language: de
    - value: Information et défense des consommateurs
      language: fr
    - value: Informazione e tutela dei consumatori
      language: it
  description:
    - value: >-
      L'intergroupe parlementaire « Information et défense des consommateurs » réunit
      toutes les sensibilités politiques. Cet intergroupe a pour mission d'informer
      et de sensibiliser les élu·e·s aux questions relatives à la défense des consommateur·rice·s
      en Suisse.
      language: fr
  landing_page:
    - value: https://www.parlament.ch/centers/documents/de/gruppen-der-bundesversammlung.pdf
      language: de
  contacts:
    - contact_type: email
      value: l.altwegg@frc.ch
      label: Sekretariat
    - contact_type: phone
      value: +41 21 331 00 95
      label: Sekretariat
  addresses:
    - address_type: businessAddress
      address_uri: https://geo.ld.admin.ch/location/address/101009806
      street_address: Fédération romande des consommateurs, Rue de Genève 17, case postale
        585
      postal_code: '1001'
      postal_locality: Lausanne
      country: CH
  group_type:
    group_type_enum: interest_group
    label:
      - value: Interessengruppe
        language: de
      - value: Groupe d'intérêt
        language: fr
      - value: Gruppo d'interesse
        language: it
  spatial: https://ld.admin.ch/country/CHE
  valid_from: 2012-01-01
```

5.2 Class: GroupType

Type of group (e.g., party, committee, parliament, department).

5.2.1 Attribute

Name	Cardinality and Range	Description
group_type_enum	1 GroupTypeEnum	Link to the controlled vocabulary for group types.
label	* MultilingualValue	Designation of the type as used by the publishing body, with the language it is published in. Where a body publishes the designation in several languages, one entry per language is recorded.

5.2.2 Usages

Used by	In slot	Role	Element
Group	group_type	range	GroupType

5.3 Enum: GroupTypeEnum

Controlled vocabulary for the type of a group. It covers the councils and their organs, assemblies, committees and delegations, parties, parliamentary groups and electoral lists, the units of the administration, courts and oversight bodies, as well as organisations outside the state.

A group_type must always be set. What counts is the political function, not the designation used locally; the latter is recorded in the label. Where no value fits, other is used.

Legal form does not belong in this vocabulary but in legal_form.

URI: [act:GroupTypeEnum](#)

5.3.1 Permissible Values

Value	Description
party	Political party at federal, cantonal, or municipal level. Each federal level is managed as its own group (e.g., national party, cantonal party, municipal party). act:enum/group_type/party
list	Electoral list (can be part of a party or independent). act:enum/group_type/list
workgroup	Ad-hoc working group, typically with a limited duration. act:enum/group_type/workgroup
assembly	Assembly of the persons entitled to vote acting as the legislative body, in particular the communal assembly (“Gemeindeversammlung”) and, at cantonal level, the Landsgemeinde. Unlike a council, it is not an elected body. act:enum/group_type/assembly
council_legislative	Parliament at federal, cantonal, or municipal level (e.g., Federal Assembly, National Council, Council of States, Grand Council, cantonal parliament, municipal parliament). act:enum/group_type/council_legislative

Value	Description
delegation	Delegation. act:enum/group_type/delegation
committee	Standing committee, including supervisory committees (e.g., CPC), subject commissions, parliamentary investigation commissions (PIC), and audit commissions. act:enum/group_type/committee
committee_ad_hoc	Committee set up for a single task and dissolved once it is completed, in contrast to a standing committee. act:enum/group_type/committee_ad_hoc
parliamentary_group	Parliamentary faction. act:enum/group_type/parliamentary_group
council_bureau	Body managing the business of a council, whatever it is called locally (bureau, council management, executive board). Used for the legislative as well as the executive council; the local designation is recorded in the label. act:enum/group_type/council_bureau
council_presidency	Presidency of a council, for the legislative as well as the executive council. act:enum/group_type/council_presidency
council_executive	Government / Executive as a collective body (e.g., Federal Council, Cantonal Government, City or Municipal Council). act:enum/group_type/council_executive
department	Government department, e.g. Departement or Direktion. act:enum/group_type/department
office	Government office ("Amt"), usually the unit below a department. act:enum/group_type/office
committee_extraparl iamentary	Commission normally appointed by the government to advise the administration in its field and to give its business a first reading; some also hold decision-making powers of their own. What sets it apart from a parliamentary committee are its composition and its legal basis: its members are external experts and interest-group representatives rather than members of the council, and it rests on the law governing the organisation of the government and the administration rather than on parliament law. The type exists at federal and at cantonal level alike (e.g., the federal Competition Commission; the commissions extraparlamentaires in the canton of Vaud). A committee whose members are members of the council is not covered by this value even when it is attached to the executive; it is recorded as a committee or an ad hoc committee with the executive council as its parent group. act:enum/group_type/committee_extraparlamentary
interest_group	Interest group on a subject matter: both the parliamentary interest group, in which members of the council join across party lines, and the interest group from civil society.

Value	Description
	act:enum/group_type/interest_group
oversight_body	Independent oversight or audit body that does not belong to the body overseen and does not report to it (e.g., Swiss Federal Audit Office SFAO and cantonal audit offices, Supervisory Authority for the Office of the Attorney General AS-OAG, Swiss Financial Market Supervisory Authority FINMA, ombudsman offices).
	act:enum/group_type/oversight_body
council_secretariat	Administrative unit serving a council, whatever it is called locally (parliamentary services, council secretariat, state, cantonal or municipal chancellery). Used for the legislative as well as the executive council: the state chancellery is the staff unit of the executive council, the parliamentary services are that of the legislative council.
	act:enum/group_type/council_secretariat
court	Court / Judiciary at any level (e.g., Federal Court, Cantonal Court, District Court).
	act:enum/group_type/court
association	Association.
	act:enum/group_type/association
petition_carrier	Petition carrier.
	act:enum/group_type/petition_carrier
university	University or educational institution as an outsourced provider of public tasks.
	act:enum/group_type/university
other	Other group type not covered by standard categories.
	act:enum/group_type/other

6 Memberships

The membership schema represents the relationship between persons and groups and is the central connecting element in the actor schema.

- **Distinction from interest links (InterestLink):** Membership records the *formal affiliation* of a person to a group within the actor schema (e.g. party, commission or parliament membership). Interest links and conflicts of interest with organisations *outside* the schema are deliberately kept separate and are represented via InterestLink (see the following chapter).
- **Reference with snapshot instead of embedding (person_reference/group_reference):** A membership refers to a person and a group and thereby records their most important identifying attributes at the time of linking. This keeps the entry historically correct even if the person or group changes later.
- **Activity explicit or derived (is_active):** Whether a membership is active can be set explicitly via `is_active` or derived from the temporal validity. If `is_active` is not set, activity is derived from `valid_from/valid_through`.
- **Membership ≠ voting right (authorized_to_vote):** The voting right is recorded separately from the membership – typically false for substitute members (except when on duty), observers, the secretariat and guests.
- **Role as a controlled vocabulary with free-text option (role_type):** The role in the group (e.g. member, presidency, deputy) is specified via a controlled vocabulary (RoleEnum); for roles not covered, the value `other` with a free-text designation is used.
- **Electoral district on the membership rather than on the person (electoral_district):** The electoral district describes the mandate, not the person – the same person may be elected from different districts over time or at different federal levels. ElectoralDistrict therefore carries no temporal validity of its own but inherits the `valid_from/valid_through` of the enclosing membership. For identification, the LINDAS resources for Swiss spatial units are intended (see `global_uri`). Whether a district can be identified that way depends on it coinciding with an official spatial unit: in the canton of Basel-Stadt the districts of Riehen and Bettingen are municipalities and have a LINDAS resource, whereas Grossbasel-Ost, Grossbasel-West and Kleinbasel group together neighbourhoods of the municipality of Basel and have none. Districts without an official counterpart are given an identifier in the namespace of the publishing body.

6.1 Class: Membership

A membership relationship between a person and a group, representing formal affiliation (e.g., party member, commission member, parliamentarian). Distinct from InterestLink, which covers external interest bindings and conflicts of interest to organizations outside the actor schema.

6.1.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification

Name	Cardinality and Range	Description
wikidata_uri	0..1 UriOrCurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
person_reference	1 PersonReference	Reference to a person with snapshot data at time of linking.
group_reference	1 GroupReference	Reference to a group with snapshot data at time of linking.
electoral_district	0..1 ElectoralDistrict	Electoral district of the membership. Stated where the mandate was won in an electoral district; it is therefore recorded on the membership and not on the person.
role_type	0..1 RoleType	Role of the person in the membership or function.
authorized_to_vote	0..1 Boolean	Indicates if the person is authorized to vote in the group. Typically false for substitute members (when not deputizing), observers, secretaries, and guests.
is_active	0..1 Boolean	Indicates if the membership is currently active. Can complement or replace valid_from/valid_through . If not set, activity is derived from the temporal validity fields.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity

6.1.2 Usages

Used by	In slot	Role	Element
Container	memberships	range	Membership

6.1.3 Examples

6.1.3.1 Example Membership: The same person at another level with another electoral district

```
memberships:
- global_uri: act:ms_jans_nationalrat
  person_reference:
    local_id: 4032
```

```
global_uri: https://www.admin.ch/de/beat-jans
label: Beat Jans
group_reference:
  global_uri: https://www.parlament.ch/de/organe/nationalrat
  label: Nationalrat
electoral_district:
  global_uri: https://ld.admin.ch/canton/12
  label:
    - value: Basel-Stadt
      language: de
role_type:
  role_type_enum: member
  role_label:
    - value: Mitglied
      language: de
    - value: Membro
      language: it
authorized_to_vote: true
valid_from: 2010-05-31
valid_through: 2011-12-04
is_active: false
```

6.1.3.2 Example Membership: Executive mandate with a presiding role

```
memberships:
- global_uri: act:ms_jans_regierungsrat_bs
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    local_id: 1300
    global_uri: https://www.regierungsrat.bs.ch/
    label: Regierungsrat Basel-Stadt
  role_type:
    role_type_enum: president
    role_label:
      - value: Regierungspräsident
        language: de
  authorized_to_vote: true
  valid_from: 2021-02-03
  valid_through: 2023-12-31
  is_active: false
```

6.1.3.3 Example Membership: Person and group from the same delivery with electoral district

```
memberships:
- global_uri: act:ms_jans_grossrat_bs
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    local_id: 33
    global_uri: https://www.grosserrat.bs.ch/
    label: Grosser Rat Basel-Stadt
  electoral_district:
    global_uri: https://grosserrat.bs.ch/wahlkreise/kleinbasel
    label:
      - value: Kleinbasel
        language: de
  role_type:
    role_type_enum: member
  authorized_to_vote: true
  valid_from: 2001-02-07
  valid_through: 2011-04-30
  is_active: false
```

6.1.3.4 Example Membership: Ongoing mandate without an end date

```
memberships:
- global_uri: act:ms_jans_bundesrat
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    global_uri: https://www.admin.ch/de/der-bundesrat
    label: Bundesrat
  role_type:
    role_type_enum: member
  authorized_to_vote: true
  valid_from: 2024-01-01
  is_active: true
```

6.1.3.5 Example Membership: Parliamentary group membership alongside the council mandate

```
memberships:
- global_uri: act:ms_jans_fraktion_sp_bs
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    global_uri: https://grosserrat.bs.ch/gremien/parteien-und-fraktionen/sp
    label: Sozialdemokratische Partei (SP)
  role_type:
    role_type_enum: member
  authorized_to_vote: true
  valid_from: 2001-02-07
  valid_through: 2011-04-30
  is_active: false
```

6.1.3.6 Example Membership: Committee membership with a duration of its own

```
memberships:
- global_uri: act:ms_jans_wak_bs
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    global_uri: https://grosserrat.bs.ch/gremien/sachkommissionen/wirtschaft-abgaben
    label: Wirtschafts- und Abgabekommission (WAK)
  role_type:
    role_type_enum: member
  authorized_to_vote: true
  valid_from: 2003-02-12
  valid_through: 2011-04-30
  is_active: false
```

6.1.3.7 Example Membership: Party membership without temporal information

```
memberships:
- global_uri: act:ms_jans_partei_sp
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    global_uri: https://www.sp-ps.ch/
    label: Sozialdemokratische Partei der Schweiz
  role_type:
    role_type_enum: member
  is_active: true
```

6.1.3.8 Example Membership: Role outside the vocabulary named in the role label

```
memberships:
- global_uri: act:ms_jans_ejpd
  person_reference:
    local_id: 4032
    global_uri: https://www.admin.ch/de/beat-jans
    label: Beat Jans
  group_reference:
    global_uri: https://www.ejpd.admin.ch/
    label: Eidgenössisches Justiz- und Polizeidepartement
  role_type:
    role_type_enum: other
    role_label:
      - value: Departementsvorsteher
        language: de
  valid_from: 2024-01-01
  is_active: true
```

6.2 Class: RoleType

Role of a person in a membership or function (e.g., member, president, deputy). If a role is not listed in the proposed RoleEnum vocabulary, the value 'other' can be used, and a descriptive label should be provided in the role_label slot. The label can also be used when a specific name is needed, even if a fitting semantic value exists in role_type_enum; it should be provided when role_type_enum is set to 'other'.

6.2.1 Attribute

Name	Cardinality and Range	Description
role_type_enum	0..1 RoleEnum	Role of the person in the membership or function.
role_label	* MultilingualValue	Specific role label. Use this when a specific role name is needed, even if a fitting semantic value exists in role_type_enum; provide this label when role_type_enum is set to 'other'. The designation is recorded with the language it is published in; where it is published in several languages, one entry per language is recorded.

6.2.1.1.1 Constraints

At least one of the following must be set:

- role_type_enum
- role_label

6.2.2 Usages

Used by	In slot	Role	Element
Membership	role_type	range	RoleType

6.2.2.1.1 Rules

- If the role type is 'other', a descriptive label must be provided.

6.3 Enum: RoleEnum

Roles a person can have within a membership.

URI: [act:RoleEnum](#)

6.3.1 Permissible Values

Value	Description
member	Regular member (default).
president	President or chair of the group.
deputy	Deputy or vice-chair role.
other	Other role; use role_label for a descriptive label.

6.4 Class: ElectoralDistrict

Electoral district or region associated with a membership. The temporal validity is inherited from the enclosing membership.

6.4.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	For IRI references, LINDAS resources should be used. The IRIs for the different administrative levels of Swiss spatial units are available at: https://ld.admin.ch/country/CHE . Under links in the schema:containsPlace section, the desired level can be selected. Examples for each administrative level: - Country - Switzerland: https://ld.admin.ch/country/CHE - Canton - Aargau: https://ld.admin.ch/canton/19 - District - Brig: https://ld.admin.ch/district/2301 - Municipality - Versoix: https://ld.admin.ch/municipality/6644 Electoral districts that correspond to no official spatial unit, such as districts grouping together neighbourhoods of a municipality, are given an identifier in the namespace of the publishing body instead. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
label	* MultilingualValue	Name of the electoral district as published by the body responsible for the election, with the language it is published in. Where a district is officially named in several languages, one entry per language is recorded.

6.4.2 Usages

Used by	In slot	Role	Element
Membership	electoral_district	range	ElectoralDistrict

6.4.3 Examples

6.4.3.1 Example ElectoralDistrict: Electoral district without an official spatial unit

```
electoral_district:
  global_uri: https://grosserrat.bs.ch/wahlkreise/kleinbasel
  label:
    - value: Kleinbasel
      language: de
```

6.4.3.2 Example ElectoralDistrict: Canton as electoral district identified via its LINDAS resource

```
electoral_district:
  global_uri: https://ld.admin.ch/canton/12
  label:
    - value: Basel-Stadt
      language: de
```

7 Interest Links

The InterestLink schema records interest links, conflicts of interest and entanglements of persons with organisations. It is based on the transparency requirements for members of parliament according to [Federal Assembly – Interest Links](#).

- **Distinction from memberships (Membership):** InterestLink represents links to organisations *outside* the actor schema (conflicts of interest, political financing) – in contrast to the formal affiliation *within* the schema, which is recorded via Membership.
- **Mandatory classification (interest_type):** Every link is mandatorily categorised by type. The vocabulary follows the categories the registers already maintain today: “Tätigkeiten in Führungs- und Aufsichtsorganen sowie Beiräten und ähnlichen Gremien” (Lucerne) becomes `governing_body`, “Leitungsfunktionen und dauernde Beratungs- oder Expertentätigkeiten für Interessengruppen und Verbände” (Lucerne) becomes `interest_group_mandate`, “Mitwirkung in Kommissionen und anderen Organen des Bundes, eines Kantons, einer Gemeinde oder einer interkantonalen Zusammenarbeit” (Fribourg) and “Ausübung politischer Ämter in Bund, Kanton und Gemeinden (ausgenommen Landratsmandat)” (Basel-Landschaft) both become `public_mandate`, and “berufliche Tätigkeiten und allfällige Arbeitgeber” (Schwyz) becomes `professional_activity`. Basel-Stadt makes do with two categories (“Führung und Aufsicht”, “staatliche Kommission”), the city of Zug names six — the same grid, cut more or less finely.
- **One value for the public sector (public_mandate):** An office in an authority and a seat on a state committee deliberately stay in one value. Of 24 registers that can be evaluated, only four keep the two categories apart (Fribourg, Neuchâtel, the city of Bern and one Vaud commune); seven know only “politische Ämter”, thirteen only “Kommissionen und andere Organe” — which of the two is an accident of the cantonal template. A split would therefore have to be guessed when taking over the data, and every canton would guess differently.
- **The counterpart decides, not the function:** `governing_body` and `interest_group_mandate` cannot be told apart by the function, since a federation presidency is formally both. What matters is the kind of organisation on the other side: where it pursues a purpose of its own (company, institution, foundation), `governing_body` applies; where its purpose is the representation of interests itself (trade, professional or tenants’ association), `interest_group_mandate` applies — even when the function is a seat on the committee. Fribourg files the ASLOCA presidency exactly that way although the entry reads “Comité”. This split is not an invention of the cantons; it is already found in Article 11 of the Parliament Act.
- **Representing one’s own public body (is_ex_officio):** Whether someone holds a mandate privately or exercises it as a delegate of their own authority is recorded independently of the type of link — which is why Aargau separates “Private Ämter” from “Öffentliche Ämter” and the city of Schaffhausen “Privates Engagement” from “Vertretung Stadt Schaffhausen”. The same seat on a board of directors means something different in each case. Executive offices are affected above all, because there the representation on the bodies of the organisations concerned comes with the department. As a field of its own rather than a category, the indication combines with any `interest_type`.
- **What the Confederation records in this place:** In the federal register the type field holds not the category but the legal form of the organisation (association, corporation, foundation). In the standard that belongs in `legal_form`; the category has to be derived from body and function when the data is taken over.

- **Bilingual registers (organization_name, committee, function_role):** Fribourg, Valais and Bern publish the organisation name, the body and the function in two languages — in openparldata.ch's collection this affects some 5,000 of nearly 30,000 entries. The three are therefore held multilingually, like the designation of a group: one entry per published language, with nothing translated.
- **Organisation referenceable via UID (organization_uid):** If the organisation is recorded in the UID register, it is referenced via its UID – this enables analyses, e.g. with NOGA codes. What is recorded is the exchange format of eCH-0108, i.e. CHE followed by nine digits without separators (CHE106063525). For organisations without a UID, organization_name/organization_address are available; the legal form follows a controlled vocabulary (LegalFormEnum).
- **Scope and remuneration (is_paid, committee, function_role):** In addition to the committee and function within the organisation, it is explicitly recorded whether the position is paid – a central transparency aspect.

7.1 Class: InterestLink

An interest link (conflict of interest, political financing) of a person to an organization outside the actor schema.

7.1.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier. For example, a UUID from the council information system. Inheritance: HasIdentification
global_uri	1 Uriorcurie	A unique, globally valid URI for the entity. Inheritance: HasIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasIdentification
person_reference	1 PersonReference	Reference to a person with snapshot data at time of linking.
interest_type	1 InterestTypeEnum	Type of interest link, following the categories the disclosure registers maintain (professional activity, seat on a governing body, mandate for an interest group, public mandate, membership).
organization_name	* MultilingualValue	Name of the organization or enterprise, with the language it is published in. Bilingual registers state the name in both languages; one entry is recorded per language.
organization_uid	0..1 String	UID of the organization from the federal UID register (uid.admin.ch), in the exchange format of eCH-0108: CHE followed by nine digits, without separators (e.g. CHE106063525). The last digit is a check digit calculated modulo 11. The dotted form CHE-106.063.525 is the presentation used by uid.admin.ch and is not recorded here.

Name	Cardinality and Range	Description
organization_addresses	0..1 String	Address of the organization.
legal_form	0..1 LegalFormEnum	Legal form of the organization. See controlled vocabulary: https://register.ld.admin.ch/i14y/concept/legalForm
is_paid	0..1 Boolean	Indicates whether the activity is paid.
is_ex_officio	0..1 Boolean	Indicates whether the person holds the mandate on behalf of the public body they belong to, i.e. as its delegate, rather than in a private capacity. The indication is independent of the interest type and can be combined with any of them: the same seat on a board of directors is one thing when the commune delegates a person there and quite another when they hold it privately. It concerns executive offices above all, since a delegation to the bodies of the organisations a public body holds an interest in usually comes with the department.
committee	* MultilingualValue	Committee or board within the organization (e.g., Verwaltungsrat, Stiftungsrat, Vorstand, Aufsichtsrat, Beirat, Geschäftsleitung), with the language it is published in; one entry is recorded per language.
function_role	* MultilingualValue	Function or role in the organization (e.g., Präsident/in, Vizepräsident/in, Mitglied, Delegierter, Geschäftsführer/in, Berater/in), with the language it is published in; one entry is recorded per language.
date_created	0..1 Date	The date when an entity was created. Inheritance: HasCreationModificationDates
datetime_created	0..1 Datetime	The date and time when an entity was created. Inheritance: HasCreationModificationDates
date_modified	0..1 Date	The date when an entity was last modified. Inheritance: HasCreationModificationDates
datetime_modified	0..1 Datetime	The date and time when an entity was last modified. Inheritance: HasCreationModificationDates
valid_from	0..1 Date	The date from which the information is valid. Inheritance: HasTemporalValidity
valid_through	0..1 Date	The date until which the information is valid, inclusive. Inheritance: HasTemporalValidity
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance:

Name	Cardinality and Range	Description
		HasTemporalValidity

7.1.1.1.1 Constraints

At least one of the following must be set:

- organization_uid
- organization_name

7.1.2 Usages

Used by	In slot	Role	Element
Container	interest_links	range	InterestLink
Person	interest_links	range	InterestLink

7.1.3 Examples

7.1.3.1 Example InterestLink: Own company run operationally

```
interest_links:
- global_uri: act:il_burkart_001
  person_reference:
    global_uri: http://www.wikidata.org/entity/Q23060472
    label: Thierry Burkart
    group_label: FDP.Die Liberalen
  interest_type: professional_activity
  organization_name:
    - value: Burkart Advisory GmbH, Baden
      language: de
  legal_form: '0107'
  committee:
    - value: Geschäftsleitung
      language: de
  function_role:
    - value: Geschäftsführer
      language: de
  is_paid: true
```

7.1.3.2 Example InterestLink: Foundation board mandate with the organisations UID

```
interest_links:
- global_uri: act:il_burkart_007
  person_reference:
    global_uri: http://www.wikidata.org/entity/Q23060472
    label: Thierry Burkart
    group_label: FDP.Die Liberalen
  interest_type: governing_body
  organization_name:
    - value: FONDATION SUISSE DE DEMINAGE (FSD), Genf
      language: de
  organization_uid: CHE109810537
  legal_form: '0110'
  committee:
    - value: Stiftungsrat
      language: de
  function_role:
    - value: Vizepräsident
      language: de
  is_paid: false
```

7.1.3.3 Example InterestLink: Leading role for an interest group

```
interest_links:
- global_uri: act:il_mauron_001
```

```

person_reference:
  global_uri: >-
    https://www.fr.ch/parlinfo/membres-du-grand-conseil/5ee6eb9754704902bfd4b4ee01dcf327
  label: Pierre Mauron
  group_label: Parti socialiste
  interest_type: interest_group_mandate
  organization_name:
    - value: ASLOCA Fribourg
      language: fr
    - value: ASLOCA Freiburg
      language: de
  legal_form: '0109'
  committee:
    - value: Comité
      language: fr
    - value: Vorstand
      language: de
  function_role:
    - value: Président
      language: fr
    - value: Präsident
      language: de

```

7.1.3.4 Example InterestLink: Cantonal link person from the same delivery

```

interest_links:
- global_uri: act:il_beretta_001
  person_reference:
    local_id: 1269
    global_uri: >-
      https://www4.ti.ch/poteri/gc/parlamento/composizione-del-parlamento/composizione-nelle-
      ultime-legislature/dettaglio-deputati/?user_gcparlamento_pi3%5BcanID%5D=1269
    label: Gerri Beretta-Piccoli
    interest_type: governing_body
    organization_name:
      - value: Fondazione Gruppo Intervento Maltrattamento Infantile (GIMI), Lugano
        language: it
    legal_form: '0110'
    committee:
      - value: Consiglio di fondazione
        language: it
    function_role:
      - value: Vice Presidente
        language: it

```

7.1.3.5 Example InterestLink: Public office at another federal level

```

interest_links:
- global_uri: act:il_dafond_001
  person_reference:
    global_uri: >-
      https://www4.ti.ch/poteri/gc/parlamento/composizione-del-parlamento/composizione-nelle-
      ultime-legislature/dettaglio-deputati/?user_gcparlamento_pi3%5BcanID%5D=14
    label: Felice Dafond
    group_label: PLR
    interest_type: public_mandate
    organization_name:
      - value: Municipio di Minusio
        language: it
    legal_form: '0223'
    function_role:
      - value: Sindaco
        language: it

```

7.1.3.6 Example InterestLink: Board mandate without a UID and without payment information

```

interest_links:
- global_uri: act:il_balaban_001
  person_reference:

```

```

    global_uri: https://ge.ch/grandconseil/gc/depute/2517/
    label: Stefan Balaban
    group_label: LJS
    interest_type: governing_body
    organization_name:
      - value: X-net SA
        language: fr
    legal_form: '0106'
    committee:
      - value: Conseil d'administration
        language: fr
    function_role:
      - value: Membre
        language: fr

```

7.1.3.7 Example InterestLink: Mandate held as a delegate of the persons own commune

```

interest_links:
- global_uri: act:il_zanini_001
  person_reference:
    global_uri: >-
      https://www4.ti.ch/poteri/gc/parlamento/composizione-del-parlamento/composizione-nelle-
      ultime-legislature/dettaglio-deputati/?user_gcparlamento_pi3%5BcanID%5D=2160
    label: Cristina Zanini Barzaghi
    group_label: PS, GISO e FA
    interest_type: governing_body
    organization_name:
      - value: Fondazione Giovanni Stamm
        language: it
    legal_form: '0110'
    committee:
      - value: Consiglio di amministrazione
        language: it
    function_role:
      - value: Membro
        language: it
    is_ex_officio: true

```

7.1.3.8 Example InterestLink: Federation presidency the counterpart decides not the function

```

interest_links:
- global_uri: act:il_burkart_005
  person_reference:
    global_uri: http://www.wikidata.org/entity/Q23060472
    label: Thierry Burkart
    group_label: FDP.Die Liberalen
    interest_type: interest_group_mandate
    organization_name:
      - value: ASTAG Schweizerischer Nutzfahrzeugverband, Bern
        language: de
    legal_form: '0109'
    committee:
      - value: Zentralvorstand
        language: de
    function_role:
      - value: Präsident
        language: de
    is_paid: true

```

7.1.3.9 Example InterestLink: The same value for a seat on a body

```

interest_links:
- global_uri: act:il_quadranti_001
  person_reference:
    global_uri: >-
      https://www4.ti.ch/poteri/gc/parlamento/composizione-del-parlamento/composizione-nelle-
      ultime-legislature/dettaglio-deputati/?user_gcparlamento_pi3%5BcanID%5D=1487
    label: Matteo Quadranti
    group_label: Partito liberale radicale ticinese (PLR)

```

```
interest_type: public_mandate
organization_name:
- value: Commissione Cantonale Cultura
  language: it
function_role:
- value: Vice-presidente
  language: it
```

7.2 Enum: InterestTypeEnum

Types of interest links (conflicts of interest, political financing).

URI: [act:InterestTypeEnum](#)

7.2.1 Permissible Values

Value	Description
professional_activity	Gainful employment outside the political mandate: employment, self-employment, the own operationally run company. Where the person is an employee, employer and function are stated. Test question: is this where the person earns their living? act:enum/interest_type/professional_activity
governing_body	Seat in a management, supervisory or advisory body of an organisation that pursues a purpose of its own — board of directors, foundation board, advisory board — irrespective of legal form and remuneration. Test question: does the person help steer an organisation without being employed by it? act:enum/interest_type/governing_body
interest_group_mandate	Permanent management or advisory function for an interest group or federation — an organisation whose very purpose is to represent interests. Decisive is the counterpart, not the function: where the purpose of the organisation is to represent interests, this value applies even if the function is a seat on a governing body. Unlike governing_body it also covers permanent advisory mandates without any seat on a body. act:enum/interest_type/interest_group_mandate
public_mandate	Office or seat in the public sector at another federal level or in another public body: a seat in a communal executive or legislature, on a school board or in a parish, and likewise participation in a committee or another body of the Confederation, a canton, a commune or of intercantonal and intercommunal cooperation. Most registers do not distinguish the two cases, which is why the standard keeps them in one value. The mandate for which the disclosure is made is never stated here; whether the person holds the mandate as a delegate of their own public body is stated by is_ex_officio. act:enum/interest_type/public_mandate
association	Plain membership in an association, federation or interest organisation, without a management function and without a seat on a body. Where a function is held, governing_body or interest_group_mandate applies. act:enum/interest_type/association

Value	Description
other	Interest link that none of the other values covers. The published designation belongs in function_role or organization_name, so that the entry remains readable. act:enum/interest_type/other

7.3 Enum: LegalFormEnum

Legal forms according to the code list published by the Federal Statistical Office on the I14Y platform, conformant to eCH-0108 (business master data and business register). See <https://register.ld.admin.ch/i14y/concept/legalForm>

URI: [act:LegalFormEnum](#)

7.3.1 Permissible Values

Value	Description
0101	Sole proprietorship. https://register.ld.admin.ch/i14y/concept/legalForm/0101
0103	General partnership (GP). https://register.ld.admin.ch/i14y/concept/legalForm/0103
0104	Limited partnership (LP). https://register.ld.admin.ch/i14y/concept/legalForm/0104
0105	Corporation with unlimited partners (CUP). https://register.ld.admin.ch/i14y/concept/legalForm/0105
0106	Corporation (Ltd). https://register.ld.admin.ch/i14y/concept/legalForm/0106
0107	Limited liability company (LLC). https://register.ld.admin.ch/i14y/concept/legalForm/0107
0108	Cooperative. https://register.ld.admin.ch/i14y/concept/legalForm/0108
0109	Association. https://register.ld.admin.ch/i14y/concept/legalForm/0109
0110	Foundation. https://register.ld.admin.ch/i14y/concept/legalForm/0110
0111	Branch of a foreign company. https://register.ld.admin.ch/i14y/concept/legalForm/0111
0113	Special legal form. https://register.ld.admin.ch/i14y/concept/legalForm/0113
0114	Limited Partnership for collective investment schemes (LPCI). https://register.ld.admin.ch/i14y/concept/legalForm/0114
0115	Limited Partnership for collective investment schemes with a variable capital (SICAV). https://register.ld.admin.ch/i14y/concept/legalForm/0115

Value	Description
0116	Limited Partnership for collective investment schemes with a fixed capital (SICAF). https://register.ld.admin.ch/i14y/concept/legalForm/0116
0117	Public-law institution. https://register.ld.admin.ch/i14y/concept/legalForm/0117
0118	Non-commercial power of attorney. https://register.ld.admin.ch/i14y/concept/legalForm/0118
0119	Representative of the community of property. https://register.ld.admin.ch/i14y/concept/legalForm/0119
0151	Branch. https://register.ld.admin.ch/i14y/concept/legalForm/0151
0220	Administrative unit of the Confederation. https://register.ld.admin.ch/i14y/concept/legalForm/0220
0221	Administrative unit of the canton. https://register.ld.admin.ch/i14y/concept/legalForm/0221
0222	Administrative unit of the district. https://register.ld.admin.ch/i14y/concept/legalForm/0222
0223	Administrative unit of the commune. https://register.ld.admin.ch/i14y/concept/legalForm/0223
0224	Other public-law administrative unit. https://register.ld.admin.ch/i14y/concept/legalForm/0224
0230	Public-law institution of the Confederation. https://register.ld.admin.ch/i14y/concept/legalForm/0230
0231	Public-law institution of the canton. https://register.ld.admin.ch/i14y/concept/legalForm/0231
0232	Public-law institution of the district. https://register.ld.admin.ch/i14y/concept/legalForm/0232
0233	Public-law institution of the commune. https://register.ld.admin.ch/i14y/concept/legalForm/0233
0234	Other public-law institution. https://register.ld.admin.ch/i14y/concept/legalForm/0234
0302	Simple partnership. https://register.ld.admin.ch/i14y/concept/legalForm/0302
0312	Permanent establishment or swiss representation of a foreign company. https://register.ld.admin.ch/i14y/concept/legalForm/0312
0327	Foreign public company. https://register.ld.admin.ch/i14y/concept/legalForm/0327
0328	Foreign public administration.

Value	Description
	https://register.ld.admin.ch/i14y/concept/legalForm/0328
0329	International organisation. https://register.ld.admin.ch/i14y/concept/legalForm/0329
0355	Other cooperative. https://register.ld.admin.ch/i14y/concept/legalForm/0355
0361	Trust. https://register.ld.admin.ch/i14y/concept/legalForm/0361
0362	Fund. https://register.ld.admin.ch/i14y/concept/legalForm/0362
0441	Foreign company. https://register.ld.admin.ch/i14y/concept/legalForm/0441
0571	Legal form undefined or unknown. https://register.ld.admin.ch/i14y/concept/legalForm/0571

8 Shared Elements

8.1 Reference Classes

PersonReference and GroupReference are used to reference persons or groups **locally** within another entity. In addition to the actual link to the complete entity, only the relevant information at the **time of linking** is stored – so it is not necessary to repeat all the information about a person or group at every mention.

An example: A motion references the person who submitted it. In addition to the link to the complete person entity, the motion stores locally information such as the person's political party or role **at the time of submission**. If the person later changes party or role, the information in the motion nevertheless remains correct and immutable.

This serves three purposes:

- **Useful local data** without costly queries of the complete entity
- **No redundancy**, since not all information has to be repeated at every mention
- **Implicit versioning**, since the local reference remains unchanged even if the linked entity changes later

Unlike an entity, a reference is not identified in its own right – it merely names an identified entity. The `global_uri` is therefore not mandatory here: all that is required is that at least one of `local_id` or `global_uri` is set. A system that only knows the local id of the referenced entity states that id; it is resolved within the same delivery. Beyond the delivery, the `global_uri` provides the link.

8.2 Class: PersonReference

Lightweight reference to a person with key identification data at time of linking. Preserves historical accuracy even if the person changes later. The referenced person is identified by `local_id` or `global_uri`; at least one of the two is required.

8.2.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier of the referenced entity. It is resolved within the same delivery. Inheritance: HasReferenceIdentification
<code>global_uri</code>	0..1 Uriorcurie	The unique, globally valid URI of the referenced entity. Unlike a <code>local_id</code> it also resolves beyond the delivery. Inheritance: HasReferenceIdentification
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasReferenceIdentification
<code>label</code>	1 String	Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name).

Name	Cardinality and Range	Description
label_long	0..1 String	Optional long display name including academic titles and full official name (e.g. “Dr. Maria Muster-Beispiel”).
group_label	0..1 String	Name of the body/group at time of linking.

8.2.1.1.1 Constraints

At least one of the following must be set:

- local_id
- global_uri

8.2.2 Usages

Used by	In slot	Role	Element
Membership	person_reference	range	PersonReference
InterestLink	person_reference	range	PersonReference

8.3 Class: GroupReference

Lightweight reference to a group with key identification data at time of linking. The referenced group is identified by `local_id` or `global_uri`; at least one of the two is required. A `local_id` is resolved within the same delivery, a `global_uri` also beyond it.

8.3.1 Attribute

Name	Cardinality and Range	Description
local_id	0..1 String	Local identifier of the referenced entity. It is resolved within the same delivery. Inheritance: HasReferenceIdentification
global_uri	0..1 Uriorcurie	The unique, globally valid URI of the referenced entity. Unlike a <code>local_id</code> it also resolves beyond the delivery. Inheritance: HasReferenceIdentification
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans. Inheritance: HasReferenceIdentification
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).
abbreviation	* MultilingualValue	Abbreviation (can be multilingual).

8.3.1.1.1 Constraints

At least one of the following must be set:

- local_id
- global_uri

8.3.2 Usages

Used by	In slot	Role	Element
Group	parent_groups	range	GroupReference
Membership	group_reference	range	GroupReference

8.4 Reused Classes

An address is written in `street_address`, `postal_code`, `postal_locality` and `country` and may point into swisstopo's official building address register via `address_uri`. The final number of that URI is the EGAID, the federal building address identifier; <https://geo.ld.admin.ch/location/address/101009806> thus denotes "Rue de Genève 17, 1003 Lausanne" as an officially registered building address.

`address_uri` is optional. The written address on its own is permissible, but the reference via the EGAID is preferable: it is an unambiguous identifier and stable over time, whereas street names change, municipalities merge and postal codes are recut.

To arrive at the EGAID, one can use the [search API of geo.admin.ch](#) or match against the [official directory of building addresses](#). The result is recorded in `address_uri`.

8.5 Class: Address

An address with a type (e.g., private address, business address) and a value.

8.5.1 Attribute

Name	Cardinality and Range	Description
<code>address_type</code>	0..1 AddressTypeEnum	Type of address.
<code>address_uri</code>	0..1 <code>Uriorcurie</code>	URI of the address from the Swiss federal building address register (Amtliches Gebäudeadressverzeichnis, swisstopo). The final segment of the URI is the EGAID, the federal building address identifier of that register. Example of a valid URI: https://geo.ld.admin.ch/location/address/101904050 — the same register can be browsed as a map layer at https://map.geo.admin.ch/#map?topic=ech&layers=ch.swisstopo.amtliches-gebaeudeadressverzeichnis
<code>street_address</code>	0..1 String	Street address.
<code>postal_code</code>	0..1 Integer	Postal code.
<code>postal_locality</code>	0..1 String	Locality.
<code>country</code>	0..1 String	ISO 3166-1 alpha-2 country code.

8.5.1.1.1 Constraints

At least one of the following must be set:

- postal_locality
- address_uri

8.5.2 Usages

Used by	In slot	Role	Element
Person	addresses	range	Address
Group	addresses	range	Address

8.5.3 Examples

8.5.3.1 Example Address: swiss politicians Beat Jans 1

```
addresses:
- address_type: businessAddress
  postal_locality: Basel-Stadt
```

8.5.3.2 Example Address: groups Konsumenteninformation und -schutz 1

```
addresses:
- address_type: businessAddress
  address_uri: https://geo.ld.admin.ch/location/address/101009806
  street_address: Fédération romande des consommateurs, Rue de Genève 17, case postale
                  585
  postal_code: '1001'
  postal_locality: Lausanne
  country: CH
```

8.6 Enum: AddressTypeEnum

Types of addresses.

URI: [act:AddressTypeEnum](#)

8.6.1 Permissible Values

Value	Description
privateAddress	Private address.
businessAddress	Business address.
localAddress	Local address.

8.7 Class: Contact

Contact information of a person indicating a type (e.g., email, LinkedIn) and a value.

8.7.1 Attribute

Name	Cardinality and Range	Description
contact_type	1 ContactTypeEnum	Type of contact information.
value	1 String	The value of an information besides other attributes such as type, language, etc.
label	0..1 String	Assign a label to a structured piece of information (e.g., display name, position, etc.).

8.7.2 Usages

Used by	In slot	Role	Element
Person	contacts	range	Contact
Group	contacts	range	Contact

8.8 Mixin classes

Four classes carry no data of their own; they bundle slots that look the same across many classes — the identification of an entity, the identification of a reference, the temporal validity, and the creation and modification dates. They come from the specialist group's common schema (eCH-0292) and are imported by the group's standards so that the same information is named alike and behaves alike everywhere.

A mixin is not a superclass: no instance of a mixin class is ever created, and nothing of it shows in the data. The attribute tables of the classes therefore list the inherited slots individually and note their origin under "Inheritance" — the four sections below explain what stands behind that note.

8.9 Class: HasIdentification

A mixin class that provides slots for the identification of an entity. It is used for entities that are identified in their own right; their `global_uri` is the identifier and therefore mandatory.

8.9.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier. For example, a UUID from the council information system.
<code>global_uri</code>	1 Uriorcurie	A unique, globally valid URI for the entity.
<code>wikidata_uri</code>	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans.

8.9.2 Mixin Usage

Container, [Person](#), [Group](#), [Membership](#), [InterestLink](#), [ElectoralDistrict](#)

8.10 Class: HasReferenceIdentification

A mixin class that provides the slots with which a reference names the entity it points at. Unlike `HasIdentification` it does not identify the referencing object itself, which is why `global_uri` is neither an identifier here nor mandatory: a system that only holds the local id of the referenced entity states that id instead. A reference class using this mixin should require at least one of the two.

8.10.1 Attribute

Name	Cardinality and Range	Description
<code>local_id</code>	0..1 String	Local identifier of the referenced entity. It is resolved within the same delivery.

Name	Cardinality and Range	Description
global_uri	0..1 Uriorcurie	The unique, globally valid URI of the referenced entity. Unlike a local_id it also resolves beyond the delivery.
wikidata_uri	0..1 Uriorcurie	A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans.

8.10.2 Mixin Usage

[PersonReference](#), [GroupReference](#)

8.11 Class: HasTemporalValidity

A mixin class that provides slots for modeling a temporal validity of information (not of an event).

8.11.1 Attribute

Name	Cardinality and Range	Description
valid_from	0..1 Date	The date from which the information is valid.
valid_through	0..1 Date	The date until which the information is valid, inclusive.
is_active	0..1 Boolean	Indicates whether the information is currently valid. Can be useful when this information is explicitly available.

8.11.2 Mixin Usage

[Group](#), [Membership](#), [InterestLink](#), [Name](#), [Citizenship](#), [Gender](#), [Occupation](#), [Training](#)

8.12 Class: HasCreationModificationDates

A mixin class that provides slots for modeling creation and modification dates of an entity.

8.12.1 Attribute

Name	Cardinality and Range	Description
date_created	0..1 Date	The date when an entity was created.
datetime_created	0..1 Datetime	The date and time when an entity was created.
date_modified	0..1 Date	The date when an entity was last modified.
datetime_modified	0..1 Datetime	The date and time when an entity was last modified.

8.12.2 Mixin Usage

[Person](#), [Group](#), [Membership](#), [InterestLink](#)

9 Appendix A – References & Bibliography

The version stated is the one this standard was developed against.

9.1 Standards of the “Political Affairs” specialist group

The standards of the specialist group are developed jointly and reference one another. All of them currently carry the status “In Arbeit” (in progress; as of 10 August 2026); the version number 1.0.0 denotes the version being drafted, not an approved one.

eCH-0292	eCH-0292: Meta-processes for political affairs, version 1.0.0 – shared data elements: https://www.ech.ch/de/ech/ech-0292
eCH-0293	eCH-0293: Public council operations, version 1.0.0: https://www.ech.ch/de/ech/ech-0293
eCH-0295	eCH-0295: Parliamentary affairs, version 1.0.0: https://www.ech.ch/de/ech/ech-0295
eCH-0296	eCH-0296: Legal acts and legislative texts, version 1.0.0: https://www.ech.ch/de/ech/ech-0296
eCH-0297	eCH-0297: Public consultations, version 1.0.0: https://www.ech.ch/de/ech/ech-0297

9.2 Further eCH standards

eCH-0011	eCH-0011: Datenstandard Personendaten, version 9.0.0 (approved, 27.07.2023). Basis of the name types in NameTypeEnum (personNameData): https://www.ech.ch/de/ech/ech-0011/9.0.0
eCH-0108	eCH-0108: Datenstandard: Unternehmensstammdaten und Unternehmensregister, version 6.0.0 (approved, 04.04.2024). Defines the exchange format of the UID (organization_uid) and is the standard the legal form code list in LegalFormEnum conforms to: https://www.ech.ch/de/ech/ech-0108/6.0.0

9.3 Code lists and further sources

I14Y	Interoperability platform of the Federal Statistical Office. Source of the code lists for legal form (LegalFormEnum) and sex (GenderCodeEnum): https://www.i14y.admin.ch
LINDAS	Linked Data Service of the Swiss federal administration. Identifiers of the Swiss spatial units (country, canton, district, municipality) for spatial and ElectoralDistrict: https://ld.admin.ch
NOGA	General Classification of Economic Activities of the Federal Statistical Office. Enables analyses via the UID of referenced organisations.
Wikidata	Free knowledge base. Entity IRI (http://www.wikidata.org/entity/Q...) in wikidata_uri: https://www.wikidata.org
ISO 639-1	ISO (International Organization for Standardization). Language codes, used in the language slot of MultilingualValue.
schema.org	Shared vocabulary for structured data. Source of several slot_uri assignments: https://schema.org

LinkML The modelling language in which this standard is defined: <https://linkml.io>