
User manual of ELI Annotation Tool

Release 1.0.0

Publications Office of the European Union

2017-12-08

CONTENTS

1	Overview	3
2	Accessing the tool	5
3	Expected usage	7
4	Writing notices	9
4.1	Notice URI	10
4.2	Creation form	10
5	Importing notices	15
6	Visualizing vocabularies	19
7	Importing vocabularies	21
8	Configuring forms	25
8.1	Defining the URI schemes	27
8.2	Choosing the languages and formats	28
8.3	Configuring the properties	31
9	Describing a SKOS vocabulary in an Excel file	37
9.1	General structure of the worksheet	37
9.2	Properties describing the entities	37
9.3	Header	38
9.4	Body	38
10	License	41

The ELI Annotation Tool has been developed in the framework of the ELI initiative which is undertaken with the support of [ISA²](https://ec.europa.eu/isa2) (<https://ec.europa.eu/isa2>).

[ISA²](https://ec.europa.eu/isa2) (<https://ec.europa.eu/isa2>) is a EUR 131 million programme of the European Commission which develops digital solutions that enable interoperable cross-border and cross-sector public services for the benefit of public administrations, businesses and citizens across the EU.

[ISA²](https://ec.europa.eu/isa2) (<https://ec.europa.eu/isa2>) supports a large range of [actions](https://ec.europa.eu/isa2/actions_en) (https://ec.europa.eu/isa2/actions_en) and [solutions](https://ec.europa.eu/isa2/solutions_en) (https://ec.europa.eu/isa2/solutions_en). The [ISA²](https://ec.europa.eu/isa2) (<https://ec.europa.eu/isa2>) solutions can be used free of charge and are open source when related to IT.

[ISA²](https://ec.europa.eu/isa2) (<https://ec.europa.eu/isa2>) - IT solutions for less bureaucracy: You click, we link.

OVERVIEW

The ELI annotation tool is a tool for building notices describing legal resources using the [European Legislation Identifier](http://www.eli.fr/) (<http://www.eli.fr/>) (ELI) standard.

The notices describe several standard legal entities (*legal resources*, *legal expressions* and *formats*) using [standard properties](#). The values of some of these properties are constrained using [controlled vocabularies](#) described with the [SKOS standard](https://www.w3.org/2004/02/skos/) (<https://www.w3.org/2004/02/skos/>).


The notices can be created for three different types of resources: *acts*, *official journals* and *consolidations*. For each of these types, the ELI annotation tool allows to configure the notices form by choosing which properties will be active for the legal entities and by choosing the controlled vocabularies of these properties (when applicable).

The ELI annotation tool is a Web application that must be installed on a Web server. Command-line operations executed on the server allow to configure the ELI annotation tool, localize it and manage its users. Once this server is configured, the ELI annotation tool is accessible simply with a recent (as of end of 2017) Web browser.


The ELI annotation tool is not meant to publish, manage or archive notices and vocabularies. It is meant to be simple to set up (no database, no connection to a user directory, no connection to external data sources, etc.) and to allow users to efficiently produce the notices that will be published on the Web using other tools and other servers.

ACCESSING THE TOOL


Once it has been properly installed on a server, the ELI annotation tool can be accessed with a recent (as of end 2017) Web browser. Simply enter the Web address given by the system administrator that has installed the tool and you will see the following page:



Click on the blue icon after the text inviting you to log in. On the *Log in* page, enter the identifier and password that the system administrator has given you:

The screenshot shows the login form of the ELI Annotation Tool. It has a blue header bar with the text "ELI Annotation Tool". Below the header, on a light gray background, is the text "Log in". Underneath, there are two input fields: "User name*" with the text "admin" entered, and "Password*" with masked characters "*****". Below these fields is a blue "Submit" button.

If you have been correctly identified, you should now see the home page of the ELI annotation tool. If you are a **regular user**, this home page looks like:




On the top of the page, in the blue header, you have a menu with the various pages of the tool:

- **Notices** to create notices (see *Writing notices* (page 9) and *Importing notices* (page 15) section),
- **Vocabularies** to display the vocabularies used in the notices properties (see *Visualizing vocabularies* (page 19) section),
- **About** to display the tool version and a few paragraphs about the tool,
- and, on the far right, the button to log out from the tool.

The current page is the notices page. You can see in this example that no notice is currently worked on.

If you are a **user with administrator rights**, the home page looks like:



On the top of the page, in the blue header, you also have a menu with the various pages of the tool:

- **Notices** to create notices (see *Writing notices* (page 9) and *Importing notices* (page 15) section),
- **Vocabularies** to display and edit the vocabularies used in the notices properties (see *Visualizing vocabularies* (page 19) and *Importing vocabularies* (page 21) sections),
- **Configuration** to **configure the forms** used to create notices (see *Configuring forms* (page 25) section),
- **About** to display the tool version and a few paragraphs about the tool,
- and, on the far right, the button to log out from the tool.

The current page is the notices page. You can see in this example that no notice is currently worked on.

EXPECTED USAGE

Each organization can, of course, use the ELI annotation tool in any way that best fits its needs. Nevertheless, the tool has been designed with a specific usage in mind. This section describes the expected business use case around the ELI annotation tool.

The ELI annotation tool has been built for writing ELI notices describing legal resources. The notices can be written for three different types of resources: *acts*, *official journals* and *consolidations*. The tool is not fitted for publishing such notices on the Web or for managing published notices.

Firstly, a user with administrative rights must configure the tool by:

1. **uploading the controlled vocabularies** that will be used in the ELI properties,
2. **configuring the form** used to create the notices for each type of legal resource:
 - **how the URIs of the ELI entities will be built**,
 - for which **languages and formats the ELI entities will be created**,
 - **which ELI properties** will be active,
 - **which controlled vocabulary will be used in each** of the ELI properties (that require a vocabulary).

Then the tool can be used to create legal notices:

1. A regular user creates a new notice for an act, an official journal or a consolidation. The user can visualize the notice in various formats, including an HTML rendering.
2. A designated user proofreads the notice, corrects it and downloads it in an archive file (zip format) containing the **HTML rendering of all the legal expressions and all the formats** contained in the **notice**
3. This HTML files inside the archive file have now to be deployed on an external Web server (this operation is outside the scope of the ELI annotation tool).

It is strongly advised to delete the notices when they have been deployed on the external Web server. The ELI annotation tool has not been designed to manage the notices but only to write them. Having too much notices inside the tool will result in bad performances. If necessary, it is always possible to import a notice in the tool from any generated HTML rendering.

WRITING NOTICES

The page related to the notices is the home page of the ELI annotation tool. First, four buttons allow to:

- create a new notice for an act,
- create a new notice for an official journal,
- create a new notice for a consolidation,
- import an existing notice for a file or an URL (see *Importing notices* (page 15) section).

Please note that **for being able to create a notice** with one of the previous buttons, **the form must have been properly configured** by a user with administrative rights (cf. *Configuring forms* (page 25) section).

The screenshot shows the ELI Annotation Tool interface. The top navigation bar is blue with links for 'ELI Annotation Tool', 'Notices', 'Vocabularies', and 'About'. A 'Log out (usr784)' link is on the right. The main content area has a large 'Notices' heading. Below it are four buttons: 'Create notice for Act', 'Create notice for Official journal', 'Create notice for Consolidation', and 'Import notice from RDFa'. A 'Work in progress' section contains a table with two rows of notices.

Work in progress						
http://data.legi-org.eu/2017/GHI/45.2/ACT	Legal act	2017-11-16 23:53:36	Preview HTML	Download as RDF	Download as ZIP	Edit
http://data.legi-org.eu/2017/ABC/a3562/ACT	Legal act	2017-11-16 23:52:57	Preview HTML	Download as RDF	Download as ZIP	Edit

The **Work in progress** section lists, in a table, the notices that have already been created. The first column gives the URI of the *legal resource* generated from the notice, the second column gives the type of resource (*Act*, *Official journal* or *Consolidation*) and the third column gives the date and time of the last modification of the notice.


For each of the notices, four operations are available (cf. links and buttons in the table):

- **Preview HTML** to have a look at the HTML rendering of the notice (one HTML page per generated ELI *legal expression* entity and one HTML page per generated *format* entity),
- **Download as RDF** to download the ELI entities and properties generated from the notice, in RDF/XML format,
- **Download as ZIP** to download an archive file containing the HTML rendering of the notice. Such a file can be used to deploy the notice on an external Web server,
- the delete button to delete the vocabulary.

The following sections details the form page for creating a notice. This page is displayed after clicking on one of the *Create* buttons on this page.


Notice URI

The form for creating a notice begins with a section displaying the URI of the *legal resource* that will be created from this notice. When starting a new creation, the properties in the form still don't have any value and thus the URI contains the name of the ELI fields between curly brackets. For example:



The screenshot shows the 'Create notice for Act' form. At the top is a blue navigation bar with 'ELI Annotation Tool', 'Notices', 'Vocabularies', 'About', and a 'Log out (usr784)' link. The main heading is 'Create notice for Act'. Below it is a section titled 'URI' with a dropdown arrow. Under 'URI' is the label 'URI of Legal resource' and a text input field containing the template URI: `http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT`.

While values are defining for these fields in the following form, the fields of the URI are replaced by their actual values. Finally, after all the fields have a value, the URI is properly built. For example:



The screenshot shows the 'Create notice for Act' form with values entered. The 'URI' section now shows a completed URI: `http://data.legi-org.eu/2017/ABC/a3562/ACT`. Below the URI section is the 'General information' section. It contains two fields: 'document type' with the value 'ABC document - ABC' and 'number' which is currently empty.

Creation form

Below the section displaying the URI, begins the form used for creating or editing a notice. The **properties** are grouped in four sections: *General information*, *Domain and context*, *Relationships with other resources* and *Description and documents*.

This last section contains one tab per chosen language and, in each of these tabs, properties and sub-sections (one per chosen format). The sub-sections also contain properties.

Only the properties that have been activated in the form configuration are displayed in this form.

At the end of the form, a dedicated zone displays the errors messages (red box) and the warning messages (yellow box). It is impossible to save the notice until all the errors have been corrected. The error messages mainly concern: mandatory properties that don't have at least one value, values that are not syntactically correct. It is possible to save the notice even if there are still warnings. The warning messages mainly concern: URL that have not been reached (and thus might be incorrect).

The following screenshot shows the error and warning zones:

Text property

For the properties that contain textual values, a simple field allows the user to enter the text value. For example:

If the property can accept several values, a supplementary field is automatically added when the first one is filled:

There is no limit to the number of values that can be defined for these properties, supplementary fields are added when needed. For example:

To delete a value, just select it with the mouse and press the `Del` key. The supplementary fields are automatically removed or added as needed.

Date property

For the properties that contain date values, a field allows the user to enter the date. This field automatically displays a calendar. The calendar shows the current month and it is possible to move one month backward or forward thanks to the arrows on each side of the month name at the top of the calendar.

publication date ⓘ

November 2017

Su	Mo	Tu	We	Th	Fr	Sa
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	1	2
3	4	5	6	7	8	9

no longer in force ⓘ

Clicking on one of the month days automatically fills the field with the corresponding date:

publication date ⓘ

2017-10-10

in force ⓘ

If you click on the month name at the top of the calendar, the calendar shows the corresponding year and lists all the months. Clicking on one month goes back to the previous view. The arrows on each side of the year number at the top of the calendar move one year backward or forward. If you click on the year, the calendar shows the decade and lists all years of the decade. Clicking on one of the years goes back to the “year” view; clicking on the arrows moves one decade backward or forward.

The following screenshot shows the “year” view of the calendar:

publication date ⓘ

2017

Jan	Feb	Mar	Apr
May	Jun	Jul	Aug
Sep	Oct	Nov	Dec

no longer in force ⓘ

It is always possible to directly type the date in the field. Remember the date must be given in the **YYYY-MM-DD format** (e.g. 2017-10-23). For example:

publication date ⓘ

1957-1

Date value is expected to be in format YYYY-MM-DD.

in force ⓘ

Property containing an URL

Some of the properties are expected to contain a URL. These properties are similar to the text properties except the tool tries to reach the entered URL. A message is displayed explaining if the URL could be reached on the Web:

license | EN HTML | ⓘ

https://creativecommons.org/licenses/by-sa/3.0/

This URL has been reached.

Or if the URL **could not be reached on the Web**:

cites | ⓘ

http://data.legi-org.eu/2017/GHI/671-2/ACT

This URL could not be reached.

Please note that some URL might be correct even if they cannot be reached on the Web. Moreover, if there is a problem with the Internet access, no URL will be reached.

Property selecting a value **from a vocabulary**

For the properties that contain values taken from a controlled vocabulary, a field allows the user to choose the value **from the list of all the Concepts** defined in the configured **SKOS vocabulary**. Simply click on the chosen value. For example:

Domain and context ▼

is about | ⓘ

|

Service National de Santé au Travail - 1106

abandon de famille - 2000

abstention coupable - 2001

abus d'autorité - 2002

abus de confiance - 2003

accord d'association et de partenariat - 564

Relationships with other resources ▼

transposes | ⓘ

If the vocabulary contains numerous values, it is possible to type a few characters in the field. The tool will then filter the values on these characters and display only the matching values. For example:

Domain and context ▼

is about | ⓘ

naiss

acte de naissance - 2009

naissance - 1263

reconnaissance - 1087

If the property only accepts one value, the chosen value is displayed in the field. It is possible to delete the value by selecting the field and typing the `del` key. The following screenshot shows a value chosen for the *document type* property:

General information ▼


* document type | ⓘ

ABC document - ABC


* number | ⓘ

If the **property accepts multiple values**, the chosen value is displayed in a little blue box inside the field. The grey cross in the blue box can be used to delete the value. It is also possible to select the blue box

and type on the `del` key. The following screenshot shows one value chosen for the *is about* property (note that the field is ready for the selection of another value):



Even if values have been selected, it is still possible to select a new value either by directly choosing it in the list or by typing characters to filter the values before choosing it:



The following screenshot shows two values chosen for the *is about* property:



IMPORTING NOTICES

This page can be accessed by clicking on the *Import notice from* button of the notice page. It allows the user to import an existing notice into the tool. The notices can only be imported from a description in the ELI standard (with one *legal resource*, several *legal expressions* and several *formats*). This description must either in **RDF/XML format** or in **RDF/Turtle format** or in **RDFa format embedded inside an HTML page**.

As the HTML rendering of the notices produced by the ELI annotation tool contain a complete RDFa description, it is possible to re-import in the tool the notices that have been previously generated and exported.

Please keep in mind that the notices are imported in the context of one of the forms configured in the tool: some properties are deactivated (and will be discarded), some properties rely on a controlled vocabulary (and thus the imported values might be discarded because they are not in the configured vocabulary).

The page for importing a notice looks like:

The screenshot shows the 'Import notice from RDFa' page of the ELI Annotation Tool. The page has a blue header with the tool's name and navigation links. The main content area has a light gray background with the title 'Import notice from RDFa'. Below the title is a white form box containing two import methods: 'Import from file' with a 'Choisissez un fichier' button and 'Import from URL' with a text input field. A red asterisk indicates a required field, 'Type of legal resource', which has a dropdown menu currently set to 'Act'. An 'Import notice' button is at the bottom of the form.

It is possible to import either a file (located on the local disk) or a Web resource downloaded from a URL. In any case, it is necessary to specify the type of legal resource you want to import: *act*, *official journal* or *consolidation*.

The following screenshot, shows the import from a file (click on the *Choose a file* button, choose the file and then select the type of legal resource):

ELI Annotation Tool Notices Vocabularies About Log out (usr784)

Import notice from RDFa

Import from file | ⓘ
Choisissez un fichier http_da...ACT.rdf

Import from URL | ⓘ

* Type of legal resource

- Act
- Act
- Official journal
- Consolidation

The following screenshot, shows the import from a URL (enter the URL address in the *Import from URL* field and then select the type of legal resource):

ELI Annotation Tool Notices Vocabularies About Log out (usr784)

Import notice from RDFa

Import from file | ⓘ
Choisissez un fichier Aucun fichier choisi

Import from URL | ⓘ
http://legilux.public.lu/eli/etat/leg/div/2017/11/15/a983/jol

* Type of legal resource

Act

Import notice

The tool uploads the file or downloads the document. Then it processes it to **extract the ELI entities and their properties**:

Import notice from RDFa

Import from file | ⓘ

Choisissez un fichier

Aucun fichier choisi

Import from URL | ⓘ

✖ Type of legal resource

Import notice

Processing...



If everything is correct, you are automatically redirected to the edition page of the notice that you have just imported. You can then fill the missing fields or correct the imported values. This step is similar to the edition or creation of a notice (cf. *Writing notices* (page 9) section):

ELI Annotation Tool

[Notices](#)[Vocabularies](#)[About](#)[Log out \(usr784\)](#)

Create notice for Act

URI

URI of Legal resource

General information

✖ document type | ⓘ

Value is mandatory.

If an error occurs during the import, a message is displayed below the import form.

VISUALIZING VOCABULARIES

For the regular user (without administrative rights), the *Vocabularies* page looks like:

[ELI Annotation Tool](#) [Notices](#) [Vocabularies](#) [About](#) [Log out \(usr784\)](#)

Vocabularies

Available vocabularies

http://data.europa.eu/eli/ontology#InForce-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP
http://data.europa.eu/eli/ontology#LegalValue-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP
http://data.legi-org.eu/document	Preview HTML	Download as RDF	Download as CSV	Download as ZIP
http://data.legilux.public.lu/resource/authority/legal-subject-theme	Preview HTML	Download as RDF	Download as CSV	Download as ZIP
http://publications.europa.eu/resource/authority/language	Preview HTML	Download as RDF	Download as CSV	Download as ZIP
https://www.iana.org/assignments/media-types	Preview HTML	Download as RDF	Download as CSV	Download as ZIP

The **Available vocabularies** section contains all the vocabularies that have been uploaded in the tool. They might be used in some of the ELI properties whose value must be taken from a controlled vocabulary (it depends on how the forms for creating the notices have been configured).

For each of the vocabularies, four operations are available (cf. links in the table):

- `Preview HTML` to have a look at the HTML rendering of the vocabulary (one HTML page per configured language),
- `Download as RDF` to download the vocabulary in RDF/XML format,
- `Download as CSV` to download the vocabulary in CSV format (that can be imported into Excel)
- `Download as ZIP` to download an archive file containing the HTML rendering of the vocabulary. Such a file can be used to deploy the vocabulary on an external Web server.

IMPORTING VOCABULARIES

Only a user with administrative rights can import or delete a vocabulary. For the user with administrative rights, the *Vocabularies* page looks like:

Vocabularies					
Available vocabularies					
http://data.europa.eu/eli/ontology#InForce-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.europa.eu/eli/ontology#LegalValue-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://publications.europa.eu/resource/authority/language	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
https://www.iana.org/assignments/media-types	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
Adding a vocabulary					
You can upload Excel, RDF/XML, and RDF/Turtle files. Before adding a vocabulary, make sure you are aware of the specification:					

The **Available vocabularies section contains** all the vocabularies that have been uploaded in the tool and that can be used to configure the ELI properties that need a controlled vocabulary (see *Configuring forms* (page 25) section). The vocabularies are described thanks to the SKOS standard. **Four vocabularies are pre-loaded in the ELI annotation tool:**

- the <http://publications.europa.eu/resource/authority/language> vocabulary that describes the **languages of the ELI legal expression entities**,
- the <https://www.iana.org/assignments/media-types> vocabulary that describes the formats of the **ELI format** entities,
- the <http://data.europa.eu/eli/ontology#InForce-> vocabulary that describes the values of the **ELI in-force** property,
- the <http://data.europa.eu/eli/ontology#LegalValue-> vocabulary that describes the values of the **ELI legal-value** property.

If needed, it is possible to download these vocabularies, edit them and re-import them. Such an operation is usually done to add localized titles to the SKOS *concepts* into a new language.

Please note that all the *concepts* of the languages and the formats vocabularies must have a SKOS *notation*. For the languages, this notation must be the **two-letters code of the language** (e.g. en for English).

For each of the **vocabularies**, five operations are available (cf. links and buttons in the table):

- **Preview HTML** to have a look at the HTML rendering of the vocabulary (one HTML page per configured language),
- **Download as RDF** to download the vocabulary in RDF/XML format,
- **Download as CSV** to download the vocabulary in CSV format (that can be imported into Excel)
- **Download as ZIP** to download an archive file containing the HTML rendering of the vocabulary. Such a file can be used to deploy the vocabulary on an external Web server, and finally
- the delete button to delete the vocabulary.

The **Adding a vocabulary section** contains the form that can be used to upload a vocabulary in the ELI annotation tool. It is possible to import:

- vocabularies in SKOS standard in RDF/XML or RDF/Turtle format,
- vocabularies described in **Excel files**.

The description of a vocabulary in an Excel file must follow precise specifications that are described in the *Describing a SKOS vocabulary in an Excel file* (page 37) section.

Click on the **Choose a file** button and select the vocabulary file you want to upload. Then, click the **Import vocabulary** button to upload the file on the server and import the vocabulary. This operation can take a long time for the big vocabularies. The following screenshot shows a file that is currently processed for import:

The screenshot displays the 'Vocabularies' management interface. At the top, the title 'Vocabularies' is centered. Below it, the 'Available vocabularies' section contains a table with four rows of existing vocabularies. Each row includes the vocabulary's URI and five action links: 'Preview HTML', 'Download as RDF', 'Download as CSV', 'Download as ZIP', and a delete icon. The 'Adding a vocabulary' section below features a light blue box with a warning icon and text: 'You can upload Excel, RDF/XML and RDF/Turtle files. Before adding a vocabulary, make sure you are aware of the specification: [icon]'. Below this is a file selection area with a button labeled 'Choisissez un fichier' and a text input showing 'subjects.xlsx'. To the right is a blue 'Import vocabulary' button. At the bottom, a light blue status bar shows 'Processing...' with a close icon on the right.

Available vocabularies					
http://data.europa.eu/eli/ontology#InForce-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.europa.eu/eli/ontology#LegalValue-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://publications.europa.eu/resource/authority/language	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
https://www.iana.org/assignments/media-types	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	

Adding a vocabulary

You can upload Excel, RDF/XML and RDF/Turtle files. Before adding a vocabulary, make sure you are aware of the specification:

[Choisissez un fichier](#) subjects.xlsx [Import vocabulary](#)

Processing...

After the vocabulary has been imported, a success message is displayed and the new vocabulary is added in the *Available vocabularies* table. The new vocabulary is available in the various formats: HTML rendering, RDF, CSV and ZIP.

Please note that for the vocabularies that will be chosen to configure ELI properties used in the URI schemes (cf. *Defining the URI schemes* (page 27) section), all the *concepts* must have a SKOS notation as the notation is used to build the URIs.

Vocabularies

Available vocabularies

http://data.europa.eu/eli/ontology#InForce-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.europa.eu/eli/ontology#LegalValue-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.legilux.public.lu/resource/authority/legal-subject-theme	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://publications.europa.eu/resource/authority/language	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
https://www.iana.org/assignments/media-types	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	

Adding a vocabulary

🔔 You can upload Excel, RDF/XML and RDF/Turtle files. Before adding a vocabulary, make sure you are aware of the specification: 📖

Choisissez un fichier subjects.xlsx

Import vocabulary

Success

If the vocabulary contains fatal errors, a message is displayed and explains the problem:

Vocabularies

Available vocabularies

http://data.europa.eu/eli/ontology#InForce-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.europa.eu/eli/ontology#LegalValue-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.legilux.public.lu/resource/authority/legal-subject-theme	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://publications.europa.eu/resource/authority/language	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
https://www.iana.org/assignments/media-types	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	

Adding a vocabulary

🔔 You can upload Excel, RDF/XML and RDF/Turtle files. Before adding a vocabulary, make sure you are aware of the specification: 📖

Choisissez un fichier file-1.html

Import vocabulary

Can't read the vocabulary (might not be in the expected format or might be malformed)

Unknown file format. Expects Excel, RDF/xml or RDF/ttl for the input file.

When importing a vocabulary from an Excel file, the conversion can cause little errors that don't block the process. A message is displayed at the end and reports all the problems. Thus, the user can read this report and correct the vocabulary file before re-importing it:

Vocabularies

Available vocabularies

http://data.europa.eu/eli/ontology#InForce-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.europa.eu/eli/ontology#LegalValue-	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://data.legilux.public.lu/resource/authority/legal-subject-theme	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
http://publications.europa.eu/resource/authority/language	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	
https://www.iana.org/assignments/media-types	Preview HTML	Download as RDF	Download as CSV	Download as ZIP	

Adding a vocabulary

🔔 You can upload Excel, RDF/XML and RDF/Turtle files. Before adding a vocabulary, make sure you are aware of the specification: 📖

Choisissez un fichier subjects-err.xlsx

Import vocabulary

Errors found (and ignored) in Excel worksheet **Sheet1**

Inside the header (properties of ConceptScheme), ignoring the line "Remarks" because of: Property name doesn't follow the expected form <prefix>:<name>@<lang>[<option>=<value>]: Remarks

Inside the body (table of Concepts), ignoring the column "skos:altLabel[separator=,]" because of: Property name follows the expected form <prefix>:<name>@<lang>[<option>=<value>] but the value should be between simple or double quotes (e.g. ";"): skos:altLabel[separator=,]


Inside the body (table of Concepts), ignoring the column "skot:historyNote" because of: Invalid property not in SKOS or DCT standards and not in the declared prefixes: skot:historyNote

Excel worksheet has been ignored **Sheet2**


Could not find the header describing the ConceptScheme. The first cell (cell A1) doesn't contain the words "ConceptScheme URI". Read the specification for details.

CONFIGURING FORMS

Only a user with administrative rights can access the page to configure the forms for creating the notices. This page contains three entry points: the configuration of the [form for the *acts*](#), the configuration of the [form for the *official journals*](#), the configuration of the form for the *consolidations*.



The form configuration contains several parts. Firstly, the [definition of the URIs](#) of the [ELI entities](#) that will be created for each notice:



Then, the choice of the [languages](#) and [formats](#) corresponding to the *legal expression* and *format* entities that will be created for each notice (one *legal expression* for each language and then, for each of these *legal expressions*, one *format* for each format):

All URI Schemes are mandatory.

Languages and formats choice ▼

* languages list ⓘ

Value is mandatory.

* formats list ⓘ

Value is mandatory.

General information ▼

☒ document type ⓘ

☐ Property is optional.

Default values

Then, the various ELI properties that can be activated and configured:

Value is mandatory.

General information ▼

☒ document type ⓘ

☐ Property is optional.

Configured vocabulary

Select vocabulary...

Missing vocabulary.

Default values

(no configured vocabulary)

☒ number ⓘ

☐ Property is optional.

Default values

(no default value)

☒ version ⓘ

☐ Property is optional.

Configured vocabulary

Default values

(no configured vocabulary)

At the bottom of the page, messages explain the various errors in the form. It is necessary to correct all these errors to save the form.

The screenshot shows a configuration form for the ELI Annotation Tool. At the top, there are two input fields, both containing the text "(no default value)". Below these, there are two checkboxes: "related to" (checked) and "Property is optional." (unchecked). A section titled "Description and documents" is expanded, showing a red error message box. The message states: "The configuration of the following properties is not valid. Please, correct these errors before submitting your data." followed by a list of properties: "in force", "is about", "jurisdiction", "passed by", "relevant for", "responsibility of (agent)", "document type", and "version". Below this, another message states: "The value of the following properties is not valid. Please, correct these errors before submitting your data." followed by a list of URI schemes: "URI scheme of Abstract legal resources", "URI scheme of the Formats", "formats list", "languages list", "URI scheme of the Legal expressions", and "URI scheme of the Legal resources". At the bottom of the form, there are two buttons: "Save this form" and "Close".

Defining the URI schemes

When a notice is created, several ELI entities are created: a *legal resource*, several *legal expressions* (one for each chosen language) and several *formats* (one for each chosen language and for each chosen format). These entities all have a URI. The first part of the configuration form consists in defining how these URI are built.

They are four URI to build:

- one for the *abstract legal resource* (a resource that has the actual *legal resource* as one of its member),
- one for the actual *legal resource* described the notice,
- one for the *legal expressions* that realize the actual *legal resource*
- one for the *formats* that embody the *legal expressions*.

The beginning of the second URI shall be the first URI and shall add one or several parts. The beginning of the third URI shall be the second URI and shall add one or several parts. The beginning of the fourth URI shall be the third URI and shall add one or several parts. Most of the time, the part added for the third URI (*legal resource*) is the *language* and the part added for the fourth URI (*format*) is the format. The following screenshot shows a consistent example of URIs.

The URIs shall be well-formed and can contain the values of one or several ELI properties (that will be defined in the notices creation form). The insertion of such a value is done with the following syntax:

```
{eli:version}
```

The name of the ELI field is given between curly brackets. The textual value of the field will be inserted as *if* and shall thus respect the rules of well-formedness for the URIs.

If the value is a date, it will be inserted in the format: YYYY-MM-DD (for example 2017-11-23). In such a case, it is possible to only insert the year or the month or the day by using a *suffix operator*:

```
{eli:date_publication|year}
```

- |year will insert the year (YYYY e.g. 2017),
- |month will insert the month (MM e.g. 11),
- |day will insert the day (DD e.g. 23).

If the value is a *concept URI* taken from a controlled vocabulary, the *SKOS notation* of the *concept* will be inserted. Therefore, all the SKOS concepts inside a vocabulary controlling the values of an ELI property used in the URI schemes must have a SKOS notation.

The following screenshot shows a consistent definition of the URI schemes for all the ELI entities:

Configure form for Act

URI Scheme

URI scheme of Abstract legal resources

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}

URI scheme of the Legal resources

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT

URI scheme of the Legal expressions

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT/{eli:language}

URI scheme of the Formats

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT/{eli:language}/{eli:format}

Languages and formats choice

languages list

Choosing the languages and formats

In the ELI standard, a *legal resource* is realized by several *legal expressions* (one for each language) and each *legal resource* is embodied by several *formats* (one for each format). It is this necessary to choose the languages for which the *legal expressions* will be created and the formats for which the *formats* will be created. The languages are chosen from the <http://publications.europa.eu/resource/authority/language> vocabulary and the formats from the <https://www.iana.org/assignments/media-types> vocabulary, as specified in the ELI standard.

Languages choice

When clicking on the *languages list* field, the list of all the possible values is opened. It is possible to search and click on the desired language:

URI scheme of the Formats ⓘ

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT/{eli:language}/{eli:format}

Languages and formats choice ▼

* Languages list ⓘ

- Afrikaans - af
- Albanian - sq
- Amharic - am
- Arabic - ar
- Armenian - hy
- Aymara - ay

As there are numerous languages, it is also possible to type several letters of the desired language. The list is now restrained to the languages that contain the entered text:

URI scheme of the Formats ⓘ

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT/{eli:language}/{eli:format}

Languages and formats choice ▼

* Languages list ⓘ

- Bengali - bn
- English - en
- French - fr

Value is mandatory.

After clicking on the desired language, it is added in the field in a light blue box. Clicking on the cross inside this box removes this language. When one language has been added, it is possible to add another one:

URI scheme of the Formats ⓘ

http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT/{eli:language}/{eli:format}

Languages and formats choice ▼

* Languages list ⓘ

- English - en
- French - fr
- German - de

Value is mandatory.

When choosing the languages, in the following form, inside the “Description and documents” part, tabs are inserted for all the chosen languages. These tabs contain the ELI properties of the corresponding *legal expression* entity. It will therefore be possible to configure these properties.

Description and documents

English
 French

☒ title EN ⓘ ☒ Property is mandatory.	Default values (no default value)
☒ short title EN ⓘ ☒ Property is optional.	Default values (no default value)
☒ alternative title EN ⓘ ☒ Property is optional.	Default values (no default value)
☒ description EN ⓘ ☒ Property is optional.	Default values (no default value)

local Identifier | EN | ⓘ

Formats choice

The *formats list* field allows the user to choose the formats. The behaviour is similar to the choice of the languages:

languages:

*** URI scheme of the Formats** ⓘ

`http://data.legi-org.eu/{eli:date_publication|year}/{eli:type_document}/{eli:number}/ACT/{eli:language}/{eli:format}`

Languages and formats choice ▼

*** languages list** ⓘ

× English - en × French - fr ×

*** formats list** ⓘ

× pdf - pdf × html - html ×

General information ▼

☒ document type ⓘ

When choosing the formats, in the following form, inside each of the language tabs of the “Description and documents” part, sections are inserted for all the chosen formats. These sections contain the ELI properties of the corresponding *format* entity. It will therefore be possible to configure these properties.

The screenshot displays the configuration interface for the ELI Annotation Tool. It shows two sections: 'pdf' and 'html'. Each section has a list of properties with checkboxes to activate or deactivate them. The 'pdf' section has properties like 'local identifier', 'exemplified by (document)', 'legal value', 'published in (URI)', 'published in', 'publisher (agent)', 'publisher', 'license', 'rights', 'rights holder (agent)', and 'rights holder'. The 'html' section has 'local identifier', 'exemplified by (document)', and 'legal value'. The 'exemplified by (document)' and 'legal value' properties in the 'html' section have a 'Property is optional.' label and a 'Default values' field. The 'Default values' field for 'exemplified by (document)' contains '(no default value)'.

Configuring the properties

After defining the URI schemes and choosing the languages and the formats, the configuration consists in **configuring the ELI properties**:

- the ELI properties at the top level, corresponding to the *legal resource* entity,
- the ELI properties inside a **language** tab, corresponding to a *legal expression* entity,
- the ELI properties inside a **format** section into a language tab, corresponding to a *format* entity.

The **type** of an ELI property is given in the ELI ontology. It can be:

- a textual value,
- a **date**,
- the URI of a **SKOS concept** taken from a **controlled vocabulary**,
- **an URI**.

The ELI annotation tool respects the types of the properties specified in the ELI ontology. Nevertheless, when the type is a *concept* from a controlled vocabulary, it is still necessary to choose this vocabulary in order to properly configure the property.

For each property, a form sub-part gathers various elements:

- a button to activate or deactivate the property,

- the **title** of the property,
- a button to turn the property **mandatory** (thus at least one value must be provided when creating a notice),
- a **field to select a vocabulary** (when the property relies on a controlled vocabulary),
- on the right side, a field to define one or several default value (that can nevertheless be edited in the form that creates a notice).

Help message

A help message can be displayed by clicking on the **i** icon (after the property title). This help message is followed by the technical name of the corresponding ELI field.

The screenshot shows the 'General information' panel for the 'document type' property. It includes a description, the ELI field name 'eli:type_document', and options for 'Property is mandatory' (checked with a red star) and 'Property is optional' (unchecked with a blue check). A 'Configured vocabulary' dropdown is set to 'Select vocabulary...'. To the right, there are 'Default values' fields, one of which contains '(no configured vocabulary)'. Below this, the 'number' property is shown with 'Property is mandatory' checked and 'Property is optional' unchecked. The 'version' property is shown with 'Property is mandatory' checked and 'Property is optional' unchecked.

Properties used in the URI schemes

When the property is used in the **URI schemes** (cf. *Defining the URI schemes* (page 27) section), it cannot be deactivated and is always mandatory. Therefore the corresponding buttons are not active and can't be clicked (cf. the blue check and the red star buttons of the first two properties in the following screenshot):

The screenshot shows the 'General information' panel for the 'document type' property. It includes a description, the ELI field name 'eli:type_document', and options for 'Property is mandatory' (checked with a red star) and 'Property is optional' (unchecked with a blue check). A 'Configured vocabulary' dropdown is set to 'http://data.legi-org.eu/document'. To the right, there are 'Default values' fields, one of which contains '(no default value)'. Below this, the 'number' property is shown with 'Property is mandatory' checked and 'Property is optional' unchecked. The 'version' property is shown with 'Property is mandatory' checked and 'Property is optional' unchecked. The 'document date' property is shown with 'Property is mandatory' checked and 'Property is optional' unchecked.

Activation / deactivation

A property can be deactivated by clicking on the activation button (blue check) located before its title. The property is then folded and greyed; the blue check is replaced by a grey cross. Clicking on the grey cross re-activates the property.

A deactivated property will not be included in the form that creates the notices. Therefore no value will ever be defined for this property.

The following screenshot shows a property that has been deactivated (the *version* property):

The screenshot shows the 'General information' section of the configuration interface. It contains a list of properties with their status and default values:

- document type**: Active (blue check), mandatory (red star). Default values: (no default value).
- number**: Active (blue check), mandatory (red star). Default values: (no default value).
- version**: Deactivated (greyed out, grey cross). Default values: (no default value).
- document date**: Active (blue check), optional (black star). Default values: (empty field).
- version date**: Active (blue check). Default values: (empty field).

Mandatory / optional

A property can be turned mandatory by clicking on the star button located below the title. The star is then colorized in red. Clicking again on the star button turns the property optional.

A mandatory property must be provided at least one value in the form that creates the notices.

The following screenshot shows a property that has been turned mandatory (the *in force* property):

The screenshot shows the configuration for the 'in force' property. It is active and mandatory. The 'Configured vocabulary' field is set to 'http://data.europa.eu/eli/ontology#InForce-'. Other properties visible include 'first entry in force' (active, optional) and 'no longer in force' (active, optional).

Vocabulary choice

The properties whose values must be taken from a controlled vocabulary must be associated with one of the vocabulary that has been uploaded in the tool (cf. [Importing vocabularies](#) (page 21) section). For these properties, a dedicated field is inserted on the left side; it contains the URIs of the existing vocabularies. While the vocabulary is not chosen, the configuration of the property is invalid and therefore the property is displayed in red.

In the following screenshot, the user is choosing a vocabulary for the *document type* property:

General information

☒ **document type** | ⓘ

☐ Property is mandatory.

Configured vocabulary

Select vocabulary...

http://data.europa.eu/eli/ontology#InForce-

http://data.europa.eu/eli/ontology#LegalValue-

http://data.legi-org.eu/document

http://data.legilux.public.lu/resource/authority/legal-subject-theme

http://publications.europa.eu/resource/authority/language

https://www.iana.org/assignments/media-types

Configured vocabulary

Select vocabulary...

Missing vocabulary.

Default values

(no configured vocabulary)

Default values

(no default value)

Default values

(no configured vocabulary)

When the vocabulary has been chosen, the property configuration is valid and it is thus displayed in the regular color. See the *document type* property in the following screenshot:

General information

☒ **document type** | ⓘ

☐ Property is mandatory.

Configured vocabulary

http://data.legi-org.eu/document

☒ **number** | ⓘ

☐ Property is mandatory.

☒ **version** | ⓘ

☐ Property is optional.

Configured vocabulary

Select vocabulary...

Missing vocabulary.

Default values

(no default value)

Default values

(no default value)

Default values

(no configured vocabulary)

If the property is used in the URI schemes. All the Concepts inside the chosen vocabulary must have a SKOS *notation*. If this constraint is not respected, an error is displayed. See the *document type* property in the following screenshot:

General information

☒ **document type** | ⓘ

☐ Property is mandatory.

Configured vocabulary

http://data.legi-org.eu/document/DRAFT

Missing notation for some of the vocabulary concepts whereas this property is used in the URI scheme.

☒ **number** | ⓘ

☐ Property is mandatory.

☒ **version** | ⓘ

☐ Property is optional.

Default values

(no default value)

Default values

(no default value)

Default values

Default values

On the right side, it is possible to define one (or several) default values for the property. Here for a text property:

☒ license | EN HTML ⓘ

☐ Property is optional.

Default values

<https://creativecommons.org/licenses/by/4.0/>

(no default value)

☒ rights | EN HTML ⓘ

☒ rights holder (agent) | EN HTML ⓘ

Here for a date property:

<http://data.europa.eu/eli/ontology#InForce->

☒ first entry in force | ⓘ

☐ Property is optional.

Default values

|

November 2017						
Su	Mo	Tu	We	Th	Fr	Sa
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	1	2
3	4	5	6	7	8	9

☒ no longer in force | ⓘ

☐ Property is optional.

☒ local identifier | ⓘ

☐ Property is optional.

☒ description | ⓘ

And below for a property whose values are taken from a controlled vocabulary. Of course, the vocabulary must have been configured for the property before being able to choose the default values.

☒ in force | ⓘ

☐ Property is optional.

Configured vocabulary

<http://data.europa.eu/eli/ontology#InForce->

Default values

(no default value)

in force - in-force

not in force - not-in-force

partially in force - partially-in-force

☒ first entry in force | ⓘ

☐ Property is optional.

☒ no longer in force | ⓘ

DESCRIBING A SKOS VOCABULARY IN AN EXCEL FILE

The vocabularies used by the ELI annotation tool must be provided in the SKOS standard. A vocabulary corresponds to a `skos:ConceptScheme` entity and contains several `skos:Concept` describing each of the terms inside the vocabulary.

It is possible to describe a vocabulary with an Excel worksheet. An Excel workbook can contain several worksheets each describing a different vocabulary. The worksheets have to conform to a specific format.

General structure of the worksheet

The upper part of the worksheet is named the header and contains the metadata describing the *Concept Scheme*, ie the vocabulary itself. The lower part is named the body and contains the *Concepts*, ie the terms inside the vocabulary.

The header ends and the body begins at the line where `Concept URI` is found in the first column.

Please note that the cells must contain textual data. Other data types, including for example hyperlinks, may provoke an error and be ignored.

Properties describing the entities

The *Concept Scheme* and the *Concept* entities are described thanks to various properties. These properties can be:

- DCTERMS properties whose name must be prefixed with `dct:`
- SKOS properties whose name must be prefixed with `skos:`
- any customized properties whose prefix has been declared in the header

For example:

```
dct:title
skos:prefLabel
euvoc:status
```

In the above example, the `euvoc` prefix must be declared and associated with `http://publications.europa.eu/ontology/euvoc# namespace`.

When the value of the property can be in various languages, it is possible to declare the name of the property and the language of the values. The language is specified with its two-letters code. In such a case, it is possible to declare multiple times the same property with different languages each time. For example:

```
skos:altLabel@en
skos:altLabel@fr
```

Some properties can have multiple values. If such a case, it is possible to declare the name of the property and the character that will be used to separate the multiple values. For example:

```
skos:altLabel@en[separator=", "]
skos:narrower[separator="; "]
```

Header

The header describes the *Concept Scheme*, ie the vocabulary itself. The properties are defined in a set of consecutive rows. The first column always contains the name of the property and the second column the value of this property. Hence the header is a table with two columns and as many rows as needed.

The first row of the header defines the URI of the *Concept Scheme*. The name in the first column must be `ConceptScheme` URI and the second column must give the URI of the `skos:ConceptScheme`.

The following rows contains the properties describing the *Concept Scheme*. These properties are either valid SKOS and DCTERMS properties or custom properties prefixed by a custom prefix.

The custom prefixes used in the header or the body must be declared in the header, each in a row whose first column is the prefix prefixed with `prefix:` and whose second column is the URI associated to the prefix.

Invalid properties or properties whose prefix is not declared will be ignored when processing the file.

Here is an example of header:

ConceptScheme URI	http://data.sparna.fr/vocabularies/days
dct:title@en	Weekdays
dct:description@en	The days of the week
dct:description@fr	Les jours de la semaine
euvoc:status	http://publications.europa.eu/resource/authority/concept-status/CURRENT
prefix:euvoc	http://publications.europa.eu/ontology/euvoc#

Body

The body describes the *Concepts* inside the *Concept Scheme*, ie the terms in the vocabulary. Each row defines a different *Concept*, the columns being the various properties describing this *Concept*. Hence the body is a table with as many columns as there are properties and as many rows as there are *Concepts*.

The first row of the body contains the names of the properties used to describe the *Concepts*. As explained above, the first column of this row must be `Concept` URI. The following columns are either valid SKOS and DCTERMS properties or custom properties prefixed by a custom prefix. Please keep in mind that the custom prefixes must have been declared in the header.

Invalid properties or properties whose prefix is not declared will be ignored when processing the file.

Here is an example of body. Because the table might be too large for this document, it has been separated in two parts: the first three columns and the last two columns.

Table 9.1: First three columns of the body

Concept URI	skos:prefLabel@en	skos:prefLabel@fr
http://data.sparna.fr/vocabularies/days#monday	Monday	Lundi
http://data.sparna.fr/vocabularies/days#tuesday	Tuesday	Mardi
http://data.sparna.fr/vocabularies/days#wednesday	Wednesday	Mercredi
http://data.sparna.fr/vocabularies/days#thursday	Thursday	Jeudi
http://data.sparna.fr/vocabularies/days#friday	Friday	Vendredi
http://data.sparna.fr/vocabularies/days#saturday	Saturday	Samedi
http://data.sparna.fr/vocabularies/days#sunday	Sunday	Dimanche
http://data.sparna.fr/vocabularies/days#week-end	Week-end	Fin de semaine

Table 9.2: Last two columns of the body

skos:narrower[separator=';']	skos:notation
	MON
	TUE
	WED
	THU
	FRI
	SAT
	SUN
http://data.sparna.fr/vocabularies/days#saturday ; http://data.sparna.fr/vocabularies/days#sunday	WKND

LICENSE

The ELI Annotation Tool is published under the [European Union Public License \(EURL\)](https://joinup.ec.europa.eu/community/eupl/og_page/eupl) (https://joinup.ec.europa.eu/community/eupl/og_page/eupl).