

## eCH-0294 Political Actors: Persons, Groups and Bodies

| Name                     | Political Actors: Persons, Groups and Bodies                                                                                                                                                   |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| eCH number               | eCH-0294                                                                                                                                                                                       |
| Category                 | Standard                                                                                                                                                                                       |
| Maturity level           | Defined                                                                                                                                                                                        |
| Version                  | 1.0.0                                                                                                                                                                                          |
| Status                   | Proposal                                                                                                                                                                                       |
| Adopted on               |                                                                                                                                                                                                |
| Issue date               | 2026-07-22                                                                                                                                                                                     |
| Replaces version         |                                                                                                                                                                                                |
| Prerequisites            |                                                                                                                                                                                                |
| Annexes                  | -                                                                                                                                                                                              |
| Languages                | German (original) - English (data model)                                                                                                                                                       |
| Authors                  | Political Affairs specialist group: Julie Silberstein, Laurence Brandenberger, Daniela Koller, Thomas Roth, Stefan Oderbolz, Fabian Davolio, Orhan Saeedi, Christian Gutknecht, Michael Luggen |
| Publisher / Distribution | eCH Association, <a href="#">Affolternstrasse 52, 8050 Zürich</a>                                                                                                                              |

---

## 1 Abstract

The standard eCH-0294 “Political Actors: Persons, Groups and Bodies” defines a uniform data model for the structured publication of political actors in Switzerland. It covers natural persons, political groups and bodies, memberships between persons and groups, as well as interest links. The aim is to provide comparable, machine-readable and reusable information across all federal levels in order to improve the transparency, traceability and analytical capability of political processes.

The standard is aimed at public bodies at all levels of government, political actors, the media, research and the general public, and it creates a foundation for interoperable political information systems in Switzerland.

## 2 Table of Contents

|      |                                                                           |    |
|------|---------------------------------------------------------------------------|----|
| 1    | Abstract.....                                                             | 2  |
| 2    | Table of Contents.....                                                    | 3  |
| 3    | Introduction.....                                                         | 5  |
| 3.1  | The “Political Affairs” standard family.....                              | 5  |
| 3.2  | Distinction from the “Political Rights” specialist group.....             | 5  |
| 3.3  | The eCH-0294 standard – Political Actors: Persons, Groups and Bodies..... | 6  |
| 4    | Person.....                                                               | 7  |
| 4.1  | Class: Person.....                                                        | 7  |
| 4.2  | Class: Name.....                                                          | 12 |
| 4.3  | Enum: NameTypeEnum.....                                                   | 12 |
| 4.4  | Class: LanguageProficiency.....                                           | 15 |
| 4.5  | Class: Citizenship.....                                                   | 16 |
| 4.6  | Class: Gender.....                                                        | 16 |
| 4.7  | Enum: GenderCodeEnum.....                                                 | 17 |
| 4.8  | Class: Occupation.....                                                    | 17 |
| 4.9  | Class: Training.....                                                      | 19 |
| 4.10 | Enum: TrainingTypeEnum.....                                               | 19 |
| 5    | Groups and Bodies (Groups).....                                           | 24 |
| 5.1  | Class: Group.....                                                         | 24 |
| 5.2  | Class: GroupType.....                                                     | 28 |
| 5.3  | Enum: GroupTypeEnum.....                                                  | 28 |
| 6    | Memberships.....                                                          | 31 |
| 6.1  | Class: Membership.....                                                    | 31 |
| 6.2  | Class: RoleType.....                                                      | 33 |
| 6.3  | Enum: RoleEnum.....                                                       | 33 |
| 6.4  | Class: ElectoralDistrict.....                                             | 34 |

---

|     |                             |    |
|-----|-----------------------------|----|
| 7   | Interest Links.....         | 36 |
| 7.1 | Class: InterestLink.....    | 36 |
| 7.2 | Enum: InterestTypeEnum..... | 41 |
| 7.3 | Enum: LegalFormEnum.....    | 41 |
| 8   | Shared Elements.....        | 45 |
| 8.1 | Reference Classes.....      | 45 |
| 8.2 | Class: PersonReference..... | 45 |
| 8.3 | Class: GroupReference.....  | 46 |
| 8.4 | Reused Classes.....         | 46 |
| 8.5 | Class: Address.....         | 46 |
| 8.6 | Enum: AddressTypeEnum.....  | 47 |
| 8.7 | Class: Contact.....         | 48 |

## 3 Introduction

### 3.1 The “Political Affairs” standard family

Political activity in Switzerland takes place at federal, cantonal and communal level – in parliaments and communal assemblies, in executives and administrations, in consultations and hearings, as well as through the direct-democratic participation of eligible voters. To this end, the “Political Affairs” specialist group of the eCH Association is developing a family of coordinated standards that structure this data across all federal levels. The standards use common data elements (eCH-0292) and reference one another via unique identifiers.

The family comprises:

- **eCH-0292 – Common Data Elements (Meta):** Defines the cross-cutting data elements and meta-processes on which the other standards build.
- **eCH-0293 – Public Council Operations (Operations):** Describes public council operations – meetings, agenda items, statements, as well as votes and elections.
- **eCH-0294 – Political Actors (Actors) – this standard:** Defines persons, groups and bodies in the political context, as well as their memberships and interest links. The other standards reference these actors via their identifiers.
- **eCH-0295 – Parliamentary Affairs (Affairs):** Describes the life cycle of political affairs.
- **eCH-0296 – Enactments and Legal Texts (Laws):** Records the results of the parliamentary process – the adopted laws and enactments.
- **eCH-0297 – Public Consultations (Consultations):** Structures consultation procedures, which are often the starting point for parliamentary affairs.

The aim of this standard family is to create a commonly usable structure for political data and to provide organisations that publish information on political affairs with a robust data model.

### 3.2 Distinction from the “Political Rights” specialist group

Alongside the “Political Affairs” specialist group, the eCH Association also maintains the “Political Rights” specialist group. Both concern the political domain, but cover different areas:

- **Political Affairs** (this standard family) describes the parliamentary and governmental process of forming opinions and reaching decisions: the actors (eCH-0294), council operations (eCH-0293), parliamentary affairs (eCH-0295), the enactments arising from them (eCH-0296), as well as the upstream consultations (eCH-0297).
- **Political Rights** deals with the exercise of political rights by eligible voters: voting and electoral registers, the conduct of popular votes and elections, electronic voting (eVoting), voting cards, as well as voting and election results (among others eCH-0045, eCH-0110, eCH-0155, eCH-0157, eCH-0159, eCH-0222, eCH-0228, eCH-0252, eCH-0310).

There are two points of contact:

- **Votes and elections:** eCH-0293 records votes and elections **within council operations** (e.g. recorded votes in parliament or the election of authority members by the council), whereas popular votes and popular elections, together with the associated registers, conduct and results, are covered by the “Political Rights” specialist group.

- **Elected persons:** Candidates and elected persons appear in the election results of the “Political Rights” specialist group. As soon as persons hold a mandate, they are recorded in eCH-0294 as political actors with their roles and memberships.

### 3.3 The eCH-0294 standard – Political Actors: Persons, Groups and Bodies

This standard defines four main classes:

- **Person** – Natural persons in the political context
- **Group** – Committees, parties, parliamentary groups, councils, commissions, organisations, etc.
- **Membership** – Link between persons and groups
- **InterestLink** – Interest links of persons

Membership is the central connecting element between Person and Group and records in which parliament, in which commission, etc. a person is or was active. InterestLink enables the description of interest links.

## 4 Person

The person schema describes natural persons in the political context.

- **Stable person, temporally valid attributes:** The Person itself carries no temporal validity, but its attributes do – name, citizenship, gender, occupation and training each carry their own `valid_from/valid_through`. This keeps the identity of the person stable while individual details change over time and the history is preserved (e.g. a change of name upon marriage). The electoral district, by contrast, is not an attribute of the person: it is attached to the Membership (`electoral_district`) and inherits its temporal validity – a change of electoral district is therefore reflected in the respective membership.
- **Display name (`label`) mandatory, name structure (`names`) optional:** Every person has a short display name. This means a name is always available, even when the details are incomplete. The recommended combination is the official name (`PersonOfficialName`) and the call name (`PersonCallFirstName`). Academic titles can also be represented via `label_long`.
- **Name types according to the official taxonomy:** The name types (`NameTypeEnum`) adopt the taxonomy of the register harmonisation (including official name, original name, alliance name, call name, as well as variants for foreign identity documents). The authoritative reference is the [official catalogue of attributes](#), published by the Federal Statistical Office under Art. 4 of the Register Harmonisation Act (RHG, SR 431.02); the numbers in the value descriptions (211–224) are the attribute numbers of that catalogue. The corresponding exchange format is defined by the eCH standard [eCH-0011 Personal Data Standard](#), on which this standard builds. This makes the names compatible with the official person registers and their semantics clear.
- **Date of birth at two levels of precision (`birth_year` / `birth_date`):** If the exact date of birth is not available or not intended for publication, only the year of birth may be given. If a `birth_date` is available, it takes precedence.
- **Multiple values instead of single values:** Names, citizenships and gender entries are modelled as lists with temporal validity – for example for dual citizenships, changes of name or a changing gender entry.
- **Gender: official codes plus an open category (`GenderCodeEnum`):** male and female correspond to the values of the register harmonisation and refer via meaning to the I14Y concepts `sex/1` and `sex/2`. For `non_binary` there is deliberately no counterpart: the official code list only knows “undefined” as its third value, which means something different from a positive statement beyond male and female. If the gender is not known, no entry is created at all — a missing entry and `non_binary` are to be clearly distinguished.
- **Harmonisation across federal levels (long-term goal):** Linking the same person across the federal levels is an important long-term goal. Building a central person database is beyond the means of the eCH specialist group. Since an open, established infrastructure already exists for this purpose, **Wikidata is recommended as a cross-cutting identifier** (`wikidata_uri`); together with globally unique identifiers (URIs), the mapping can thus be harmonised step by step across the systems.

### 4.1 Class: Person

*A person with identifiers, names, addresses, citizenships, and occupations.*

#### 4.1.1 Attribute

| Name                   | Cardinality and Range                 | Description                                                                                                                                                                                                          |
|------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| label                  | 1 <a href="#">String</a>              | Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name). Preferred: PersonOfficialName combined with PersonCallFirstName. |
| label_long             | 0..1 <a href="#">String</a>           | Optional long display name including academic titles and full official name (e.g. "Dr. Maria Muster-Beispiel").                                                                                                      |
| birth_year             | 0..1 <a href="#">Integer</a>          | Year of birth. Only to be used, if there is no full birthDate available.                                                                                                                                             |
| birth_date             | 0..1 <a href="#">Date</a>             | Exact date of birth if available and public. This field has precedence over the field birthYear.                                                                                                                     |
| death_date             | 0..1 <a href="#">Date</a>             | Exact date of death.                                                                                                                                                                                                 |
| picture                | 0..1 <a href="#">Uri</a>              | Link to an image (preferred: PNG, then JPG, then GIF).                                                                                                                                                               |
| names                  | * <a href="#">Name</a>                | Names of the person with type and value.                                                                                                                                                                             |
| addresses              | * <a href="#">Address</a>             | Addresses with type (private, business, local).                                                                                                                                                                      |
| language_proficiencies | * <a href="#">LanguageProficiency</a> | Language proficiencies of the person.                                                                                                                                                                                |
| citizenships           | * <a href="#">Citizenship</a>         | Citizenships of the person.                                                                                                                                                                                          |
| genders                | * <a href="#">Gender</a>              | Gender of the person.                                                                                                                                                                                                |
| occupations            | * <a href="#">Occupation</a>          | Occupations or professions of the person.                                                                                                                                                                            |
| trainings              | * <a href="#">Training</a>            | Trainings or educations of the person. Guideline: generally only provide the highest qualification obtained.                                                                                                         |
| contacts               | * <a href="#">Contact</a>             | Contact information (email, website, social media). Guideline: email is quasi-mandatory and should always be provided where available.                                                                               |
| interest_links         | * <a href="#">InterestLink</a>        | Collection of interest links.                                                                                                                                                                                        |



| Name              | Cardinality and Range           | Description                                                                                                                                                                                            |
|-------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| local_id          | 0..1 <a href="#">String</a>     | Local identifier. For example, a UUID from the council information system.<br>Inheritance: <a href="#">HasIdentification</a>                                                                           |
| global_uri        | 1 <a href="#">Uriorcurie</a>    | A unique, globally valid URI for the entity. Inheritance: <a href="#">HasIdentification</a>                                                                                                            |
| wikidata_uri      | 0..1 <a href="#">Uriorcurie</a> | A URI that refers to a Wikidata entity, e.g. <a href="http://www.wikidata.org/entity/Q813067">http://www.wikidata.org/entity/Q813067</a> for Beat Jans. Inheritance: <a href="#">HasIdentification</a> |
| date_created      | 0..1 <a href="#">Date</a>       | The date when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                         |
| datetime_created  | 0..1 <a href="#">Datetime</a>   | The date and time when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                |
| date_modified     | 0..1 <a href="#">Date</a>       | The date when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                   |
| datetime_modified | 0..1 <a href="#">Datetime</a>   | The date and time when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                          |

#### 4.1.2 Usages

| used by                   | used in                 | type  | used                   |
|---------------------------|-------------------------|-------|------------------------|
| <a href="#">Container</a> | <a href="#">persons</a> | range | <a href="#">Person</a> |

#### 4.1.3 Examples

##### 4.1.3.1 Example: Person-swiss\_politicians\_Cristina\_Bozzi-Brunel

```

local_id: 280958
global_uri: https://parlament.winterthur.ch/behoerdenmitglieder/280958
label: Cristina Bozzi-Brunel
names:
- name_type: PersonFirstName
  value: Cristina
- name_type: PersonOfficialName
  value: Bozzi-Brunel
- name_type: PersonOriginalName
  value: Brunel

```

**4.1.3.2 Example: Person-swiss\_politicians\_Alois\_Arnold\_1981**

```
local_id: 6447
global_uri: https://www.ur.ch/behoerdenmitglieder/6447
label: Alois Arnold (1981)
birth_year: 1981
names:
- name_type: PersonFirstName
  value: Alois
- name_type: PersonOfficialName
  value: Arnold
```

**4.1.3.3 Example: Person-swiss\_politicians\_Gerri\_Beretta-Piccoli**

```
local_id: 1269
global_uri: https://www4.ti.ch/poteri/gc/parlamento/composizione-del-
parlamento/composizione-nelle-ultime-legislature/dettaglio-deputati/?
user_gcparlamento_pi3%5BcanID%5D=1269
label: Gerri Beretta-Piccoli
names:
- name_type: PersonFirstName
  value: Fausto
- name_type: PersonCallFirstName
  value: Gerri
- name_type: PersonOfficialName
  value: Beretta-Piccoli
```

**4.1.3.4 Example: Person-swiss\_politicians\_Sofia\_Fisch**

```
local_id: 72c7232be92944e3876f3b6723824ff9
global_uri: https://stadtrat.bern.ch/de/mitglieder/detail.php?
gid=72c7232be92944e3876f3b6723824ff9
label: Sofia Fisch
birth_year: 1996
names:
- name_type: PersonFirstName
  value: Sofia
- name_type: PersonOfficialName
  value: Fisch
genders:
- gender_code: non_binary
  label: divers
occupations:
- label: Jurist*in
  is_active: true
trainings:
- training_type: '3223'
  value: MLaw
```

**4.1.3.5 Example: Person-swiss\_politicians\_Alois\_Arnold\_1965**

```
local_id: 6370
global_uri: https://www.ur.ch/behoerdenmitglieder/6370
label: Alois Arnold (1965)
```

```
birth_year: 1965
names:
- name_type: PersonFirstName
  value: Alois
- name_type: PersonOfficialName
  value: Arnold
```

#### 4.1.3.6 Example: Person-swiss\_politicians\_Beat\_Jans

```
local_id: 4032
global_uri: https://data-example.parlament.ch/person/4032
wikidata_uri: http://www.wikidata.org/entity/Q813067
label: Beat Jans
label_long: Beat Jans, dipl. nat. ETH
birth_year: 1964
birth_date: 1964-07-12
picture:
https://commons.wikimedia.org/wiki/File:Beat_Jans_(2026)_(cropped).jpg
names:
- name_type: PersonFirstName
  value: Beat
- name_type: PersonOfficialName
  value: Jans
  valid_from: 1964-07-12
addresses:
- address_type: businessAddress
  postal_locality: Basel-Stadt
language_proficiencies:
- language: de
  is_correspondence: true
  is_native: true
citizenships:
- country: CH
  valid_from: 1964-07-12
genders:
- gender_code: male
  valid_from: 1964-07-12
occupations:
- label: Politiker
  valid_from: 1964-01-01
  is_active: true
trainings:
- training_type: '3223'
  value: dipl. nat. ETH
contacts:
- contact_type: email
  value: beat.jans@admin.ch
- contact_type: contact_website
  value: http://www.beat-jans.ch
```

## 4.2 Class: Name

*A name with a type (e.g., call name, official name), a value, and a temporal validity.*

### 4.2.1 Attribute

| Name          | Cardinality and Range          | Description                                                                                                                                                         |
|---------------|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| name_type     | 1 <a href="#">NameTypeEnum</a> | Type of name according to eCH-0011 (personNameData).                                                                                                                |
| value         | 1 <a href="#">String</a>       | The value of an information besides other attributes such as type, language, etc.                                                                                   |
| valid_from    | 0..1 <a href="#">Date</a>      | The date from which the information is valid.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                                   |
| valid_through | 0..1 <a href="#">Date</a>      | The date until which the information is valid, inclusive.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                       |
| is_active     | 0..1 <a href="#">Boolean</a>   | Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: <a href="#">HasTemporalValidity</a> |

### 4.2.2 Usages

| used by                | used in               | type                  | used                 |
|------------------------|-----------------------|-----------------------|----------------------|
| <a href="#">Person</a> | <a href="#">names</a> | <a href="#">range</a> | <a href="#">Name</a> |

## 4.3 Enum: NameTypeEnum

*Categories of name types according to eCH-0011 (personNameData) and the official catalogue of attributes of the register harmonisation (<https://www.bfs.admin.ch/bfs/de/home/register/personenregister/registerharmonisierung/nomenklaturen.assetdetail.24565576.html>), URI according to I14Y identifier but as class and not as attribute. Descriptions and translations according to I14Y.*

URI: [act:NameTypeEnum](#)

#### 4.3.1 Permissible Values

| Value                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PersonOfficialName          | <p>Name according to official documents. The official name corresponds to the name appearing in the Swiss civil register. For foreign nationals with no civil status events in Switzerland, the official name corresponds to the name appearing on the foreign passport or identity card (see 'Name according to foreign passport' or SEM guidelines on the determination and spelling of names of foreign nationals dated 1 January 2012. If no official documents exist, see also 'Name according to declaration' (e.g. in the case of asylum seekers). The official name may consist of one or more parts. According to the official catalogue of attributes (No. 211) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personOfficialName">https://register.ld.admin.ch/i14y/concept/personOfficialName</a></p> |
| PersonOriginalName          | <p>Name of filiation according to official documents, which corresponds to the person's name before their first marriage or registered partnership. It may also be a maiden name acquired by decision to change one's name (see Art. 24, para. 2 OEC, RS 211.112.2). According to the official catalogue of attributes (No. 212) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personOriginalName">https://register.ld.admin.ch/i14y/concept/personOriginalName</a></p>                                                                                                                                                                                                                                                                                                                                          |
| PersonAllianceName          | <p>The alliance name shows the connection between two people who are married or living in a registered partnership. An alliance name that has already been used may be retained after the dissolution of the marriage or partnership if the official name has not been changed upon dissolution. It is attached to the official name with a hyphen and is formed with the partner's maiden name or the person's own maiden name. Upon request, the alliance name may be entered in the passport or on the identity card. According to the official catalogue of attributes (No. 213) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personAllianceName">https://register.ld.admin.ch/i14y/concept/personAllianceName</a></p>                                                                                      |
| PersonNameOnForeignPassport | For persons of foreign nationality. This name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Value                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             | <p>corresponds to the entry marked in the machine-readable zone of the passport. If this zone includes abbreviated surnames or first names, these must, as far as possible, be recorded in full, according to the entry in the passport. According to the official catalogue of attributes (No. 214) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personNameOnForeignPassport">https://register.ld.admin.ch/i14y/concept/personNameOnForeignPassport</a></p> |
| PersonAliasName             | <p>Name (e.g. stage name, religious name) which, on the basis of an accepted application, may be used by the person. The alias name may consist of one or more parts (e.g. also the alias first name and alias surname). According to the official catalogue of attributes (No. 215) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personAliasName">https://register.ld.admin.ch/i14y/concept/personAliasName</a></p>                                         |
| PersonOtherName             | <p>Other official names according to Swiss civil status documents (Art. 24, para. 3 OEC) or according to foreign documents, which are neither surnames nor first names. According to the official catalogue of attributes (No. 216) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personOtherName">https://register.ld.admin.ch/i14y/concept/personOtherName</a></p>                                                                                          |
| PersonDeclaredForeignerName | <p>For foreign nationals who do not have official documents (mainly in the field of asylum). According to the official catalogue of attributes (No. 217) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerName">https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerName</a></p>                                                                                                                                             |
| PersonFirstName             | <p>First names taken from the birth certificate, the civil registry (Infostar) in the order in which they appear, or taken from foreign identity documents. According to the official catalogue of attributes (No. 221) for the harmonisation of registers.</p> <p><a href="https://register.ld.admin.ch/i14y/concept/personFirstName">https://register.ld.admin.ch/i14y/concept/personFirstName</a></p>                                                                                                      |
| PersonCallFirstName         | <p>A person has the right to choose a common first name from the list of their official first names. The common first name may consist of one or more first names (from those listed</p>                                                                                                                                                                                                                                                                                                                      |

| Value                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  | under 'official first names'). According to the official catalogue of attributes (No. 222) for the harmonisation of registers.<br><a href="https://register.ld.admin.ch/i14y/concept/personCallFirstName">https://register.ld.admin.ch/i14y/concept/personCallFirstName</a>                                                                                                                                                                             |
| PersonFirstNameOnForeignPassport | For persons of foreign nationality. To be used in combination with the name as it appears on the foreign passport. According to the official catalogue of attributes (No. 223) for the harmonisation of registers.<br><a href="https://register.ld.admin.ch/i14y/concept/personFirstNameOnForeignPassport">https://register.ld.admin.ch/i14y/concept/personFirstNameOnForeignPassport</a>                                                               |
| PersonDeclaredForeignerFirstName | For persons of foreign nationality who do not have official documents (mainly in the field of asylum). To be used in combination with the defined Name according to declaration. According to the official catalogue of attributes (No. 224) for the harmonisation of registers.<br><a href="https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerFirstName">https://register.ld.admin.ch/i14y/concept/personDeclaredForeignerFirstName</a> |

#### 4.4 Class: LanguageProficiency

*Language proficiency of a person indicating the language and whether it is the preferred language or native language.*

##### 4.4.1 Attribute

| Name              | Cardinality and Range        | Description                                                                             |
|-------------------|------------------------------|-----------------------------------------------------------------------------------------|
| language          | 1 <a href="#">String</a>     | Language code in ISO 639-1 format (two lowercase letters, e.g. "de", "fr", "it", "en"). |
| is_correspondence | 0..1 <a href="#">Boolean</a> | Indicates if this is the preferred language.                                            |
| is_native         | 0..1 <a href="#">Boolean</a> | Indicates if this is the native language.                                               |

##### 4.4.2 Usages

| used by                | used in                                | type  | used                                |
|------------------------|----------------------------------------|-------|-------------------------------------|
| <a href="#">Person</a> | <a href="#">language_proficiencies</a> | range | <a href="#">LanguageProficiency</a> |

## 4.5 Class: Citizenship

*Citizenship (also used for Nationality) of a person indicating the country and temporal validity. If there is no `valid_from` provided, the information is not known. If it is known that the citizenship is valid from birth, the birthdate is to be repeated here. If there is no `valid_through`, the citizenship is still active.*

### 4.5.1 Attribute

| Name          | Cardinality and Range        | Description                                                                                                                                                            |
|---------------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| country       | 1 <a href="#">String</a>     | ISO 3166-1 alpha-2 country code.                                                                                                                                       |
| valid_from    | 0..1 <a href="#">Date</a>    | The date from which the information is valid.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                                      |
| valid_through | 0..1 <a href="#">Date</a>    | The date until which the information is valid, inclusive.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                          |
| is_active     | 0..1 <a href="#">Boolean</a> | Indicates whether the information is currently valid.<br>Can be useful when this information is explicitly available. Inheritance: <a href="#">HasTemporalValidity</a> |

### 4.5.2 Usages

| used by                | used in                      | type  | used                        |
|------------------------|------------------------------|-------|-----------------------------|
| <a href="#">Person</a> | <a href="#">citizenships</a> | range | <a href="#">Citizenship</a> |

## 4.6 Class: Gender

*Gender of a person indicating a gender code and temporal validity.*

### 4.6.1 Attribute

| Name        | Cardinality and Range            | Description                                                                               |
|-------------|----------------------------------|-------------------------------------------------------------------------------------------|
| gender_code | 1 <a href="#">GenderCodeEnum</a> | Gender code. Recommended values: male, female, non_binary.                                |
| label       | 0..1 <a href="#">String</a>      | Assign a label to a structured piece of information (e.g., display name, position, etc.). |
| pronouns    | * <a href="#">String</a>         | Pronouns used by the person.                                                              |
| valid_from  | 0..1 <a href="#">Date</a>        | The date from which the                                                                   |

eCH registered association [www.ech.ch](http://www.ech.ch) / [info@ech.ch](mailto:info@ech.ch)



| Name          | Cardinality and Range        | Description                                                                                                                                                            |
|---------------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               |                              | information is valid.<br>Inheritance:<br><a href="#">HasTemporalValidity</a>                                                                                           |
| valid_through | 0..1 <a href="#">Date</a>    | The date until which the information is valid, inclusive.<br>Inheritance:<br><a href="#">HasTemporalValidity</a>                                                       |
| is_active     | 0..1 <a href="#">Boolean</a> | Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance:<br><a href="#">HasTemporalValidity</a> |

#### 4.6.2 Usages

|                        |                         |       |                        |
|------------------------|-------------------------|-------|------------------------|
| used by                | used in                 | type  | used                   |
| <a href="#">Person</a> | <a href="#">genders</a> | range | <a href="#">Gender</a> |

### 4.7 Enum: GenderCodeEnum

*Gender codes for persons. If the gender is not known, no gender entry shall be added. The `non_binary` code shall be used together with a label to provide further details about the self-identified gender.*

URI: [act:GenderCodeEnum](#)

#### 4.7.1 Permissible Values

| Value      | Description                                                                                                              |
|------------|--------------------------------------------------------------------------------------------------------------------------|
| male       | Male.<br><a href="https://register.ld.admin.ch/i14y/concept/sex/1">https://register.ld.admin.ch/i14y/concept/sex/1</a>   |
| female     | Female.<br><a href="https://register.ld.admin.ch/i14y/concept/sex/2">https://register.ld.admin.ch/i14y/concept/sex/2</a> |
| non_binary | Diverse / non-binary.                                                                                                    |

### 4.8 Class: Occupation

*Occupation or profession of a person indicating a label, an ISCO-19 code, whether the activity is paid, and temporal validity.*

#### 4.8.1 Attribute

| Name    | Cardinality and Range        | Description                             |
|---------|------------------------------|-----------------------------------------|
| is_paid | 0..1 <a href="#">Boolean</a> | Indicates whether the activity is paid. |

| Name              | Cardinality and Range        | Description                                                                                                                                                         |
|-------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| occupation_code   | 0..1 <a href="#">String</a>  | ISCO-19 code of the occupation.                                                                                                                                     |
| label             | 0..1 <a href="#">String</a>  | Assign a label to a structured piece of information (e.g., display name, position, etc.).                                                                           |
| organization_uid  | 0..1 <a href="#">String</a>  | UID of the organization (eCH-0097 format: CHE-XXX.XXX.XXX) from the federal UID register (uid.admin.ch).                                                            |
| organization_name | 0..1 <a href="#">String</a>  | Name of the organization or enterprise.                                                                                                                             |
| valid_from        | 0..1 <a href="#">Date</a>    | The date from which the information is valid.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                                   |
| valid_through     | 0..1 <a href="#">Date</a>    | The date until which the information is valid, inclusive.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                       |
| is_active         | 0..1 <a href="#">Boolean</a> | Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: <a href="#">HasTemporalValidity</a> |

#### 4.8.1.1.1 Constraints

At least one of the following must be set:

- [occupation\\_code](#)
- [label](#)

#### 4.8.2 Usages

| used by                | used in                     | type  | used                       |
|------------------------|-----------------------------|-------|----------------------------|
| <a href="#">Person</a> | <a href="#">occupations</a> | range | <a href="#">Occupation</a> |

#### 4.8.3 Examples

##### 4.8.3.1 Example: Occupation-swiss\_politicians\_Sofia\_Fisch\_Juristin

```
label: Jurist*in
is_active: true
```

##### 4.8.3.2 Example: Occupation-swiss\_politicians\_Beat\_Jans\_Politiker

```
label: Politiker
valid_from: 1964-01-01
is_active: true
```

## 4.9 Class: Training

*Training or education of a person indicating a type (e.g., school diploma, university degree, military service), a label, an ISCO-19 code, and temporal validity.*

### 4.9.1 Attribute

| Name          | Cardinality and Range                 | Description                                                                                                                                                            |
|---------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| training_type | 0..1 <a href="#">TrainingTypeEnum</a> | Type of training or education.                                                                                                                                         |
| training_code | 0..1 <a href="#">String</a>           | ISCO-19 code of the training or education.                                                                                                                             |
| value         | 0..1 <a href="#">String</a>           | The value of an information besides other attributes such as type, language, etc.                                                                                      |
| valid_from    | 0..1 <a href="#">Date</a>             | The date from which the information is valid.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                                      |
| valid_through | 0..1 <a href="#">Date</a>             | The date until which the information is valid, inclusive.<br>Inheritance: <a href="#">HasTemporalValidity</a>                                                          |
| is_active     | 0..1 <a href="#">Boolean</a>          | Indicates whether the information is currently valid.<br>Can be useful when this information is explicitly available. Inheritance: <a href="#">HasTemporalValidity</a> |

#### 4.9.1.1.1 Constraints

At least one of the following must be set:

- [training\\_type](#)
- [training\\_code](#)
- [value](#)

### 4.9.2 Usages

| used by                | used in                   | type  | used                     |
|------------------------|---------------------------|-------|--------------------------|
| <a href="#">Person</a> | <a href="#">trainings</a> | range | <a href="#">Training</a> |

## 4.10 Enum: TrainingTypeEnum

*Types of training or education based on the Swiss BFS LEVEL\_EDUC codelist.*

URI: [act:TrainingTypeEnum](#)

#### 4.10.1 Permissible Values

| Value | Description                                                                                                                                                                                                                              |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10    | Maximum compulsory school.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/10">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/10</a>                                                                              |
| 110   | No education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/110">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/110</a>                                                                                         |
| 120   | Compulsory school attended but not completed.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/120">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/120</a>                                                         |
| 130   | Compulsory school.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/130">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/130</a>                                                                                    |
| 140   | 1 year of education / transitional education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/140">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/140</a>                                                         |
| 20    | Upper secondary level.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/20">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/20</a>                                                                                  |
| 22    | Upper secondary level - Vocational education and training (VET).<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/22">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/22</a>                                        |
| 220   | Apprenticeship in a company (EFZ/EBA) / basic vocational training / vocational school / trade school.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/220">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/220</a> |
| 2210  | Apprenticeship 2 years (EBA) / basic vocational training / vocational school / trade school.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2210">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2210</a>        |
| 2211  | Apprenticeship in a company 2 years (EBA) / basic vocational training.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2211">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2211</a>                              |
| 2212  | Vocational school / trade school 2 years.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2212">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2212</a>                                                           |
| 2220  | Apprenticeship 3-4 years (EFZ) / vocational school / trade school.                                                                                                                                                                       |

| Value | Description                                                                                                                                                                                               |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2220">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2220</a>                                                                         |
| 2221  | Apprenticeship in a company 3-4 years (EFZ).<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2221">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2221</a>                         |
| 2222  | Vocational school / trade school 3-4 years.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2222">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2222</a>                          |
| 24    | Upper secondary level - general education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/24">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/24</a>                               |
| 241   | Upper secondary specialised schools / diploma middle school.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/241">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/241</a>           |
| 2411  | Upper secondary specialised schools / diploma middle school 2 years.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2411">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2411</a> |
| 2412  | Upper secondary specialised schools / diploma middle school 3 years.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2412">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2412</a> |
| 242   | Baccalaureate / teaching diploma.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/242">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/242</a>                                      |
| 2421  | Baccalaureate.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2421">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2421</a>                                                       |
| 2422  | Teaching diploma.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2422">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2422</a>                                                    |
| 243   | Vocational / specialised baccalaureate.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/243">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/243</a>                                |
| 2431  | Vocational baccalaureate.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2431">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2431</a>                                            |
| 2432  | Specialised baccalaureate.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2432">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/2432</a>                                           |
| 30    | Tertiary level.                                                                                                                                                                                           |

| Value | Description                                                                                                                                                                                                                                              |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/30">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/30</a>                                                                                                                            |
| 31    | Professional education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/31">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/31</a>                                                                                                 |
| 310   | Professional examination with federal diploma / advanced federal diploma / PET diploma.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/310">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/310</a>                               |
| 311   | Professional examination with federal diploma of higher education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/311">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/311</a>                                                    |
| 312   | Professional examination with advanced federal diploma of higher education / PET diploma.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/312">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/312</a>                             |
| 313   | College of Higher Education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/313">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/313</a>                                                                                          |
| 3131  | College of Higher Education 2 years full time or 3 years part-time.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3131">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3131</a>                                                 |
| 3132  | College of Higher Education 3 years full time or 4 years part-time.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3132">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3132</a>                                                 |
| 32    | Higher education institutions.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/32">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/32</a>                                                                                          |
| 321   | Bachelor universities, institutes of technology, universities of applied sciences, universities of teacher education.<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/321">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/321</a> |
| 3211  | Bachelor universities of applied sciences (including UAS diploma).<br><a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3211">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3211</a>                                                  |
| 3212  | Bachelor universities of teacher education (including UTE first degree).                                                                                                                                                                                 |

| Value    | Description                                                                                                                       |
|----------|-----------------------------------------------------------------------------------------------------------------------------------|
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3212">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3212</a> |
| 3213     | Bachelor universities, institutes of technology (UIT).                                                                            |
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3213">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3213</a> |
| 322      | Master universities, institutes of technology, universities of applied sciences, universities of teacher education.               |
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/322">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/322</a>   |
| 3221     | Master universities of applied sciences.                                                                                          |
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3221">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3221</a> |
| 3222     | Master universities of teacher education.                                                                                         |
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3222">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3222</a> |
| 3223     | Master universities, institutes of technology (UIT) including UNI / UIT diploma.                                                  |
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3223">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/3223</a> |
| 323      | Doctorate or habilitation.                                                                                                        |
|          | <a href="https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/323">https://register.ld.admin.ch/i14y/concept/LEVEL_EDUC/323</a>   |
| military | Military service (Swiss army). Use value to specify the rank reached.                                                             |

## 5 Groups and Bodies (Groups)

The group schema represents political groups, organisations and corporate bodies.

- **One generic model instead of many special classes:** Parliaments, parties, parliamentary groups, commissions, departments, courts and civil-society organisations are all represented as *one* class Group and distinguished via `group_type`. This keeps the model simple and extensible without schema changes – the legislature, executive, judiciary and civil society can thus all be represented equally.
- **Groups and sub-groups via parent\_groups:** Subordinate groups reference their superordinate group – e.g. a commission of the Council of States, a subcommission within a commission, a cantonal party under its parent party, or an authority within a directorate. The hierarchy thus arises from these references rather than from a fixed level structure. It usually remains within the same `group_type`; however, cross-type and multiple references are possible (e.g. a parliamentary group that references both its parliament and its party).
- **Temporal validity for groups as well:** Using `valid_from/valid_through`, it is possible to represent, for example, commissions that exist only during a legislative period, or renamings and mergers of parties.

### 5.1 Class: Group

*A political group, organization, or body (e.g., party, committee, parliament, department).*

#### 5.1.1 Attribute

| Name                      | Cardinality and Range                  | Description                                                                                                                                          |
|---------------------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>group_type</code>   | 1 <a href="#">GroupType</a>            | Type of group (e.g., party, commission, parliament, or similar). The exact naming and description of the group is provided via <code>label</code> .  |
| <code>label</code>        | 1..* <a href="#">MultilingualValue</a> | Name of the group, with the language it is published in. Where a group is officially named in several languages, one entry per language is recorded. |
| <code>abbreviation</code> | * <a href="#">MultilingualValue</a>    | Abbreviation (can be multilingual).                                                                                                                  |
| <code>description</code>  | * <a href="#">MultilingualValue</a>    | Description of the entity.                                                                                                                           |
| <code>landing_page</code> | * <a href="#">MultilingualUri</a>      | Website providing further information. Where the site is published under a separate address per language, one entry per language is recorded.        |



| Name          | Cardinality and Range           | Description                                                                                                                                                                                                                                                                                                                                                                       |
|---------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| parent_groups | * <a href="#">Uriorcurie</a>    | Link to parent groups. For example, the parent party for cantonal parties, or to describe the hierarchy in the executive. Also used to link sub-commissions to commissions, or factions to both their parliament and their party. (parentGroup is typically used within the same group_type, but cross-type links are permitted, e.g., faction → parliament and faction → party.) |
| spatial       | 0..1 <a href="#">String</a>     | Spatial reference (fos-municipality number, fos-canton number, or country).<br>Formats: municipality: Id.admin.ch/municipality/1234<br>, canton: Id.admin.ch/canton/23,<br>country: Id.admin.ch/country/CHE.                                                                                                                                                                      |
| contacts      | * <a href="#">Contact</a>       | Contact information (email, website, social media).<br>Guideline: email is quasi-mandatory and should always be provided where available.                                                                                                                                                                                                                                         |
| addresses     | * <a href="#">Address</a>       | Addresses with type (private, business, local).                                                                                                                                                                                                                                                                                                                                   |
| statutes_url  | 0..1 <a href="#">String</a>     | URL to party statutes (PDF or webpage; optional for parties).                                                                                                                                                                                                                                                                                                                     |
| party_color   | 0..1 <a href="#">String</a>     | Party color as hexadecimal value (optional for parties, e.g., "#FF0000").                                                                                                                                                                                                                                                                                                         |
| local_id      | 0..1 <a href="#">String</a>     | Local identifier. For example, a UUID from the council information system.<br>Inheritance: <a href="#">HasIdentification</a>                                                                                                                                                                                                                                                      |
| global_uri    | 1 <a href="#">Uriorcurie</a>    | A unique, globally valid URI for the entity. Inheritance: <a href="#">HasIdentification</a>                                                                                                                                                                                                                                                                                       |
| wikidata_uri  | 0..1 <a href="#">Uriorcurie</a> | A URI that refers to a Wikidata entity, e.g. http://www.wikidata.org/entity/Q813067 for Beat Jans.                                                                                                                                                                                                                                                                                |

| Name              | Cardinality and Range         | Description                                                                                                                                                         |
|-------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| date_created      | 0..1 <a href="#">Date</a>     | Inheritance: <a href="#">HasIdentification</a><br>The date when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                    |
| datetime_created  | 0..1 <a href="#">Datetime</a> | The date and time when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                             |
| date_modified     | 0..1 <a href="#">Date</a>     | The date when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                |
| datetime_modified | 0..1 <a href="#">Datetime</a> | The date and time when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                       |
| valid_from        | 0..1 <a href="#">Date</a>     | The date from which the information is valid. Inheritance: <a href="#">HasTemporalValidity</a>                                                                      |
| valid_through     | 0..1 <a href="#">Date</a>     | The date until which the information is valid, inclusive. Inheritance: <a href="#">HasTemporalValidity</a>                                                          |
| is_active         | 0..1 <a href="#">Boolean</a>  | Indicates whether the information is currently valid. Can be useful when this information is explicitly available. Inheritance: <a href="#">HasTemporalValidity</a> |

### 5.1.2 Usages

| used by                   | used in                | type  | used                  |
|---------------------------|------------------------|-------|-----------------------|
| <a href="#">Container</a> | <a href="#">groups</a> | range | <a href="#">Group</a> |

### 5.1.3 Examples

#### 5.1.3.1 Example: Group-groups\_\_it

```

local_id: 6627
global_uri: https://api.openparldata.ch/v1/groups/6627
label:
- value: Konsumenteninformation und -schutz
  language: de
- value: Information et défense des consommateurs

```

```
  language: fr
- value: Informazione e tutela dei consumatori
  language: it
description:
- value: L'intergroupe parlementaire « Information et défense des
consommateurs »
  réunit toutes les sensibilités politiques. Cet intergroupe a pour
mission d'informer
  et de sensibiliser les élu·e·s aux questions relatives à la défense
des consommateur·rice·s
  en Suisse.
  language: fr
group_type:
  group_type_enum: interest_group
  label: Interessengruppe
spatial: https://ld.admin.ch/country/CHE
valid_from: 2012-01-01
```

#### 5.1.3.2 Example: Group-groups\_\_de

```
local_id: 50
global_uri: https://api.openparldata.ch/v1/groups/50
label:
- value: Büro des Grossen Rates
  language: de
group_type:
  group_type_enum: parliamentary_bureau
  label: Ratsbüro
spatial: https://ld.admin.ch/canton/12
```

#### 5.1.3.3 Example: Group-groups\_\_fr

```
local_id: 5000
global_uri: https://api.openparldata.ch/v1/groups/5000
label:
- value: Freiburger Delegation IPK strafrechtliche Einschliessung
  language: de
- value: Délégation FR à la CIP détention pénale
  language: fr
abbreviation:
- value: Del-StRFE
  language: de
- value: Del-DetPen
  language: fr
description:
- value: Die Interparlamentarische Aufsichtskommission strafrechtliche
Einschliessung
  besteht aus 18 Grossrätinnen und Grossräten aus den sechs
Vertragskantonen Freiburg,
  Genf, Jura, Neuenburg, Waadt und Wallis. Sie ist für die
parlamentarische Aufsicht
  über den Vollzug der beiden lateinischen Konkordate über den
```

```

    strafrechtlichen
      Freiheitsentzug zuständig.
    language: de
  - value: 'La Commission interparlementaire de contrôle détention pénale
est composée
  de 18 députés issus des six cantons partenaires : Fribourg, Genève,
  Jura, Neuchâtel,
  Vaud et Valais. Elle est chargée de la surveillance parlementaire
  de l'exécution
  des deux concordats latins sur la détention pénale.'
    language: fr
  landing_page:
  - value:
    https://www.fr.ch/de/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbbed6b5
    language: de
  - value:
    https://www.fr.ch/parlinfo/app/organizations/alacb0c030d54b3baed840fe8bbed6b5
    language: fr
  group_type:
    group_type_enum: delegation
    label: Delegation
  spatial: https://ld.admin.ch/canton/10
  valid_from: 2007-12-12

```

## 5.2 Class: GroupType

*Type of group (e.g., party, committee, parliament, department).*

### 5.2.1 Attribute

| Name            | Cardinality and Range              | Description                                                                               |
|-----------------|------------------------------------|-------------------------------------------------------------------------------------------|
| group_type_enum | 0..1 <a href="#">GroupTypeEnum</a> | Link to the controlled vocabulary for group types.                                        |
| label           | 0..1 <a href="#">String</a>        | Assign a label to a structured piece of information (e.g., display name, position, etc.). |

### 5.2.2 Usages

| used by               | used in                    | type  | used                      |
|-----------------------|----------------------------|-------|---------------------------|
| <a href="#">Group</a> | <a href="#">group_type</a> | range | <a href="#">GroupType</a> |

## 5.3 Enum: GroupTypeEnum

*Types of political groups and organizations.*

URI: [act:GroupTypeEnum](#)

eCH registered association

[www.ech.ch](http://www.ech.ch) / [info@ech.ch](mailto:info@ech.ch)

### 5.3.1 Permissible Values

| Value                        | Description                                                                                                                                                                                                                    |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| party                        | Political party at federal, cantonal, or municipal level. Each federal level is managed as its own group (e.g., national party, cantonal party, municipal party).<br><a href="#">act:enum/group_type/party</a>                 |
| list                         | Electoral list (can be part of a party or independent).<br><a href="#">act:enum/group_type/list</a>                                                                                                                            |
| workgroup                    | Ad-hoc working group, typically with a limited duration.<br><a href="#">act:enum/group_type/workgroup</a>                                                                                                                      |
| parliament                   | Parliament at federal, cantonal, or municipal level (e.g., Federal Assembly, National Council, Council of States, Grand Council, cantonal parliament, municipal parliament).<br><a href="#">act:enum/group_type/parliament</a> |
| delegation                   | Delegation.<br><a href="#">act:enum/group_type/delegation</a>                                                                                                                                                                  |
| commission                   | Commission (permanent or ad-hoc), including supervisory commissions (e.g., CPC), subject commissions, parliamentary investigation commissions (PIC), and audit commissions.<br><a href="#">act:enum/group_type/commission</a>  |
| faction                      | Parliamentary faction.<br><a href="#">act:enum/group_type/faction</a>                                                                                                                                                          |
| parliamentary_bureau         | Parliamentary bureau.<br><a href="#">act:enum/group_type/parliamentary_bureau</a>                                                                                                                                              |
| presidency                   | Presidency of parliament.<br><a href="#">act:enum/group_type/presidency</a>                                                                                                                                                    |
| government                   | Government / Executive as a collective body (e.g., Federal Council, Cantonal Government, City or Municipal Council).<br><a href="#">act:enum/group_type/government</a>                                                         |
| department                   | Government department.<br><a href="#">act:enum/group_type/department</a>                                                                                                                                                       |
| office                       | Government office.<br><a href="#">act:enum/group_type/office</a>                                                                                                                                                               |
| extraparlimentary_commission | Extra-parliamentary commission with a government mandate (e.g., Bank Council of the Swiss National Bank, FINMA).<br><a href="#">act:enum/group_type/</a>                                                                       |

| Value                  | Description                                                                                                                                       |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
|                        | <a href="#">extraparlimentary_commission</a>                                                                                                      |
| interest_group         | Interest group from civil society.<br><a href="#">act:enum/group_type/interest_group</a>                                                          |
| control_body           | Control or supervisory body (e.g., Federal Finance Control EFC, supervisory authority AB-BA).<br><a href="#">act:enum/group_type/control_body</a> |
| parliamentary_services | Parliamentary services.<br><a href="#">act:enum/group_type/parliamentary_services</a>                                                             |
| court                  | Court / Judiciary at any level (e.g., Federal Court, Cantonal Court, District Court).<br><a href="#">act:enum/group_type/court</a>                |
| association            | Association.<br><a href="#">act:enum/group_type/association</a>                                                                                   |
| petition_carrier       | Petition carrier.<br><a href="#">act:enum/group_type/petition_carrier</a>                                                                         |
| university             | University or educational institution as an outsourced provider of public tasks.<br><a href="#">act:enum/group_type/university</a>                |
| other                  | Other group type not covered by standard categories.<br><a href="#">act:enum/group_type/other</a>                                                 |

## 6 Memberships

The membership schema represents the relationship between persons and groups and is the central connecting element in the actor schema.

- **Distinction from interest links (InterestLink):** Membership records the *formal affiliation* of a person to a group within the actor schema (e.g. party, commission or parliament membership). Interest links and conflicts of interest with organisations *outside* the schema are deliberately kept separate and are represented via InterestLink (see the following chapter).
- **References with snapshot instead of embedding (person\_reference/group\_reference):** A membership refers to a person and a group via lightweight references and thereby records their most important identifying attributes at the time of linking. This keeps the entry historically correct even if the person or group changes later.
- **Activity explicit or derived (is\_active):** Whether a membership is active can be set explicitly via `is_active` or derived from the temporal validity. If `is_active` is not set, activity is derived from `valid_from/valid_through`.
- **Membership ≠ voting right (authorized\_to\_vote):** The voting right is recorded separately from the membership – typically `false` for substitute members (except when on duty), observers, the secretariat and guests.
- **Role as a controlled vocabulary with free-text option (role\_type):** The role in the group (e.g. member, presidency, deputy) is specified via a controlled vocabulary (RoleEnum); for roles not covered, the value `other` with a free-text designation is used.
- **Electoral district on the membership rather than on the person (electoral\_district):** The electoral district describes the mandate, not the person – the same person may be elected from different districts over time or at different federal levels. ElectoralDistrict therefore carries no temporal validity of its own but inherits the `valid_from/valid_through` of the enclosing membership. For identification, the LINDAS resources for Swiss spatial units are intended (see `global_uri`).

### 6.1 Class: Membership

*A membership relationship between a person and a group, representing formal affiliation (e.g., party member, commission member, parliamentarian). Distinct from InterestLink, which covers external interest bindings and conflicts of interest to organizations outside the actor schema.*

#### 6.1.1 Attribute

| Name               | Cardinality and Range                  | Description                                                  |
|--------------------|----------------------------------------|--------------------------------------------------------------|
| person_reference   | 1 <a href="#">PersonReference</a>      | Reference to a person with snapshot data at time of linking. |
| group_reference    | 1 <a href="#">GroupReference</a>       | Reference to a group with snapshot data at time of linking.  |
| electoral_district | 0..1 <a href="#">ElectoralDistrict</a> | Link to the electoral district.                              |
| role_type          | 0..1 <a href="#">RoleType</a>          | Role of the person in the                                    |

| Name               | Cardinality and Range           | Description                                                                                                                                                                                            |
|--------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| authorized_to_vote | 0..1 <a href="#">Boolean</a>    | membership or function.<br>Indicates if the person is authorized to vote in the group. Typically false for substitute members (when not deputizing), observers, secretaries, and guests.               |
| is_active          | 0..1 <a href="#">Boolean</a>    | Indicates if the membership is currently active. Can complement or replace <a href="#">valid_from/valid_throu</a> gh. If not set, activity is derived from the temporal validity fields.               |
| local_id           | 0..1 <a href="#">String</a>     | Local identifier. For example, a UUID from the council information system.<br>Inheritance: <a href="#">HasIdentification</a>                                                                           |
| global_uri         | 1 <a href="#">Uriorcurie</a>    | A unique, globally valid URI for the entity. Inheritance: <a href="#">HasIdentification</a>                                                                                                            |
| wikidata_uri       | 0..1 <a href="#">Uriorcurie</a> | A URI that refers to a Wikidata entity, e.g. <a href="http://www.wikidata.org/entity/Q813067">http://www.wikidata.org/entity/Q813067</a> for Beat Jans. Inheritance: <a href="#">HasIdentification</a> |
| date_created       | 0..1 <a href="#">Date</a>       | The date when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                         |
| datetime_created   | 0..1 <a href="#">Datetime</a>   | The date and time when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                |
| date_modified      | 0..1 <a href="#">Date</a>       | The date when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                   |
| datetime_modified  | 0..1 <a href="#">Datetime</a>   | The date and time when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                          |
| valid_from         | 0..1 <a href="#">Date</a>       | The date from which the information is valid. Inheritance:                                                                                                                                             |



| Name          | Cardinality and Range     | Description                                                                                                                                             |
|---------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| valid_through | 0..1 <a href="#">Date</a> | <a href="#">HasTemporalValidity</a><br>The date until which the information is valid, inclusive.<br>Inheritance:<br><a href="#">HasTemporalValidity</a> |

### 6.1.2 Usages

| used by                   | used in                     | type  | used                       |
|---------------------------|-----------------------------|-------|----------------------------|
| <a href="#">Container</a> | <a href="#">memberships</a> | range | <a href="#">Membership</a> |

## 6.2 Class: RoleType

*Role of a person in a membership or function (e.g., member, president, deputy). If a role is not listed in the proposed RoleEnum vocabulary, the value 'other' can be used, and a descriptive label should be provided in the role\_label slot. The label can also be used when a specific name is needed, even if a fitting semantic value exists in role\_type\_enum; it should be provided when role\_type\_enum is set to 'other'.*

### 6.2.1 Attribute

| Name           | Cardinality and Range         | Description                                                                                                                                                                             |
|----------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| role_type_enum | 0..1 <a href="#">RoleEnum</a> | Role of the person in the membership or function.                                                                                                                                       |
| role_label     | 0..1 <a href="#">String</a>   | Specific role label. Use this when a specific role name is needed, even if a fitting semantic value exists in role_type_enum; provide this label when role_type_enum is set to 'other'. |

#### 6.2.1.1.1 Constraints

At least one of the following must be set:

- [role\\_type\\_enum](#)
- [role\\_label](#)

### 6.2.2 Usages

| used by                    | used in                   | type  | used                     |
|----------------------------|---------------------------|-------|--------------------------|
| <a href="#">Membership</a> | <a href="#">role_type</a> | range | <a href="#">RoleType</a> |

#### 6.2.2.1.1 Rules

- If the role type is 'other', a descriptive label must be provided.

## 6.3 Enum: RoleEnum

*Roles a person can have within a membership.*

URI: [act:RoleEnum](#)

### 6.3.1 Permissible Values

| Value     | Description                                         |
|-----------|-----------------------------------------------------|
| member    | Regular member (default).                           |
| president | President or chair of the group.                    |
| deputy    | Deputy or vice-chair role.                          |
| other     | Other role; use role_label for a descriptive label. |

## 6.4 Class: ElectoralDistrict

*Electoral district or region associated with a membership. The temporal validity is inherited from the enclosing membership.*

### 6.4.1 Attribute

| Name                       | Cardinality and Range           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| label                      | 0..1 <a href="#">String</a>     | Assign a label to a structured piece of information (e.g., display name, position, etc.).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| local_id                   | 0..1 <a href="#">String</a>     | Local identifier. For example, a UUID from the council information system.<br>Inheritance: <a href="#">HasIdentification</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| global_uri                 | 1 <a href="#">Uriorcurie</a>    | For IRI references, LINDAS resources should be used. The IRIs for the different administrative levels of Swiss spatial units are available at: <a href="#">ch:country/CHE</a> . Under links in the schema:containsPlace section, the desired level can be selected. Examples for each administrative level: - Country - Switzerland: <a href="https://ld.admin.ch/country/CHE">https://ld.admin.ch/country/CHE</a> - Canton - Aargau: <a href="https://ld.admin.ch/canton/19">https://ld.admin.ch/canton/19</a> - District - Brig: <a href="https://ld.admin.ch/district/2301">https://ld.admin.ch/district/2301</a> - Municipality - Versoix: <a href="https://ld.admin.ch/municipality/6644">https://ld.admin.ch/municipality/6644</a> Inheritance: <a href="#">HasIdentification</a> |
| wikidata_uri               | 0..1 <a href="#">Uriorcurie</a> | A URI that refers to a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| eCH registered association |                                 | <a href="http://www.ech.ch">www.ech.ch</a> / <a href="mailto:info@ech.ch">info@ech.ch</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| Name | Cardinality and Range | Description                                                                                                                                                                           |
|------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |                       | Wikidata entity,<br>e.g. <a href="http://www.wikidata.org/entity/Q813067">http://www.wikidata.org/entity/Q813067</a> for Beat Jans.<br>Inheritance: <a href="#">HasIdentification</a> |

#### 6.4.2 Usages

| used by                    | used in                            | type  | used                              |
|----------------------------|------------------------------------|-------|-----------------------------------|
| <a href="#">Membership</a> | <a href="#">electoral_district</a> | range | <a href="#">ElectoralDistrict</a> |

## 7 Interest Links

The InterestLink schema records interest links, conflicts of interest and entanglements of persons with organisations. It is based on the transparency requirements for members of parliament according to [Federal Assembly – Interest Links](#).

- **Distinction from memberships (Membership):** InterestLink represents links to organisations *outside* the actor schema (conflicts of interest, political financing) – in contrast to the formal affiliation *within* the schema, which is recorded via Membership.
- **Mandatory classification (interest\_type):** Every link is mandatorily categorised by type (professional activity, political offices, association), based on the disclosure categories of the Federal Assembly.
- **Organisation referenceable via UID (organization\_uid):** If the organisation is recorded in the UID register, it is referenced via its UID (eCH-0097, CHE-XXX.XXX.XXX) – this enables analyses, e.g. with NOGA codes. For organisations without a UID, organization\_name/organization\_address are available; the legal form follows a controlled vocabulary (LegalFormEnum).
- **Scope and remuneration (is\_paid, committee, function\_role):** In addition to the committee and function within the organisation, it is explicitly recorded whether the position is paid – a central transparency aspect.

### 7.1 Class: InterestLink

*An interest link (conflict of interest, political financing) of a person to an organization outside the actor schema.*

#### 7.1.1 Attribute

| Name                 | Cardinality and Range              | Description                                                                                                                                                                         |
|----------------------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| person_reference     | 1 <a href="#">PersonReference</a>  | Reference to a person with snapshot data at time of linking.                                                                                                                        |
| interest_type        | 1 <a href="#">InterestTypeEnum</a> | Type of interest link (professional activity, political office, association).                                                                                                       |
| organization_name    | 0..1 <a href="#">String</a>        | Name of the organization or enterprise.                                                                                                                                             |
| organization_uid     | 0..1 <a href="#">String</a>        | UID of the organization (eCH-0097 format: CHE-XXX.XXX.XXX) from the federal UID register (uid.admin.ch).                                                                            |
| organization_address | 0..1 <a href="#">String</a>        | Address of the organization.                                                                                                                                                        |
| legal_form           | 0..1 <a href="#">LegalFormEnum</a> | Legal form of the organization. See controlled vocabulary:<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm">https://register.ld.admin.ch/i14y/concept/legalForm</a> |

| Name              | Cardinality and Range           | Description                                                                                                                                                                                            |
|-------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| is_paid           | 0..1 <a href="#">Boolean</a>    | Indicates whether the activity is paid.                                                                                                                                                                |
| committee         | 0..1 <a href="#">String</a>     | Committee or board within the organization (e.g., Verwaltungsrat, Stiftungsrat, Vorstand, Aufsichtsrat, Beirat, Geschäftsleitung).                                                                     |
| function_role     | 0..1 <a href="#">String</a>     | Function or role in the organization (e.g., Präsident/in, Vizepräsident/in, Mitglied, Delegierter, Geschäftsführer/in, Berater/in).                                                                    |
| local_id          | 0..1 <a href="#">String</a>     | Local identifier. For example, a UUID from the council information system.<br>Inheritance: <a href="#">HasIdentification</a>                                                                           |
| global_uri        | 1 <a href="#">Uriorcurie</a>    | A unique, globally valid URI for the entity. Inheritance: <a href="#">HasIdentification</a>                                                                                                            |
| wikidata_uri      | 0..1 <a href="#">Uriorcurie</a> | A URI that refers to a Wikidata entity, e.g. <a href="http://www.wikidata.org/entity/Q813067">http://www.wikidata.org/entity/Q813067</a> for Beat Jans. Inheritance: <a href="#">HasIdentification</a> |
| date_created      | 0..1 <a href="#">Date</a>       | The date when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                         |
| datetime_created  | 0..1 <a href="#">Datetime</a>   | The date and time when an entity was created. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                |
| date_modified     | 0..1 <a href="#">Date</a>       | The date when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                                   |
| datetime_modified | 0..1 <a href="#">Datetime</a>   | The date and time when an entity was last modified. Inheritance: <a href="#">HasCreationModificationDates</a>                                                                                          |
| valid_from        | 0..1 <a href="#">Date</a>       | The date from which the information is valid. Inheritance:                                                                                                                                             |

| Name          | Cardinality and Range        | Description                                                                                                                                                               |
|---------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               |                              | <a href="#">HasTemporalValidity</a>                                                                                                                                       |
| valid_through | 0..1 <a href="#">Date</a>    | The date until which the information is valid, inclusive.<br>Inheritance:<br><a href="#">HasTemporalValidity</a>                                                          |
| is_active     | 0..1 <a href="#">Boolean</a> | Indicates whether the information is currently valid.<br>Can be useful when this information is explicitly available. Inheritance:<br><a href="#">HasTemporalValidity</a> |

#### 7.1.1.1.1 Constraints

At least one of the following must be set:

- [organization\\_uid](#)
- [organization\\_name](#)

#### 7.1.2 Usages

| used by                   | used in                        | type  | used                         |
|---------------------------|--------------------------------|-------|------------------------------|
| <a href="#">Container</a> | <a href="#">interest_links</a> | range | <a href="#">InterestLink</a> |
| <a href="#">Person</a>    | <a href="#">interest_links</a> | range | <a href="#">InterestLink</a> |

#### 7.1.3 Examples

##### 7.1.3.1 Example: InterestLink-interest\_links\_il\_burkart\_008

```
global_uri: act:il_burkart_008
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: Stiebel Eltron AG, Lupfig
legal_form: '0106'
committee: Beirat
function_role: Beirat
is_paid: true
```

##### 7.1.3.2 Example: InterestLink-interest\_links\_il\_burkart\_010

```
global_uri: act:il_burkart_010
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: Allianz Sicherheit Schweiz, Baden
legal_form: 0109
committee: Vorstand
```

```
function_role: Präsident  
is_paid: false
```

#### 7.1.3.3 Example: InterestLink-interest\_links\_il\_burkart\_002

```
global_uri: act:il_burkart_002  
person_reference:  
  global_uri: http://www.wikidata.org/entity/Q23060472  
  label: Thierry Burkart  
  group_label: FDP.Die Liberalen  
interest_type: professional_activity  
organization_name: Birchmeier Holding AG, Döttingen  
legal_form: '0106'  
committee: Verwaltungsrat  
function_role: Mitglied  
is_paid: true
```

#### 7.1.3.4 Example: InterestLink-interest\_links\_il\_burkart\_007

```
global_uri: act:il_burkart_007  
person_reference:  
  global_uri: http://www.wikidata.org/entity/Q23060472  
  label: Thierry Burkart  
  group_label: FDP.Die Liberalen  
interest_type: association  
organization_name: FONDATION SUISSE DE DEMINAGE (FSD), Genf  
legal_form: '0110'  
committee: Stiftungsrat  
function_role: Vizepräsident  
is_paid: false
```

#### 7.1.3.5 Example: InterestLink-interest\_links\_il\_burkart\_005

```
global_uri: act:il_burkart_005  
person_reference:  
  global_uri: http://www.wikidata.org/entity/Q23060472  
  label: Thierry Burkart  
  group_label: FDP.Die Liberalen  
interest_type: association  
organization_name: ASTAG Schweizerischer Nutzfahrzeugverband, Bern  
legal_form: 0109  
committee: Zentralvorstand  
function_role: Präsident  
is_paid: true
```

#### 7.1.3.6 Example: InterestLink-interest\_links\_il\_burkart\_001

```
global_uri: act:il_burkart_001  
person_reference:  
  global_uri: http://www.wikidata.org/entity/Q23060472  
  label: Thierry Burkart  
  group_label: FDP.Die Liberalen  
interest_type: professional_activity  
organization_name: Burkart Advisory GmbH, Baden  
legal_form: '0107'
```

```
committee: Geschäftsleitung
function_role: Geschäftsführer
is_paid: true
```

#### 7.1.3.7 Example: InterestLink-interest\_links\_il\_burkart\_003

```
global_uri: act:il_burkart_003
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: Bovida Real Estate AG, Baar
legal_form: '0106'
committee: Verwaltungsrat
function_role: Mitglied
is_paid: true
```

#### 7.1.3.8 Example: InterestLink-interest\_links\_il\_burkart\_011

```
global_uri: act:il_burkart_011
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: Verein Landesausstellung Svizra27, Aarau
legal_form: 0109
committee: Vorstand
function_role: Mitglied
is_paid: false
```

#### 7.1.3.9 Example: InterestLink-interest\_links\_il\_burkart\_004

```
global_uri: act:il_burkart_004
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: professional_activity
organization_name: ELCA Group SA, Lausanne
legal_form: '0106'
committee: Verwaltungsrat
function_role: Mitglied
is_paid: true
```

#### 7.1.3.10 Example: InterestLink-interest\_links\_il\_burkart\_006

```
global_uri: act:il_burkart_006
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: FDP.Die Liberalen
```



```
legal_form: 0109
committee: Vorstand
function_role: Präsident
is_paid: true
```

#### 7.1.3.11 Example: InterestLink-interest\_links\_il\_burkart\_009

```
global_uri: act:il_burkart_009
person_reference:
  global_uri: http://www.wikidata.org/entity/Q23060472
  label: Thierry Burkart
  group_label: FDP.Die Liberalen
interest_type: association
organization_name: SUISSEDIGITAL Verband für Kommunikationsnetze
legal_form: 0109
committee: Vorstand
function_role: Mitglied
is_paid: true
```

## 7.2 Enum: InterestTypeEnum

*Types of interest links (conflicts of interest, political financing).*

URI: [act:InterestTypeEnum](#)

### 7.2.1 Permissible Values

| Value                 | Description                                                                                                                                                                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| professional_activity | Professional activity outside the political mandate (e.g., employment, self-employment, consulting, board mandates in private companies).<br><a href="#">act:enum/interest_type/professional_activity</a>                                     |
| political_office      | Political office or mandate at other federal levels or in other bodies (e.g., cantonal/municipal parliament membership, government council, extra-parliamentary commission).<br><a href="#">act:enum/interest_type/political_office</a>       |
| association           | Membership in associations, federations, or interest organizations (e.g., industry associations, professional associations, lobby organizations, foundations, charitable associations).<br><a href="#">act:enum/interest_type/association</a> |

## 7.3 Enum: LegalFormEnum

*Legal forms based on the Swiss UID register codelist (eCH-0108). See <https://register.ld.admin.ch/i14y/concept/legalForm>*

URI: [act:LegalFormEnum](#)

### 7.3.1 Permissible Values

| Value | Description                                                                                                                                                                                      |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0101  | Sole proprietorship.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0101">https://register.ld.admin.ch/i14y/concept/legalForm/0101</a>                                          |
| 0103  | General partnership (GP).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0103">https://register.ld.admin.ch/i14y/concept/legalForm/0103</a>                                     |
| 0104  | Limited partnership (LP).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0104">https://register.ld.admin.ch/i14y/concept/legalForm/0104</a>                                     |
| 0105  | Corporation with unlimited partners (CUP).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0105">https://register.ld.admin.ch/i14y/concept/legalForm/0105</a>                    |
| 0106  | Corporation (Ltd).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0106">https://register.ld.admin.ch/i14y/concept/legalForm/0106</a>                                            |
| 0107  | Limited liability company (LLC).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0107">https://register.ld.admin.ch/i14y/concept/legalForm/0107</a>                              |
| 0108  | Cooperative.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0108">https://register.ld.admin.ch/i14y/concept/legalForm/0108</a>                                                  |
| 0109  | Association.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0109">https://register.ld.admin.ch/i14y/concept/legalForm/0109</a>                                                  |
| 0110  | Foundation.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0110">https://register.ld.admin.ch/i14y/concept/legalForm/0110</a>                                                   |
| 0111  | Branch of a foreign company.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0111">https://register.ld.admin.ch/i14y/concept/legalForm/0111</a>                                  |
| 0113  | Special legal form.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0113">https://register.ld.admin.ch/i14y/concept/legalForm/0113</a>                                           |
| 0114  | Limited Partnership for collective investment schemes (LPCI).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0114">https://register.ld.admin.ch/i14y/concept/legalForm/0114</a> |
| 0115  | Limited Partnership for collective investment                                                                                                                                                    |

eCH registered association

[www.ech.ch](http://www.ech.ch) / [info@ech.ch](mailto:info@ech.ch)

| Value | Description                                                                                                                                                                                                            |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | schemes with a variable capital (SICAV).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0115">https://register.ld.admin.ch/i14y/concept/legalForm/0115</a>                                            |
| 0116  | Limited Partnership for collective investment schemes with a fixed capital (SICAF).<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0116">https://register.ld.admin.ch/i14y/concept/legalForm/0116</a> |
| 0117  | Public-law institution.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0117">https://register.ld.admin.ch/i14y/concept/legalForm/0117</a>                                                             |
| 0118  | Non-commercial power of attorney.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0118">https://register.ld.admin.ch/i14y/concept/legalForm/0118</a>                                                   |
| 0119  | Representative of the community of property.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0119">https://register.ld.admin.ch/i14y/concept/legalForm/0119</a>                                        |
| 0151  | Branch.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0151">https://register.ld.admin.ch/i14y/concept/legalForm/0151</a>                                                                             |
| 0220  | Administrative unit of the Confederation.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0220">https://register.ld.admin.ch/i14y/concept/legalForm/0220</a>                                           |
| 0221  | Administrative unit of the canton.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0221">https://register.ld.admin.ch/i14y/concept/legalForm/0221</a>                                                  |
| 0222  | Administrative unit of the district.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0222">https://register.ld.admin.ch/i14y/concept/legalForm/0222</a>                                                |
| 0223  | Administrative unit of the commune.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0223">https://register.ld.admin.ch/i14y/concept/legalForm/0223</a>                                                 |
| 0224  | Other public-law administrative unit.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0224">https://register.ld.admin.ch/i14y/concept/legalForm/0224</a>                                               |
| 0230  | Public-law institution of the Confederation.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0230">https://register.ld.admin.ch/i14y/concept/legalForm/0230</a>                                        |
| 0231  | Public-law institution of the canton.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0231">https://register.ld.admin.ch/i14y/concept/legalForm/0231</a>                                               |
| 0232  | Public-law institution of the district.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0232">https://register.ld.admin.ch/i14y/concept/legalForm/0232</a>                                             |

| Value | Description                                                                                                                                                                                              |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <a href="#">legalForm/0232</a>                                                                                                                                                                           |
| 0233  | Public-law institution of the commune.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0233">https://register.ld.admin.ch/i14y/concept/legalForm/0233</a>                                |
| 0234  | Other public-law institution.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0234">https://register.ld.admin.ch/i14y/concept/legalForm/0234</a>                                         |
| 0302  | Simple partnership.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0302">https://register.ld.admin.ch/i14y/concept/legalForm/0302</a>                                                   |
| 0312  | Permanent establishment or swiss representation of a foreign company.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0312">https://register.ld.admin.ch/i14y/concept/legalForm/0312</a> |
| 0327  | Foreign public company.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0327">https://register.ld.admin.ch/i14y/concept/legalForm/0327</a>                                               |
| 0328  | Foreign public administration.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0328">https://register.ld.admin.ch/i14y/concept/legalForm/0328</a>                                        |
| 0329  | International organisation.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0329">https://register.ld.admin.ch/i14y/concept/legalForm/0329</a>                                           |
| 0355  | Other cooperative.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0355">https://register.ld.admin.ch/i14y/concept/legalForm/0355</a>                                                    |
| 0361  | Trust.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0361">https://register.ld.admin.ch/i14y/concept/legalForm/0361</a>                                                                |
| 0362  | Fund.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0362">https://register.ld.admin.ch/i14y/concept/legalForm/0362</a>                                                                 |
| 0441  | Foreign company.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0441">https://register.ld.admin.ch/i14y/concept/legalForm/0441</a>                                                      |
| 0571  | Legal form undefined or unknown.<br><a href="https://register.ld.admin.ch/i14y/concept/legalForm/0571">https://register.ld.admin.ch/i14y/concept/legalForm/0571</a>                                      |

## 8 Shared Elements

### 8.1 Reference Classes

PersonReference and GroupReference are used to reference persons or groups **locally** within another entity. In addition to the actual link to the complete entity, only the relevant information at the **time of linking** is stored – so it is not necessary to repeat all the information about a person or group at every mention.

An example: A motion references the person who submitted it. In addition to the link to the complete person entity, the motion stores locally information such as the person's political party or role **at the time of submission**. If the person later changes party or role, the information in the motion nevertheless remains correct and immutable.

This serves three purposes:

- **Useful local data** without costly queries of the complete entity
- **No redundancy**, since not all information has to be repeated at every mention
- **Implicit versioning**, since the local reference remains unchanged even if the linked entity changes later

### 8.2 Class: PersonReference

*Lightweight reference to a person with key identification data at time of linking. Preserves historical accuracy even if the person changes later.*

#### 8.2.1 Attribute

| Name        | Cardinality and Range                          | Description                                                                                                                                         |
|-------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| label       | 1 <a href="#">String</a>                       | Mandatory short display name to identify the person within the organisation (e.g. with added birth year to distinguish persons with the same name). |
| label_long  | 0..1 <a href="#">String</a>                    | Optional long display name including academic titles and full official name (e.g. "Dr. Maria Muster-Beispiel").                                     |
| group_label | 0..1 <a href="#">String</a>                    | Name of the body/group at time of linking.                                                                                                          |
| local_id    | 0..1 <a href="#">String</a>                    | Local identifier. For example, a UUID from the council information system.<br>Inheritance: <a href="#">HasIdentification</a>                        |
| global_uri  | 1 <a href="#">Uri</a> or <a href="#">curie</a> | A unique, globally valid URI for the entity. Inheritance: <a href="#">HasIdentification</a>                                                         |

| Name         | Cardinality and Range           | Description                                                                                                                                                                                            |
|--------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| wikidata_uri | 0..1 <a href="#">Uriorcurie</a> | A URI that refers to a Wikidata entity, e.g. <a href="http://www.wikidata.org/entity/Q813067">http://www.wikidata.org/entity/Q813067</a> for Beat Jans. Inheritance: <a href="#">HasIdentification</a> |

### 8.2.2 Usages

| used by                      | used in                          | type  | used                            |
|------------------------------|----------------------------------|-------|---------------------------------|
| <a href="#">Membership</a>   | <a href="#">person_reference</a> | range | <a href="#">PersonReference</a> |
| <a href="#">InterestLink</a> | <a href="#">person_reference</a> | range | <a href="#">PersonReference</a> |

## 8.3 Class: GroupReference

*Lightweight reference to a group with key identification data at time of linking.*

### 8.3.1 Attribute

| Name         | Cardinality and Range               | Description                                                                                                                                                                                            |
|--------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| label        | 0..1 <a href="#">String</a>         | Assign a label to a structured piece of information (e.g., display name, position, etc.).                                                                                                              |
| abbreviation | * <a href="#">MultilingualValue</a> | Abbreviation (can be multilingual).                                                                                                                                                                    |
| local_id     | 0..1 <a href="#">String</a>         | Local identifier. For example, a UUID from the council information system. Inheritance: <a href="#">HasIdentification</a>                                                                              |
| global_uri   | 1 <a href="#">Uriorcurie</a>        | A unique, globally valid URI for the entity. Inheritance: <a href="#">HasIdentification</a>                                                                                                            |
| wikidata_uri | 0..1 <a href="#">Uriorcurie</a>     | A URI that refers to a Wikidata entity, e.g. <a href="http://www.wikidata.org/entity/Q813067">http://www.wikidata.org/entity/Q813067</a> for Beat Jans. Inheritance: <a href="#">HasIdentification</a> |

### 8.3.2 Usages

| used by                    | used in                         | type  | used                           |
|----------------------------|---------------------------------|-------|--------------------------------|
| <a href="#">Membership</a> | <a href="#">group_reference</a> | range | <a href="#">GroupReference</a> |

## 8.4 Reused Classes

### 8.5 Class: Address

*An address with a type (e.g., private address, business address) and a value.*

### 8.5.1 Attribute

| Name            | Cardinality and Range                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| address_type    | 0..1 <a href="#">AddressTypeEnum</a> | Type of address.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| address_uri     | 0..1 <a href="#">Uriorcurie</a>      | URI of the address from the Swiss federal building address register. The layer can be accessed at <a href="https://map.geo.admin.ch/#/map?topic=ech&amp;layers=ch.swisstopo.amtliches-gebaeudeadressverzeichnis">https://map.geo.admin.ch/#/map?topic=ech&amp;layers=ch.swisstopo.amtliches-gebaeudeadressverzeichnis</a> . Example of a valid URI: <a href="https://geo.ld.admin.ch/location/address/101904050">https://geo.ld.admin.ch/location/address/101904050</a> |
| street_address  | 0..1 <a href="#">String</a>          | Street address.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| postal_code     | 0..1 <a href="#">Integer</a>         | Postal code.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| postal_locality | 0..1 <a href="#">String</a>          | Locality.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

#### 8.5.1.1.1 Constraints

At least one of the following must be set:

- [postal\\_locality](#)
- [address\\_uri](#)

### 8.5.2 Usages

| used by                | used in                   | type  | used                    |
|------------------------|---------------------------|-------|-------------------------|
| <a href="#">Person</a> | <a href="#">addresses</a> | range | <a href="#">Address</a> |
| <a href="#">Group</a>  | <a href="#">addresses</a> | range | <a href="#">Address</a> |

### 8.5.3 Examples

#### 8.5.3.1 Example: Address-swiss\_politicians\_Beat\_Jans\_1

[address\\_type](#): [businessAddress](#)

[postal\\_locality](#): [Basel-Stadt](#)

## 8.6 Enum: AddressTypeEnum

*Types of addresses.*

—

URI: [act:AddressTypeEnum](#)

### 8.6.1 Permissible Values

| Value           | Description       |
|-----------------|-------------------|
| privateAddress  | Private address.  |
| businessAddress | Business address. |
| localAddress    | Local address.    |

## 8.7 Class: Contact

Contact information of a person indicating a type (e.g., email, LinkedIn) and a value.

### 8.7.1 Attribute

| Name         | Cardinality and Range             | Description                                                                       |
|--------------|-----------------------------------|-----------------------------------------------------------------------------------|
| contact_type | 1 <a href="#">ContactTypeEnum</a> | Type of contact information.                                                      |
| value        | 1 <a href="#">String</a>          | The value of an information besides other attributes such as type, language, etc. |

### 8.7.2 Usages

| used by                | used in                  | type  | used                    |
|------------------------|--------------------------|-------|-------------------------|
| <a href="#">Person</a> | <a href="#">contacts</a> | range | <a href="#">Contact</a> |
| <a href="#">Group</a>  | <a href="#">contacts</a> | range | <a href="#">Contact</a> |