

```
1 # NZZ Storytelling, script for the following article:
  https://www.nzz.ch/international/freund-und-feind-betrachtet-durch-die-brille-des-
  weissen-hauses-ld.1349175#subtitle-die-methodik-im-detail
2 # questions and comments: marie-jose.kolly@nzz.ch
3
4 ### MISE EN PLACE ###
5 library(dplyr)
6 library(tibble)
7 library(sotu)
8 library(tm)
9 library(ggplot2)
10 library(countrycode)
11 library(tidyr)
12 library(directlabels)
13
14 setwd("mypath/graphics")
15
16
17 #-----
  -----
18 ### VIEW AND CONFIGURE DATA ###
19 nrow(sotu_meta)
20 length(sotu_text)
21 head(sotu_text)
22
23 # write all sotu-addresses to directory
24 sotu_dir("mypath/data/sotu_originals", filenames)
25
26
27 #-----
  -----
28 ### CORPUS CREATION AND PROCESSING ###
29
30 # Read in as corpus
31 directoryIn<-"mypath/data/sotu_red_augm"
32 docs<-Corpus(DirSource(directoryIn, encoding = "UTF-8"), readerControl = list(language
  = "eng"))
33
34
35 ## Create different corpora containing different types of information
36
37 # Corpus 1: keep punctuation but remove whitespace
38 corpus1<-tm_map(docs, stripWhitespace)
39 directoryOut<-"mypath/data/sotu_corpus1"
40 writeCorpus(corpus1, path=directoryOut, filenames=paste0(substr(dir(directoryIn), 1,
  nchar(dir(directoryIn))-4), ".txt", sep=""))
41
42 # Corpus 2: remove punctuation and whitespace and convert to lowercase to count words,
  and for concept and frequent word analysis
43 corpus2<-tm_map(docs, removePunctuation, preserve_intra_word_dashes = TRUE)
44 corpus2<-tm_map(corpus2, stripWhitespace)
45 corpus2<-tm_map(corpus2, content_transformer(tolower))
46 directoryOut<-"mypath/data/sotu_corpus2"
47 writeCorpus(corpus2, path=directoryOut, filenames=paste0(substr(dir(directoryIn), 1,
  nchar(dir(directoryIn))-4), ".txt", sep=""))
48
```

```

49 # Corpus 3: additionally stemmed and stopped
50 corpus3<-tm_map(corpus2, removeWords, stopwords("english"))
51 corpus3<-tm_map(corpus3, stemDocument, language = "english")
52 directoryOut<-"mypath/data/sotu_corpus3"
53 writeCorpus(corpus3, path=directoryOut, filenames=paste0(substr(dir(directoryIn), 1,
nchar(dir(directoryIn))-4), ".txt", sep=""))
54
55
56 ## Create metadata frame
57
58 # to count words and characters, read in these files again with scan, which creates a
vector with one-word-one-element
59 txtCleanCorpus <- list.files(path="mypath/data/sotu_corpus2/", pattern="*.txt",
full.names=F, recursive=FALSE)
60 directoryCorpus2<-"mypath/data/sotu_corpus2/"
61
62 # build metadata from filenames and sotu_meta
63 filename<-unlist(lapply(strsplit(as.character(txtCleanCorpus), "\\."), '[[', 1))
64 year<-substr(filename, nchar(filename)-3, nchar(filename))
65 president<-substr(filename, 1, nchar(filename)-5) %>% gsub("-", " ", .) %>%
gsub("\\s$", "", .)
66
67 party<-c()
68 for (i in 1:length(president)) party[i]<-sotu_meta$party[grep(president[i],
tolower(gsub("\\.", "", sotu_meta$president)))[1]]
69
70 metadata<-data.frame(president, year, party)
71
72 # add party information for trump as he's not in sotu_meta
73 metadata[grep("trump", metadata$president),3]<-"Republican"
74
75
76 #-----
-----
77 ### ANALYSIS NUMBER OF WORDS ###
78
79 # number of characters
80 nChars<-c()
81 for (i in 1:length(txtCleanCorpus)){
82   nCharsi<-sum(nchar(scan(paste0(directoryCorpus2,"/",txtCleanCorpus[i],sep=""),
quote=NULL, what="x"))))
83   nChars<-rbind(nChars, nCharsi)
84 }
85
86 # number of words
87 nWords<-c()
88 for (i in 1:length(txtCleanCorpus)){
89   nWordsi<-length(scan(paste0(directoryCorpus2,"/",txtCleanCorpus[i],sep=""),
quote=NULL, what="x"))
90   nWords<-rbind(nWords, nWordsi)
91 }
92
93 metadata<-mutate(metadata, nWords=as.numeric(as.character(nWords)),
nChars=as.numeric(as.character(nChars)))
94
95 #total number of words
96 sum(metadata$nWords)

```

```

97
98 # plot
99 ggplot(metadata, aes(as.numeric(as.character(year)),nWords)) +
100   geom_bar(stat="identity") +
101   ggtitle("Anzahl Wörter in den Reden der US-Präsidenten")+
102   ylab("Absolute Anzahl Wörter")+
103   theme_minimal() +
104   theme(axis.text=element_text(family="GT America", color="#05032d", size=11),
105         axis.title.x=element_blank(),
106         axis.title.y=element_text(family="GT America", color="#05032d", size=13),
107         plot.title = element_text(family="GT America", color="#05032d", size=20), # or
108         play around with something like hjust=-0.12*(nchar(indicator)/10)
109         plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
110 hjust=-0.1),
111         plot.caption = element_text(family="GT America", color="#05032d", size=10,
112 hjust=-0.1, vjust=-3),
113         panel.grid = element_line(color="#ececfc", size=.3),
114         plot.margin=unit(c(1,1,1.5,1.2),"cm"))
115
116
117
118 #-----
119
120 ### ANALYSIS COUNTRIES AND REGIONS ###
121
122
123 ## AMERICA
124 americPerFile<-read.table("mypath/data/datafiles/amicUSPerFile.txt", sep="\t")
125 colnames(amicPerFile)<-c("file", "amic", "ourRepublic", "our_federalUnion", "US")
126 metadata_amic<-metadata %>%
127   as.tibble(.) %>%
128   mutate(amic=100*(amicPerFile$amic/nWords)) %>%
129   mutate(ourRepublic=100*(amicPerFile$ourRepublic/nWords)) %>%
130   mutate(our_federalUnion=100*(amicPerFile$our_federalUnion/nWords)) %>%
131   mutate(US=100*(amicPerFile$US/nWords)) %>%
132   gather(key=word, value=prop, amic, ourRepublic, our_federalUnion, US)
133
134 # plot
135 ggplot(metadata_amic, aes(as.numeric(as.character(year)),prop, fill=word)) +
136   geom_bar(stat="identity") +
137   ggtitle("America(n), United States, Union und Republic in den Reden der US-
138 Präsidenten")+
139   ylab("Proportional zur Anzahl Wörter in Rede, in Prozent")+
140   theme_minimal() +
141   theme(axis.text=element_text(family="GT America", color="#05032d", size=11),
142         axis.title.x=element_blank(),
143         axis.title.y=element_text(family="GT America", color="#05032d", size=13),
144         plot.title = element_text(family="GT America", color="#05032d", size=20),
145         plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
146 hjust=-0.1),
147         plot.caption = element_text(family="GT America", color="#05032d", size=10,
148 hjust=-0.1, vjust=-3),
149         panel.grid = element_line(color="#ececfc", size=.3),
150         plot.margin=unit(c(1,1,1.5,1.2),"cm"))
151
152
153 ## AMERICA VERSUS ALL OTHER COUNTRIES AND REGIONS
154

```

```

147 # first we need to build some regex with a vector of country names - use the
    countrycode_data-dataframe in the countrycode-package
148 summary(countrycode_data)
149 unique(countrycode_data$region)
150 countrycode_data$country.name.en
151
152 grepCountriesForBash<-paste0("&& grep -o", " '",
    countrycode_data$country.name.en.regex, "' ", "$file | wc -l | tr -d 'XXX' && printf
    \"\nYYY\n\" \\\")
153
154 write.table(grepCountriesForBash, file="mypath/analysis/grepCountries.txt",
    row.names=F, quote=F, fileEncoding="UTF-8")
155 ### CAREFUL: REPLACE XXX BY \n IN THE .TXT FILE and YYY BY \t. THEN TRANSFORM INTO
    BASH-SCRIPT stateOfUnion.sh
156 ### CAREFUL 2: THERE WAS A LOT OF HAND-CLEANING AND -AUGMENTING IN THE BASH-SCRIPT
    BELONGING TO THIS
157
158 # see bash-script for text analysis
159
160 # read in countries-per-file, regions-per-file and define colnames
161 countriesPerFile<-read.table("mypath/data/datafiles/countriesPerFileC2.txt", sep="\t")
162 colnames(countriesPerFile)<-c("file", countrycode_data$country.name.en)
163
164 regionsPerFile<-read.table("mypath/data/datafiles/regionsPerFileC2.txt", sep="\t")
165 colnames(regionsPerFile)<-c("file", "asiaPacific", "europe", "africa", "polynesia",
    "caribbean", "southAmerica", "northAmerica", "middleNearEast", "southAsia")
166
167 #replace the US-column in countriesPerFile by the row sums of americPerFile, because
    this was counted in a methodologically cleaner way (corpus 1, including 'US' but not
    'us')
168 americAll<-rowSums(amicPerFile[,2:length(amicPerFile)])
169 countriesPerFile$`United States of America`<-americAll
170
171 #remove US-column for row-sums without US
172 countriesPerFile$`United States of America`
173 countriesPerFile[,256]
174 countriesPerFile_noUS<-countriesPerFile[,-c(256)]
175
176 #verify
177 countriesPerFile_noUS[,grep("United States", colnames(countriesPerFile_noUS))]
178 head(rowSums(countriesPerFile[,2:length(countriesPerFile)]))
179 head(rowSums(countriesPerFile_noUS[,2:length(countriesPerFile_noUS)]))
180 head(amicAll)
181
182 #all countries but US: kick out doubles (2nd and 3rd occurrence of yemen, take korea as
    a whole and not north and south korea,
183 #get rid of BRD, DDR and only keep germany as a whole, get rid of austria-hungary, and
    of 2nd occurrence of virgin islands)
184 grep("Korea", colnames(countriesPerFile_noUS)) #north korea: 129, south korea: 194
185 grep("German", colnames(countriesPerFile_noUS)) #BRD: 79, DDR: 89
186 grep("Austria", colnames(countriesPerFile_noUS)) #austria-hungary: 17
187 grep("Hungar", colnames(countriesPerFile_noUS))
188 grep("Yemen", colnames(countriesPerFile_noUS)) #2nd and 3rd: 268, 269
189 grep("Virgin", colnames(countriesPerFile_noUS)) #2nd: 263
190
191 countriesPerFile_red<-countriesPerFile_noUS[,-c(17, 79, 89, 129,194,263, 268, 269)]
192

```

```

193 ### plot us vs rest with regions, too
194 countriesRegionsPerFile<-data.frame(countriesPerFile_red, regionsPerFile[,-1])
195 allButUS_regions<-rowSums(countriesRegionsPerFile[,2:length(countriesRegionsPerFile)])
196
197 usVsRest_regions<-data.frame("file"=countriesPerFile$file,
198 "USA"=countriesPerFile$`United States of America`, "rest"=allButUS_regions)
199
200 metadata_usVsRest_regions<-metadata %>%
201   bind_cols(usVsRest_regions) %>%
202   group_by(year) %>%
203   mutate(USA_prop=100*(USA/nWords)) %>%
204   mutate(rest_prop=100*(rest/nWords)) %>%
205   select(-USA, -rest) %>%
206   gather(key=partOfWorld, value=prop, -president, -year, -party, -nWords, -nChars, -
207     file)
208
209 # plot
210 ggplot(metadata_usVsRest_regions, aes(as.numeric(as.character(year)), prop,
211   col=partOfWorld)) +
212   geom_point() +
213   geom_smooth(span=0.1, se=F) +
214   ylab("Anteil an allen Wörtern pro Rede")+
215   theme_minimal() +
216   scale_x_continuous(breaks=seq(1790,2018, 5))+
217   theme(axis.text=element_text(family="GT America", color="#05032d", size=10,
218     angle=90),
219     axis.title.x=element_blank(),
220     axis.title.y=element_text(family="GT America", color="#05032d", size=13),
221     plot.title = element_text(family="GT America", color="#05032d", size=20),
222     plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
223     hjust=-0.1),
224     plot.caption = element_text(family="GT America", color="#05032d", size=10,
225     hjust=-0.1, vjust=-3),
226     panel.grid = element_line(color="#ececfc", size=.3),
227     plot.margin=unit(c(1,1,1.5,1.2),"cm"))
228 ggsave("usVsRest_pointSmoother.svg", width = 18, height=9)
229
230 ## 20 most named countries overall
231 countryTotals<-colSums(countriesPerFile[,2:length(countriesPerFile)])
232 countryTotals
233 sort(countryTotals, decreasing = T)
234
235 #the 20 most frequent countries
236 frequentCountries<-data.frame(countriesPerFile$file,
237   countriesPerFile$`United States of America`,
238   countriesPerFile$Mexico,
239   countriesPerFile$`United Kingdom of Great Britain and
240   Northern Ireland`,
241   countriesPerFile$Spain,
242   countriesPerFile$`Russian Federation`,
243   countriesPerFile$France,
244   countriesPerFile$China,
245   countriesPerFile$Cuba,
246   countriesPerFile$Japan,
247   countriesPerFile$Germany,
248   countriesPerFile$Panama,

```

```

243 countriesPerFile$Iraq,
244 countriesPerFile$Nicaragua,
245 countriesPerFile$`Iran (Islamic Republic of)`,
246 countriesPerFile$Korea,
247 countriesPerFile$`Viet Nam`,
248 countriesPerFile$Brazil,
249 countriesPerFile$Canada,
250 countriesPerFile$Afghanistan,
251 countriesPerFile$Colombia,
252 countriesPerFile$Philippines)
253
254 # plot overall frequency
255 frequentCountries_totals <- colSums(frequentCountries[,2:length(frequentCountries)])
256 nbs<-as.numeric(as.character(frequentCountries_totals))
257 nms<-c("USA", "Mexiko", "Grossbritannien", "Spanien", "Russland / Sowjetunion",
"Frankreich", "China", "Kuba", "Japan", "Deutschland", "Panama", "Irak", "Nicaragua",
"Iran", "Korea", "Vietnam", "Brasilien", "Kanada", "Afghanistan", "Kolumbien",
"Philippinen")
258 frequentCountries_totals<-data.frame("country"=nms, "counts"=nbs)
259
260 #reorder levels according to frequency
261 orderVar<-frequentCountries_totals$counts
262 frequentCountries_totals$country<-factor(frequentCountries_totals$country,
levels=frequentCountries_totals$country[order(orderVar, decreasing=T)])
263 print(levels(frequentCountries_totals$country)) #check
264
265 frequentCountries_noUS<-frequentCountries_totals[grep("USA",
frequentCountries_totals$country, invert = T),]
266
267 ggplot(frequentCountries_noUS, aes(country, counts))+
268   geom_bar(stat="identity")+
269   ylab("Anzahl Erwähnungen insgesamt")+
270   theme_minimal() +
271   theme(axis.text=element_text(family="GT America", color="#05032d", size=10,
angle=90),
272         axis.title.x=element_blank(),
273         axis.title.y=element_text(family="GT America", color="#05032d", size=13),
274         plot.title = element_text(family="GT America", color="#05032d", size=20),
275         plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1),
276         plot.caption = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1, vjust=-3),
277         panel.grid = element_line(color="#ececfc", size=.3),
278         plot.margin=unit(c(1,1,1.5,1.2),"cm"))
279 ggsave("frequentCountries_bar.svg", width = 18, height=9)
280
281 # plot over time: small mult
282 colnames(frequentCountries)<-c("file", "USA", "Mexiko", "Grossbritannien", "Spanien",
"Russland / Sowjetunion", "Frankreich", "China", "Kuba", "Japan", "Deutschland",
"Panaama", "Irak", "Nicaragua", "Iran", "Korea", "Vietnam", "Brasilien", "Kanada",
"Afghanistan", "Kolumbien", "Philippinen")
283
284 # calculate proportions relative to nWords per file
285 metadata_countries<-metadata %>%
286   bind_cols(frequentCountries) %>%
287   group_by(year) %>%
288   summarize_at(vars(USA:Philippinen, nWords),sum) %>%

```



```

289 mutate_at(vars(USA:Philippinen), funs((. / nWords)*100)) %>%
290 select(-Philippinen, -Kolumbien, -Iran, -Nicaragua, -Panama, -Brasilien) %>%
291 gather(key=country, value=prop, -year)
292
293 #reorder levels according to frequency of occurrence
294 frequentCountries_totals_red<-
frequentCountries_totals[grepl("Philip|Kolum|Iran|Nicara|Panam|Brasi",
frequentCountries_totals$country, invert=T),]#get rid of unused countries
295
296 metadata_countries_augm<-merge(metadata_countries, frequentCountries_totals_red,
by.x="country", by.y="country", all=F)
297 metadata_countries_augm$country<-as.factor(metadata_countries_augm$country)
298 levels(metadata_countries_augm$country)
299 metadata_countries_augm$country <- factor(metadata_countries_augm$country,
levels(metadata_countries_augm$country)[c(14,11,5,13,12,4,2,10,7,3,6,15,9,8,1)])
300
301 #plot small mult
302 ggplot(metadata_countries_augm, aes(as.numeric(as.character(year)),prop, col=country))
+
303 geom_line() +
304 ylab("Anteil an allen Wörtern pro Rede")+
305 facet_wrap(~country, ncol=5) +
306 theme_minimal() +
307 theme(axis.text=element_text(family="GT America", color="#05032d", size=11),
308 axis.title.x=element_blank(),
309 axis.title.y=element_text(family="GT America", color="#05032d", size=13),
310 plot.title = element_text(family="GT America", color="#05032d", size=20),
311 plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1),
312 plot.caption = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1, vjust=-3),
313 panel.grid = element_line(color="#ececfc", size=.3),
314 plot.margin=unit(c(1,1,1.5,1.2),"cm"))
315 ggsave("smallMultiples_desktopTest.svg", plot = last_plot(), width=16, height=9)
316
317
318 #plot one-by-one for small-multiple-layout (y-axis with USA, same for all)
319 for(i in unique(metadata_countries_augm$country)){
320 filename<-paste0(gsub("/", "", i), "Xtime_smallmultiples.svg")
321 countryi<-filter(metadata_countries_augm, country==i)
322 ggplot(countryi, aes(as.numeric(as.character(year)),prop)) +
323 geom_line() +
324 ggtitle(paste0(i))+
325 ylab("Anteil an allen Wörtern pro Rede")+
326 ylim(0,1.78)+ #possibly adapt
327 scale_x_continuous(breaks=c(1790, seq(1800,2010, 50),2018))+
328 theme_minimal() +
329 theme(axis.text=element_text(family="GT America", color="#05032d", size=10,
angle=90),
330 axis.title.x=element_text(family="GT America", color="#05032d", size=13,
hjust=1, vjust=-4), # or play around with something like vjust=-4/nchar(title.chars)
331 axis.title.x=element_blank(),
332 axis.title.y=element_text(family="GT America", color="#05032d", size=13),
333 plot.title = element_text(family="GT America", color="#05032d", size=20), #
or play around with something like hjust=-0.12*(nchar(indicator)/10)
334 plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1),

```

```

335     plot.caption = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1, vjust=-3),
336     panel.grid = element_line(color="#ececfc", size=.3),
337     plot.margin=unit(c(1,1,1.5,1.2),"cm"))
338     ggsave(filename, width=9, height=9)
339 }
340
341
342 #plot one-by-one for grouped small-multiple-layout (y-axis without USA but same for all)
343 metadata_countries_augm_noUS<-metadata_countries_augm[grep("USA",
metadata_countries_augm$country, invert=T),]
344 for(i in unique(metadata_countries_augm_noUS$country)){
345   filename<-paste0(gsub("/", "", i), "Xtime_groups.svg")
346   countryi<-filter(metadata_countries_augm, country==i)
347   ggplot(countryi, aes(as.numeric(as.character(year)),prop)) +
348     geom_line() +
349     ggtitle(paste0(i))+
350     ylab("Anteil an allen Wörtern pro Rede")+
351     ylim(0,1.25)+ #possibly adapt
352     scale_x_continuous(breaks=c(1790, seq(1800,2010, 50),2018))+
353     theme_minimal() +
354     theme(axis.text=element_text(family="GT America", color="#05032d", size=10,
angle=90),
355       axis.title.x=element_blank(),
356       axis.title.y=element_text(family="GT America", color="#05032d", size=13),
357       plot.title = element_text(family="GT America", color="#05032d", size=20), #
or play around with something like hjust=-0.12*(nchar(indicator)/10)
358       plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1),
359       plot.caption = element_text(family="GT America", color="#05032d", size=10,
hjust=-0.1, vjust=-3),
360       panel.grid = element_line(color="#ececfc", size=.3),
361       plot.margin=unit(c(1,1,1.5,1.2),"cm"))
362     ggsave(filename, width=9, height=9)
363 }
364
365
366 ### ANALYSIS OF THE MOST FREQUENT COUNTRIES PER PRESIDENT ###
367
368 metadata_countries<-metadata %>%
369   bind_cols(countriesPerFile) %>%
370   gather(key=country, value=counts, -president, -year, -party, -nWords, -nChars, -file)
371
372 #get most important countries per president - and mean proportion per country (i.e., we
value each year the same, regardless of whether there was more or less text)
373 presiCntry<-metadata_countries %>%
374   group_by(president, country) %>%
375   summarise(cntryMean=n(counts), startYear=min(as.numeric(as.character(year)))) %>%
376   arrange(desc(cntryMean))
377
378 maxCntriesPresi<-data.frame()
379 for(i in unique(metadata_countries$president)){
380   presi<-presiCntry %>% filter(president==i)
381   maxima<-presi[1:6,]
382   maxCntriesPresi<-bind_rows(maxCntriesPresi, maxima)
383 }

```



```

384
385 #get most important countries per president - and sum per country
386 presiCntry_counts<-metadata_countries %>%
387   group_by(president, country) %>%
388   summarise(cntrySum=sum(counts), startYear=min(as.numeric(as.character(year)))) %>%
389   arrange(desc(cntrySum))
390
391 #get rid of doubles
392 presiCntry_counts_red<-presiCntry_counts[grep("Heard|Federal|Democratic",
393   presiCntry_counts$country, invert=T),]
394 print(presiCntry_counts_red[presiCntry_counts_red$president=="donald j trump",], n=25)
395
396 #with sums, not means
397 maxCntriesPresi<-data.frame()
398 for(i in unique(metadata_countries$president)){
399   presi<-presiCntry_counts_red %>% filter(president==i)
400   maxima<-presi[1:8,]
401   maxCntriesPresi<-bind_rows(maxCntriesPresi, maxima)
402 }
403
404 #reorder factor levels according to startYear of president
405 maxCntriesPresi$startYear<-as.numeric(as.character(maxCntriesPresi$startYear)) # adapt
406 to the reuired variable
407 maxCntriesPresi$president<-factor(maxCntriesPresi$president,
408   levels(maxCntriesPresi$president)[order(unique(maxCntriesPresi$startYear),
409     decreasing=F)])
410 print(levels(maxCntriesPresi$president)) #check
411
412 # plot
413 ggplot(maxCntriesPresi, aes(country,cntrySum)) +
414   geom_bar(stat="identity", fill="lightgray") +
415   facet_wrap(~president, scales="free") +
416   ggtitle("Andere Länder in den Reden der US-Präsidenten")+
417   ylab("Proportional zur Anzahl Wörter in Rede, in Prozent")+
418   geom_text(aes(label=country, x=country, y=(cntrySum-cntrySum)), hjust=-.3, angle=90,
419     family="GT America", color="#05032d", size=2.5)+
420   theme_minimal() +
421   theme(axis.text.y=element_text(family="GT America", color="#05032d", size=11),
422     axis.text.x=element_blank(),
423     axis.title.x=element_blank(),
424     axis.title.y=element_text(family="GT America", color="#05032d", size=13),
425     plot.title = element_text(family="GT America", color="#05032d", size=20),
426     plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
427       hjust=-0.1),
428     plot.caption = element_text(family="GT America", color="#05032d", size=10,
429       hjust=-0.1, vjust=-3),
430     panel.grid = element_line(color="#ececfc", size=.3),
431     plot.margin=unit(c(1,1,1.5,1.2),"cm"))
432
433 ## Trump
434 trump<-filter(maxCntriesPresi, president == "donald j trump")
435
436 #rename
437 trump$country<-c("USA", "Nordkorea", "China", "Iran", "Mexiko", "Kanada",
438   "Afghanistan", "Israel")
439
440

```

```
433 #reorder
434 orderVar<-trump$cntrySum
435 trump$country<-factor(trump$country, levels=trump$country[order(orderVar,
436 decreasing=T)])
437 #plot
438 ggplot(trump, aes(country,cntrySum)) +
439   geom_bar(stat="identity", fill="lightgray") +
440   ggtitle("Donald J. Trump")+
441   ylab("Anzahl Erwähnungen")+
442   theme_minimal() +
443   theme(axis.text.y=element_text(family="GT America", color="#05032d", size=11),
444         axis.text.x=element_text(family="GT America", color="#05032d", size=11,
445 angle=90),
446         axis.title.x=element_blank(),
447         axis.title.y=element_text(family="GT America", color="#05032d", size=13),
448         plot.title = element_text(family="GT America", color="#05032d", size=20),
449         plot.subtitle = element_text(family="GT America", color="#05032d", size=10,
450 hjust=-0.1),
451         plot.caption = element_text(family="GT America", color="#05032d", size=10,
452 hjust=-0.1, vjust=-3),
453         panel.grid = element_line(color="#ececfc", size=.3),
454         plot.margin=unit(c(1,1,1.5,1.2),"cm"))
455 ggsave("trump.svg")
456
```