

- Cutright DE, Hunsuck EE** (1972) The repair of fractures of the orbital floor using biodegradable polylactic acid. *Oral Surg Oral Med Oral Pathol*; 33(1):28–34.
- Edwards RC, Kiely KD, Eppley BL** (2001) The fate of resorbable poly-L-lactic/polyglycolic acid (LactoSorb) bone fixation devices in orthognathic surgery. *J Oral Maxillofac Surg*; 59(1):19–25.
- Enislidis G, Lagogiannis G, Wittwer G, et al** (2005) Fixation of zygomatic fractures with a biodegradable copolymer osteosynthesis system: short- and long-term results. *Int J Oral Maxillofac Surg*; 34(1):19–26.
- Enislidis G, Yerit K, Wittwer G, et al** (2005) Self-reinforced biodegradable plates and screws for fixation of zygomatic fractures. *J Craniomaxillofac Surg*; 33(2):95–102.
- Eppley BL** (2000) Zygomaticomaxillary fracture repair with resorbable plates and screws. *J Craniofac Surg*; 11(4):377–385.
- Ewers R, Förster H** (1985) [Resorbable materials for osteosynthesis: an experimental animal study]. *Dtsch Z Mund Kiefer Gesichtschir*; 9(3):196–201. German.
- Ferretti C** (2008) A prospective trial of poly-L-lactic/polyglycolic acid co-polymer plates and screws for internal fixation of mandibular fractures. *Int J Oral Maxillofac Surg*; 37(3):242–248.
- Ferretti C, Reyneke JP** (2002) Mandibular, sagittal split osteotomies fixed with biodegradable or titanium screws: a prospective, comparative study of postoperative stability. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 93(5):534–537.
- Getter L, Cutright DE, Bhaskar SN, et al** (1972) A biodegradable intraosseous appliance in the treatment of mandibular fractures. *J Oral Surg*; 30(5):344–348.
- Haerle F, Champy M, Terry B** (2009) *Atlas of Craniomaxillofacial Osteosynthesis: Microplates, Miniplates, and Screws*. 2nd ed. Stuttgart New York: Thieme.
- Haers PE, Sailer HF** (1998) Biodegradable self-reinforced poly-L/DL-lactide plates and screws in bimaxillary orthognathic surgery: short term skeletal stability and material related failures. *J Craniomaxillofac Surg*; 26(6):363–372.
- Heidemann W, Fischer JH, Koebke J, et al** (2003) [In vivo study of degradation of poly-(D,L-) lactide and poly-(L-lactide-co-glycolide) osteosynthesis material]. *Mund Kiefer Gesichtschir*; 7(5):283–288. German.
- Hoffmann J, Troitzsch D, Gulicher D, et al** (2002) Significance of biodegradable implants in case of midfacial fractures. *Biomed Tech (Berl)*; 47 Suppl 1:496–499.
- Jain SA, Simmons OP, Hanemann MS, et al** (2006) Comparison of tensile strength of resorbable plating systems used in monocortical mandible angle osteotomy repair. *Arch Facial Plast Surg*; 8(6):390–395.
- Joukainen A, Partio EK, Waris P, et al** (2007) Bioabsorbable screw fixation for the treatment of ankle fractures. *J Orthop Sci*; 12(1):28–34.
- Kulkarni RK, Pani KC, Neuman C, et al** (1966) Polylactic acid for surgical implants. *Arch Surg*; 93(5):839–843.
- Kumar AV, Staffenberg DA, Petronio JA, et al** (1997) Bioabsorbable plates and screws in pediatric craniofacial surgery: a review of 22 cases. *J Craniofac Surg*; 8(2):97–99.
- Landes CA, Ballon A** (2006a) Five-year experience comparing resorbable to titanium miniplate osteosynthesis in cleft lip and palate orthognathic surgery. *Cleft Palate Craniofac J*; 43(1):67–74.
- Landes CA, Ballon A** (2006b) Indications and limitations in resorbable P(L70/30DL) LA osteosyntheses of displaced mandibular fractures in 4.5-year follow-up. *Plast Reconstr Surg*; 117(2):577–587.
- Landes CA, Ballon A** (2006c) Skeletal stability in bimaxillary orthognathic surgery: P(L/DL)LA-resorbable versus titanium osteofixation. *Plast Reconstr Surg*; 118(3):703–721.
- Landes CA, Ballon A, Sader R** (2007) Segment stability in bimaxillary orthognathic surgery after resorbable Poly(L-lactide-co-glycolide) versus titanium osteosyntheses. *J Craniofac Surg*; 18(5):1216–1229.
- Landes CA, Kriener S** (2003) Resorbable plate osteosynthesis of sagittal split osteotomies with major bone movement. *Plast Reconstr Surg*; 111(6):1828–1840.
- Landes CA, Kriener S, Menzer M, et al** (2003) Resorbable plate osteosynthesis of dislocated or pathological mandibular fractures: a prospective clinical trial of two amorphous L-/DL-lactide copolymer 2-mm miniplate systems. *Plast Reconstr Surg*; 111(2):601–610.
- Leonhardt H, Demmrich A, Mueller A, et al** (2008) INION compared with titanium osteosynthesis: a prospective investigation of the treatment of mandibular fractures. *Br J Oral Maxillofac Surg*; 46(8):631–634.
- Losken HW, van Aalst JA, Mooney MP, et al** (2008) Biodegradation of Inion fast-absorbing biodegradable plates and screws. *J Craniofac Surg*; 19(3):748–756.
- Mai R, Lauer G, Pilling E, et al** (2007) Bone welding: a histological evaluation in the jaw. *Ann Anat*; 189(4):350–355.
- Matthew IR, Frame JW** (1999) Policy of consultant oral and maxillofacial surgeons towards removal of miniplate components after jaw fracture fixation: pilot study. *Br J Oral Maxillofac Surg*; 37(2):110–112.
- Matthews NS, Khambay BS, Ayoub AF, et al** (2003) Preliminary assessment of skeletal stability after sagittal split mandibular advancement using a bioresorbable fixation system. *Br J Oral Maxillofac Surg*; 41(3):179–184.
- Mazzonetto R, Paza AO, Spagnoli DB** (2004) A retrospective evaluation of rigid fixation in orthognathic surgery using a biodegradable self-reinforced (70L:30DL) polylactide. *Int J Oral Maxillofac Surg*; 33(7):664–669.
- Nieminen T, Rantala I, Hiidenheimo I, et al** (2008) Degradative and mechanical properties of a novel resorbable plating system during a 3-year follow-up in vivo and in vitro. *J Mater Sci Mater Med*; 19(3):1155–1163.
- Norholt SE, Pedersen TK, Jensen J** (2004) Le Fort I miniplate osteosynthesis: a randomized, prospective study comparing resorbable PLLA/PGA with titanium. *Int J Oral Maxillofac Surg*; 33(3):245–252.
- Peltoniemi H, Ashammakhi N, Kontio R, et al** (2002) The use of bioabsorbable osteofixation devices in craniomaxillofacial surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 94(1):5–14.
- Pietrzak WS, Sarver DR, Verstynen ML** (1997) Bioabsorbable polymer science for the practicing surgeon. *J Craniofac Surg*; 8(2):87–91.
- Pilling E, Meissner H, Jung R, et al** (2007) An experimental study of the biomechanical stability of ultrasound-activated pinned (SonicWeld Rx+Resorb-X) and screwed fixed (Resorb-X) resorbable materials for osteosynthesis in the treatment of simulated craniosynostosis in sheep. *Br J Oral Maxillofac Surg*; 45(6):451–456.
- Reichwein A, Schicho K, Moser D, et al** (2009) Clinical experiences with resorbable ultrasonic-guided, angle-stable osteosynthesis in the panfacial region. *J Oral Maxillofac Surg*; 67(6):1211–1217.
- Ricalde P, Engroff SL, Von Fraunhofer JA, et al** (2005) Strength analysis of titanium and resorbable internal fixation in a mandibulotomy model. *J Oral Maxillofac Surg*; 63(8):1180–1183.
- de Roche VR, Kuhn A, de Roche-Weber P, et al** (1996) [Development of a resorbable implant: experimental reconstruction of the orbits with polylactate membranes. Animal model and preliminary results.] *Handchir Mikrochir Plast Chir*; 28(1):28–33. German.
- Rokkanen P, Böstman O, Vainionpää S, et al** (1985) Biodegradable implants in fracture fixation: early results of treatment of fractures of the ankle. *Lancet*; 1(8443):1422–1424.
- Rozema FR, Bos RR, Boering G, et al** (1991) The effects of different steam-sterilization programs on material properties of poly(L-lactide). *J Appl Biomater*; 2(1):23–28.
- Shetty V, Caputo AA, Kelso I** (1997) Torsion-axial force characteristics of SR-PLLA screws. *J Craniomaxillofac Surg*; 25(1):19–23.
- Stoelting PJ, Borstlap WA** (2003) The fixation of sagittal split osteotomies with miniplates: the versatility of a technique. *J Oral Maxillofac Surg*; 61(12):1471–1476.
- Suuronen R, Kallela I, Lindqvist C** (2000) Bioabsorbable plates and screws: current state of the art in facial fracture repair. *J Craniomaxillofac Trauma*; 6(1):19–27.

- Suuronen R, Pohjonen T, Hietanen J, et al** (1998) A 5-year in vitro and in vivo study of the biodegradation of polylactide plates. *J Oral Maxillofac Surg*; 56(5):604–614.
- Tatum SA, Losquadro WD** (2008) Advances in craniofacial surgery. *Arch Facial Plast Surg*; 10(6):376–380.
- Törmälä P, Vainionpää S, Kilpikari J, et al** (1987) The effects of fibre reinforcement and gold plating on the flexural and tensile strength of PGA/PLA copolymer materials in vitro. *Biomaterials*; 8(1):42–45.
- Törmälä P, Rokkanen P, Laiho J, et al** (inventors) Material for osteosynthesis devices. Tampere, Finland: Institute of Plastics Technology. Finnish patent No. 85/1828.
- Turvey TA, Bell RB, Tejera TJ, et al** (2002) The use of self-reinforced biodegradable bone plates and screws in orthognathic surgery. *J Oral Maxillofac Surg*; 60(1):59–65.
- Yerit KC, Enislidis G, Schopper C, et al** (2002) Fixation of mandibular fractures with biodegradable plates and screws. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 94(3):294–300.
- Yerit KC, Hainich S, Turhani D, et al** (2005) Stability of biodegradable implants in treatment of mandibular fractures. *Plast Reconstr Surg*; 115(7):1863–1870.
- Wiltfang J, Merten HA, Schultze-Mosgau S, et al** (2000) Biodegradable miniplates (LactoSorb): long-term results in infant minipigs and clinical results. *J Craniofac Surg*; 11(3):239–243; discussion 244–245.
- Wittwer G, Adeyemo WL, Yerit K, et al** (2006) Complications after zygoma fracture fixation: is there a difference between biodegradable materials and how do they compare with titanium osteosynthesis? *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 101(4):419–425.
- Chapter 1.4.3**
- Adell R, Lekholm U, Rockler B, et al** (1981) A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int J Oral Surg*; 10(6):387–416.
- Adell R, Lekholm U, Rockler B, et al** (1986) Marginal tissue reactions at osseointegrated titanium fixtures. (I) A 3-year longitudinal prospective study. *Int J Oral Maxillofac Surg*; 15(1):39–52.
- Ahn DK, Sims CD, Randolph MA, et al** (1997) Craniofacial skeletal fixation using biodegradable plates and cyanoacrylate glue. *Plast Reconstr Surg*; 99(6):1508–1515.
- Albrektsson T, Brånemark PI, Hansson HA, et al** (1981) Osseointegrated titanium implants. *Acta Orthop Scand*; 52(2):155–170.
- Baumgart FW, Cordey J, Morikawa K, et al** (1993) AO/ASIF self-tapping screws (STS). *Injury*; 24; Suppl 1:S1–17.
- Block MS, Kent JN** (1993) Endosseous Implants for Maxillofacial Reconstruction. *Philadelphia*; Saunders, 56–59.
- Champy M, Wilk A, Schnebelen JM** (1975) [Treatment of mandibular fractures by means of osteosynthesis without intermaxillary immobilization according to F. X. Michelet's technic.] *Zahn Mund Kieferheilk Zentralbl*; 63(4):339–341. German.
- Cheung LK, Zhang Q, Wong MC, et al** (2003) Stability consideration for internal maxillary distractors. *J Craniomaxillofac Surg*; 31(3):142–148.
- Cohen J, Wulff J** (1972) Clinical failure caused by corrosion of a vitallium plate; case report, new testing methods for crevice corrosion, and new techniques for fashioning cobalt chromium alloys to be used in surgical implants. *J Bone Joint Surg Am*; 54(3):617–628.
- Cohen SR, Boydston W, Hudgins R, et al** (1999) Monobloc and facial bipartition distraction with internal devices. *J Craniofac Surg*; 10(3):244–251.
- Cutright DE, Hunsuck EE** (1972) The repair of fractures of the orbital floor using biodegradable polylactic acid. *Oral Surg, Oral Med Oral Pathol*; 33(1):28–34.
- Cutright DE, Hunsuck EE, Beasley JD** (1971) Fracture reduction using a biodegradable material, polylactic acid. *J Oral Surg*; 29(6):393–397.
- Disegi J** (2003) AO/ASIF Unalloyed Titanium Implant Material. 5th ed. Paoli: *Synthes Maxillofacial*, 1–27.
- Disegi J** (2003) AO/ASIF Wrought Titanium – 15% Molybdenum Implant Material. 3rd ed. Paoli: *Synthes Maxillofacial*, 1–25.
- Disegi J** (1998) AO/ASIF Wrought 18% Chromium – 14% Molybdenum Stainless Steel Implant Material. 1st ed. Paoli: *Synthes Maxillofacial*, 1–26.
- Disegi J** (1993) AO/ASIF Titanium – 6% Aluminum – 7% Niobium Implant Material. 1st ed. Paoli: *Synthes Maxillofacial*, 1–20.
- Disegi JA, Wyss H** (1989) Implant materials for fracture fixation: a clinical perspective. *Orthopedics*; 12(1):75–79.
- Ducours JL, Ardanza B, Modschiedler T, et al** (1992) Current evaluation of a self-tapping screw system in traumatologic and orthognathic surgery. *Rev Stomatol Chir Maxillofac*; 93(3):167–171.
- Eppeley BL, Sparks C, Herman E, et al** (1993) Effects of skeletal fixation on craniofacial imaging. *J Craniofacial Surg*; 4(2):67–73.
- Eriksson RA, Albrektsson T** (1984) The effect of heat on bone regeneration: an experimental study in the rabbit using the bone growth chamber. *J Oral Maxillofac Surg*; 42(11):705–711.
- Eriksson AR, Albrektsson T, Albrektsson B** (1984) Heat caused by drilling cortical bone: temperature measured in vivo in patients and animals. *Acta Orthop Scand*; 55(6):629–631.
- Getter L, Cutright DE, Bhaskar SN, et al** (1972) A biodegradable intraosseous appliance in the treatment of mandibular fractures. *J Oral Surg*; 30(5):344–348.
- Grimalt F, Romaguera C** (1980) Acute nickel dermatitis from a metal implant. *Contact Dermatitis*; 6(6):441.
- Guntermann J, Gellrich NC, Schramm A, et al** (1998) The Synthes 1.5 and 2.0 self-drilling screw: indication in maxillofacial surgery. *J Craniomaxillofac Surg*; 26:S65.
- Gutwald R** (1999) Biomechanical stability of an internal mini-fixation-system in maxillofacial osteosynthesis. *J Med Biol Eng Comp*; 37:S280.
- Haug RH** (1996) Retention of asymptomatic bone plates used for orthognathic surgery and facial fractures. *J Oral Maxillofac Surg*; 54(5):611–617.
- Haug RH, Fattahi TT, Goltz M** (2001) A biomechanical evaluation of mandibular angle fracture plating techniques. *J Oral Maxillofac Surg*; 59(10):1199–1210.
- Haug RH, Jenkins WS, Brandt MT** (2002) Advances in plate and screw technology: thoughts on design and clinical application. *Semin Plastic Surg*; 16:219–227.
- Haug RH, Street CC, Goltz M** (2002) Does plate adaptation affect stability? A biomechanical comparison of locking and nonlocking systems. *J Oral Maxillofac Surg*; 60(11):1319–1326.
- Harding AF, Cook SD, Thomas KA, et al** (1985) Clinical and metallurgical analysis of retrieved Jewett and Richards hip plate devices. *Clin Orthop Relat Res*; 195:261–269.
- Heidemann W, Gerlach KL** (1999) Clinical applications of drill free screws in maxillofacial surgery. *J Craniomaxillofac Surg*; 27(4):252–255.
- Heidemann W, Gerlach KL, Grobel KL, et al** (1998) Drill free screws: a new form of osteosynthesis screw. *J Craniomaxillofac Surg*; 26(3):163–168.
- Heidemann W, Terheyden H, Gerlach KL** (2001) Analysis of the osseous/metal interface of drill free screws and self-tapping screws. *J Craniomaxillofac Surg*; 29(2):69–74.
- Herford AS, Ellis E** (1998) Use of a locking reconstruction bone plate/screw system for mandibular surgery. *J Oral Maxillofac Surg*; 56(11):1261–1265.
- Hobar PC** (1992) Methods of rigid fixation. *Clin Plast Surg*; 19(1):31–39.
- Ilizarov G** (1989) The tension-stress effect on the genesis and growth of tissue, I: the influence of stability of fixation and soft-tissue preservation. *Clin Orthop Relat Res*; 238:249–281.
- Ilizarov G** (1989) The tension-stress effect on the genesis and growth of tissue, II: the influence of the rate and frequency of distraction. *Clin Orthop Relat Res*; 239:263–285.
- Ilizarov G** (1990) Clinical application of the tension-stress effect for limb lengthening. *Clin Orthop Relat Res*; 250:8–26.

- Kerwala CJ, Martin IC, Allan W, et al** (1999) The effects of operator technique and bur design on temperature during osseous preparation for osteosynthesis self-tapping screws. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 88(2):145–150.
- Klein C, Howaldt HP** (1996) Correction of mandibular hypoplasia by means of bidirectional callus distraction. *J Craniomaxillofac Surg*; 7(4):258–266.
- Klotch DW, Gal TJ, Gal RL** (1999) Assessment of plate use for mandibular reconstruction: has changing technology made a difference? *Otolaryngol Head Neck Surg*; 121(4):388–392.
- Kulkarni RK, Pani KC, Neuman C, et al** (1966) Polylactic acid for surgical implants. *Arch Surg*; 93(5):839–843.
- Lane WA** (1893) On the advantage of steel screws in the treatment of ununited fractures. *Lancet*; 2:1500.
- Lauer G, Schmelzeisen R** (1999) Endoscope-assisted fixation of mandibular condylar process fractures. *J Oral Maxillofac Surg*; 57(1):36–39.
- Lee C, Stiebel M, Young DM** (2000) Cranial nerve VII region of the traumatized facial skeleton: optimizing fracture repair with the endoscope. *J Trauma*; 48(3):423–431.
- Lekholm U, Adell R, Lindhe J, et al** (1986) Marginal tissue reactions at osseointegrated titanium fixtures. (II) A cross-sectional study. *Int J Oral Maxillofac Surg*; 15:53–61.
- Michelet FX, Deymes J, Dessus B** (1973) Osteosynthesis with miniaturized screwed plates in maxillofacial surgery. *J Maxillofac Surg*; 1(2):79–84.
- Millar BG, Frame JW, Browne RM** (1990) A histological study of stainless steel and titanium screws in bone. *Br J Oral Maxillofac Surg*; 28(2):92–95.
- Oron U, Alter A** (1984) Corrosion in metal implants embedded in various locations of the body in rats. *Clin Orthop Relat Res*; 185:295–300.
- Phillips JH, Rahn BA** (1989) Comparison of compression and torque measurements of self-tapping and pretapped screws. *Plast Reconstr Surg*; 83(3):447–56.
- Pietrzak WS, Sarver DR, Verstynen ML** (1997) Bioabsorbable polymer science for the practicing surgeon. *J Craniofac Surg*; 8(2):87–91.
- Pietrzak WS, Sarver DR, Verstynen ML** (1996) Bioresorbable implants: practical considerations. *Bone*; 19 Suppl 1:109S–119S.
- Pietrzak WS, Verstynen ML, Sarver DR** (1997) Bioresorbable fixation devices: Status for the craniomaxillofacial surgeon. *J Craniofac Surg*; 8(2):92–96.
- Prein J** (1998) *Manual of Internal Fixation in the Cranio-Facial Skeleton*. New York: Springer-Verlag, 1–227.
- Rano JA, Savoy-Moore RT, Fallat LM** (2002) Strength comparison of allogenic bone screws, bioabsorbable screws, and stainless steel screw fixation. *J Foot Ankle Surg*; 41(1):6–15.
- Rose RM, Schiller AI, Radin EL** (1972) Corrosion-accelerated mechanical failure of a Vitallium nail-plate. *J Bone Joint Surg Am*; 54(4):854–862.
- Saka B** (2000) Mechanical and biochemical measurements of five currently available osteosynthesis systems of self-tapping screws. *Br J Oral Maxillofac Surg*; 38(1):70–75.
- Samchukov ML, Cope JB, Cherkashin AM** (1999) The effect of sagittal orientation of the distractor on the biomechanics of mandibular lengthening. *J Oral Maxillofac Surg*; 57(10):1214–1222.
- Sandler NA, Andreassen KH, Johns FR** (1999) The use of endoscopy in the management of subcondylar fractures of the mandible: a cadaver study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 88(5):529–531.
- Schimming R, Gellrich N, Gutwald R, et al** (1999) Self-drilling screws: clinical experiences in cranio and maxillofacial surgery. *Int J Oral Maxillofac Surg*; 28:S26.
- Schlich T** (2002) *Surgery, Science and Industry: A Revolution in Fracture Care, 1950's–1990's*. New York: Palgrave, MacMillan, 1–349.
- Spiessl B** (1989) *Internal Fixation of the Mandible: A Manual of AO/ASIF Principles*. New York: Springer-Verlag, 1–375.
- Spiessl B** (1976) *New Concepts in Maxillofacial Bone Surgery*. New York: Springer-Verlag, 1–194.
- Suuronen R, Kallela I, Lindqvist C** (2000) Bioabsorbable plates and screws: current state of the art in facial fracture repair. *J Craniomaxillofac Trauma*; 6(1):19–27.
- Tarr RR, Jorge R, Latta LL, et al** (1983) Histopathology and metallurgical analysis of a removed Lane plate at 53 years post implantation: a case report. *J Biomed Mater Res*; 17(5):785–792.
- Tilsley DA, Rotstein H** (1980) Sensitivity caused by internal exposure to nickel, chrome and cobalt. *Contact Dermatitis*; 6(3):175–178.
- Torgersen S, Gilhuus-Moe OT, Gjerdet NR** (1993) Immune response to nickel and some clinical observations after stainless steel miniplate osteosynthesis. *Int J Oral Maxillofac Surg*; 22(4):246–250.
- Troulis MJ, Kaban LB** (2001) Endoscopic approach to the ramus/condyle unit: clinical applications. *J Oral Maxillofac Surg*; 59(5):503–509.
- Williams DF** (1981) *Biocompatibility of Clinical Implant Material*. Boca Raton: CRC Press, 30–35, 78–89, 112–115.
- Yaremchuk MJ, Gruss JS, Manson PN** (1992) *Rigid Fixation of the Craniomaxillofacial Skeleton*. Boston: Butterworth-Heinemann, 15, 28–56, 79, 116, 124–125, 134–135.
- Waalikes MP, Rehm S, Kasprzak KS, et al** (1987) Inflammatory, proliferative, and neoplastic lesions at the site of metallic identification ear tags in Wistar [Crl(WI) BR] Rats. *Cancer Res*; 47(9):2445–2450.
- ### Chapter 1.5.2
- Bilkay U, Gürlür T, Bilkay U, et al** (1997) Comparison of fixation methods in treating mandibular fractures: scintigraphic evaluation. *J Craniofac Surg*; 8(4):270–273.
- Champy MA, Wilk JH, Schnebelen** (1975) [The treatment of mandibular fractures by means of osteosynthesis without intermaxillary immobilization according to F.X. Michelet.] *Zahn, Mund, Kieferheilk*; 63:339. German.
- Frost HM** (1990a) Skeletal structural adaptations to mechanical usage (SATMU): 1, Redefining Wolff's law: the bone modeling problem. *Anat Rec*; 226:403–414.
- Frost HM** (1990b) Skeletal structural adaptations to mechanical usage (SATMU): 1, Redefining Wolff's law: the bone modeling problem. *Anat Rec*; 226:414–421.
- Ghazal G, Jaquière C, Hammer B** (2004) Non-surgical treatment of mandibular fractures: survey of 28 patients. *Int J Oral Maxillofac Surg*; 33(2):141–145.
- Guerrissi JO** (2001) Fractures of mandible: is spontaneous healing possible? Why? When? *J Craniofac Surg*; 12(2):157–166.
- ### Chapter 1.5.6
- Champy M, Lodde JP** (1976) [Mandibular synthesis. Placement of the synthesis as a function of mandibular stress]. *Rev Stomatol*; 77(8):971–976. French.
- Champy M, Lodde JP, Kahn JL, Kielwasser P** (1986) Attempt at systematization in the treatment of isolated fractures of the zygomatic bone: techniques and results. *J Otolaryngol*; 15(1):39–43.
- Champy M, Lodde JP, Schmitt R et al** (1978) Mandibular osteosynthesis by miniature screwed plates via a buccal approach. *J Oral Maxillofac Surg*; 6(1):14–21.
- Härle F, Champy M, Terry BC** (1999) *Atlas of Craniomaxillofacial Osteosynthesis*. Stuttgart New York: Georg Thieme Verlag.
- LaTrenta G, McCarthy J et al** (1990) The role of rigid skeletal fixation in bone graft augmentation of the craniofacial skeleton. *Plast Reconstr Surg*; 84(4):578–587.
- Luhr HG** (1985) Basic research, surgical technique and results of fracture treatment with the Luhr-Mandibular-Compression-Screw System (MCS System). *Hjorting-Hansen E (ed), Oral and maxillofacial surgery*. Berlin: Quintessence, 124.
- Luhr HG** (1968) [On the stable osteosynthesis in mandibular fractures.] *Dtsch Zahnärztl Z*; 23(7):754. German.
- Perren SM, Cordey J** (1980) The concept of interfragmentary strain. *Uthoff HK, Stahl E (eds), Current concepts of internal fixation of fractures*. Berlin Heidelberg New York: Springer Verlag, 63–70.
- Phillips J, Rahn BA** (1988) Fixation effects on membranous and endochondral bone graft resorption. *Plast Reconstr Surg*; 82(5):872–877.

Rahn BA, Cordey J, Prein J, et al (1975) [Biomechanics of osteosynthesis in the mandible.] *Fortschr Kiefer Gesichtschir*; 19:37–42. German.

Spiesl B (1989) *Internal Fixation of the mandible. A manual of AO/ASIF Principles*. Heidelberg New York: Springer-Verlag.

Chapter 1.5.7

Andreasen JO, Andreasen FM (1999) *Essentials of traumatic injuries to the teeth*. Copenhagen: Munksgaard.

Blomlöf L (1981) Milk and saliva as possible storage media for traumatically exarticulated teeth prior to replantation. *Swed Dent J Suppl*; 8:1–26.

Dewhurst SN, Mason C, Roberts GJ (1998) Emergency treatment of orodental injuries: a review. *Br J Oral Maxillofac Surg*; 36(3):165–175.

Chapter 1.5.8

Ellis E III (2002) Outcomes of patients with teeth in the line of mandibular angle fractures treated with stable internal fixation. *J Oral Maxillofac Surg*; 60(8):863–865.

Iizuka T, Lindqvist C, Hallikainen D, et al (1991) Infection after rigid internal fixation of mandibular fractures: a clinical and radiologic study. *J Oral Maxillofac Surg*; 49(6):585–593.

Kahnberg KE, Ridell A (1979) Prognosis of teeth involved in the line of mandibular fractures. *Int J Oral Surg*; 8(3):163–172.

Chapter 1.5.9

Alexander R, Theodos L (1993) Fracture of the bone-grafted mandible secondary to stress shielding: report of a case and review of the literature. *J Oral Maxillofac Surg*; 51(6):695–697.

Altobelli DE (1992) Implant materials in rigid fixation: Physical, mechanical, corrosion, and biocompatibility considerations. *Yaremchuk MJ, Gruss JS, Manson PN (eds), Rigid fixation of the craniomaxillofacial skeleton*. Boston: Butterworth-Heinemann, 28–56.

Bartlett SP, DeLozier JB III (1992) Controversies in the management of pediatric facial fractures. *Clin Plast Surg*; 19(1):245–258.

Brown SA, Simpson JP (1981) Crevice and fretting corrosion of stainless-steel plates and screws. *J Biomed Mater Res*; 15(6):867–878.

Chandler CL, Uttley D, Archer DJ, et al (1994) Imaging after titanium cranioplasty. *Br J Neurosurg*; 8(4):409–414.

Cook SD, Thomas KA, Harding AF, et al (1987) The in vivo performance of 250 internal fixation devices: a follow-up study. *Biomaterials*; 8(3):177–184.

Cordey J, Perren SM, Steinemann SG (2000) Stress protection due to plates: myth or reality? A parametric analysis made using the composite beam theory. *Injury*; 31 Suppl 3:C1–13.

Dechow PC, Ellis E III, Throckmorton GS (1995) Structural properties of mandibular bone following application of a bone plate. *J Oral Maxillofac Surg*; 53(9):1044–1105.

Dujardin F, Fevrier V, Lecorvaisier C, et al (1995) Allergic dermatitis caused by metallic implants in orthopedic surgery. *Rev Chir Orthop Reparatrice Appar Mot*; 81(6):473–484.

Ellerbe DM, Frodel JL (1995) Comparison of implant materials used in maxillofacial rigid internal fixation. *Otolaryngol Clin North Am*; 28(2):365–372.

Exner GU, Malinin TI, Weber D, et al (1996) Titanium implant for the osteosynthesis of massive allograft reconstruction to improve follow-up by magnetic resonance imaging. *Bull Hosp Jt Dis*; 54(3):140–145.

Harris LJ, Tarr RR (1979) Implant failures in orthopaedic surgery. *Biomater Med Devices Artif Organs*; 7(2):243–255.

Haug RH (1996) Retention of asymptomatic bone plates used for orthognathic surgery and facial fractures. *J Oral Maxillofac Surg*; 54(5):611–617.

Haug RH, Cunningham LL, Brandt MT (2003) Plates, screws, and children: their relationship in craniomaxillofacial trauma. *J Long Term Eff Med Implants*; 13(4):271–287.

Kennady MC, Tucker MR, Lester GE, et al (1989) Histomorphometric evaluation of stress shielding in mandibular continuity defects treated with rigid fixation plates and bone grafts. *Int J Oral Maxillofac Surg*; 18(3):170–174.

Kennady MC, Tucker MR, Lester GE, et al (1989) Stress shielding effect of rigid internal fixation plates on mandibular bone grafts. A photon absorption densitometry and quantitative computerized tomographic evaluation. *Int J Oral Maxillofac Surg*; 18(5):307–310.

Klaue K, Fengels I, Perren SM (2000) Long-term effects of plate osteosynthesis: comparison of four different plates. *Injury*; 31(2):52–62.

Krischak GD, Gebhard F, et al (2004) Difference in metallic wear distribution released from commercially pure titanium compared with stainless steel plates. *Arch Orthop Trauma Surg*; 124(2):104–113.

de Mello-Filho FV, Auader M, Cano E, et al (2003) Effect of mandibular titanium reconstructive plates on radiation dose. *Am J Otolaryngol*; 24(4):231–235.

Orringer JS, Barcelona V, Buchman SR (1998) Reasons for removal of rigid internal fixation devices in craniofacial surgery. *J Craniofac Surg*; 9(1):40–44.

Postlethwaite KR, Philips JG, Booth S, et al (1989) The effects of small plate osteosynthesis on postoperative radiotherapy. *Br J Oral Maxillofac Surg*; 27(5):375–378.

Schiel H, Hammer B, Ehrenfeld M, et al (1996) [Therapy of infected mandibular fractures.] *Fortschr Kiefer Gesichtschir*; 41:170–173. German.

Steinemann SG (1996) Metal implants and surface reactions. *Injury*; 27 Suppl 3:C16–22.

Stoll P, Wächter R, Hodapp N, et al (1990) Radiation and osteosynthesis. Dosimetry on an irradiation phantom. *Cranio-maxillofac Surg*; 18(8):361–366. Review.

Stoll P, Wächter R, Hodapp A (1989) [Tumor irradiation after plate osteosynthesis. Dose determination on radiological phantom]. *Dtsch Z Mund Kiefer Gesichtschir*; 13(3):165–171. German.

Sullivan PK, Smith JF, Rozzelle AA (1994) Cranio-orbital reconstruction: safety and image quality of metallic implants on CT and MRI scanning. *Plast Reconstr Surg*; 94(5):589–596.

Thewes M, Kretschmer R, Gfesser M, et al (2001) Immunohistochemical characterization of the perivascular infiltrate cells in tissues adjacent to stainless steel implants compared with titanium implants. *Arch Orthop Trauma Surg*; 121(4):223–226.

Woo SL, Lothringer KS, Akeson WH, et al (1984) Less rigid internal fixation plates: historical perspectives and new concepts. *J Orthop Res*; 1(4):431–449.

Chapter 1.5.10

Arthur G, Berardo N (1989) A simplified method of maxillo-mandibular fixation. *J Oral Maxillofac Surg*; 47(11):1234.

Bell RB, Wilson DM (2008) Is the use of arch bars or interdental wire fixation necessary for successful outcomes in the open reduction and internal fixation of mandibular angle fractures? *J Oral Maxillofac Surg*; 66(10):2116–2222.

Cornelius CP, Ehrenfeld M (2010) The Use of MMF Screws: Surgical Technique, Indications, Contraindications, and Common Problems in Review of the Literature. *Cranial Maxillofac Trauma Reconstruction*; 3(2):55–80.

Dal Pont G (1965) [On the employment of juxtaosseous metallic hooks in intermaxillary fixation in jaw fractures]. *Riv Ital Stomat*; 20:791–797. Italian.

Dimitroulis G (2002) Management of fractured mandibles without the use of intermaxillary wire fixation. *J Oral Maxillofac Surg*; 60(12):1435–1438.

Ernst F (1927) [The treatment of mandibular fractures by the dentist.] *Kirschner M, Nordmann O (eds) Die Chirurgie, Band 4/1*. Berlin Wien: Urban & Schwarzenberg, 842. German.

Fordyce AM, Lalani Z, Songra AK, et al (1999) Intermaxillary fixation is not usually necessary to reduce mandibular fractures. *Br J Oral Maxillofac Surg*; 37(1):422–423.

- Gear AJ, Apasova E, Schmitz JP, et al** (2005) Treatment modalities for mandibular angle fractures. *J Oral Maxillofac Surg*; 63(5):655–663.
- Hippocrates H, Adams F** (1849) *The Genuine Works of Hippocrates*. London: Sydenham Society.
- Ho KS, Tan WK, Loh HS** (2000) Case reports: The use of intermaxillary screws to achieve intermaxillary fixation in the treatment of mandibular fractures. *Ann Acad Med Singapore*; 29(4):534–537.
- Hoffmann A, Mast G, Ehrenfeld M** (2003) [Usage of IMF screws for mandibulo-maxillary fixation.] *AO OP Journal*; 19:70–75. German.
- Iizuka T, Hallermann W, Seto I, et al** (2006). A titanium arch bar for maxillomandibular fixation in oral and maxillofacial surgery. *J Oral Maxillofac Surg*; 64(6):989–992.
- Ivy RH** (1922) Observations on fractures of the mandible. *JAMA*; 79(4):295–297.
- López-Arcas JM, Acero J, Mommaerts MY** (2010) Intermaxillary Fixation Techniques. *An EACMFS workbook on keying occlusion and restoring bony anatomy by intermaxillary fixation techniques*. Bruges: EACMFS.
- McGinn JD, Fedok FG** (2008) Techniques of maxillary-mandibular fixation. *Operative Techniques in Otolaryngology- Head and Neck Surgery*; 19(2):117–122.
- Obwegeser H** (1952) [A simple method of off-hand wiring of jaw fractures]. *Österr Z Stomatol*; 49(12):652–670. German.
- Otten JE** (1981) [Modified methods for intermaxillary immobilization]. *Dtsch Zahnärztl Z*; 36(2):91–92. German.
- Poggio PM, Incorvati C, Velo S, et al** (2006) “Safe zones”: a guide for miniscrew positioning in the maxillary and mandibular arch. *Angle Orthod*; 76(2):191–197.
- Roccia F, Tivolaccini A, Dell’Acqua, A et al** (2005) An audit of mandibular fractures treated by intermaxillary fixation using intraoral cortical bone screws. *J Craniomaxillofac Surg*; 33(4):251–254.
- Schneider AM, David LR, DeFranzo AJ, et al** (2000) Use of specialized bone screws for intermaxillary fixation. *Ann Plast Surg*; 44(2):154–157.
- Schuchardt K** (1956) [A proposal for improvement of wire splint ligature]. *Dtsch Zahn-Mund-Kieferheilk*; 24:39–44. German.
- Sindet-Pedersen S, Jensen J** (1990) Intermaxillary fixation of mandibular fractures with the bracket-bar. *J Craniomaxillofac Surg*; 18(7):297–298.
- Stout R** (1943) Intermaxillary wiring and intermaxillary elastic traction and fixation. *Manual of standard practice of plastic and maxillo-facial surgery. Military Surgical Manuals*. London Philadelphia: W.B. Saunders. 272–276.
- Thor A, Andersson L** (2001) Interdental wiring in jaw fractures: effects on teeth and surrounding tissues after a one-year follow-up. *Br J Oral Maxillofac Surg*; 39(5):398–401.
- Trinkle KL** (2009) [Lesions of the dental roots through intermaxillary fixation screws. A radiologic and clinical follow-up examination.] *Dissertation: LMU München: Department of Medicine*. German.
- Vartanian AJ, Alvi A** (2000) Bone-screw mandible fixation: an intraoperative alternative to arch bars. *Otolaryngol Head Neck Surg*; 123(6):718–721.
- Wolfe SA, Lovaas M, McCafferty LR** (1989) Use of miniplate to provide intermaxillary fixation in the edentulous patient. *J Craniomaxillofac Surg*; 17(1):31–33.
- Yamada T, Sumi Y, Okazaki Y, et al** (1998) A new intermaxillary fixation method using adhesive cast splints for avoiding skin puncture. *Aust Dent J*; 43(3):167–169.

