



Dermal Filler Anatomy



- | | |
|---|--|
| 1. Frown lines
(Glabellar rhytids) | 6. Downturned corners of mouth
(Depressed oral commissures) |
| 2. Cheek flattening
(Malar atrophy) | 7. Marionette lines
(Melomental folds) |
| 3. Nasolabial folds
(Melolabial folds) | 8. Chin line or mental crease
(Labiomental crease) |
| 4. Lip lines
(Perioral rhytids) | 9. Extended mental crease
(Extended labiomental crease) |
| 5. Lip thinning
(Lip atrophy) | 10. Chin flattening
(Mentum atrophy) |

FIGURE 1 ● Wrinkles, folds, and contour irregularities of the face—anterior-posterior (medical term).



- | | |
|---|--|
| 1. Frown lines
(Glabellar rhytids) | 6. Downturned corners of mouth
(Depressed oral commissures) |
| 2. Cheek flattening
(Malar atrophy) | 7. Marionette lines
(Melomental folds) |
| 3. Nasolabial folds
(Melolabial atrophy) | 8. Chin line or mental crease
(Labiomental crease) |
| 4. Lip lines
(Perioral rhytids) | 9. Extended mental crease
(Extended labiomental crease) |
| 5. Lip thinning
(Lip atrophy) | 10. Chin flattening
(Mentum atrophy) |

FIGURE 2 ● Wrinkles, folds, and contour irregularities of the face—oblique (medical term).




FIGURE 3 ● Vascular supply of the face.




FIGURE 4 ● Nerves of the face.




FIGURE 5 ● Facial landmarks.