EE 679 Computing Assignment 3

Name: Swrangsar Basumatary Roll: 09d07040

Question 1

Finding the narrowband spectrum of four syllables:

a) /a/ in ‘pani’



b) /a/ in ‘pani’ pre-emphasized


Narrowband spectrum for 'a_pani_pre_emphasized.wav'
4000
3500
3000
2500
2000
1500
1000
500
0
Hz
0.02
0.04
0.06
0.08
0.1
0.12
Time (Seconds)

c) /n/ in ‘pani’



d) /n/ in ‘pani’ pre-emphasized


Narrowband spectrum for 'n_pani_pre_emphasized.wav'
4000
3500
3000
2500
2000
1500
1000
500
0
Hz
0.02
0.03
0.04
0.05
0.06
0.07
0.08
Time (Seconds)

e) /I/ in ‘pani’



f) /I/ in ‘pani’ pre-emphasized


Narrowband spectrum for 'i_pani_pre_emphasized.wav'
4000
3500
3000
2500
2000
1500
1000
500
0
Hz
0.05
0.1
0.15
0.2
0.25
Time (Seconds)

g) /s/ in ‘uska’



h) /s/ in ‘uska’ pre-emphasized



Script for finding the narrowband spectrum

```
close all; clear all;


figure(100); clf;
printNarrowbandSpectrum('a_pani.wav');
[y, fs] = preEmphasize('a_pani.wav');
wavwrite(y, fs, 32, 'a_pani_pre_emphasized.wav');
figure(200); clf;
printNarrowbandSpectrum('a_pani_pre_emphasized.wav');

figure(300); clf;
printNarrowbandSpectrum('n_pani.wav');
[y, fs] = preEmphasize('n_pani.wav');
wavwrite(y, fs, 32, 'n_pani_pre_emphasized.wav');
figure(400); clf;
printNarrowbandSpectrum('n_pani_pre_emphasized.wav');
```

```
figure(500); clf;
printNarrowbandSpectrum('i_pani.wav');
[y, fs] = preEmphasize('i_pani.wav');
wavwrite(y, fs, 32, 'i_pani_pre_emphasized.wav');
figure(600); clf;
printNarrowbandSpectrum('i_pani_pre_emphasized.wav');

figure(700); clf;
printNarrowbandSpectrum('s_uska.wav');
[y, fs] = preEmphasize('s_uska.wav');
wavwrite(y, fs, 32, 's_uska_pre_emphasized.wav');
figure(800); clf;
printNarrowbandSpectrum('s_uska_pre_emphasized.wav');
```

Code for the functions used in finding the narrowband spectrum

```
function [signal, fs] = preEmphasize(inputFile)

[y, fs] = wavread(inputFile);
siz = size(y);
length = siz(1);

for k = 1:length
    if k > 1
        y(k) = y(k) - (0.97*y(k-1));
    end
end

signal = y;
end


function printNarrowbandSpectrum(fileInput)

[y, fs] = wavread(fileInput);

colormap('gray');
map = colormap;
imap = flipud(map);
M = round(0.030*fs);  % 30 ms window
N = 2^nextpow2(4*M); % with zero padding
w = 0.54 - 0.46 * cos(2*pi*[0:M-1]/(M-1)); % w = hamming(M);
[~,F,T,P] = spectrogram(y, w, (M*(15/16)), N, fs);
```

```
surf(T,F,10*log10(P),'edgecolor','none');
title(['Narrowband spectrum for ''', fileInput, ''''],
'interpreter', 'none');
axis tight;
colormap(imap);
view(0,90);
xlabel('Time (Seconds)'); ylabel('Hz');

end
```

Answer to Question 2(a)




Autocorrelation coefficients of 'a_pani' for p = '8
1.5
1
0.5
0
-0.5
1
2
3
4
5
6
7
8
9


Autocorrelation coefficients of 'a_pani' for p = '10
1.5
1
0.5
0
-0.5
0
2
4
6
8
10
12


Autocorrelation coefficients of 'a_pani' for p = '12
1.5
1
0.5
0
-0.5
0
2
4
6
8
10
12
14


Autocorrelation coefficients of 'a_pani' for p = '16
1.5
1
0.5
0
-0.5
-1
0
2
4
6
8
10
12
14
16
18


Autocorrelation coefficients of 'n_pani' for p = '6
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
1
2
3
4
5
6
7


Autocorrelation coefficients of 'n_pani' for p = '8
0.6
0.5
0.4
0.3
0.2
0.1
0
-0.1
1
2
3
4
5
6
7
8
9


Autocorrelation coefficients of 'n_pani' for p = '10
0.6
0.5
0.4
0.3
0.2
0.1
0
-0.1
-0.2
0
2
4
6
8
10
12


Autocorrelation coefficients of 'n_pani' for p = '12
0.6
0.5
0.4
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
2
4
6
8
10
12
14


Autocorrelation coefficients of 'n_pani' for p = '16
0.6
0.5
0.4
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
0
2
4
6
8
10
12
14
16
18


Autocorrelation coefficients of 'i_pani' for p = '6
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
1
2
3
4
5
6
7


Autocorrelation coefficients of 'i_pani' for p = '8
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
1
2
3
4
5
6
7
8
9


Autocorrelation coefficients of 'i_pani' for p = '10
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
-0.02
0
2
4
6
8
10
12


Autocorrelation coefficients of 'i_pani' for p = '12
0.2
0.15
0.1
0.05
0
-0.05
0
2
4
6
8
10
12
14


Autocorrelation coefficients of 'i_pani' for p = '16
0.25
0.2
0.15
0.1
0.05
0
-0.05
-0.1
0
2
4
6
8
10
12
14
16
18


Autocorrelation coefficients of 's_uska' for p = '6
15
10
5
0
-5
-10
-15
1
2
3
4
5
6
7


Autocorrelation coefficients of 's_uska' for p = '8
15
10
5
0
-5
-10
-15
1
2
3
4
5
6
7
8
9


Autocorrelation coefficients of 's_uska' for p = '10
15
10
5
0
-5
-10
-15
0
2
4
6
8
10
12


Autocorrelation coefficients of 's_uska' for p = '12
15
10
5
0
-5
-10
-15
0
2
4
6
8
10
12
14



Now the LP coefficient plots:


LP coefficients of 'a_pani' for p = '6
0.5
0.4
0.3
0.2
0.1
0
-0.1
-0.2
1
2
3
4
5
6


LP coefficients of 'a_pani' for p = '8
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
1
2
3
4
5
6
7
8


LP coefficients of 'a_pani' for p = '10
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
1
2
3
4
5
6
7
8
9
10


LP coefficients of 'a_pani' for p = '12
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
0
2
4
6
8
10
12


LP coefficients of 'a_pani' for p = '16
3
2
1
0
-1
-2
-3
0
2
4
6
8
10
12
14
16


LP coefficients of 'n_pani' for p = '6
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
1
2
3
4
5
6


LP coefficients of 'n_pani' for p = '8
2
1.5
1
0.5
0
-0.5
-1
-1.5
1
2
3
4
5
6
7
8


LP coefficients of 'n_pani' for p = '10
4
3
2
1
0
-1
-2
1
2
3
4
5
6
7
8
9
10


LP coefficients of 'n_pani' for p = '12
40
30
20
10
0
-10
-20
0
2
4
6
8
10
12


LP coefficients of 'n_pani' for p = '16
5000
0
-5000
-10000
0
2
4
6
8
10
12
14
16


LP coefficients of 'i_pani' for p = '6
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
1
2
3
4
5
6


LP coefficients of 'i_pani' for p = '8
2
1.5
1
0.5
0
-0.5
-1
-1.5
1
2
3
4
5
6
7
8


LP coefficients of 'i_pani' for p = '10
2.5
2
1.5
1
0.5
0
-0.5
-1
-1.5
1
2
3
4
5
6
7
8
9
10


LP coefficients of 'i_pani' for p = '12
25
20
15
10
5
0
-5
-10
-15
0
2
4
6
8
10
12


LP coefficients of 'i_pani' for p = '16
600
400
200
0
-200
-400
-600
-800
-1000
-1200
0
2
4
6
8
10
12
14
16


LP coefficients of 's_uska' for p = '6
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
1
2
3
4
5
6


LP coefficients of 's_uska' for p = '8
2.5
2
1.5
1
0.5
0
-0.5
-1
-1.5
1
2
3
4
5
6
7
8


LP coefficients of 's_uska' for p = '10
3
2
1
0
-1
-2
-3
-4
-5
1
2
3
4
5
6
7
8
9
10


LP coefficients of 's_uska' for p = '12
15
10
5
0
-5
-10
-15
-20
-25
-30
0
2
4
6
8
10
12


LP coefficients of 's_uska' for p = '16
200
150
100
50
0
-50
-100
-150
-200
0
2
4
6
8
10
12
14
16