# sweetalert2

♡ Sponsor     f   t

A BEAUTIFUL, RESPONSIVE, CUSTOMIZABLE, ACCESSIBLE (WAI-ARIA)
REPLACEMENT FOR JAVASCRIPT'S POPUP BOXES

ZERO DEPENDENCIES

Show success message

```
Swal.fire(
  'Good job!',
  'You clicked the button!',
  'success'
)
```

🏆   Become the Ultimate Sponsor of SweetAlert2 and place your banner here
(100K+ unique visitors per month!)   🏆

Get $100 in free credits with DigitalOcean!

# EXAMPLES

A basic message

Try me!

```
Swal.fire('Any fool can use a computer')
```

A title with a text under

Try me!

```
Swal.fire(
  'The Internet?',
  'That thing is still around?',
  'question'
)
```

A modal with a title, an error
icon, a text, and a footer

Try me!

```
Swal.fire({
  icon: 'error',
  title: 'Oops...',
  text: 'Something went wrong!',
  footer: '<a href="">Why do I have this issue?</a>'
})
```

# A modal window with a long content inside:

Try me!

```
Swal.fire({
  imageUrl: 'https://placeholder.pics/svg/300x1500',
  imageHeight: 1500,
  imageAlt: 'A tall image'
})
```

# Custom HTML description and buttons with ARIA labels

Try me!

```
Swal.fire({
  title: '<strong>HTML <u>example</u></strong>',
  icon: 'info',
  html:
    'You can use <b>bold text</b>, ' +
    '<a href="//sweetalert2.github.io">links</a> ' +
    'and other HTML tags',
  showCloseButton: true,
  showCancelButton: true,
  focusConfirm: false,
  confirmButtonText:
    '<i class="fa fa-thumbs-up"></i> Great!',
  confirmButtonAriaLabel: 'Thumbs up, great!',
  cancelButtonText:
    '<i class="fa fa-thumbs-down"></i>',
  cancelButtonAriaLabel: 'Thumbs down'
})
```

# A dialog with three buttons

Try me!

```
Swal.fire({
  title: 'Do you want to save the changes?',
  showDenyButton: true,
  showCancelButton: true,
  confirmButtonText: 'Save',
  denyButtonText: `Don't save`,
}).then((result) => {
  /* Read more about isConfirmed, isDenied below */
  if (result.isConfirmed) {
    Swal.fire('Saved!', '', 'success')
  } else if (result.isDenied) {
    Swal.fire('Changes are not saved', '', 'info')
  }
})
```

A custom positioned dialog

Try me!

```
Swal.fire({
  position: 'top-end',
  icon: 'success',
  title: 'Your work has been saved',
  showConfirmButton: false,
  timer: 1500
})
```

Custom animation with
Animate.css 

Try me!

```
Swal.fire({
  title: 'Custom animation with Animate.css',
  showClass: {
    popup: 'animate__animated animate__fadeInDown'
  },
  hideClass: {
    popup: 'animate__animated animate__fadeOutUp'
  }
})
```

A confirm dialog, with a
function attached to the
"Confirm"-button...

Try me!

```javascript
Swal.fire({
  title: 'Are you sure?',
  text: "You won't be able to revert this!",
  icon: 'warning',
  showCancelButton: true,
  confirmButtonColor: '#3085d6',
  cancelButtonColor: '#d33',
  confirmButtonText: 'Yes, delete it!'
}).then((result) => {
  if (result.isConfirmed) {
    Swal.fire(
      'Deleted!',
      'Your file has been deleted.',
      'success'
    )
  }
})
```

... and by passing a parameter,
you can execute something
else for "Cancel".

Try me!

```javascript
const swalWithBootstrapButtons = Swal.mixin({
  customClass: {
    confirmButton: 'btn btn-success',
    cancelButton: 'btn btn-danger'
  },
  buttonsStyling: false
})

swalWithBootstrapButtons.fire({
  title: 'Are you sure?',
  text: "You won't be able to revert this!",
  icon: 'warning',
  showCancelButton: true,
  confirmButtonText: 'Yes, delete it!',
  cancelButtonText: 'No, cancel!',
  reverseButtons: true
```

```
}).then((result) => {
  if (result.isConfirmed) {
    swalWithBootstrapButtons.fire(
      'Deleted!',
      'Your file has been deleted.',
      'success'
    )
  } else if (
    /* Read more about handling dismissals below */
    result.dismiss === Swal.DismissReason.cancel
  ) {
    swalWithBootstrapButtons.fire(
      'Cancelled',
      'Your imaginary file is safe :)',
      'error'
    )
  }
})
```

A message with a custom
image

Try me!

```
Swal.fire({
  title: 'Sweet!',
  text: 'Modal with a custom image.',
  imageUrl: 'https://unsplash.it/400/200',
  imageWidth: 400,
  imageHeight: 200,
  imageAlt: 'Custom image',
})
```

A message with custom width,
padding, background and
animated Nyan Cat

Try me!

```
Swal.fire({
  title: 'Custom width, padding, background.',
  width: 600,
```

```
  padding: '3em',
  background: '#fff url(/images/trees.png)',
  backdrop: `
    rgba(0,0,123,0.4)
    url("/images/nyan-cat.gif")
    left top
    no-repeat
  `
})
```

A message with auto close
timer

Try me!

```
let timerInterval
Swal.fire({
  title: 'Auto close alert!',
  html: 'I will close in <b></b> milliseconds.',
  timer: 2000,
  timerProgressBar: true,
  didOpen: () => {
    Swal.showLoading()
    const b = Swal.getHtmlContainer().querySelector('b')
    timerInterval = setInterval(() => {
      b.textContent = Swal.getTimerLeft()
    }, 100)
  },
  willClose: () => {
    clearInterval(timerInterval)
  }
}).then((result) => {
  /* Read more about handling dismissals below */
  if (result.dismiss === Swal.DismissReason.timer) {
    console.log('I was closed by the timer')
  }
})
```

Right-to-left support for
Arabic, Persian, Hebrew, and
other RTL languages

Try me!

```
Swal.fire({
  title: 'هل تريد الاستمرار؟',
  icon: 'question',
  iconHtml: '؟',
  confirmButtonText: 'نعم',
  cancelButtonText: 'لا',
  showCancelButton: true,
  showCloseButton: true
})
```

AJAX request example

Try me!

```
Swal.fire({
  title: 'Submit your Github username',
  input: 'text',
  inputAttributes: {
    autocapitalize: 'off'
  },
  showCancelButton: true,
  confirmButtonText: 'Look up',
  showLoaderOnConfirm: true,
  preConfirm: (login) => {
    return fetch(`//api.github.com/users/${login}`)
      .then(response => {
        if (!response.ok) {
          throw new Error(response.statusText)
        }
        return response.json()
      })
      .catch(error => {
        Swal.showValidationMessage(
          `Request failed: ${error}`
        )
      })
  },
  allowOutsideClick: () => !Swal.isLoading()
}).then((result) => {
  if (result.isConfirmed) {
    Swal.fire({
      title: `${result.value.login}'s avatar`,
      imageUrl: result.value.avatar_url
    })
  }
})
```

# DOWNLOAD & INSTALL

```
$ npm install sweetalert2
```

Or grab from **jsdelivr CDN** 🔗

```
<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
```

# USAGE

```
// ES6 Modules or TypeScript
import Swal from 'sweetalert2'

// CommonJS
const Swal = require('sweetalert2')


Swal.fire({
  title: 'Error!',
  text: 'Do you want to continue',
  icon: 'error',
  confirmButtonText: 'Cool'
})
```

# INTEGRATIONS WITH MAJOR JS FRAMEWORKS

≡

### React

### Vue

### Angular

Mixin example

Try me!

```
const Toast = Swal.mixin({
  toast: true,
  position: 'top-end',
  showConfirmButton: false,
  timer: 3000,
  timerProgressBar: true,
  didOpen: (toast) => {
    toast.addEventListener('mouseenter', Swal.stopTimer)
    toast.addEventListener('mouseleave', Swal.resumeTimer)
  }
})

Toast.fire({
  icon: 'success',
  title: 'Signed in successfully'
})
```

# HANDLING BUTTONS (CONFIRM, DENY, CANCEL)

When the user clicks a button, the Promise returned by Swal.fire() will be resolved with the SweetAlertResult object:

### onfirmed

...e "Confirm" button was clicked, the `value` will contain the result

### isDenied

The "Deny" button was clicked, the `value` will be `false` .
Alternatively, if there's an input in a popup, you can use `returnInputValueOnDeny: true` to return the input's value.

### isDismissed

The "Cancel" button was clicked, the `dismiss` will be `Swal.DismissReason.cancel`

### value

The value from the popup, possible values:

- `true` for simple confirmed dialogs
- `false` for denied popups
- any value for popups with inputs

### dismiss

The dismissal reason, see the Handling Dismissals section for details

# HANDLING DISMISSALS

When an alert is dismissed by the user, the Promise returned by `Swal.fire()` will be resolved with an object `{ isDismissed: true, dismiss: reason }` documenting the reason it was dismissed:

### Swal.DismissReason.backdrop
The user clicked the backdrop.

### Swal.DismissReason.cancel
The user clicked the cancel button.

### Swal.DismissReason.close

The user clicked the close button.

Swal.DismissReason.esc

The user clicked the Esc key.

Swal.DismissReason.timer

The timer ran out, and the alert closed automatically.

If a popup is dismissed by Swal.close() , the Promise will be resolved with an object { isDismissed: true } ( dismiss will be undefined ).

## ICONS

| success | Try me! |
|---------|---------|
| error | Try me! |
| warning | Try me! |
| info | Try me! |
| question | Try me! |

# INPUT TYPES

text                                    Try me!

email                                   Try me!

url                                     Try me!

password                                Try me!

textarea                                Try me!

select                                  Try me!

radio                                   Try me!

checkbox                                Try me!

file                                    Try me!

range                                   Try me!

# THEMES ⤴

Dark



Minimal



Borderless

## Bootstrap 4



## Bulma



## Material UI

## material-ui

OK

### WordPress Admin

## wordpress-admin

OK

## Themes Installation

You can install all themes at once:

```
$ npm install @sweetalert2/themes
```

Or just a single theme  @sweetalert2/theme-<theme_name> , e.g.:

```
$ npm install @sweetalert2/theme-dark
```

Or from jsdelivr CDN, e.g.:

```
<link href="//cdn.jsdelivr.net/npm/@sweetalert2/theme-dark@4/dark.css" r
<script src="//cdn.jsdelivr.net/npm/sweetalert2@11/dist/sweetalert2.min.
```

## Themes Usage

### With CSS:

```html
<!-- Include a required theme -->
<link rel="stylesheet" href="@sweetalert2/themes/dark/dark.css">
<script src="sweetalert2/dist/sweetalert2.min.js"></script>
```

### With SASS:

```js
// your-app.js
import Swal from 'sweetalert2/src/sweetalert2.js'

// your-app.scss
@import '~@sweetalert2/themes/dark/dark.scss';
```

# DONATIONS

Has SweetAlert2 helped you create an amazing application?
You can show your support by making a donation:

## Hall of Donators 🏆

# SPONSORS

For all questions related to sponsorship please contact me via email
limon.monte@protonmail.com

**Become a sponsor**

**FlowCrypt**

**life digital**

**Code Rubik**

**NDCHost**

**Bitvape**

**Halvin Laina**

**Tiago de Oliveira Stutz**

**SebaEBC**

# NSFW SPONSORS

Or, click the banner at the top of this page. We show high-quality tech ads via Carbon.

Ads injected into examples are only shown on this page, they are not the part of SweetAlert2's codebase and you will not have them when using SweetAlert2 for your projects.

# CONTRIBUTE

Feel free to fork SweetAlert2 on GitHub if you have any features that you want to add!