





DataViz_practice

Sophie Wulfin

2026-07-28










Figure 1: habitat preference

ANOVAS AND STATS


```
##              Df Sum Sq Mean Sq F value Pr(>F)
## SITE_TYPE      2    1753    876.7   6.052 0.00301 **
## Residuals    140   20279    144.9
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```



```
##              Df Sum Sq Mean Sq F value Pr(>F)
## DESA           1     942    942.1   6.298 0.0132 *
## Residuals    141   21091    149.6
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```



```
##              Df Sum Sq Mean Sq F value Pr(>F)
## SITE_TYPE      2     0.62  0.3082   0.984 0.376
## DESA           1     0.13  0.1256   0.401 0.527
## Residuals    139   43.51  0.3130
```



```
##              Df Sum Sq Mean Sq F value Pr(>F)
## SITE_TYPE      2     0.62  0.3082   0.991 0.374
## DESA           1     0.13  0.1256   0.404 0.526
## SITE_TYPE:DESA  2     0.93  0.4627   1.488 0.229
## Residuals     137   42.58  0.3108
```

STATS


















INDIVIDUAL SPECIES















































































QUALITY CHECKS

