Case file: SafePay ransomware (CISA AA26-293A), every feature in use

A second worked case, chosen to exercise **every function of the board** on one real incident: pictures on cards, OSINT lookups, VirusTotal and the other pivots, clusters, merges, snapshots, playback, STIX round trip, encryption and the rest. Each screenshot was captured from the running app by `tools/capture/safepay.cjs`; the yellow numbers mark the controls named under each picture. The automated run asserts that each step actually changed the case (see `docs/case-safepay/case-run.json`).

The event

On 20 October 2026 the FBI, CISA, the US Secret Service, Germany's LKA Rheinland-Pfalz, the UK National Crime Agency and the UK North West ROCU published the joint **#StopRansomware advisory AA26-293A on SafePay ransomware**. From that advisory:

- **Who and where:** active since August 2024 against businesses and critical infrastructure in North America, South America, Europe and Australia; at least 600 victims; among the most active ransomware groups of 2026.
- **Initial access:** stolen, guessed or brute-forced VPN credentials (often through Mullvad VPN exits) and edge-device vulnerabilities CVE-2020-3259, CVE-2023-20269, CVE-2023-27532, CVE-2024-40711 and CVE-2024-40766.
- **Inside the network:** admin on existing or new accounts, UAC bypass through a COM elevated process, token impersonation; PsExec, WinRM, RDP and RMM tools; ShareFinder.ps1, SharpShares.exe, netscan and NetExec for enumeration; AnyDesk or TeamViewer installed to push the locker.
- **Exfiltration and impact:** data staged with 7-Zip or WinRAR and moved with RClone, FileZilla, WinSCP, Backblaze b2.exe or OneDrive; Volume Shadow Copies stopped and NAS backups factory-reset; a ChaCha20 / RSA locker writes the `.SafePay` extension and deletes itself. The ransom note points to a TOR chat portal and a "representative" also phones the victim; unpaid victims are posted on a leak site.
- **Indicators used on the board:** the advisory's nine IP addresses (for example `88.119.167[.]239`, the soc.dll command-and-control address; `5.255.11[.]134` and `37.10.71[.]188` used in exfiltration; `167.235.225[.]149` hosting client login panels), six SHA-256 and four SHA-1 file hashes (locker.dll, soc.dll, SharpShares.exe, nxc and others), the five CVEs, and the hostnames WIN-SBOE3CPNAL, WIN-3IUUOFVTQAR, WIN-DK18BI83M0S, WIN-I1HRRJHCEIV.

Source: CISA, #StopRansomware: SafePay Ransomware (AA26-293A), 20 October 2026. Enrichment shown in the screenshots (RDAP registrations, VirusTotal detections, NVD text) was fetched live on 9 November 2026 and is dated on the cards.

Pictures used as evidence

File (`docs/case-safepay/evidence/`)	What it is	Card
`cisa-advisory-aa26-293a.png`	Capture of the advisory page on cisa.gov	Photo
`attack-path-diagram.png`	Analyst-drawn intrusion-path diagram from the advisory text (not an original artefact)	Photo
`operator-placeholder.png`	Placeholder portrait: no individual is identified	Person
`map-lithuania-baltics.png`	OpenStreetMap view of the Baltics; UAB Bacloud (LT) hosts the C2 address	Location
`map-falkenstein-de.png`	OpenStreetMap view around Falkenstein; Hetzner CLOUD-FSN1 hosts the login panels	Location
`nvd-cve-2024-40711.png`	Capture of the NVD entry for one exploited CVE	reference

Feature coverage

Feature	Where it is used
Templates, case bar (title, TLP, review, analyst)	S01, S19
Import case JSON / STIX / CSV	S01, S22
Extract IOCs (IPs, hashes, CVEs) → pin / inbox	S02
Evidence inbox: drag to board, Pin, type filters	S03, S14
Paste handler (text → note, URL → link)	S04
Quick add: techniques, events, person, transfer, locations, notes	S05
Photo cards, image upload, chain of custody (SHA-256)	S06
Person / location / target / transfer / document cards with images and fields	S06
Drag to arrange, clusters (create, rename, move, resize)	S07
Connect tool, pin-drag connect, all six relations, thread editor (evidence, confidence, swap, cut)	S08
OSINT workbench: IP (live DNS / RDAP), hash, CVE (live NVD), Pin as card, Copy findings	S09
Pivots (VirusTotal and others in a new tab), Copy defanged, Analyse with Claude	S10
Stamps, Admiralty grading, collected / first / last seen, per-card TLP, tasks with due dates, comments	S11
Actor library drop-in, False lead stamp, Merge duplicates	S12
Threads tab: suggestions accept / dismiss, manual thread	S13
Cross-case search, type filters, Reveal	S14
Timeline and kill-chain layouts	S15
Analysis of competing hypotheses	S16
Audit tab (stale indicators, overdue tasks, unsourced cards, inbox)	S17
Snapshots: save, diff, restore; playback; case log	S18
Key judgement, confidence, dissent, notes, review → published sign-off	S19
Request generator (RFI letter)	S20
Present mode	S21

Feature	Where it is used
Case brief, one-pager, STIX export and re-import, board PNG, case JSON, Delete case	S22
Delete + undo, zoom, Fit, panel toggles, encryption at rest, mobile list mode	S23

Verification: 37 of 37 checks passed.

▼ **Check list**


Result	Check	Detail
PASS	S01 import an earlier case (JSON) so cross-case search has something to find	
PASS	S01 new case from the Ransomware intrusion template	CASE 0420 · TLP:red · 9 starter cards
PASS	S02 Extract IOCs: IPs, SHA-256 hashes and CVEs from the advisory text → pin	20 pinned → 29
PASS	S02b Extract IOCs again: SHA-1 hashes → inbox (unpinned)	4 in inbox
PASS	S03 inbox: drag one card onto the board, Pin another	drag-and-drop worked; pinned 29 → 31
PASS	S04 paste text onto the board → note card; paste a URL → link card	note + link pinned
PASS	S05 quick add techniques, events, person, target, transfer, document, location	54 pinned
PASS	S06 photo cards with uploaded images (custody hash recorded)	
PASS	S06b person, locations, target, transfer and document cards	
PASS	S07 arrange the board and add three clusters	3 clusters
PASS	S08 threads with every relation type, plus a pin-drag connection	threads 0 → 18 (pin-drag worked)
PASS	S08b thread editor: evidence, confidence, swap, cut; thread label	
PASS	S09 OSINT workbench on the C2 IP (live DNS / RDAP + launchers)	

Result	Check	Detail
PASS	S09b OSINT on the soc.dll hash and on CVE-2024-40711 (live NVD)	
PASS	S10 Inspector pivots: open VirusTotal for the C2 IP in a new tab	
PASS	S10b Copy defanged, Analyse with Claude (falls back to a toast outside the Claude app)	
PASS	S11 stamp, Admiralty grade, dates, per-card TLP, tasks with due dates, comments	
PASS	S12 actor library: drop in LockBit for playbook comparison, then merge duplicate technique cards	pinned 57 → 60 after drop-in and merges
PASS	S13 Threads tab: accept one suggestion, dismiss one, add a manual thread	suggestions: 8; threads 22 → 24
PASS	S14 search across cases, type filters, Reveal	
PASS	S15 timeline and kill-chain layouts	
PASS	S16 ACH on the template hypotheses	
PASS	S17 Audit tab lists stale indicators, overdue tasks, unsourced cards, inbox leftovers	
PASS	S18 snapshot → change → diff → restore; playback; log	log entries 102
PASS	S19 key judgement, dissent, notes, review → published (sign-off)	
PASS	S20 request generator: RFI to the hosting provider	
PASS	S21 present mode	
PASS	S22 case brief and one-pager	
PASS	S22 download: STIX	case-0420-safepay-ransomware-aa26-293a-triage.stix.json
PASS	S22 download: Export image	case-0420-safepay-ransomware-aa26-293a-triage.png
PASS	S22 download: Export case	case-0420-safepay-ransomware-aa26-293a-triage.json

Result	Check	Detail
PASS	S22 STIX bundle re-imports as a new case (round trip), then Delete that case	{"report":1,"note":14,"attack-pattern":17,"threat-actor":2,"vulnerability":6,"indicator":19,"x-cryptocurrency-transaction":1,"location":2,"relationship":24,"grouping":4}
PASS	S22 CSV import into the inbox	items 62 → 66 (values already on the board are skipped by the importer)
PASS	S23 Delete + undo, zoom, Fit, Inbox / Panel toggles	
PASS	S23b encrypt at rest and unlock	
PASS	S23c mobile list mode	
PASS	no unexpected page errors (OSINT CORS refusals are expected)	

Steps


S01 · START THE CASE



New case → Ransomware intrusion. The template sets TLP:RED, seeds three hypotheses (exposed service, bought credentials, phishing loader), eight starter cards and four tasks. The case is named after the CISA alert code; the analyst name is stamped on everything from here on.

1. New case
2. TLP:RED from the template
3. Case switcher: the imported Okta case is also here
4. Starter cards


S02 · PULL THE IOCS OUT OF THE ADVISORY



Extract IOCs with the advisory's indicator tables pasted in: nine IP addresses, six SHA-256 hashes and five CVEs are recognised and typed automatically. "Pin selected to board" creates one indicator card each.

1. Extract
2. 20 indicators found

S03 · EVIDENCE INBOX



The SHA-1 hashes wait in the evidence inbox. Drag a card onto the board or press Pin; the remaining two stay unpinned (they still count in the Audit tab under "Still in the inbox").

1. Inbox with unpinned evidence
2. Pin (or drag the card onto the board)
3. Type filters

S06 · PHOTOS AND CUSTODY





Photo cards: "+ Photo" in the inbox, Pin, then Upload image in the Inspector. The file name, its SHA-256, who added it and when are recorded under Chain of custody. Here the analyst's own attack-path diagram; the other photo is a capture of the CISA advisory page.

1. Upload image (also: drop a file on the board, or paste a screenshot)
2. Chain of custody: file name, SHA-256, added by, added at
3. Photo card on the board


S06 · CARDS WITH IMAGES



Cards with pictures: the person card shows the uploaded placeholder (no photo on file), location cards carry map captures of the hosting regions found through RDAP, photo cards hold the advisory capture and the analyst diagram. Target and transfer cards print sector, region, impact, amount, from and to.

1. Person card with image
2. Location card with map
3. Transfer card (chain, amount, from, to)
4. Target card


S07 · ARRANGE AND CLUSTER



The board arranged: dated events and sources down the left, actor / victim / ransom / tooling next, then three clusters: Infrastructure (the nine IPs with the two location cards), Malware & exploited CVEs (hashes and CVEs), and the ATT&CK playbook. Clusters are created with "+ Cluster", renamed in the panel, moved by their label and resized from the corner; cards inside move with them.

1. ◦ Cluster
2. Cluster label: drag to move the group
3. Three clusters


S08 · THREAD THE EVIDENCE



Threads: Connect (C) with a relation picked on the toolbar, or drag a card's pin onto another card. Relations used here: controls (affiliate → infrastructure), located at (IP → map), resolves to (soc.dll → its C2), alias of (two locker.dll builds), linked to, suspected. The thread editor records the evidence, confidence, direction, and can cut the thread.

1. Connect tool
2. Relation picker
3. Evidence for this link
4. Confidence
5. Swap direction / Cut


S09 · OSINT ON THE C2 IP



OSINT on the C2 address 88.119.167[.]239: reverse DNS and RDAP come back live (UAB Bacloud, Lithuania, AS61272); AbuseIPDB, Shodan, Censys, GreyNoise, VirusTotal and the rest open as launchers. "Pin as card" writes the findings into the indicator card.

1. Selector detected as IP
2. Run
3. Copy findings


S09 · OSINT ON A HASH



The same workbench with the soc.dll SHA-256: hash lookups go to VirusTotal, MalwareBazaar, Hybrid Analysis and others. Services that refuse browser requests are marked "blocked" with an Open link.

1. Detected as a file hash


S09 · OSINT ON A CVE



CVE-2024-40711 (Veeam Backup & Replication, exploited by SafePay per CISA): the NVD lookup returns the description and CVSS live; launchers go to CVE.org, CISA KEV, EPSS and vendor advisories. Pin as card keeps the NVD text with the CVE.

1. Detected as a CVE
2. Pin as card


S10 · PIVOTS



Pivots on the selected indicator open VirusTotal, AbuseIPDB, Shodan, Censys, GreyNoise, urlscan and more in a new tab (the VirusTotal result for this IP is in the next picture: 14 of 92 vendors flag it). "Copy defanged" copies 88.119.167[.]239 for reports. "Analyse with Claude" asks for an assessment when the board runs inside the Claude app; elsewhere it says so.

1. Pivots
2. VirusTotal (opens in a new tab)
3. Analyse with Claude


S11 · GRADE AND HANDLE



Grading the C2 address: stamped Confirmed, source A1 (completely reliable, confirmed), collected and first/last seen dates (last seen Aug 2026, so the Audit tab will list it as stale), a per-card TLP:AMBER override on a TLP:RED case, two tasks with due dates (the first is already overdue) and a dated comment.

1. Source + Admiralty grade A1
2. Per-card TLP override
3. First / last seen → staleness


S11 · TASKS AND COMMENTS



Tasks with due dates and comments on the same card. Overdue tasks are flagged in the Audit tab.

1. Tasks with due date
2. Comments

S12 · ACTOR LIBRARY



Actor library. SafePay is not in it, so LockBit (the closest RaaS playbook: exposed services, valid accounts, remote services, encryption) is dropped in as a comparison. Drop in pins the actor plus a technique card per TTP, threaded together.

1. Drop in LockBit


S12 · MERGE DUPLICATES



Merge: LockBit's "Exploit Public-Facing Application" duplicates the technique already on the board. Select the duplicate, pick the card to keep under MERGE, press Merge: threads are re-pointed, tags / tasks / comments are unioned and the duplicate is removed (Ctrl+Z undoes it).

1. Merge this card into...
2. Merge


S13 · THREADS TAB



Threads tab: suggested threads appear when two cards share a tag, indicator or handle (accept or dismiss each), a manual form pins a thread between any two cards, and every thread is listed with its relation and confidence.

1. Threads tab
2. Manual thread


S14 · CROSS-CASE SEARCH



Search covers every case: "okta" dims this board (nothing here matches) and lists the hits from the imported Okta vishing case under the search box so you can jump across.

1. Search box


S14 · REVEAL



Reveal (R) with the affiliate card selected: only its direct threads (infrastructure it controls, victims, tools) and second-degree neighbours stay lit.

1. Reveal
2. Selected card


S15 · TIMELINE



Timeline (T): from first SafePay activity in August 2024 through the IOC window to the advisory on 20 October 2026 and the analyst captures of 9 November; undated cards sit on the shelf.

1. Timeline view
2. Timeline rail


S15 · KILL CHAIN



Kill chain (K): the thirteen techniques from the advisory fall into their ATT&CK tactic lanes, Initial Access through Impact, with threaded evidence under each.

1. Kill-chain lanes

S16 · COMPETING HYPOTHESES



ACH with the template's hypotheses: affiliate through an exposed service, credential bought from a broker, phishing with a loader. CISA reports both exposed-service CVEs and stolen credentials, so the first two stay consistent and the phishing-loader hypothesis collects the inconsistencies.

1. ACH matrix

S17 · AUDIT



Audit tab: the hygiene backlog. Unconnected cards, indicators without a stamp, events without a date, threads without evidence, stale indicators (last seen beyond 30 days), cards without a source, open and overdue tasks, and what is still in the inbox. Click a row to jump to the card.

1. Audit tab
2. Backlog by category


S18 · SNAPSHOTS AND LOG



Log tab: a named snapshot was saved, then a note was added and a CVE card deleted. Diff lists exactly what changed since the snapshot; Restore puts the board back. Below: playback rebuilds the board card by card in date order, and the append-only log records every action with time and analyst.

1. Snapshots: Save / Diff / Restore
2. Diff against the current board
3. Playback

S18 · PLAYBACK



Playback running: cards appear in chronological order so you can walk a reviewer through how the picture built up. Pause, scrub with the slider, or Exit.

1. Playback controls


S19 · JUDGEMENT AND SIGN-OFF



Notes tab: the key judgement with High confidence and the dissent (several IPs sit in CDN / GitHub / Google ranges and should not be blocklisted blindly). Setting the review state to Published records "Signed off by S. Murugan" with the time; it prints on the brief.

1. Key judgement + confidence + dissent + sign-off
2. Published → signed off
3. Working notes


S20 · REQUEST FOR INFORMATION



Request generator switched to Request for information, addressed to the Bacloud abuse desk, with the indicators ticked. Open letter renders a printable RFI (next picture) that lists them defanged with the case number, TLP and analyst.

1. Takedown request / RFI
2. Open letter


S21 · PRESENT



Present (P): panels hidden, exhibit counter at the bottom, arrow keys step through the numbered exhibits. Esc returns to the board.

1. Exhibit counter


S22 · STIX ROUND TRIP



The exported STIX 2.1 bundle imported back through Import: indicators, vulnerabilities, attack patterns, threat actor, identities, locations, the transaction, notes, relationships and groupings all come back as a new case (laid out on a grid). The same path accepts bundles from MISP / OpenCTI / vendor feeds.

1. Import (JSON / STIX / CSV)
2. New case created from the bundle


S23 · FINISHED BOARD



Inbox and Panel toggled off for a clean view of the finished board; zoom with the wheel or the – / + buttons, F to fit.

1. Inbox toggle
2. Panel toggle
3. Fit (F)

S23 · ENCRYPTED AT REST



Encrypt saved cases with a passphrase (TLP:RED material should not sit in plain localStorage). The next visit asks for it before anything is shown.

1. Passphrase prompt


S23 · MOBILE



On a phone the same case is a list; Board / List and Panel toggles sit in the top bar.

Generated documents

VIRUSTOTAL PIVOT RESULT



What the VirusTotal pivot opened for 88.119.167[.]239 on 9 November 2026: 14 of 92 vendors flag the address; AS61272 UAB Bacloud, Lithuania.

THE RFI LETTER

PRINT / SAVE AS PDF

TLP:RED
Case reference: CASE 0420 — SafePay ransomware — AA26-293A triage
Date: 2026-11-09
To: UAB Bacloud abuse desk (AS61272)
From: S. Murugan

Subject: Request for information — SafePay ransomware — AA26-293A triage

We are investigating SafePay ransomware — AA26-293A triage and would value any information you hold on the following indicators, including first/last seen dates, associated infrastructure, account details and any related reporting.

- CVE: CVE-2020-3259 [Unverified]
- CVE: CVE-2023-20269 [Unverified]
- CVE: CVE-2023-27532 [Unverified]
- CVE: CVE-2024-40711 [Unverified]
- CVE: CVE-2024-40766 [Unverified]
- File hash: 921df888aaabcd828a3723f4c9f5fe8b8379c6b7067d16b2ea10152300417eae [Unverified]
- File hash: 6c1d36df94ebe367823e73ba33cfb4f40756a5e8ee1e30e8f0ae55d47e220a6a [Unverified]
- File hash: e79608cf1d6b51324c14bef8883054c1238ed5f080222cc464810e6e14adc346 [Unverified]
- File hash: 327b8b61eb446cc4f710771e44484f62b804ae3d262b57a56575053e2df67917 [Unverified]
- File hash: a0dc80a37eb7e2716c02a94adc8df9baedec192a77bde31669faed228d9ff526 [Unverified]
- File hash: bbdd3620a67aedec4b9a68b2c9cc880b6631215e129816aea19902a6f4bc6f41 [Unverified]
- IP address: 104[.]26[.]2[.]223 [Unverified]
- IP address: 140[.]82[.]114[.]4 [Unverified]
- IP address: 185[.]199[.]108[.]133 [Unverified]
- IP address: 77[.]37[.]49[.]40 [Unverified]
- IP address: 173[.]194[.]194[.]94 [Unverified]
- IP address: 167[.]235[.]225[.]149 [Unverified]
- IP address: 5[.]255[.]11[.]134 [Unverified]
- IP address: 88[.]119[.]167[.]239 [Confirmed] — source: CISA AA26-293A, Table 2 — last seen 2026-08-15
- IP address: 37[.]10[.]71[.]188 [Unverified]
- File hash: 07353237350c35d6dc2c8f143b649cd07c71f62b [Unverified]
- File hash: b498a2683640c983bb069fa2ea9e67cef4a3797d [Unverified]
- File hash: bbfed53e3bb1f306f4da97d995cf4ae5b73ad081 [Unverified]
- File hash: d711a5af5aed48a3b36b98f4fcf52809aebef7a2 [Unverified]
- CVE: CVE-2024-40711 [Unverified] — source: OSINT workbench · 2026-11-09 — last seen 2026-11-09

Context:
We assess with high confidence that SafePay is a financially motivated ransomware operation that enters through stolen or brute-forced VPN credentials and known edge-device CVEs, stages data with RClone / FileZilla / b2 to 5.255.11[.]134 and 37.10.71[.]188, destroys backups and encrypts with a ChaCha20 / RSA locker (.SafePay). Infrastructure in the advisory is hosted at Bacloud (LT) and Hetzner (DE).

Handling: TLP:RED. Please reply through the usual channel.

S. Murugan

Request for information to the hosting provider, as opened by the request generator.

THE CASE BRIEF

PRINT / SAVE AS PDF

TLP:RED


CASE 0420 · CASE BRIEF · 2026-11-09 · PUBLISHED · Signed off by S. Murugan on 11/9/2026, 3:40:46 PM

SafePay ransomware — AA26-293A triage

KEY JUDGEMENT · HIGH CONFIDENCE

> We assess with high confidence that SafePay is a financially motivated ransomware operation that enters through stolen or brute-forced VPN credentials and known edge-device CVEs, stages data with RClone / FileZilla / b2 to 5.255.11[.]134 and 37.10.71[.]188, destroys backups and encrypts with a ChaCha20 / RSA locker (.SafePay). Infrastructure in the advisory is hosted at Bacloud (LT) and Hetzner (DE).

Dissent / what would change the call: Several listed IPs belong to Cloudflare, GitHub and Google ranges; they are more likely tooling downloads or victim-side traffic than actor infrastructure. Treat them as context, not blocklist candidates, unless the hosting providers confirm abuse.



SUMMARY

SOURCE

CISA / FBI / USSS / LKA RLP / NCA / NWROCU joint advisory AA26-293A, 20 Oct 2026. IOCs observed Nov 2024 – Aug 2026.

WHAT TO DO FIRST

- block the actor-attributed IPs (Bacloud, exfil hosts); review, do not block, the CDN / GitHub / Google ones
- hunt for ShareFinder.ps1, SharpShares.exe, netscan*, dcsync.exe, Socks_werfault.exe
- patch CVE-2024-40711 / 40766 / 2023-27532 / 20269 / 2020-3259 on edge devices
- MFA on VPN, lockouts, offline immutable backups

OPEN

- Bacloud RFI outstanding
- no .onion / leak-site address in the advisory

COMPETING HYPOTHESES

EVIDENCE	AFFILIATE ENTERED THROUGH AN EXPOSED SERVICE	CREDENTIAL BOUGHT FROM AN INITIAL-ACCESS BROKER	PHISHING WITH A LOADER
E01 Initial access	consistent	consistent	·

Printable brief: judgement, sign-off, exhibits with stamps and grades, threads with evidence, timeline, tasks, board image.

THE EXECUTIVE ONE-PAGER

PRINT / SAVE AS PDF

TLP:RED

CASE 0420 · EXECUTIVE ONE-PAGER · 2026-11-09 · PUBLISHED · Signed off by S. Murugan on 11/9/2026, 3:40:46 PM

SafePay ransomware — AA26-293A triage

KEY JUDGEMENT · HIGH CONFIDENCE

> We assess with high confidence that SafePay is a financially motivated ransomware operation that enters through stolen or brute-forced VPN credentials and known edge-device CVEs, stages data with RClone / FileZilla / b2 to 5.255.11[.]134 and 37.10.71[.]188, destroys backups and encrypts with a ChaCha20 / RSA locker (.SafePay). Infrastructure in the advisory is hosted at Bacloud (LT) and Hetzner (DE).

Dissent / what would change the call: Several listed IPs belong to Cloudflare, GitHub and Google ranges; they are more likely tooling downloads or victim-side traffic than actor infrastructure. Treat them as context, not blocklist candidates, unless the hosting providers confirm abuse.

WHAT HAPPENED

DATE	EVENT
01 AUG 2024	SafePay first observed (per CISA)
01 NOV 2024	Start of IOC observation window
15 AUG 2026	Last observed IOCs in FBI investigations
20 OCT 2026	Joint advisory AA26-293A published

WHO

ACTOR / SUBJECT	NOTES	STATUS
SafePay affiliate (unidentified)	No individual identified. Uses Mullvad VPN exits, phished account profiles and stolen or brute-forced VPN credentials. Lives off the land, then installs AnyDesk / TeamViewer to push the locker. A "representative" phones victims after encryption.	UNVERIFIED
LockBit	Comparison only: SafePay is a distinct operation (CISA). LockBit's affiliate playbook overlaps (exposed services, valid accounts, remote services, encryption) but no attribution to LockBit is made.	FALSE LEAD

TARGETS

ORGANISATION	SECTOR	REGION	IMPACT
600+ victims — businesses & critical infrastructure	Multiple critical-infrastructure sectors	North America · South America · Europe · Australia	Data exfiltrated (RClone / FileZilla / b2), backups wiped, files encrypted with .SafePay, leak-site extortion

BY THE NUMBERS


26 indicators (1 confirmed) · 17 ATT&CK techniques · 24 threads · 60 exhibits

NEXT ACTIONS

TASK	OWNER	DUE
Collect the ransom note and sample hash (Tools repurposed by the actors)	—	–
Confirm the entry point from VPN / edge logs (Tools repurposed by the actors)	—	–
Inventory what was exfiltrated before encryption (Tools repurposed by the actors)	—	–
Decide on negotiation posture and notify counsel (Tools repurposed by the actors)	—	–
Block at the perimeter and search 12 months of proxy / firewall logs (88.119.167.239)	S. Murugan	2026-11-01
Ask Bacloud abuse desk for subscriber details (RFI) (88.119.167.239)	S. Murugan	2026-11-14

Judgement, confidence, what happened, next actions.

THE BOARD AS EXPORTED



What "Export image" downloads for this case.

Outputs

- `docs/exports/case-04xx-safepay-ransomware-aa26-293a-triage.json` and `.stix.json`: the case and its STIX 2.1 bundle as exported at S22. Import the JSON to get the board back exactly; import the STIX bundle to see the round trip.
- `docs/exports/safepay-hostnames.csv`: the CSV used at S22 to show list import.
- `docs/case-safepay/evidence/`: the pictures uploaded to the cards.

Reading the result

The finished board separates what CISA attributes to the actor (Bacloud C2, exfiltration hosts, the locker and soc.dll hashes, the five CVEs) from what is only context (CDN, GitHub and Google addresses that appear in the IOC table), carries the analyst's judgement with its dissent, and is signed off. The RFI to the hosting provider and the two overdue tasks are the open items; the Audit tab shows them until they are closed.