Walkthrough 6: reporting, integrations and AI beyond the buttons

The last round of the roadmap takes the case out of the board and brings documents in. Cases push to MISP, TheHive and Jira in one click; token-protected STIX feeds let a TIP, SIEM or firewall poll the indicators on a schedule; emails and PDFs become proposed cards; the model (or the rules engine when there is none) drafts the executive summary, the takedown letter and the competing hypotheses from the whole case; the analysis-of-competing-hypotheses grid gains evidence weights that the brief prints; the timeline orders a day by time; and the small irritations noted in `docs/IMPROVEMENTS.md` are fixed. Screenshots come from `tools/capture/v6.cjs` against a fresh server with a stand-in MISP/TheHive/Jira (`tools/capture/mock-tip.cjs`); the checks are listed at the end.


Feature	Where	What it does
Push to MISP / TheHive / Jira	Account → Share	MISP event with typed attributes (`to_ids` for confirmed), TheHive alert with observables and TLP, Jira issue with the case reference. A link card and a log line are added to the case. Keys live in the server environment.
STIX feeds	Account → Share (admin)	Token URLs serving a STIX 2.1 bundle, CSV or plain indicator list, scoped by maximum TLP and confirmed-only, with pull counts; optional https webhook push every N hours. Per-case bundle at `/api/store/case/:id/stix.json`.
Documents in	AI research → From a file	`.eml`: event card plus sender, reply-to mismatch, first external relay, links, attachments (SHA-256 and file name) with threads between them. `.pdf` and text: entity and indicator extraction, with the model when one is configured. Nothing lands until you import.
AI drafts	AI research → Drafts	Executive summary appended to the notes; takedown or RFI letter opened as a page; competing hypotheses added to the ACH grid. Every draft cites exhibits and is logged with the engine that wrote it.
ACH weights	ACH grid, Case brief	Click ×1 on a row to weight that evidence ×2 or ×3. Scores become weighted inconsistency; the brief prints them and names the leading hypothesis.
Timeline time of day	Timeline view, brief	Cards on the same day are ordered by their time; the chronology table prints it.
Quick add	board	`f file.exe` and `host name` kinds, `?` lists every command, unknown commands are refused instead of becoming notes, hash cards say MD5 / SHA-1 / SHA-256 in the brief and letters.
Placement and Esc	board	New pinned cards land in a free spot next to the board instead of a pile in the centre; Esc closes a panel even while the cursor is in a text box.

How to use it

1. **Share a case**: open the case on the board, **Account → Share**. Buttons appear for each system configured on the server (`MISP_URL` / `MISP_KEY`, `THEHIVE_URL` / `THEHIVE_KEY`, `JIRA_URL` / `JIRA_EMAIL` / `JIRA_TOKEN` / `JIRA_PROJECT`). Falsified indicators are never sent.
2. **Feed a firewall or TIP**: as admin, create a feed in the same tab, copy the one-time token, and point the consumer at `…/indicators.txt?token=…` (or `.csv`, or `stix.json`). Remove the feed to revoke.

3. **Bring a document in**: **AI research → From a file**, pick the `.eml` or `.pdf`, review the proposals, untick what you do not want, import to the inbox or straight to the board.
4. **Let the model write**: **AI research → Drafts**, choose Summary, Takedown, RFI or Hypotheses, *Draft it*, read, then apply. With no model key the rules engine writes a plain but factual version from the case.


Z01 · WEIGHTED ACH



Competing hypotheses with weighted evidence: click a cell to cycle consistent / inconsistent / neutral, and click the ×1 on a row to weight that evidence ×2 or ×3 when it is more diagnostic. The score per hypothesis is the weighted inconsistency; the case brief prints it and names the leading hypothesis.

1. Evidence weight ×2
2. Weighted score per hypothesis


Z02 · AI HYPOTHESES



Drafts: the model (or the rules engine when no key is set) proposes competing hypotheses from the whole case, each with the evidence that would discriminate it, including a benign or misattribution option. "Add to the ACH grid" puts them next to your own.

1. Choose a draft type
2. Add to the ACH grid


Z03 · AI CASE SUMMARY



Executive summary drafted from notes, exhibits, threads and hypotheses, citing exhibit numbers. "Append to case notes" stamps it with the date and the engine that wrote it, so a reviewer can tell a model's words from the analyst's.

1. Append to the notes


Z05 · EMAIL INGESTION



From a file: the server parses the .eml (decoded headers, Received chain, links, attachments hashed) and proposes an event card for the message plus indicator cards for the sender, the mismatching Reply-To, the first external relay, every link and each attachment's SHA-256 and file name, threaded to the event. PDFs and text files go through entity extraction instead.

1. Pick the .eml or .pdf


Z04 · AI TAKEDOWN DRAFT



Takedown / abuse letter drafted for the recipient you name, listing the case's live indicators defanged, asking for suspension and log preservation. Open it as a page to print or copy it into your ticketing system.

1. Recipient
2. Open as a letter


Z06 · QUICK ADD



Quick add now explains itself: type ? for every command; an unknown command is refused with a hint instead of silently becoming a note; new kinds f (file name) and host (hostname) join the indicator set, and hash cards are labelled MD5 / SHA-1 / SHA-256 in the brief and letters.

1. Every quick-add command


Z07 · TIMELINE BY TIME



Timeline view: cards sharing a date are now stacked in time-of-day order (09:14 above 14:05), and the brief's chronology prints the time column. New cards added from quick add or an import land in a free spot beside the board rather than on a pile in the centre.

1. 09:14 first
2. 14:05 after it


Z08 · PUSH TO MISP / THEHIVE / JIRA



Share: with MISP, TheHive or Jira configured on the server, one click pushes the case: a MISP event with typed attributes (to_ids for confirmed indicators), a TheHive alert with observables and TLP, or a Jira issue. The result links back, a link card lands in the inbox and the case log records it. Falsified indicators are never sent.

1. Push a MISP event
2. Created, with a link back
3. Open a Jira issue

Z09 · STIX FEED



STIX feeds (admins): a feed is a token URL scoped by maximum TLP and, if you like, confirmed indicators only. A TIP imports stix.json, a SIEM takes indicators.csv, a firewall pulls indicators.txt. The token is shown once; remove the feed to revoke it. Add an https webhook and an interval to push the bundle on a schedule.

1. Create a feed
2. One-time token and pull URL

Z10 · BRIEF WITH WEIGHTED ACH



The case brief now ranks the hypotheses by weighted inconsistency and names the leading one, labels hash indicators by algorithm, and prints the time of day in the timeline table.

1. Weighted ACH table

Checks

13 of 13 passed in the run that produced these screenshots.

Result	Check	Detail
PASS	Z01 setup: admin, sample case on the board	29 exhibits on CASE 0418
PASS	Z02 ACH: hypotheses, cells and evidence weights (×1 → ×2) change the score	Click a cell to cycle: consistent · inconsistent · neutral. Click ×1 on a row to weight that evidence ×2 or ×3 (how diagnostic it is). The hypothesis with the lowest weighted inconsistency survives; the one you favour is not the test.
PASS	Z03 AI drafts: competing hypotheses proposed from the case and added to the ACH grid	2 → 8 hypotheses
PASS	Z04 AI drafts: executive summary appended to the case notes	engine: rules
PASS	Z06 documents in: an .eml becomes event, sender, reply-to, relay, link, attachment hash and file-name cards	Invoice_4471.pdf · 86f11f555247… · event 2026-11-03 09:14
PASS	Z05 AI drafts: takedown letter from the case indicators	Subject: Abuse report and takedown request — 6 resource(s) used in Binance $6.3B heist
PASS	Z07 quick add: ? lists every command, unknown commands are refused, f and host kinds work	filename + hostname cards, unknown command refused
PASS	Z08 timeline: cards on the same day are ordered by time of day; new cards land in free spots	same column, 09:14 above 14:05 · 38 pinned cards without overlap
PASS	Z09 share: push the case to MISP, TheHive and Jira (stand-in server); link cards and log lines are added	MISP 8 attributes · TheHive 8 observables · Jira Block the lure domain at the perimeter
PASS	Z10 STIX feed: create a token feed, pull it as STIX, CSV and plain text without a session	3 STIX objects · 3 plain indicators · csv kind,value,status,case,first_seen,last_seen
PASS	Z11 case brief prints weighted ACH scores, the leading hypothesis, hash algorithms and times	weighted scores, leading hypothesis, SHA-256 label, 09:14 in the timeline table
PASS	Z12 Esc closes a panel from inside a text box	ACH closed by Esc while typing
PASS	no unexpected page errors	