Version 2: sign-in, the case-files desk, and the board with a server behind it

The second design package added three pages around the board and a long list of board features. This document shows the whole thing running on the new backend (see `BACKEND.md`): accounts and roles, the desk, live sync between analysts, guest access, lockout, and the AI gateway without a key. Every screenshot was taken by `tools/capture/v2.cjs` against a freshly started server; the checks it asserts are listed at the end.

Pages

Page	URL	What it does
Sign in	`/`	First run creates the administrator. Afterwards: name + password, forced password change after an admin reset, "Continue as a guest" when a public case exists, theme picker shared with the other pages.
Case files (the desk)	`/desk.html`	Every case the account may see as a manila folder: drawers by state (active, in review, published, archived), drag a folder onto a drawer to move it, flip for the key judgement and open tasks, needs-attention badges, red string between folders that share indicators, morning brief, evidence drop zone, quick add and OSINT hand-off, wastebasket with 30-day restore, colour tabs and tags, export / import, and the **Users & access** panel for admins.
Investigation board	`/board.html`	The board from version 1 plus: case modes (investigation, homicide, heist, missing person, KYC, fraud & AML, journalism, litigation, M&A, competitive intel, supply chain, HR/insider, genealogy, plot board, UX research, post-mortem, sales account map), the built-in Whitechapel 1888 worked example, Geo view on a Leaflet map, video / audio / PDF / email / code-log / live-feed / monitor / vehicle / object / statement cards, suspect matrix, court brief, hand-over pack (zip with manifest and hashes), walkthrough recording, radio, notifications, settings, thread styles and custom relations.


What the server changes for the user

- **Accounts are real.** Passwords are hashed with scrypt on the server, sessions are HttpOnly cookies that expire after 12 hours or 15 idle minutes, ten wrong passwords lock the account for 15 minutes, and every sign-in, failure and change is in a tamper-evident audit log.
- **Roles are enforced where it matters.** Admin, analyst, reviewer and viewer, with per-user case scope and a separate TLP:RED grant, are checked on every request. A viewer's edit is rejected by the server, not just hidden in the UI; a hidden case is a 404.
- **Cases live on the server.** The pages still read and write their local store, but it is filled from the server before render, every change is pushed per case with a revision, and other people's changes arrive over a live event stream. Two analysts can work on the same board.
- **OSINT works for more sources.** Hosts that refuse browser requests (crt.sh, urlscan, ThreatFox, URLhaus, MalwareBazaar, Wayback, Nominatim, Reddit, ...) are fetched by the server through an allow-listed proxy with an SSRF guard; the third-party proxy the design used is gone.

- **The AI buttons work with any provider, or none.** "Analyse with Claude", translate, stance and entities go to the server's gateway, which tries the configured providers in order (Anthropic, OpenAI, Azure, Gemini, Cohere, Mistral, Groq, OpenRouter, DeepSeek, xAI, Together, Perplexity, Fireworks, Ollama, LM Studio, custom) and falls back to a built-in rule-based engine that labels its answers.
- **Media is kept.** Video, audio, PDF and image blobs are mirrored to a content-addressed file store, so a case opened on another machine still has its files.

Walkthrough


V01 · FIRST-RUN SETUP



First run: no accounts exist, so the sign-in page asks for the administrator. Passwords are hashed with scrypt on the server; the browser never stores them.

1. Admin name
2. Password (8+, not on the common list, not your name)
3. Create admin account


V02 · CASE FILES DESK



The case-files desk after sign-in: every case the account may see as a folder, drawers by review state, the morning brief, filters, quick add, OSINT, and the admin's Users button. Everything shown comes from the server.

1. Case folder (open, flip, rename, tag, duplicate, export, archive, public)
2. Users, roles and access (admin)
3. New case
4. Sign out


V03 · USERS AND ACCESS



Users & access: accounts with role, TLP:RED grant and case scope, password reset (the user must choose a new one at next sign-in), removal, and the sign-in audit from the server. New users get a temporary password that unlocks nothing but the password change.


1. Analyst: edits the cases in scope
2. Add a user

V04 · ANALYST VIEW



The analyst's desk: same cases (scope "all"), no Users button, their own name in the top bar.


V05 · BOARD, MODES AND THE WORKED EXAMPLE



The board in Homicide mode with the built-in worked example (Whitechapel, 1888): modes change the card vocabulary, suspect roles and the suspect matrix. Case changes made here are pushed to the server and appear on every other signed-in board.

1. Case mode
2. Suspect matrix (means · motive · opportunity · alibi)
3. Geo view (Leaflet map)


V06 · GEO VIEW



Geo (G): location cards are placed on a map; OpenStreetMap tiles load directly, geocoding goes through the server proxy.


1. Geo view

V07 · SUSPECT MATRIX



Suspect matrix: every person card marked as a suspect scored on means, motive, opportunity and alibi.


V08 · AI GATEWAY (LOCAL ENGINE)



"Analyse with Claude" without an API key: the server's built-in engine answers in the same JSON shape (summary, suggested stamp, suggested threads, next steps) and labels itself as rule-based. Set ANTHROPIC_API_KEY on the server to use the model instead.


1. Assessment from the local engine

V09 · SETTINGS




Settings: theme, atmosphere (sounds, rain, typewriter), SIEM deep-link templates and other preferences, saved per user on the server.

V10 · VIEWER



A viewer's desk: the same folders, read-only; the server rejects any write from this role.


V11 · GUEST



Guest access: when a case is marked public (TLP:CLEAR or GREEN only), the sign-in page offers "Continue as a guest" and the desk shows just that case, read-only.

1. Only public CLEAR/GREEN cases


V12 · LOCKOUT



Brute-force protection: after ten failures the account is locked for 15 minutes even with the right password, sign-ins are rate-limited per IP, and every attempt is in the audit log. An admin reset clears the lock.

1. Lockout message

V13 · SIGN IN



Sign-in page once accounts exist. Sessions last 12 hours and lock after 15 minutes idle.

1. Sign in

Checks

21 of 21 passed in the run that produced these screenshots.

Result	Check	Detail
PASS	V01 first visit shows the setup card (no accounts yet)	
PASS	V01 setup creates the admin and lands on the desk	
PASS	V02 the board seeds the two sample cases on a brand-new server	CASE 0417 Operation Lantern | CASE 0418 Binance $6.3B heist
PASS	V02 desk lists the cases from the server	
PASS	V03 admin adds an analyst, a reviewer and a viewer from the desk	S. Murugan:admin, Ana Lyst:analyst, Rev lewer:reviewer, View Only:viewer
PASS	V04 analyst signs in with the temporary password and must change it	
PASS	V05 analyst edits a case on the board; the admin's open board receives it live	rev 2 delivered over SSE
PASS	V06 board: switch the case mode and seed the Whitechapel example	CASE 1888 Whitechapel murders, autumn 1888 · 29 items · mode homicide
PASS	V07 geo view renders a Leaflet map	
PASS	V08 suspect matrix opens	

Result	Check	Detail
PASS	V09 "Analyse with Claude" works without a model key (built-in engine)	
PASS	V10 live feed card: ThreatFox through the server proxy	proxy reachable: HTTP 401
PASS	V11 hand-over pack and court brief exports	CASE-1888-handover.zip
PASS	V12 settings panel (SIEM links, sounds, theme)	
PASS	V13 viewer: read-only everywhere, no Users panel	rejected: read-only for your role
PASS	V14 TLP:RED cases stay hidden from accounts without the grant	
PASS	V15 public case → guest can read it only	
PASS	V16 ten wrong passwords lock the account for 15 minutes	Account locked after too many failures. Try again in 15 min
PASS	V17 audit chain verifies; health reports the engine	28 audit rows, ai=local
PASS	V18 sign out invalidates the session	
PASS	no unexpected page errors	