# Keel - complete page list for the UI redesign

Generated on 2026-11-06 from the navigation tables in the client source (client/src/nav.js and client/src/panel/nav.js), which are the single source of truth for every route. Two shells: the **admin panel** on port 2087 and the **account panel** on port 2083 (routes under /panel). "Built" means the page has its own screen today; "Placeholder" means the route exists but shows the "scheduled for build phase N" empty state, so its design is fully open.

## Summary

| Shell | Categories | Function pages | Built | Placeholder | Shell / auth pages |
|---|---|---|---|---|---|
| Admin panel (2087) | 30 | 212 | 212 | 0 | 8 |
| Account panel (2083) | 17 | 64 | 64 | 0 | 4 |

## 1. Shared shell and components (design once, used everywhere)

| Element | What it contains |
|---|---|
| **Sidebar** | Collapsible left navigation: brand, search box, favorites, one collapsible group per category, collapse control; floating + top-bar expand controls when collapsed; slide-in drawer on phones. |
| **Top bar** | Brand (on phones / collapsed sidebar), menu button on phones, global search (Ctrl+K), notifications, theme toggle (light / dark / system), language, user menu (change password, log out). |
| **Page header** | Title, breadcrumb (category > page), short description, favorite star, page-level primary action. |
| **Tool section + tool card** | Dashboard grid: 38 px coloured icon tile, title, one-line description; sections collapse / expand with animation. |
| **Data table** | Sortable / filterable table with a row "..." action menu, bulk checkboxes, pagination, empty state, loading skeleton. |
| **Forms** | Labelled fields, inline validation messages, help text, Save / Cancel bar, danger zone for destructive actions. |
| **Dialogs** | Confirm dialog (typed confirmation for destructive actions), form dialog, drawer / side panel for details. |
| **Job / progress view** | Long-running tasks (PHP builds, backups, installers) show a log stream and a progress state. |
| **Empty state** | Icon, title, explanation, primary action; also used by every placeholder page. |
| **Toasts / banners** | Success, error and warning notices; page-level banners for licence, updates and alerts. |
| **Login shell** | Centred card layout shared by login, 2FA and password reset. |

## 2. Admin panel - shell and auth pages

| Page | Route | Notes |
|---|---|---|
| **Login** | `/login` | Username + password, then the 2FA code step. Standalone page, no sidebar. |
| **Password reset request** | `/login/reset` | Asks for the username/email and sends the reset link. |
| **Password reset confirm** | `/login/reset/:token` | Sets a new password from the emailed link. |

| Page | Route | Notes |
|---|---|---|
| **Home / dashboard** | `/` | Server status widgets, collapsible tool sections (every category below as a grid of tool cards), search, favorites. |
| **Change password** | `/change-password` | Current + new password for the signed-in admin. |
| **Audit log** | `/audit-log` | Filterable table of every action taken through the panel. |
| **Plugin page** | `/plugins/:pluginId/*` | Pages that enabled plugins register at runtime (admin audience). |
| **Not found** | `/*` | 404 inside the admin shell. |

## 3. Admin panel - function pages by category (212)

### 1. Server Configuration (13 pages, icon: Settings)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Basic Setup** | `/server-configuration/basic-webhost-manager-setup` | Contact details, main and shared IPs, nameservers and account defaults. | Built |
| 2 | **Change Root Password** | `/server-configuration/change-root-password` | Rotate the server's root password. | Built |
| 3 | **Configure Analytics** | `/server-configuration/configure-cpanel-analytics` | Opt in or out of anonymous interface analytics. | Built |
| 4 | **Configure Panel Cron Jobs** | `/server-configuration/configure-cpanel-cron-jobs` | Schedules for the panel's own maintenance tasks. | Built |
| 5 | **Initial Quota Setup** | `/server-configuration/initial-quota-setup` | Enable and verify filesystem disk quotas. | Built |
| 6 | **Link Server Nodes** | `/server-configuration/link-server-nodes` | Register linked servers for distributed workloads. | Built |
| 7 | **Server Profile** | `/server-configuration/server-profile` | Choose which roles this server fulfils. | Built |
| 8 | **Server Time** | `/server-configuration/server-time` | Timezone and NTP synchronisation. | Built |
| 9 | **Statistics Software Configuration** | `/server-configuration/statistics-software-configuration` | Web statistics generators and their schedule. | Built |
| 10 | **Terminal** | `/server-configuration/terminal` | In-browser root shell. | Built |
| 11 | **Tweak Settings** | `/server-configuration/tweak-settings` | Hundreds of server-wide behaviour switches. | Built |
| 12 | **Update Preferences** | `/server-configuration/update-preferences` | Release tier and automatic update policy. | Built |
| 13 | **Marketplace** | `/server-configuration/whm-marketplace` | Browse and install add-ons and plugins. | Built |

## 2. Support (3 pages, icon: LifeBuoy)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Create Support Ticket** | `/support/create-support-ticket` | Open a support request with a system snapshot. | Built |
| 2 | **Grant Support Access** | `/support/grant-cpanel-support-access` | Time-boxed access for support engineers. | Built |
| 3 | **Support Center** | `/support/support-center` | Documentation, forums and support resources. | Built |

## 3. Networking Setup (2 pages, icon: Network)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Change Hostname** | `/networking-setup/change-hostname` | Set the server's fully qualified hostname. | Built |
| 2 | **Resolver Configuration** | `/networking-setup/resolver-configuration` | DNS resolvers the server uses. | Built |

## 4. Security Center (19 pages, icon: Shield)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Apache mod_userdir Tweak** | `/security-center/apache-mod-userdir-tweak` | Control ~user URL access. | Built |
| 2 | **SMTP Restrictions** | `/security-center/smtp-restrictions` | Block outgoing SMTP from non-mail users. | Built |
| 3 | **Compiler Access** | `/security-center/compiler-access` | Allow or deny compilers to unprivileged users. | Built |
| 4 | **Configure Security Policies** | `/security-center/configure-security-policies` | Login security policies. | Built |
| 5 | **cPHulk Brute Force Protection** | `/security-center/cphulk-brute-force-protection` | Block repeated failed logins. | Built |
| 6 | **Host Access Control** | `/security-center/host-access-control` | Per-service allow and deny rules. | Built |
| 7 | **Manage External Authentications** | `/security-center/manage-external-authentications` | External identity providers for login. | Built |
| 8 | **Manage root's SSH Keys** | `/security-center/manage-roots-ssh-keys` | Generate, import and authorise root SSH keys. | Built |
| 9 | **Manage Wheel Group Users** | `/security-center/manage-wheel-group-users` | Who may become root with su. | Built |
| 10 | **ModSecurity Configuration** | `/security-center/modsecurity-configuration` | Web application firewall settings. | Built |
| 11 | **ModSecurity Tools** | `/security-center/modsecurity-tools` | Review hits and manage rules. | Built |
| 12 | **ModSecurity Vendors** | `/security-center/modsecurity-vendors` | Install and update rule vendors. | Built |
| 13 | **Password Strength Configuration** | `/security-center/password-strength-configuration` | Minimum password strength requirements. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 14 | **Security Advisor** | `/security-center/security-advisor` | Scan the server for security weaknesses. | Built |
| 15 | **Security Questions** | `/security-center/security-questions` | Recovery question policy. | Built |
| 16 | **Shell Fork Bomb Protection** | `/security-center/shell-fork-bomb-protection` | Per-user process and memory limits. | Built |
| 17 | **SSH Password Authorization Tweak** | `/security-center/ssh-password-authorization-tweak` | Toggle SSH password authentication. | Built |
| 18 | **Traceroute Enable/Disable** | `/security-center/traceroute-enable-disable` | Control traceroute availability. | Built |
| 19 | **Two-Factor Authentication** | `/security-center/two-factor-authentication` | Time-based one-time passwords for panel logins. | Built |

## 5. Server Contacts (2 pages, icon: Contact)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Contact Manager** | `/server-contacts/contact-manager` | Notification channels and the events they receive. | Built |
| 2 | **Edit System Mail Preferences** | `/server-contacts/edit-system-mail-preferences` | Where system mail is delivered. | Built |

## 6. Resellers (10 pages, icon: Users)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Change Ownership of an Account** | `/resellers/change-ownership-of-an-account` | Move an account to another reseller. | Built |
| 2 | **Change Ownership of Multiple Accounts** | `/resellers/change-ownership-of-multiple-accounts` | Bulk ownership changes. | Built |
| 3 | **Edit Reseller Nameservers and Privileges** | `/resellers/edit-reseller-nameservers-and-privileges` | ACLs and nameservers per reseller. | Built |
| 4 | **Email All Resellers** | `/resellers/email-all-resellers` | Broadcast a message to every reseller. | Built |
| 5 | **Manage Reseller's IP Delegation** | `/resellers/manage-resellers-ip-delegation` | IP addresses a reseller may assign. | Built |
| 6 | **Manage Reseller's Shared IP** | `/resellers/manage-resellers-shared-ip` | Default shared IP for a reseller. | Built |
| 7 | **Reseller Center** | `/resellers/reseller-center` | Create and manage resellers and their limits. | Built |
| 8 | **Reset Resellers** | `/resellers/reset-resellers` | Strip reseller privileges. | Built |
| 9 | **Show Reseller Accounts** | `/resellers/show-reseller-accounts` | Accounts owned by a reseller. | Built |
| 10 | **View Reseller Usage and Manage Account Status** | `/resellers/view-reseller-usage-and-manage-account-status` | Usage overview with suspend controls. | Built |

## 7. Service Configuration (10 pages, icon: Server)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Apache Configuration** | `/service-configuration/apache-configuration` | Global web server directives and includes. | Built |
| 2 | **Log Rotation Configuration** | `/service-configuration/cpanel-log-rotation-configuration` | Log rotation policy. | Built |
| 3 | **Web Disk Configuration** | `/service-configuration/cpanel-web-disk-configuration` | WebDAV service settings. | Built |
| 4 | **Panel Web Services Configuration** | `/service-configuration/cpanel-web-services-configuration` | Panel web service tuning. | Built |
| 5 | **Exim Configuration Manager** | `/service-configuration/exim-configuration-manager` | Mail server configuration. | Built |
| 6 | **FTP Server Selection** | `/service-configuration/ftp-server-selection` | Choose the FTP daemon. | Built |
| 7 | **Mailserver Configuration** | `/service-configuration/mailserver-configuration` | IMAP/POP server settings. | Built |
| 8 | **Manage Service SSL Certificates** | `/service-configuration/manage-service-ssl-certificates` | Certificates for mail, FTP, web and the panel. | Built |
| 9 | **Nameserver Selection** | `/service-configuration/nameserver-selection` | Choose the DNS server software. | Built |
| 10 | **Service Manager** | `/service-configuration/service-manager` | Enable, monitor and auto-restart services. | Built |

## 8. Locales (7 pages, icon: Languages)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Configure Application Locales** | `/locales/configure-application-locales` | Default and available interface languages. | Built |
| 2 | **Copy a Locale** | `/locales/copy-a-locale` | Duplicate a locale to customise it. | Built |
| 3 | **Delete a Locale** | `/locales/delete-a-locale` | Remove a custom locale. | Built |
| 4 | **Edit a Locale** | `/locales/edit-a-locale` | Edit translated strings. | Built |
| 5 | **Locale XML Download** | `/locales/locale-xml-download` | Export a locale. | Built |
| 6 | **Locale XML Upload** | `/locales/locale-xml-upload` | Import a locale. | Built |
| 7 | **View Available Locales** | `/locales/view-available-locales` | All installed locales. | Built |

## 9. Backup (4 pages, icon: Archive)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Backup Configuration** | `/backup/backup-configuration` | Schedule, retention, scope and destinations. | Built |
| 2 | **Backup Restoration** | `/backup/backup-restoration` | Restore a full account backup. | Built |
| 3 | **Backup User Selection** | `/backup/backup-user-selection` | Include or exclude accounts. | Built |
| 4 | **File and Directory Restoration** | `/backup/file-and-directory-restoration` | Restore individual files. | Built |

## 10. Clusters (2 pages, icon: Share2)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Configuration Cluster** | `/clusters/configuration-cluster` | Share configuration with peer servers. | Built |
| 2 | **DNS Cluster** | `/clusters/dns-cluster` | Replicate DNS zones to other nameservers. | Built |

## 11. System Reboot (2 pages, icon: Power)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Forceful Server Reboot** | `/system-reboot/forceful-server-reboot` | Reboot immediately. | Built |
| 2 | **Graceful Server Reboot** | `/system-reboot/graceful-server-reboot` | Stop services cleanly, then reboot. | Built |

## 12. Server Status (5 pages, icon: Activity)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Apache Status** | `/server-status/apache-status` | Live web server worker status. | Built |
| 2 | **Daily Process Log** | `/server-status/daily-process-log` | Resource usage by process over time. | Built |
| 3 | **Server Information** | `/server-status/server-information` | Hardware, OS, memory and disk details. | Built |
| 4 | **Service Status** | `/server-status/service-status` | Up/down state of monitored services. | Built |
| 5 | **Task Queue Monitor** | `/server-status/task-queue-monitor` | Background jobs and their progress. | Built |

## 13. Account Information (7 pages, icon: UserSearch)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **List Accounts** | `/account-information/list-accounts` | Search, inspect and act on hosting accounts. | Built |
| 2 | **List Parked Domains** | `/account-information/list-parked-domains` | Parked (alias) domains. | Built |
| 3 | **List Subdomains** | `/account-information/list-subdomains` | All subdomains. | Built |
| 4 | **List Suspended Accounts** | `/account-information/list-suspended-accounts` | Accounts currently suspended. | Built |
| 5 | **Manage Account Enhancements** | `/account-information/manage-account-enhancements` | Add-on entitlements per account. | Built |
| 6 | **Show Accounts Over Quota** | `/account-information/show-accounts-over-quota` | Accounts exceeding disk quota. | Built |
| 7 | **View Bandwidth Usage** | `/account-information/view-bandwidth-usage` | Bandwidth consumption per account. | Built |

## 14. Account Functions (20 pages, icon: UserCog)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Change Site's IP Address** | `/account-functions/change-sites-ip-address` | Move a site to a different IP. | Built |
| 2 | **Create a New Account** | `/account-functions/create-a-new-account` | Provision a hosting account. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 3 | **Email All Users** | `/account-functions/email-all-users` | Broadcast a message to all account owners. | Built |
| 4 | **Force Password Change** | `/account-functions/force-password-change` | Require accounts to change their password. | Built |
| 5 | **Limit Bandwidth Usage** | `/account-functions/limit-bandwidth-usage` | Set a bandwidth cap. | Built |
| 6 | **Manage Account Suspension** | `/account-functions/manage-account-suspension` | Suspend or unsuspend with a reason. | Built |
| 7 | **Manage Demo Mode** | `/account-functions/manage-demo-mode` | Restrict accounts to read-only demo mode. | Built |
| 8 | **Manage Shell Access** | `/account-functions/manage-shell-access` | Normal, jailed or no shell. | Built |
| 9 | **Modify an Account** | `/account-functions/modify-an-account` | Change domain, owner, package and limits. | Built |
| 10 | **Password Modification** | `/account-functions/password-modification` | Set an account's password. | Built |
| 11 | **Quota Modification** | `/account-functions/quota-modification` | Change disk quota. | Built |
| 12 | **Raw Apache Log Download** | `/account-functions/raw-apache-log-download` | Download raw web access logs. | Built |
| 13 | **Raw NGINX Log Download** | `/account-functions/raw-nginx-log-download` | Download raw NGINX logs. | Built |
| 14 | **Rearrange an Account** | `/account-functions/rearrange-an-account` | Move an account's home to another partition. | Built |
| 15 | **Reset Account Bandwidth Limit** | `/account-functions/reset-account-bandwidth-limit` | Clear bandwidth counters. | Built |
| 16 | **Terminate Accounts** | `/account-functions/terminate-accounts` | Permanently remove accounts. | Built |
| 17 | **Unsuspend Bandwidth Exceeders** | `/account-functions/unsuspend-bandwidth-exceeders` | Bulk unsuspend accounts over bandwidth. | Built |
| 18 | **Upgrade/Downgrade an Account** | `/account-functions/upgrade-downgrade-an-account` | Change an account's package. | Built |
| 19 | **Web Log Retention** | `/account-functions/web-log-retention` | How long to keep web logs. | Built |
| 20 | **Web Template Editor** | `/account-functions/web-template-editor` | Default and error page templates. | Built |

## 15. Multi Account Functions (2 pages, icon: UsersRound)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Change Multiple Sites' IP Addresses** | `/multi-account-functions/change-multiple-sites-ip-addresses` | Bulk IP changes. | Built |
| 2 | **Modify/Upgrade Multiple Accounts** | `/multi-account-functions/modify-upgrade-multiple-accounts` | Bulk package and limit changes. | Built |

## 16. Transfers (4 pages, icon: ArrowLeftRight)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Convert Addon Domain to Account** | `/transfers/convert-addon-domain-to-account` | Promote an addon domain to its own account. | Built |
| 2 | **Review Transfers and Restores** | `/transfers/review-transfers-and-restores` | History and logs of transfer jobs. | Built |
| 3 | **Transfer or Restore an Account** | `/transfers/transfer-or-restore-a-cpanel-account` | Import an account from a backup, a cPanel server or another Keel server. | Built |
| 4 | **Transfer Tool** | `/transfers/transfer-tool` | Migrate many accounts from another server. | Built |

## 17. Themes (1 pages, icon: Palette)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Theme Manager** | `/themes/theme-manager` | Default interface themes and branding. | Built |

## 18. Packages (4 pages, icon: Package)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Add a Package** | `/packages/add-a-package` | Create a hosting plan. | Built |
| 2 | **Delete a Package** | `/packages/delete-a-package` | Remove an unused plan. | Built |
| 3 | **Edit a Package** | `/packages/edit-a-package` | Change plan limits and features. | Built |
| 4 | **Feature Manager** | `/packages/feature-manager` | Which account-panel features each plan includes. | Built |

## 19. DNS Functions (14 pages, icon: Globe)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Add a DNS Zone** | `/dns-functions/add-a-dns-zone` | Create a zone from a template. | Built |
| 2 | **Add an A Entry for Your Hostname** | `/dns-functions/add-an-a-entry-for-your-hostname` | Ensure the hostname resolves. | Built |
| 3 | **Delete a DNS Zone** | `/dns-functions/delete-a-dns-zone` | Remove a zone. | Built |
| 4 | **DNS Zone Manager** | `/dns-functions/dns-zone-manager` | Edit records in a zone. | Built |
| 5 | **Edit Zone Templates** | `/dns-functions/edit-zone-templates` | Templates used for new zones. | Built |
| 6 | **Email DNS Record Manager** | `/dns-functions/email-dns-record-manager` | SPF, DKIM and DMARC helpers. | Built |
| 7 | **Email Routing Configuration** | `/dns-functions/email-routing-configuration` | Local, backup or remote mail routing. | Built |
| 8 | **Enable DKIM/SPF Globally** | `/dns-functions/enable-dkim-spf-globally` | Apply email authentication to all domains. | Built |
| 9 | **Nameserver Record Report** | `/dns-functions/nameserver-record-report` | Verify nameserver records. | Built |
| 10 | **Park a Domain** | `/dns-functions/park-a-domain` | Alias a domain onto an account. | Built |
| 11 | **Perform a DNS Cleanup** | `/dns-functions/perform-a-dns-cleanup` | Remove orphaned zones. | Built |
| 12 | **Set Zone TTL** | `/dns-functions/set-zone-ttl` | Default time-to-live. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 13 | **Setup/Edit Domain Forwarding** | `/dns-functions/setup-edit-domain-forwarding` | HTTP redirects for domains. | Built |
| 14 | **Synchronize DNS Records** | `/dns-functions/synchronize-dns-records` | Push zones to cluster peers. | Built |

## 20. Database Services (12 pages, icon: Database)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Change Database Root Password** | `/database-services/change-database-root-password` | Rotate the database superuser password. | Built |
| 2 | **Change Database User Password** | `/database-services/change-database-user-password` | Reset a database user's password. | Built |
| 3 | **Database Map Tool** | `/database-services/database-map-tool` | Map databases and users to accounts. | Built |
| 4 | **Edit Database Configuration** | `/database-services/edit-database-configuration` | Server configuration tuning. | Built |
| 5 | **Manage Database Access Hosts** | `/database-services/manage-database-access-hosts` | Remote hosts allowed to connect. | Built |
| 6 | **Manage Database Profiles** | `/database-services/manage-database-profiles` | Local and remote database servers. | Built |
| 7 | **Manage Database Users** | `/database-services/manage-database-users` | Create users and grants. | Built |
| 8 | **Manage Databases** | `/database-services/manage-databases` | Create and drop databases. | Built |
| 9 | **phpMyAdmin** | `/database-services/phpmyadmin` | Web database administration. | Built |
| 10 | **Repair Databases** | `/database-services/repair-databases` | Check and repair tables. | Built |
| 11 | **Show Database Processes** | `/database-services/show-database-processes` | Live process list. | Built |
| 12 | **Upgrade Database Version** | `/database-services/upgrade-database-version` | Upgrade the database server. | Built |

## 21. IP Functions (9 pages, icon: Wifi)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **IPv6 Ranges** | `/ip-functions/ipv6-ranges` | Manage IPv6 address ranges. | Built |
| 2 | **Add a New IP Address** | `/ip-functions/add-a-new-ip-address` | Bind an additional IP to the server. | Built |
| 3 | **Assign IPv6 Address** | `/ip-functions/assign-ipv6-address` | Give an account an IPv6 address. | Built |
| 4 | **Configure Remote Service IPs** | `/ip-functions/configure-remote-service-ips` | IPs for remote services. | Built |
| 5 | **IP Migration Wizard** | `/ip-functions/ip-migration-wizard` | Renumber the server's IPs. | Built |
| 6 | **Rebuild the IP Address Pool** | `/ip-functions/rebuild-the-ip-address-pool` | Resynchronise free and used IPs. | Built |
| 7 | **Show IP Address Usage** | `/ip-functions/show-ip-address-usage` | Which account uses each IP. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 8 | **Show or Delete Current IP Addresses** | `/ip-functions/show-or-delete-current-ip-addresses` | IPs bound to the server. | Built |
| 9 | **Show/Edit Reserved IPs** | `/ip-functions/show-edit-reserved-ips` | IPs excluded from allocation. | Built |

## 22. Software (10 pages, icon: Wrench)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Install a Perl Module** | `/software/install-a-perl-module` | Install from CPAN. | Built |
| 2 | **Install Software** | `/software/install-distro-packages` | One-click PHP, Node.js, Python and tool installs, plus any OS package. | Built |
| 3 | **Module Installers** | `/software/module-installers` | PHP, Ruby and Perl module installers. | Built |
| 4 | **MultiPHP INI Editor** | `/software/multiphp-ini-editor` | php.ini settings per version and domain. | Built |
| 5 | **PHP Version Manager** | `/software/multiphp-manager` | Every PHP version: install, remove, default, and what accounts may pick. | Built |
| 6 | **NGINX Manager** | `/software/nginx-manager` | NGINX reverse proxy and caching. | Built |
| 7 | **Rebuild RPM Database** | `/software/rebuild-rpm-database` | Repair the RPM database. | Built |
| 8 | **System Update** | `/software/system-update` | Apply operating system updates. | Built |
| 9 | **Update Server Software** | `/software/update-server-software` | Update the control panel. | Built |
| 10 | **EasyApache 4** | `/software/easyapache-4` | Build Apache and PHP profiles. | Built |

## 23. Email (13 pages, icon: Mail)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Email Deliverability** | `/email/email-deliverability` | SPF, DKIM and reverse DNS health per domain. | Built |
| 2 | **Filter Incoming Emails by Country** | `/email/filter-incoming-emails-by-country` | Country-based mail filtering. | Built |
| 3 | **Filter Incoming Emails by Domain** | `/email/filter-incoming-emails-by-domain` | Domain-based mail filtering. | Built |
| 4 | **Greylisting** | `/email/greylisting` | Delay unknown senders to reduce spam. | Built |
| 5 | **Mail Delivery Reports** | `/email/mail-delivery-reports` | Trace message delivery. | Built |
| 6 | **Mail Queue Manager** | `/email/mail-queue-manager` | View, deliver or delete queued mail. | Built |
| 7 | **Mail Troubleshooter** | `/email/mail-troubleshooter` | Diagnose delivery to an address. | Built |
| 8 | **Mailbox Conversion** | `/email/mailbox-conversion` | Convert mailbox formats. | Built |
| 9 | **Repair Mailbox Permissions** | `/email/repair-mailbox-permissions` | Fix mailbox ownership and permissions. | Built |
| 10 | **Spamd Startup Configuration** | `/email/spamd-startup-configuration` | SpamAssassin daemon options. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 11 | **View Mail Statistics Summary** | `/email/view-mail-statistics-summary` | Mail volume statistics. | Built |
| 12 | **View Relayers** | `/email/view-relayers` | Who is relaying mail. | Built |
| 13 | **View Sent Summary** | `/email/view-sent-summary` | Outbound mail summary. | Built |

## 24. System Health (4 pages, icon: HeartPulse)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Background Process Killer** | `/system-health/background-process-killer` | Kill disallowed background processes. | Built |
| 2 | **Process Manager** | `/system-health/process-manager` | Inspect, kill and renice processes. | Built |
| 3 | **Show Current Disk Usage** | `/system-health/show-current-disk-usage` | Filesystem usage. | Built |
| 4 | **Show Current Running Processes** | `/system-health/show-current-running-processes` | Snapshot of running processes. | Built |

## 25. Panel (6 pages, icon: LayoutDashboard)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Change Log** | `/cpanel/change-log` | What changed in each release. | Built |
| 2 | **Customization** | `/cpanel/customization` | Branding, logos and help links. | Built |
| 3 | **Manage Plugins** | `/cpanel/manage-plugins` | Install and enable plugins. | Built |
| 4 | **Modify Panel News** | `/cpanel/modify-cpanel-and-whm-news` | News shown to users. | Built |
| 5 | **Reset a Mailman Password** | `/cpanel/reset-a-mailman-password` | Mailing list admin password. | Built |
| 6 | **Upgrade to Latest Version** | `/cpanel/upgrade-to-latest-version` | Upgrade the panel. | Built |

## 26. SSL/TLS (7 pages, icon: Lock)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Generate an SSL Certificate and Signing Request** | `/ssl-tls/generate-an-ssl-certificate-and-signing-request` | Create a key and CSR. | Built |
| 2 | **Install an SSL Certificate on a Domain** | `/ssl-tls/install-an-ssl-certificate-on-a-domain` | Deploy a certificate. | Built |
| 3 | **Manage AutoSSL** | `/ssl-tls/manage-autossl` | Automatic certificate issuance and renewal. | Built |
| 4 | **Manage SSL Hosts** | `/ssl-tls/manage-ssl-hosts` | Installed certificates and expiry. | Built |
| 5 | **Purchase and Install an SSL Certificate** | `/ssl-tls/purchase-and-install-an-ssl-certificate` | Buy a certificate from a provider. | Built |
| 6 | **SSL Storage Manager** | `/ssl-tls/ssl-storage-manager` | Stored keys, CSRs and certificates. | Built |
| 7 | **SSL/TLS Configuration** | `/ssl-tls/ssl-tls-configuration` | Protocols, ciphers and HSTS. | Built |

## 27. Market (1 pages, icon: Store)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Market Provider Manager** | `/market/market-provider-manager` | Enable marketplace providers. | Built |

## 28. Restart Services (8 pages, icon: RotateCw)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Database Server** | `/restart-services/database-server` | Restart MySQL/MariaDB. | Built |
| 2 | **DNS Server** | `/restart-services/dns-server` | Restart BIND. | Built |
| 3 | **HTTP Server (Apache)** | `/restart-services/http-server-apache` | Restart Apache. | Built |
| 4 | **IMAP Server** | `/restart-services/imap-server` | Restart Dovecot. | Built |
| 5 | **Mail Server (Exim)** | `/restart-services/mail-server-exim` | Restart Exim. | Built |
| 6 | **Mailing List Manager (Mailman)** | `/restart-services/mailing-list-manager-mailman` | Restart Mailman. | Built |
| 7 | **PHP-FPM service for Apache** | `/restart-services/php-fpm-service-for-apache` | Restart PHP-FPM. | Built |
| 8 | **SSH Server (OpenSSH)** | `/restart-services/ssh-server-openssh` | Restart the SSH daemon. | Built |

## 29. Development (8 pages, icon: Code)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **OpenAPI Documentation for the Account Panel** | `/development/openapi-documentation-for-cpanel` | User-side API reference. | Built |
| 2 | **OpenAPI Documentation for the Admin Panel** | `/development/openapi-documentation-for-whm` | Admin API reference. | Built |
| 3 | **Apps Managed by AppConfig** | `/development/apps-managed-by-appconfig` | Registered integration apps. | Built |
| 4 | **Development Forum** | `/development/cpanel-development-forum` | Developer community. | Built |
| 5 | **Plugin File Generator** | `/development/cpanel-plugin-file-generator` | Scaffold a plugin. | Built |
| 6 | **Developer Documentation** | `/development/developer-documentation` | Developer guides. | Built |
| 7 | **Manage API Tokens** | `/development/manage-api-tokens` | Create and revoke API tokens. | Built |
| 8 | **Manage Hooks** | `/development/manage-hooks` | Event hooks for automation. | Built |

## 30. Plugins (3 pages, icon: Puzzle)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **ImunifyAV** | `/plugins/imunifyav` | Malware scanner. | Built |
| 2 | **Server Monitoring** | `/plugins/server-monitoring` | Metrics and alerts. | Built |
| 3 | **WP Toolkit** | `/plugins/wp-toolkit` | WordPress management. | Built |

## 4. Account panel - shell pages

| Page | Route | Notes |
|---|---|---|
| **Panel home** | `/panel` | Account dashboard: usage meters, domains, quick links, collapsible tool sections. |
| **Change password (redirect)** | `/panel/change-password` | Redirects to Security > Password. |
| **Plugin page** | `/panel/plugins/:pluginId/*` | Pages that enabled plugins register for the account audience. |
| **Not found** | `/panel/*` | 404 inside the account panel shell. |

## 5. Account panel - function pages by category (64)

### 1. Overview (3 pages, icon: LayoutDashboard)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Dashboard** | `/panel/overview/dashboard` | Usage at a glance, your domains and quick links. | Built |
| 2 | **Account details** | `/panel/overview/account` | Your account, plan limits and included features. | Built |
| 3 | **Preferences** | `/panel/overview/preferences` | Contact addresses, language and notifications. | Built |

### 2. Domains (5 pages, icon: Globe)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Domains** | `/panel/domains/domains` | Every domain on this account and where it is served from. | Built |
| 2 | **Addon domains** | `/panel/domains/addon-domains` | Host additional websites on this account. | Built |
| 3 | **Subdomains** | `/panel/domains/subdomains` | Sections of your sites under their own hostname. | Built |
| 4 | **Parked domains** | `/panel/domains/parked-domains` | Aliases that show the same site as another domain. | Built |
| 5 | **Redirects** | `/panel/domains/redirects` | Send visitors from one address to another. | Built |

### 3. DNS (3 pages, icon: Network)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Zone editor** | `/panel/dns/zone-editor` | A, AAAA, CNAME, MX, TXT, SRV and CAA records for your domains. | Built |
| 2 | **Dynamic DNS** | `/panel/dns/dynamic-dns` | Keep an A or AAAA record pointed at a changing address with a private update URL. | Built |
| 3 | **Track DNS** | `/panel/dns/track` | Look up the records of any domain and trace the route from this server to a host. | Built |

### 4. SSL (3 pages, icon: Lock)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **SSL status** | `/panel/ssl/status` | Certificates installed on each domain. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 2 | **Install certificate** | `/panel/ssl/install` | Issue a free certificate or install your own. | Built |
| 3 | **Certificates** | `/panel/ssl/certificates` | Certificates, keys and signing requests stored for this account. | Built |

### 5. Files (6 pages, icon: FolderOpen)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **File manager** | `/panel/files/file-manager` | Browse, upload, edit and organise the files of your sites. | Built |
| 2 | **Disk usage** | `/panel/files/disk-usage` | Which folders use the most space. | Built |
| 3 | **Directory privacy** | `/panel/files/directory-privacy` | Ask visitors for a username and password before a folder opens. | Built |
| 4 | **Indexes** | `/panel/files/indexes` | Whether a folder without an index page lists its files. | Built |
| 5 | **Git version control** | `/panel/files/git` | Clone or create repositories under your home and deploy them to your sites. | Built |
| 6 | **Web Disk** | `/panel/files/webdisk` | Open your home folder like a drive on your computer or phone over WebDAV. | Built |

### 6. Email (12 pages, icon: Mail)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Email accounts** | `/panel/email/accounts` | Mailboxes on your domains. | Built |
| 2 | **Forwarders** | `/panel/email/forwarders` | Copy or redirect incoming mail to another address. | Built |
| 3 | **Default address** | `/panel/email/default-address` | What happens to mail for addresses that do not exist. | Built |
| 4 | **Autoresponders** | `/panel/email/autoresponders` | Automatic replies while you are away. | Built |
| 5 | **Email filters** | `/panel/email/filters` | Sort, forward or discard incoming mail per mailbox. | Built |
| 6 | **Account-wide filters** | `/panel/email/global-filters` | Rules that apply to every mailbox on this account. | Built |
| 7 | **Spam filters** | `/panel/email/spam` | Scoring thresholds, allow and block lists. | Built |
| 8 | **Deliverability** | `/panel/email/deliverability` | SPF, DKIM and DMARC records for your domains. | Built |
| 9 | **Email routing** | `/panel/email/routing` | Deliver mail for a domain here or at another mail server. | Built |
| 10 | **Webmail** | `/panel/email/webmail` | Read your mail in the browser. | Built |
| 11 | **Mail usage** | `/panel/email/usage` | Messages sent and delivered recently. | Built |
| 12 | **Calendars and contacts** | `/panel/email/calendars` | Sync calendars and address books with your phone and mail app over CalDAV and CardDAV. | Built |

### 7. Databases (5 pages, icon: Database)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Databases** | `/panel/databases/databases` | Databases on this account. | Built |
| 2 | **Database users** | `/panel/databases/users` | Users and the privileges they hold on each database. | Built |
| 3 | **Remote hosts** | `/panel/databases/remote-hosts` | Hosts allowed to connect to your databases from outside. | Built |
| 4 | **phpMyAdmin** | `/panel/databases/phpmyadmin` | Open the database administration tool. | Built |
| 5 | **Database wizard** | `/panel/databases/wizard` | Create a database, its user and the user's privileges in three steps. | Built |

### 8. FTP (1 pages, icon: HardDriveUpload)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **FTP accounts** | `/panel/ftp/accounts` | Extra logins limited to a folder of your account. | Built |

### 9. Cron (1 pages, icon: Clock)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Cron jobs** | `/panel/cron/cron-jobs` | Commands that run on a schedule. | Built |

### 10. Backups (2 pages, icon: Archive)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Backups** | `/panel/backups/backups` | Generate and download backups of your account. | Built |
| 2 | **Restore** | `/panel/backups/restore` | Put files back from a backup or an uploaded archive. | Built |

### 11. Logs (4 pages, icon: ScrollText)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Access logs** | `/panel/logs/access-logs` | Web server access and error logs for your domains. | Built |
| 2 | **Bandwidth** | `/panel/logs/bandwidth` | Traffic per month against your plan. | Built |
| 3 | **Visitors** | `/panel/logs/visitors` | Who visits your sites: visitors, pages, referrers and the full report. | Built |
| 4 | **Errors** | `/panel/logs/errors` | The newest lines of every error log of your domains. | Built |

### 12. PHP (2 pages, icon: Code)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **PHP versions** | `/panel/php/versions` | The PHP version each domain runs. | Built |
| 2 | **PHP settings** | `/panel/php/ini` | Per-domain .user.ini directives. | Built |

### 13. Security (7 pages, icon: Shield)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Password** | `/panel/security/password` | Change the password for this account. | Built |

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 2 | **Two-factor authentication** | `/panel/security/two-factor` | Protect sign-in with a one-time code. | Built |
| 3 | **SSH keys** | `/panel/security/ssh-keys` | Public keys allowed to open a shell on this account. | Built |
| 4 | **Sessions** | `/panel/security/sessions` | Where this account is signed in. | Built |
| 5 | **API tokens** | `/panel/security/tokens` | Tokens for scripts that use the panel API. | Built |
| 6 | **IP blocker** | `/panel/security/ip-blocker` | Keep addresses and ranges away from your sites. | Built |
| 7 | **Virus scanner** | `/panel/security/virus-scanner` | Scan your files, mail and websites for malware. | Built |

### 14. Usage (1 pages, icon: Gauge)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Usage** | `/panel/usage/usage` | Disk, bandwidth and object counts against your plan. | Built |

### 15. Advanced (4 pages, icon: Wrench)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **Error pages** | `/panel/advanced/error-pages` | Your own pages for 404 and the other error responses. | Built |
| 2 | **Optimize website** | `/panel/advanced/optimize-website` | Compress pages, styles and scripts before they are sent to visitors. | Built |
| 3 | **Hotlink protection** | `/panel/advanced/hotlink-protection` | Stop other sites from embedding your images and files. | Built |
| 4 | **Terminal** | `/panel/advanced/terminal` | A command line on your account, in the browser. | Built |

### 16. Software (4 pages, icon: Package)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **WordPress** | `/panel/software/wordpress` | Install, update and remove WordPress on your domains. | Built |
| 2 | **Installers** | `/panel/software/installers` | One-click WordPress, Joomla and Drupal on your domains. | Built |
| 3 | **Plugins** | `/panel/software/plugins` | Extra tools your hosting provider installed for your account. | Built |
| 4 | **Application manager** | `/panel/software/apps` | Run Node.js and Python applications as services and publish them on your domains. | Built |

### 17. Preferences (1 pages, icon: Settings)

| # | Page | Route | What it does | Status |
|---|---|---|---|---|
| 1 | **User manager** | `/panel/preferences/users` | People who use this account's services with their own login: a mailbox, an FTP folder, calendars. | Built |

## 6. Screenshots of every page (285)

Captured 2026-11-06 on the live server at 1440 x 960 px (first screen of each page, light theme, sidebar open). Admin pages were captured as the automation admin; account-panel pages as a test account opened with "Log in as". Order follows the page list above.

1 Admin shell

# Login

`/login`



2 Admin shell

# Password reset request

`/login/reset`



3 Admin shell

# Password reset confirm

`/login/reset/probe-expired-token`



4 Admin shell

# Home / dashboard

/



5 Admin shell

# Change password

/change-password



6 Admin shell

# Audit log

/audit-log



7 Admin shell

# Not found (404)

`/this-page-does-not-exist`



8 Admin panel › Server Configuration

# Basic Setup

`/server-configuration/basic-webhost-manager-setup`

Contact details, main and shared IPs, nameservers and account defaults.



9 Admin panel › Server Configuration

# Change Root Password

`/server-configuration/change-root-password`

Rotate the server's root password.



# Configure Analytics

`/server-configuration/configure-cpanel-analytics`

Opt in or out of anonymous interface analytics.



# Configure Panel Cron Jobs

`/server-configuration/configure-cpanel-cron-jobs`

Schedules for the panel's own maintenance tasks.



# Initial Quota Setup

`/server-configuration/initial-quota-setup`

Enable and verify filesystem disk quotas.



13 Admin panel › Server Configuration

# Link Server Nodes

`/server-configuration/link-server-nodes`

Register linked servers for distributed workloads.



# Server Profile

`/server-configuration/server-profile`

Choose which roles this server fulfils.



# Server Time

`/server-configuration/server-time`

Timezone and NTP synchronisation.



# Statistics Software Configuration

`/server-configuration/statistics-software-configuration`

Web statistics generators and their schedule.



# Terminal

`/server-configuration/terminal`

In-browser root shell.



# Tweak Settings

`/server-configuration/tweak-settings`

Hundreds of server-wide behaviour switches.



# Update Preferences

`/server-configuration/update-preferences`

Release tier and automatic update policy.



# Marketplace

`/server-configuration/whm-marketplace`

Browse and install add-ons and plugins.



# Create Support Ticket

`/support/create-support-ticket`

Open a support request with a system snapshot.



# Grant Support Access

`/support/grant-cpanel-support-access`

Time-boxed access for support engineers.



# Support Center

`/support/support-center`

Documentation, forums and support resources.



# Change Hostname

`/networking-setup/change-hostname`

Set the server's fully qualified hostname.



# Resolver Configuration

`/networking-setup/resolver-configuration`

DNS resolvers the server uses.



# Apache mod_userdir Tweak

`/security-center/apache-mod-userdir-tweak`

Control ~user URL access.



# SMTP Restrictions

`/security-center/smtp-restrictions`

Block outgoing SMTP from non-mail users.



# Compiler Access

`/security-center/compiler-access`

Allow or deny compilers to unprivileged users.



29 Admin panel › Security Center

# Configure Security Policies

`/security-center/configure-security-policies`

Login security policies.



30 Admin panel › Security Center

# cPHulk Brute Force Protection

`/security-center/cphulk-brute-force-protection`

Block repeated failed logins.



# Host Access Control

`/security-center/host-access-control`

Per-service allow and deny rules.



32 Admin panel › Security Center

# Manage External Authentications

`/security-center/manage-external-authentications`

External identity providers for login.



33 Admin panel › Security Center

# Manage root's SSH Keys

`/security-center/manage-roots-ssh-keys`

Generate, import and authorise root SSH keys.



34 Admin panel › Security Center

# Manage Wheel Group Users

`/security-center/manage-wheel-group-users`

Who may become root with su.



35 Admin panel › Security Center

# ModSecurity Configuration

`/security-center/modsecurity-configuration`

Web application firewall settings.



# ModSecurity Tools

`/security-center/modsecurity-tools`

Review hits and manage rules.



37 Admin panel › Security Center

# ModSecurity Vendors

`/security-center/modsecurity-vendors`

Install and update rule vendors.



38 Admin panel › Security Center

# Password Strength Configuration

`/security-center/password-strength-configuration`

Minimum password strength requirements.



# Security Advisor

`/security-center/security-advisor`

Scan the server for security weaknesses.



# Security Questions

`/security-center/security-questions`

Recovery question policy.



# Shell Fork Bomb Protection

`/security-center/shell-fork-bomb-protection`

Per-user process and memory limits.



42 Admin panel › Security Center

# SSH Password Authorization Tweak

`/security-center/ssh-password-authorization-tweak`

Toggle SSH password authentication.



43 Admin panel › Security Center

# Traceroute Enable/Disable

`/security-center/traceroute-enable-disable`

Control traceroute availability.



# Two-Factor Authentication

`/security-center/two-factor-authentication`

Time-based one-time passwords for panel logins.



# Contact Manager

`/server-contacts/contact-manager`

Notification channels and the events they receive.



# Edit System Mail Preferences

`/server-contacts/edit-system-mail-preferences`

Where system mail is delivered.



# Change Ownership of an Account

`/resellers/change-ownership-of-an-account`

Move an account to another reseller.



# Change Ownership of Multiple Accounts

`/resellers/change-ownership-of-multiple-accounts`

Bulk ownership changes.



# Edit Reseller Nameservers and Privileges

`/resellers/edit-reseller-nameservers-and-privileges`

ACLs and nameservers per reseller.



# Email All Resellers

`/resellers/email-all-resellers`

Broadcast a message to every reseller.



51 Admin panel › Resellers

# Manage Reseller's IP Delegation

`/resellers/manage-resellers-ip-delegation`

IP addresses a reseller may assign.



# Manage Reseller's Shared IP

`/resellers/manage-resellers-shared-ip`

Default shared IP for a reseller.



# Reseller Center

`/resellers/reseller-center`

Create and manage resellers and their limits.



# Reset Resellers

`/resellers/reset-resellers`

Strip reseller privileges.



# Show Reseller Accounts

`/resellers/show-reseller-accounts`

Accounts owned by a reseller.



56 Admin panel › Resellers

# View Reseller Usage and Manage Account Status

`/resellers/view-reseller-usage-and-manage-account-status`

Usage overview with suspend controls.



57 Admin panel › Service Configuration

# Apache Configuration

`/service-configuration/apache-configuration`

Global web server directives and includes.



# Log Rotation Configuration

`/service-configuration/cpanel-log-rotation-configuration`

Log rotation policy.



# Web Disk Configuration

`/service-configuration/cpanel-web-disk-configuration`

WebDAV service settings.



# Panel Web Services Configuration

`/service-configuration/cpanel-web-services-configuration`

Panel web service tuning.



61 Admin panel › Service Configuration

# Exim Configuration Manager

`/service-configuration/exim-configuration-manager`

Mail server configuration.



# FTP Server Selection

`/service-configuration/ftp-server-selection`

Choose the FTP daemon.



63 Admin panel › Service Configuration

# Mailserver Configuration

`/service-configuration/mailserver-configuration`

IMAP/POP server settings.



64 Admin panel › Service Configuration

# Manage Service SSL Certificates

`/service-configuration/manage-service-ssl-certificates`

Certificates for mail, FTP, web and the panel.



# Nameserver Selection

`/service-configuration/nameserver-selection`

Choose the DNS server software.



# Service Manager

`/service-configuration/service-manager`

Enable, monitor and auto-restart services.



# Configure Application Locales

`/locales/configure-application-locales`

Default and available interface languages.



# Copy a Locale

`/locales/copy-a-locale`

Duplicate a locale to customise it.



# Delete a Locale

`/locales/delete-a-locale`

Remove a custom locale.



# Edit a Locale

`/locales/edit-a-locale`

Edit translated strings.



# Locale XML Download

`/locales/locale-xml-download`

Export a locale.



# Locale XML Upload

`/locales/locale-xml-upload`

Import a locale.



# View Available Locales

`/locales/view-available-locales`

All installed locales.



# Backup Configuration

`/backup/backup-configuration`

Schedule, retention, scope and destinations.



# Backup Restoration

`/backup/backup-restoration`

Restore a full account backup.



# Backup User Selection

`/backup/backup-user-selection`

Include or exclude accounts.



# File and Directory Restoration

`/backup/file-and-directory-restoration`

Restore individual files.



78 Admin panel › Clusters

# Configuration Cluster

`/clusters/configuration-cluster`

Share configuration with peer servers.



# DNS Cluster

`/clusters/dns-cluster`

Replicate DNS zones to other nameservers.



# Forceful Server Reboot

`/system-reboot/forceful-server-reboot`

Reboot immediately.



81 Admin panel › System Reboot

# Graceful Server Reboot

`/system-reboot/graceful-server-reboot`

Stop services cleanly, then reboot.



# Apache Status

`/server-status/apache-status`

Live web server worker status.



# Daily Process Log

`/server-status/daily-process-log`

Resource usage by process over time.



# Server Information

`/server-status/server-information`

Hardware, OS, memory and disk details.



# Service Status

`/server-status/service-status`

Up/down state of monitored services.



# Task Queue Monitor

`/server-status/task-queue-monitor`

Background jobs and their progress.



# List Accounts

`/account-information/list-accounts`

Search, inspect and act on hosting accounts.



# List Parked Domains

`/account-information/list-parked-domains`

Parked (alias) domains.



# List Subdomains

`/account-information/list-subdomains`

All subdomains.



# List Suspended Accounts

`/account-information/list-suspended-accounts`

Accounts currently suspended.



# Manage Account Enhancements

`/account-information/manage-account-enhancements`

Add-on entitlements per account.



92 Admin panel › Account Information

# Show Accounts Over Quota

`/account-information/show-accounts-over-quota`

Accounts exceeding disk quota.



# View Bandwidth Usage

`/account-information/view-bandwidth-usage`

Bandwidth consumption per account.



# Change Site's IP Address

`/account-functions/change-sites-ip-address`

Move a site to a different IP.



# Create a New Account

`/account-functions/create-a-new-account`

Provision a hosting account.



# Email All Users

`/account-functions/email-all-users`

Broadcast a message to all account owners.



# Force Password Change

`/account-functions/force-password-change`

Require accounts to change their password.



# Limit Bandwidth Usage

`/account-functions/limit-bandwidth-usage`

Set a bandwidth cap.



99 Admin panel › Account Functions

# Manage Account Suspension

`/account-functions/manage-account-suspension`

Suspend or unsuspend with a reason.



# Manage Demo Mode

`/account-functions/manage-demo-mode`

Restrict accounts to read-only demo mode.



101 Admin panel › Account Functions

# Manage Shell Access

`/account-functions/manage-shell-access`

Normal, jailed or no shell.



# Modify an Account

`/account-functions/modify-an-account`

Change domain, owner, package and limits.



# Password Modification

`/account-functions/password-modification`

Set an account's password.



# Quota Modification

`/account-functions/quota-modification`

Change disk quota.



# Raw Apache Log Download

`/account-functions/raw-apache-log-download`

Download raw web access logs.



106 Admin panel › Account Functions

# Raw NGINX Log Download

`/account-functions/raw-nginx-log-download`

Download raw NGINX logs.



# Rearrange an Account

`/account-functions/rearrange-an-account`

Move an account's home to another partition.



108 Admin panel › Account Functions

# Reset Account Bandwidth Limit

`/account-functions/reset-account-bandwidth-limit`

Clear bandwidth counters.



109 Admin panel › Account Functions

# Terminate Accounts

`/account-functions/terminate-accounts`

Permanently remove accounts.



110 Admin panel › Account Functions

# Unsuspend Bandwidth Exceeders

`/account-functions/unsuspend-bandwidth-exceeders`

Bulk unsuspend accounts over bandwidth.



# Upgrade/Downgrade an Account

`/account-functions/upgrade-downgrade-an-account`

Change an account's package.



# Web Log Retention

`/account-functions/web-log-retention`

How long to keep web logs.



113 Admin panel › Account Functions

# Web Template Editor

`/account-functions/web-template-editor`

Default and error page templates.



114 Admin panel › Multi Account Functions

# Change Multiple Sites' IP Addresses

`/multi-account-functions/change-multiple-sites-ip-addresses`

Bulk IP changes.



115 Admin panel › Multi Account Functions

# Modify/Upgrade Multiple Accounts

`/multi-account-functions/modify-upgrade-multiple-accounts`

Bulk package and limit changes.



# Convert Addon Domain to Account

`/transfers/convert-addon-domain-to-account`

Promote an addon domain to its own account.



# Review Transfers and Restores

`/transfers/review-transfers-and-restores`

History and logs of transfer jobs.



118 Admin panel › Transfers

# Transfer or Restore an Account

`/transfers/transfer-or-restore-a-cpanel-account`

Import an account from a backup, a cPanel server or another Keel server.



# Transfer Tool

`/transfers/transfer-tool`

Migrate many accounts from another server.



# Theme Manager

`/themes/theme-manager`

Default interface themes and branding.



# Add a Package

/packages/add-a-package

Create a hosting plan.



# Delete a Package

/packages/delete-a-package

Remove an unused plan.



# Edit a Package

/packages/edit-a-package

Change plan limits and features.



# Feature Manager

`/packages/feature-manager`

Which account-panel features each plan includes.



# Add a DNS Zone

`/dns-functions/add-a-dns-zone`

Create a zone from a template.



# Add an A Entry for Your Hostname

`/dns-functions/add-an-a-entry-for-your-hostname`

Ensure the hostname resolves.



# Delete a DNS Zone

`/dns-functions/delete-a-dns-zone`

Remove a zone.



# DNS Zone Manager

`/dns-functions/dns-zone-manager`

Edit records in a zone.



# Edit Zone Templates

`/dns-functions/edit-zone-templates`

Templates used for new zones.



130 Admin panel › DNS Functions

# Email DNS Record Manager

`/dns-functions/email-dns-record-manager`

SPF, DKIM and DMARC helpers.



# Email Routing Configuration

`/dns-functions/email-routing-configuration`

Local, backup or remote mail routing.



# Enable DKIM/SPF Globally

`/dns-functions/enable-dkim-spf-globally`

Apply email authentication to all domains.



# Nameserver Record Report

`/dns-functions/nameserver-record-report`

Verify nameserver records.



# Park a Domain

`/dns-functions/park-a-domain`

Alias a domain onto an account.



135 Admin panel › DNS Functions

# Perform a DNS Cleanup

`/dns-functions/perform-a-dns-cleanup`

Remove orphaned zones.



# Set Zone TTL

`/dns-functions/set-zone-ttl`

Default time-to-live.



137 Admin panel › DNS Functions

# Setup/Edit Domain Forwarding

`/dns-functions/setup-edit-domain-forwarding`

HTTP redirects for domains.



138 Admin panel › DNS Functions

# Synchronize DNS Records

`/dns-functions/synchronize-dns-records`

Push zones to cluster peers.



# Change Database Root Password

`/database-services/change-database-root-password`

Rotate the database superuser password.



140 Admin panel › Database Services

# Change Database User Password

`/database-services/change-database-user-password`

Reset a database user's password.



141 Admin panel › Database Services

# Database Map Tool

`/database-services/database-map-tool`

Map databases and users to accounts.



142 Admin panel › Database Services

# Edit Database Configuration

`/database-services/edit-database-configuration`

Server configuration tuning.



# Manage Database Access Hosts

`/database-services/manage-database-access-hosts`

Remote hosts allowed to connect.



144 Admin panel › Database Services

# Manage Database Profiles

`/database-services/manage-database-profiles`

Local and remote database servers.



145 Admin panel › Database Services

# Manage Database Users

`/database-services/manage-database-users`

Create users and grants.



146 Admin panel › Database Services

# Manage Databases

`/database-services/manage-databases`

Create and drop databases.



# phpMyAdmin

`/database-services/phpmyadmin`

Web database administration.



148 Admin panel › Database Services

# Repair Databases

`/database-services/repair-databases`

Check and repair tables.



149 Admin panel › Database Services

# Show Database Processes

`/database-services/show-database-processes`

Live process list.



150 Admin panel › Database Services

# Upgrade Database Version

`/database-services/upgrade-database-version`

Upgrade the database server.



# IPv6 Ranges

`/ip-functions/ipv6-ranges`

Manage IPv6 address ranges.



# Add a New IP Address

`/ip-functions/add-a-new-ip-address`

Bind an additional IP to the server.



153 Admin panel › IP Functions

# Assign IPv6 Address

`/ip-functions/assign-ipv6-address`

Give an account an IPv6 address.



154 Admin panel › IP Functions

# Configure Remote Service IPs

`/ip-functions/configure-remote-service-ips`

IPs for remote services.



# IP Migration Wizard

`/ip-functions/ip-migration-wizard`

Renumber the server's IPs.



156 Admin panel › IP Functions

# Rebuild the IP Address Pool

`/ip-functions/rebuild-the-ip-address-pool`

Resynchronise free and used IPs.



157 Admin panel › IP Functions

# Show IP Address Usage

`/ip-functions/show-ip-address-usage`

Which account uses each IP.



158 Admin panel › IP Functions

# Show or Delete Current IP Addresses

`/ip-functions/show-or-delete-current-ip-addresses`

IPs bound to the server.



159 Admin panel › IP Functions

# Show/Edit Reserved IPs

`/ip-functions/show-edit-reserved-ips`

IPs excluded from allocation.



160 Admin panel › Software

# Install a Perl Module

`/software/install-a-perl-module`

Install from CPAN.



161 Admin panel › Software

# Install Software

`/software/install-distro-packages`

One-click PHP, Node.js, Python and tool installs, plus any OS package.



# Module Installers

`/software/module-installers`

PHP, Ruby and Perl module installers.



163 Admin panel › Software

# MultiPHP INI Editor

`/software/multiphp-ini-editor`

php.ini settings per version and domain.



164 Admin panel › Software

# PHP Version Manager

`/software/multiphp-manager`

Every PHP version: install, remove, default, and what accounts may pick.



165 Admin panel › Software

# NGINX Manager

`/software/nginx-manager`

NGINX reverse proxy and caching.



166 Admin panel › Software

# Rebuild RPM Database

`/software/rebuild-rpm-database`

Repair the RPM database.



167 Admin panel › Software

# System Update

`/software/system-update`

Apply operating system updates.



168 Admin panel › Software

# Update Server Software

`/software/update-server-software`

Update the control panel.



169 Admin panel › Software

# EasyApache 4

`/software/easyapache-4`

Build Apache and PHP profiles.



# Email Deliverability

`/email/email-deliverability`

SPF, DKIM and reverse DNS health per domain.



171 Admin panel › Email

# Filter Incoming Emails by Country

`/email/filter-incoming-emails-by-country`

Country-based mail filtering.



172 Admin panel › Email

# Filter Incoming Emails by Domain

`/email/filter-incoming-emails-by-domain`

Domain-based mail filtering.



# Greylisting

`/email/greylisting`

Delay unknown senders to reduce spam.



174 Admin panel › Email

# Mail Delivery Reports

`/email/mail-delivery-reports`

Trace message delivery.



# Mail Queue Manager

`/email/mail-queue-manager`

View, deliver or delete queued mail.



176 Admin panel › Email

# Mail Troubleshooter

`/email/mail-troubleshooter`

Diagnose delivery to an address.



177 Admin panel › Email

# Mailbox Conversion

`/email/mailbox-conversion`

Convert mailbox formats.



178 Admin panel › Email

# Repair Mailbox Permissions

`/email/repair-mailbox-permissions`

Fix mailbox ownership and permissions.



179 Admin panel › Email

# Spamd Startup Configuration

`/email/spamd-startup-configuration`

SpamAssassin daemon options.



180 Admin panel › Email

# View Mail Statistics Summary

`/email/view-mail-statistics-summary`

Mail volume statistics.



# View Relayers

`/email/view-relayers`

Who is relaying mail.



182 Admin panel › Email

# View Sent Summary

`/email/view-sent-summary`

Outbound mail summary.



183 Admin panel › System Health

# Background Process Killer

`/system-health/background-process-killer`

Kill disallowed background processes.



184 Admin panel › System Health

# Process Manager

`/system-health/process-manager`

Inspect, kill and renice processes.



185 Admin panel › System Health

# Show Current Disk Usage

`/system-health/show-current-disk-usage`

Filesystem usage.



186 Admin panel › System Health

# Show Current Running Processes

`/system-health/show-current-running-processes`

Snapshot of running processes.


Keel
Hosting control panel
Search functions
nova.hostingsignal.in
keel-ops
Search
Expand all
Collapse all
Home
Server Configuration
Basic Setup
Change Root Password
Configure Analytics
Configure Panel Cron Jobs
Initial Quota Setup
Link Server Nodes
Server Profile
Server Time
Statistics Software Configuration
Terminal
Tweak Settings
Update Preferences
Marketplace
Support
Create Support Ticket
Grant Support Access
Support Center
Networking Setup
Change Hostname
Resolver Configuration
Security Center
Apache mod_userdir Tweak
SMTP Restrictions
Compiler Access
Configure Security Policies
Home › System Health › Show Current Running Processes
Show Current Running Processes
Snapshot of running processes, refreshed every 10 seconds. Use Process Manager to kill or renice.
Sort by CPU
Filter by user
200
Refresh
PID User CPU % Mem % RSS Running State Command
463583 leakwatch 6.3 1.2 48.9 MB 5h 58m Sl chrome-headless /home/leakwatch/.cache/ms-playwright/chromium_headless_shell-1248/chrome-headless-shell-linux64/chrome-headless-shell --type=gpu-process --gpu-recent-crash-count=0 --no-sandbox --disable-dev-shm-usage --disable-breakpad --headless --ozone-platform=headless --use-angle=swiftshader-webgl --enable-unsafe-swiftshader --gpu-preferences=YAAAAAAAAAAgAAAEAAAAAAAAAAAAAAGAAAAAAAAAAAAAA

187 Admin panel › Panel

# Change Log

`/cpanel/change-log`

What changed in each release.



188 Admin panel › Panel

# Customization

`/cpanel/customization`

Branding, logos and help links.



189 Admin panel › Panel

# Manage Plugins

`/cpanel/manage-plugins`

Install and enable plugins.



190 Admin panel › Panel

# Modify Panel News

`/cpanel/modify-cpanel-and-whm-news`

News shown to users.



191 Admin panel › Panel

# Reset a Mailman Password

`/cpanel/reset-a-mailman-password`

Mailing list admin password.



192 Admin panel › Panel

# Upgrade to Latest Version

`/cpanel/upgrade-to-latest-version`

Upgrade the panel.



193 Admin panel › SSL/TLS

# Generate an SSL Certificate and Signing Request

`/ssl-tls/generate-an-ssl-certificate-and-signing-request`

Create a key and CSR.



# Install an SSL Certificate on a Domain

`/ssl-tls/install-an-ssl-certificate-on-a-domain`

Deploy a certificate.



195 Admin panel › SSL/TLS

# Manage AutoSSL

`/ssl-tls/manage-autossl`

Automatic certificate issuance and renewal.



196 Admin panel › SSL/TLS

# Manage SSL Hosts

`/ssl-tls/manage-ssl-hosts`

Installed certificates and expiry.



197 Admin panel › SSL/TLS

# Purchase and Install an SSL Certificate

`/ssl-tls/purchase-and-install-an-ssl-certificate`

Buy a certificate from a provider.



198 Admin panel › SSL/TLS

# SSL Storage Manager

`/ssl-tls/ssl-storage-manager`

Stored keys, CSRs and certificates.



# SSL/TLS Configuration

`/ssl-tls/ssl-tls-configuration`

Protocols, ciphers and HSTS.



200 Admin panel › Market

# Market Provider Manager

`/market/market-provider-manager`

Enable marketplace providers.



201 Admin panel › Restart Services

# Database Server

`/restart-services/database-server`

Restart MySQL/MariaDB.



202 Admin panel › Restart Services

# DNS Server

`/restart-services/dns-server`

Restart BIND.



# HTTP Server (Apache)

`/restart-services/http-server-apache`

Restart Apache.



204 Admin panel › Restart Services

# IMAP Server

`/restart-services/imap-server`

Restart Dovecot.



205 Admin panel › Restart Services

# Mail Server (Exim)

`/restart-services/mail-server-exim`

Restart Exim.



206 Admin panel › Restart Services

# Mailing List Manager (Mailman)

`/restart-services/mailing-list-manager-mailman`

Restart Mailman.



207 Admin panel › Restart Services

# PHP-FPM service for Apache

`/restart-services/php-fpm-service-for-apache`

Restart PHP-FPM.



208 Admin panel › Restart Services

# SSH Server (OpenSSH)

`/restart-services/ssh-server-openssh`

Restart the SSH daemon.



209 Admin panel › Development

# OpenAPI Documentation for the Account Panel

`/development/openapi-documentation-for-cpanel`

User-side API reference.



210 Admin panel › Development

# OpenAPI Documentation for the Admin Panel

`/development/openapi-documentation-for-whm`

Admin API reference.



211 Admin panel › Development

# Apps Managed by AppConfig

`/development/apps-managed-by-appconfig`

Registered integration apps.



212 Admin panel › Development

# Development Forum

`/development/cpanel-development-forum`

Developer community.



213 Admin panel › Development

# Plugin File Generator

`/development/cpanel-plugin-file-generator`

Scaffold a plugin.



214 Admin panel › Development

# Developer Documentation

`/development/developer-documentation`

Developer guides.



215 Admin panel › Development

# Manage API Tokens

`/development/manage-api-tokens`

Create and revoke API tokens.



216 Admin panel › Development

# Manage Hooks

`/development/manage-hooks`

Event hooks for automation.



# ImunifyAV

`/plugins/imunifyav`

Malware scanner.



218 Admin panel › Plugins

# Server Monitoring

`/plugins/server-monitoring`

Metrics and alerts.



# WP Toolkit

`/plugins/wp-toolkit`

WordPress management.



220 Account panel shell

# Panel home

/panel



221 Account panel shell

# Not found (404)

`/panel/this-page-does-not-exist`



# Dashboard

`/panel/overview/dashboard`

Usage at a glance, your domains and quick links.



# Account details

`/panel/overview/account`

Your account, plan limits and included features.



# Preferences

`/panel/overview/preferences`

Contact addresses, language and notifications.



# Domains

`/panel/domains/domains`

Every domain on this account and where it is served from.



226 Account panel › Domains

# Addon domains

`/panel/domains/addon-domains`

Host additional websites on this account.



# Subdomains

`/panel/domains/subdomains`

Sections of your sites under their own hostname.



228 Account panel › Domains

# Parked domains

`/panel/domains/parked-domains`

Aliases that show the same site as another domain.



# Redirects

`/panel/domains/redirects`

Send visitors from one address to another.



230 Account panel › DNS

# Zone editor

`/panel/dns/zone-editor`

A, AAAA, CNAME, MX, TXT, SRV and CAA records for your domains.



231 Account panel › DNS

# Dynamic DNS

`/panel/dns/dynamic-dns`

Keep an A or AAAA record pointed at a changing address with a private update URL.



232 Account panel › DNS

# Track DNS

`/panel/dns/track`

Look up the records of any domain and trace the route from this server to a host.



# SSL status

`/panel/ssl/status`

Certificates installed on each domain.



234 Account panel › SSL

# Install certificate

`/panel/ssl/install`

Issue a free certificate or install your own.



# Certificates

`/panel/ssl/certificates`

Certificates, keys and signing requests stored for this account.



236 Account panel › Files

# File manager

`/panel/files/file-manager`

Browse, upload, edit and organise the files of your sites.



237 Account panel › Files

# Disk usage

`/panel/files/disk-usage`

Which folders use the most space.



238 Account panel › Files

# Directory privacy

`/panel/files/directory-privacy`

Ask visitors for a username and password before a folder opens.



239 Account panel › Files

# Indexes

`/panel/files/indexes`

Whether a folder without an index page lists its files.



# Git version control

`/panel/files/git`

Clone or create repositories under your home and deploy them to your sites.



241 Account panel › Files

# Web Disk

`/panel/files/webdisk`

Open your home folder like a drive on your computer or phone over WebDAV.



# Email accounts

`/panel/email/accounts`

Mailboxes on your domains.



# Forwarders

`/panel/email/forwarders`

Copy or redirect incoming mail to another address.



# Default address

`/panel/email/default-address`

What happens to mail for addresses that do not exist.



# Autoresponders

`/panel/email/autoresponders`

Automatic replies while you are away.



# Email filters

`/panel/email/filters`

Sort, forward or discard incoming mail per mailbox.



247 Account panel › Email

# Account-wide filters

`/panel/email/global-filters`

Rules that apply to every mailbox on this account.



248 Account panel › Email

# Spam filters

`/panel/email/spam`

Scoring thresholds, allow and block lists.



249 Account panel › Email

# Deliverability

`/panel/email/deliverability`

SPF, DKIM and DMARC records for your domains.



250 Account panel › Email

# Email routing

`/panel/email/routing`

Deliver mail for a domain here or at another mail server.



# Webmail

`/panel/email/webmail`

Read your mail in the browser.



# Mail usage

`/panel/email/usage`

Messages sent and delivered recently.



# Calendars and contacts

`/panel/email/calendars`

Sync calendars and address books with your phone and mail app over CalDAV and CardDAV.



# Databases

`/panel/databases/databases`

Databases on this account.



# Database users

`/panel/databases/users`

Users and the privileges they hold on each database.



# Remote hosts

`/panel/databases/remote-hosts`

Hosts allowed to connect to your databases from outside.



257 Account panel › Databases

# phpMyAdmin

`/panel/databases/phpmyadmin`

Open the database administration tool.



258 Account panel › Databases

# Database wizard

`/panel/databases/wizard`

Create a database, its user and the user's privileges in three steps.



# FTP accounts

`/panel/ftp/accounts`

Extra logins limited to a folder of your account.



# Cron jobs

`/panel/cron/cron-jobs`

Commands that run on a schedule.



# Backups

/panel/backups/backups

Generate and download backups of your account.



# Restore

`/panel/backups/restore`

Put files back from a backup or an uploaded archive.



# Access logs

`/panel/logs/access-logs`

Web server access and error logs for your domains.



# Bandwidth

`/panel/logs/bandwidth`

Traffic per month against your plan.



# Visitors

`/panel/logs/visitors`

Who visits your sites: visitors, pages, referrers and the full report.



# Errors

`/panel/logs/errors`

The newest lines of every error log of your domains.



# PHP versions

`/panel/php/versions`

The PHP version each domain runs.



# PHP settings

`/panel/php/ini`

Per-domain .user.ini directives.



269 Account panel › Security

# Password

`/panel/security/password`

Change the password for this account.



270 Account panel › Security

# Two-factor authentication

`/panel/security/two-factor`

Protect sign-in with a one-time code.



271 Account panel › Security

# SSH keys

`/panel/security/ssh-keys`

Public keys allowed to open a shell on this account.



# Sessions

`/panel/security/sessions`

Where this account is signed in.



273 Account panel › Security

# API tokens

`/panel/security/tokens`

Tokens for scripts that use the panel API.



274 Account panel › Security

# IP blocker

`/panel/security/ip-blocker`

Keep addresses and ranges away from your sites.



275 Account panel › Security

# Virus scanner

`/panel/security/virus-scanner`

Scan your files, mail and websites for malware.



# Usage

`/panel/usage/usage`

Disk, bandwidth and object counts against your plan.



277 Account panel › Advanced

# Error pages

/panel/advanced/error-pages

Your own pages for 404 and the other error responses.



278 Account panel › Advanced

# Optimize website

`/panel/advanced/optimize-website`

Compress pages, styles and scripts before they are sent to visitors.



279 Account panel › Advanced

# Hotlink protection

/panel/advanced/hotlink-protection

Stop other sites from embedding your images and files.



280 Account panel › Advanced

# Terminal

`/panel/advanced/terminal`

A command line on your account, in the browser.



281 Account panel › Software

# WordPress

`/panel/software/wordpress`

Install, update and remove WordPress on your domains.



282 Account panel › Software

# Installers

`/panel/software/installers`

One-click WordPress, Joomla and Drupal on your domains.



283 Account panel › Software

# Plugins

`/panel/software/plugins`

Extra tools your hosting provider installed for your account.



284 Account panel › Software

# Application manager

`/panel/software/apps`

Run Node.js and Python applications as services and publish them on your domains.



285 Account panel › Preferences

# User manager

`/panel/preferences/users`

People who use this account's services with their own login: a mailbox, an FTP folder, calendars.