
CST1204: Introduction to Databases

Jun Shan
Adjunct Professor
City Tech, CUNY

Week 4 Session 1

9/16/2019

Previous Session Review

- INSERT data
- Data Type and Data Storage
- Correct data mistakes
- Simple SQL statements


Previous Session Issues

- Always include primary key definitions
- INSERT INTO CHAR(n): Verify your data size.
- INSERT INTO DECIMAL(p,s): No single quote. Verify your data size.
 - Data type for zip code and Rep_Num
 - Oracle's handling of number-like text
- DATE: Requires using function to insert

Decimal

- No quote, no comma: 123, 12345.67
- DECIMAL(precision,scale)

DECIMAL(7,2)



- Precision and scale limit
 - INSERT DECIMAL(7,2) with 123456.78
 - INSERT DECIMAL(7,0) with 123456.78

Homework Review

- Create shorthand representation for all TAL Distributors
 - Create CREATE statements for all tables
 - Create 1 INSERT statement + 1 SELECT for each table
- Chapter 2 exercise questions for TAL Distributors
 - Create shorthand representation for each exercise
 - Create CREATE statements for all changed tables
- Chapter 3 exercise questions for TAL Distributors

Hands-on

- Draw ERD for TAL Distributors
 - Note: Use crowfoot, not arrow

Agenda

- NULL and NOT NULL
- Database Design Example


NULL

- What is NULL (Ch 3 Pg 71): mid name, home phone
 - NULL is a special value to mark missing values, either non-existing or unknown
 - It is not: 0, empty string ("), 'NULL'

NOT NULL


- Can a primary key be NULL?
- NOT NULL in column definition (Ch 3 Pg 71)
 - After data type, before comma
 - Can have multiple NOT NULL in one table
 - Default is NULLable if without NOT NULL

```
CREATE TABLE CUSTOMER
(CUSTOMER_NUM CHAR(3) PRIMARY KEY,
CUSTOMER_NAME CHAR(35) NOT NULL,
STREET CHAR(15),
```

A diagram consisting of a vertical line on the right side of the SQL code block. Two horizontal arrows point from this line to the 'NOT NULL' text in the second column definition, 'CUSTOMER_NAME CHAR(35) NOT NULL,'.

INSERTing NULL

- INSERT NULL by missing out column names (Ch 3 Pg 74)



- INSERT directly using the reserved word NULL

```
INSERT INTO REP VALUES ('45', 'Tian', 'Hui', '1785 Tyler Ave', 'Northfield', NULL, NULL, NULL, NULL);
```

INSERTing NULL

- Cannot INSERT into NOT NULL columns (including primary key)
- SQL Demo

Hands-on

- Create a new table REP_NOT_NULL definition with NOT NULL
- Try insert NULL into REP_NOT_NULL: Error handling
- Try insert NULL into REP, then:
 - Update
 - Delete and re-insert

Homework

- Review Chapter 2 Exercise Question 4 for TAL Distributors
- Create shorthand representation and CREATE, INSERT, SELECT statement for each table in Colonial Adventure Tours (Figure 1-4 to 1-8, Pg 9 - Pg 13)
- Chapter 2 exercise questions for Colonial Adventure Tours

Next Wednesday (9/25): TEST ONE

- Will give a scenario and ask you to
 - Normalize a bad design into 3NF
 - Identify entities and relationships and their primary key
 - Draw ERD
 - Write CREATE and DROP statements