

Git & GitLab — Cheat Sheet

1-Day Refresher Workshop · everything from today on one page

SUK Selangor

Facilitator: Syafiyullah Yahya

github.com/syafi-dev · git.selangor.gov.my

♦ ONE-TIME SETUP

git --version
check Git is installed

git config --global user.name "Name"

git config --global user.email "you@..."
stamped on every commit

git config --global core.autocrlf true
line endings · Mac/Linux use **input**

git config --global init.defaultBranch main

ssh -T git@git.selangor.gov.my
test GitLab access

♦ START A REPOSITORY

git init
turn the current folder into a repo

git clone <url>
copy an existing repo down, history and all

♦ THE DAILY LOOP

Working → **add** → Staging → **commit** → Local → **push** → GitLab

git pull
get the latest before you start

git status
what changed & where it sits

git add <file>
· **git add .**
stage one file · or everything

git commit -m "message"
save a snapshot

git push
share it to GitLab

Pull before you start, **push** when you pause. **Branch** for every change. Unsure? Run **git status**. Messy? **STOP** & ask before piling on.

♦ INSPECT & COMPARE

git log --oneline
history, compact

git status -s
short status

git diff
unstaged changes

git diff --staged
what's staged for commit

git show <hash>
one commit in full

♦ BRANCHING & MERGING

git switch -c <name>
create a branch & jump on

git switch main
move between branches

git branch
· **-d <name>**
list · delete a merged branch

git merge <name>
fold a branch into current

git merge --abort
back out of a messy merge

Name for the job: **feature/...** **bugfix/...**

♦ RESOLVE A CONFLICT

- 1 Pull & see the flag: **git pull**
- 2 Open the file, find <<< === >>>
- 3 Edit to the final text you want
- 4 Delete all three marker lines
- 5 **git add <file>** then **git commit**

Stuck? **git merge --abort** rewinds. Nothing lost.

♦ UNDO & RECOVER

git restore <file>
discard edits, back to last commit

git restore -s HEAD~1 <file>
bring back an earlier version

git restore --staged <file>
unstage, keep your edits

git commit --amend
fix last message (before push)

git reset --soft HEAD~1
undo last commit, keep work

git revert <hash>
reverse a pushed commit · team-safe

git reflog
find a "lost" commit's hash

git clean -fd
delete untracked files · no undo

♦ GITLAB COLLABORATION

git remote -v
see your remotes (origin = default)

git push -u origin <branch>
push a new branch, print an MR link

Branch → Push → Open MR → Review → Merge

Small MRs · real description · link the issue · review kindly & fast · delete merged branches.

♦ .GITIGNORE

node_modules/ vendor/ dist/
deps & build output

.env *.key .DS_Store
secrets & OS clutter — never commit

git rm -r --cached <path>
stop tracking something already committed

Leaked a secret? Rotate it — **.gitignore** won't erase past commits.

© Syafiyullah Yahya · Prepared for SUK Selangor