



Current State (AS-IS) and Requirements Document

End-to-End Salesforce CRM Transformation for
Customer Operations and Service Management

2.1 Process Mapping

2.1.1 AS-IS Customer Service Process Flow

The existing AS-IS operational workflow for customer service at GreenGrid Utilities is characterized by heavy manual intervention, lack of optimization, and systemic disconnection between departments. A typical utility service incident follows the sequence outlined below:

- **Step 1 (Intake):** A customer encounters a localized utility emergency or power disruption and notifies the support office via a standard telephone call.
- **Step 2 (Lookup):** Upon receiving the call, the support agent performs a manual search for the customer's identity, account standing, and property location within an oversized Excel spreadsheet. This constitutes bottleneck B1.
- **Step 3 (Dispatch):** After retrieving the relevant data, the agent conveys case information to field personnel through informal, non-auditable channels such as direct calls or WhatsApp messaging. This constitutes bottleneck B2.
- **Step 4 (Execution):** Field technicians travel to the designated location, carry out physical infrastructure repairs, and record their service notes on paper-based forms.
- **Step 5 (Closeout):** Status updates are relayed back to the main office verbally or through text messages, after which the support agent manually inputs the information into the Excel file. This constitutes bottleneck B3.

2.1.2 Process Challenges (Bottleneck Analysis)

a. B1 (Manual Data Lookup):

Searching through legacy spreadsheet records demands approximately 3 to 5 minutes per incoming call, leading to elevated call abandonment rates and degraded customer satisfaction.

b. B2 (Manual Documentation & Communication Gaps):

The practice of coordinating field crew dispatch through informal text or voice-based applications, combined with paper-based technical logging, results in data fragmentation and a 15% human error rate during job detail transmission.

c. B3 (Data Latency):

Central spreadsheet records are typically updated 2 to 4 hours after physical job completion, which undermines management's ability to monitor grid status in real time.

2.2 Stakeholder Interviews

Simulated discovery sessions and user-centered interviews were conducted across multiple departments to collect qualitative operational insights:

- **Customer Support Team Input:** Support agents conveyed significant frustration with managing multiple disconnected tracking sheets, expressing a clear need for a consolidated console interface to eliminate constant file switching.
- **Field Operations Team Input:** Field crews indicated that the absence of direct access to customer interaction history or technical asset data results in avoidable delays, estimating that digital access could reduce return-trips by approximately 20%.
- **Executive Management Input:** Leadership emphasized the urgent need for automated, system-generated operational reporting to reclaim the 4 hours per week currently lost to manual data consolidation efforts.

2.3 System Requirements Documentation

2.3.1 Business Requirements (BR)

The following strategic mandates outline the overarching corporate objectives for the CRM implementation initiative.

ID	Business Requirement Description	Success Metric / Target
BR1	Reduce customer call waiting periods and improve the throughput of the call center handling process.	Attain an immediate 25% reduction in Average Handling Time (AHT).
BR2	Standardize the tracking of core infrastructure data to eliminate database fragmentation.	Establish a unified source of truth with a 99% data accuracy benchmark.
BR3	Accelerate on-site resolution timelines for deployed maintenance personnel.	Drive a 15% improvement in first-time asset resolution metrics.

2.3.2 Functional Requirements (FR)

The specifications below define the functional software capabilities required to support core business operations.

ID	Functional System Specification	Implementation Priority
FR1	The platform must retrieve and display complete customer profile records via an indexed Meter ID field within 2 seconds, without reliance on external platform integrations.	High Priority — Core capability required for real-time customer identification workflows.
FR2	The system must deliver a consolidated Service Console page layout designed for manual case entry during active telephone interactions.	High Priority — Required to remove dependency on legacy spreadsheet data entry.
FR3	The system must enable field technicians to view records and submit status updates through a secure mobile browser interface.	Medium Priority — Eliminates reliance on physical paper logs and informal WhatsApp-based dispatch.
FR4	The platform must trigger automated alert tracking for high-priority utility incidents that remain unassigned beyond 15 minutes.	Medium Priority — Reduces service delays during significant localized utility outages.

2.3.3 Non-Functional Requirements (NFR)

The parameters below establish the quality, safety, and performance boundaries governing the platform.

ID	Non-Functional Parameter	Technical Specification
NFR1	Cloud infrastructure availability must be sustained to support continuous field safety operations.	Maintain a minimum 99.9% platform uptime threshold throughout active business hours.
NFR2	Information security protocols must govern customer data visibility according to appropriate organizational levels.	Enforce a robust, multi-layered Role-Based Access Control (RBAC) framework across all user profiles.
NFR3	User interface responsiveness must prioritize agent workspace efficiency.	Analytical dashboards and reports must load within a maximum of 5 seconds.

2.4 User Stories

2.4.1 User Story 1: Support Desk Live Call Processing

Background:

Elevated call volumes during service outages frequently cause the legacy Excel system to become unresponsive. Support agents require a unified interface to simultaneously identify callers and record case data, reducing overall wait times.

User Story:

- *As a Customer Support Agent,*
- *I want to retrieve customer records by Meter ID and log a service issue within a single Service Console page,*
- *So that I can handle calls efficiently without extending the customer's wait time.*

Acceptance Criteria:

- A Meter ID search must return the corresponding Account record within 2 seconds.
- Case entry forms must auto-fill the customer's phone number and location from the linked account record.

2.4.2 User Story 2: Field Maintenance Mobile Status Update

Background:

Informal WhatsApp-based dispatch contributes to a 15% location error rate, while paper-based logs are frequently misplaced. Field technicians require real-time data delivery and the ability to submit records directly from their mobile devices.

User Story:

- *As a Dispatched Field Technician,*
- *I want to receive immediate task assignments and submit resolution details directly from my mobile device,*
- *So that I can navigate to sites accurately and remove the dependency on paper-based logging.*

Acceptance Criteria:

- A mobile push notification must be delivered instantly upon assignment of a new work record.
- The Technical Resolution Notes field must be completed as a mandatory requirement before a record status can be set to "Resolved."

Conclusion

Milestone 2 delivers a structured understanding of GreenGrid Utilities' existing operational processes and translates stakeholder feedback into clearly defined system requirements. The documentation of AS-IS workflows alongside categorized requirements forms the analytical groundwork necessary for future-state design, solution architecture, and phased implementation planning in forthcoming project milestones.