Local Lanchers Version 2.1

BUILD & COMPLETE DESIGN

22 October 2026

Two versions. One clearer product. A complete modular build.

Original Version 1 logo preserved. Useful Version 2 interactions retained. Grounded in the supplied business plan and verified in the browser.

Implemented and verified locally.
25 API checks, 20 browser checks and automated accessibility checks. Public deployment and provider connections remain separate launch steps.

Local Lanchers - Version 2.1

Build, design and modular product document

22 October 2026 · Implemented and verified locally · Original Version 1 logo retained

1. What was built

Version 2.1 combines the clearest parts of the original Local Lanchers website, the uploaded Version 2 project and the full business plan into a coherent application.

It has three distinct surfaces:

1. **Public growth website:** explains the offer, helps an owner explore relevant services and plans, and leads to a Local Growth Audit request.

2. **Real audit-request and operations flow:** validates and saves requests, returns a reference only after storage, and lets an authenticated team review and update the queue.

3. **Interactive workspace demonstration:** lets visitors explore enquiries, review templates, visibility requirements and onboarding using fictional, browser-local records.

The positioning remains **a managed digital growth partner for local businesses**. The build does not pretend that future SaaS capabilities or external integrations are already operating.

The existing promotional video remains separate and unchanged. The existing Vercel website has not been overwritten or redeployed.

2. Sources and decisions

Version 1 was inspected at locallanchers.vercel.app, including desktop, mobile, services, plans and contact screens. Its original logo file is copied without alteration.

The shared Version 2 URL required Google sign-in. The user supplied the full AI Studio project ZIP, which resolved the access gap. Its React/Express source, components, utilities and documentation were inspected, installed and run locally. Source screenshots were captured from the running project. Statements embedded in the archive were treated as project content, not new user instructions or proof of real-world results.

The business plan was used to keep the release focused: service first, recurring delivery next, and a broader software platform after customer validation.

Retained from Version 1

- Exact original logo and brand spelling.
- The four growth pillars and lifecycle framing.
- Launch, Growth and Growth Partner package structure and indicative ranges.
- Dental, salon and fitness as the initial industry playbooks.
- The Audit / Plan / Build / Launch / Measure / Improve process.

Retained and improved from Version 2

• Warm editorial styling, rounded hero framing and considered typography.

• Animated desktop menus, selectable pillars and industry panels.

• An eight-stage customer journey with contextual explanations.

• A process/onboarding timeline switcher.

• An interactive scenario calculator.

• The useful workspace patterns: overview, enquiries, review drafting, visibility setup and onboarding.

• Supplied bird sculptures as illustration assets, without presenting them as connected AI employees.

Removed or corrected

• Invented customer stories, partner-logo proof, team identities and numerical outcome claims.

• Generated “audit scans” that inferred visibility and revenue loss without examining real sources.

• Form success messages that appeared even after request failure.

• A lead endpoint that acknowledged requests without storing them.

• Unauthenticated access to a supposed real operations console.

• Controls that implied they had sent WhatsApp messages, published reviews or updated Google when only local state changed.

• Guaranteed ranking, response-speed and growth claims not supported by evidence.

• A prominent in-product “160 QA” badge; source unit-test counts do not establish working integrations.

• Premature public emphasis on Fellows, nationwide rollout, a full SaaS operating system and client revenue attribution.

3. Application map

Route	Module	What the visitor can do
`/`	Public homepage	Understand the promise, explore the growth lifecycle and begin an audit request
`/growth`	Growth system	Switch between four pillars and inspect the eight-stage customer journey
`/industries`	Industry playbooks	Explore dental, salon and fitness customer journeys
`/plans`	Plans and scenarios	Compare indicative packages and change assumptions in a scenario calculator
`/how-it-works`	Delivery and onboarding	Switch between the growth cycle and illustrative first-month timeline
`/audit`	Real request flow	Enter business details, add contact permission, review and save a request
`/workspace`	Local demonstration	Explore and change fictional records without contacting anyone
`/ops`	Private team desk	Sign in, review real saved requests, update status and notes, and export CSV
`/privacy`	Request privacy notice	Understand this development build's collection and use of request information
`/build-notes`	Build and readiness	See implemented modules and connections still needed

Desktop navigation groups Solutions and Industries into click-operated menus. Escape closes an open menu and restores focus. Mobile navigation is an expandable menu with direct links. Routes have real URLs and support refresh and browser navigation.

Pillar and industry links select the matching content through URL parameters. Plan selections carry through to the audit request. The workspace's section is reflected in the URL.

4. Modules explained

Module A - Brand and shared interface

The actual Version 1 logo is used in the header and footer. It is not recreated with text, vectors or a substitute emblem.

Shared components own the header, mobile navigation, dropdowns, logo, call-to-action links, buttons, section headings, lists and reveal animations. This keeps primary actions and interaction states consistent across pages.

The warm hero is original generated editorial artwork illustrating a local business interaction. It does not represent a named customer or endorsement. A compressed WebP is served to the

browser; the source image is retained for editing. Fonts are bundled locally with licenses.

Module B - The public growth website

The first screen states the owner benefit and exposes an audit action immediately. The content moves through discovery, conversion, retention and measurement without overwhelming the owner with a feature inventory.

The four pillars have explicit controls and keyboard navigation, replacing dependence on hover. The eight-stage journey shows a typical gap and a possible improvement for each step. It is labeled as illustrative, not as a diagnosis of the visitor's business.

The industry section changes its customer journey, priorities and request context for dental clinics, salons/spas and fitness studios. Other industries remain discussable through intake, without claiming broad validated delivery coverage.

Module C - Plans and scenario calculator

Plan	Indicative range	Cost clarification
Launch	INR 15,000-30,000	One-time setup; ongoing maintenance is separate if scoped
Growth	INR 5,000-12,000/month	Agreed implementation/setup is additional
Growth Partner	INR 12,000-25,000+/month	Implementation and additional requirements are scoped separately

The ranges come from the supplied business plan. They are not fixed quotes or validated market prices. Proposal scope must confirm taxes, usage fees, media spend and add-ons.

The calculator uses only visitor-entered assumptions: monthly enquiries, current booking rate, scenario booking rate and average booking value. It displays the arithmetic change in bookings and gross booking value before costs. It is not an audit result, model forecast, observed customer outcome or promise of growth.

Formula: enquiries x (scenario rate − current rate) x average booking value.

Module D - Real Local Growth Audit request

The flow has three steps:

1. **Business:** business name, industry, city, optional website, main challenge and plan of interest.

2. **Contact and permission:** name and at least one reply channel; required permission to reply about the request; separate, unselected optional marketing consent.

3. **Review and save:** the owner checks the details and submits to the server.

Client and server share the same core validation rules. Input lengths are bounded. Email, phone and website formats are checked. Sensitive customer or patient information is explicitly discouraged.

On successful database storage, the server returns a UUID-based request reference and status New. It does not return the full personal details to anonymous callers and does not claim to have scheduled a meeting.

If a connection fails, the details remain visible and the interface does not show a success message. An idempotency key protects unchanged retries from creating duplicate records. A changed request cannot reuse an old key to receive a misleading confirmation.

Module E - Private operations desk

Real requests are stored separately from the fictional workspace. The team desk is enabled only after a sufficiently strong operations password is configured on the server.

An authenticated team member can:

• Read saved audit requests and their permissions.

• Search by business, name, city or reference.

• Filter by New, Reviewing, Contacted or Completed.

• Update status and internal notes.

• Reload and see the persisted changes.

• Export the authorized request list as CSV; spreadsheet-formula prefixes are escaped.

• Sign out and revoke the current session.

Sessions use random tokens, store token hashes in SQLite and expire after eight hours. Cookies are HTTP-only and same-site strict; production cookies are Secure and require HTTPS. Expired or absent sessions cannot read private requests. The desk fails closed when its password is unconfigured.

This is a small single-team operations desk, not a multi-tenant client-account or enterprise identity platform. Production-scale identity, roles, audit-log tooling and distributed infrastructure are future adaptations.

Module F - Workspace demonstration

The demonstration is clearly labeled at the top and throughout its records. It does not claim that its examples are real customers or live provider data.

Section	Functional behavior	Boundary
Growth overview	Counts fictional enquiries and their statuses	No invented search, attendance, repeat-visit or revenue data
Enquiry desk	Search/filter examples; add a fictional enquiry; mark it qualified or booked	No customer message or appointment is created
Review drafts	Create a rule-based template, edit, copy and save it locally	Not an AI provider response; nothing is published
Visibility setup	Read the profile and connection requirements	No Google scan, ranking score or account sync

Section	Functional behavior	Boundary
Onboarding	Check example tasks and see progress	No real client account is updated

Demo state is stored in the browser when storage is available. Reset restores the original examples. If storage is unavailable, a message explains that changes will last only for the current session.

Module G - Readiness and privacy

The build notes page distinguishes current behavior from unconnected providers. The privacy notice accurately describes this development build's request storage, reply permission, optional marketing choice, local demo storage and team cookie.

The business owner must confirm a public contact address, retention period and final operating/privacy policy before public launch. No unsupported compliance certification is claimed.

5. Complete visual system

Foundations

Token or element	Implemented choice
Primary text	Deep charcoal, #262A26
Primary action	Dark green, #153F36
Teal accent	#11745E, adjusted for readable contrast
Muted copy	#5C6359
Paper	#F8F7F3
Sand surface	#EEEDE6
Divider	#DEDFD6
Display font	Plus Jakarta Sans, bundled locally
Body font	DM Sans, bundled locally
Icons	Lucide, matching the supplied project's library
Content width	Maximum 1,328 pixels; responsive outer margins
Controls	Clear labels, visible focus rings and deliberate interaction states

The original logo's blue/teal artwork stays unchanged. The surrounding dark-green and warm-neutral UI is an intentional evolution of Version 2, not a replacement logo or a claim of

pixel-exact cloning.

Composition

The homepage uses a generous rounded hero with natural editorial imagery, a legible headline and a visible audit action. Service pages use clear section rhythm, limited surface changes and readable grouped lists. Dense workflows use the workspace's darker side navigation and lighter content area.

On mobile, the navigation collapses, grids stack, plans become vertically comparable, forms use readable input sizes and the workspace's section navigation scrolls inside its own constrained area. The document itself remains within a 390-pixel viewport in the verified mobile states.

Motion and states

• Small dropdown entrance and exit transitions.

• Once-only section reveals, using controlled opacity and vertical movement.

• Short content transitions when selecting a pillar or workspace section.

• A restrained initial hero-image movement.

• Hover, focus, selected, expanded, disabled, loading, error, success and empty states where relevant.

• Reduced-motion support through Motion configuration and CSS preferences.

There is no scroll hijacking or forced cinematic intro. Content remains available when reduced motion is requested. The hero image and the supplied sculpture assets support the narrative rather than being presented as functioning agents.

6. Code and data architecture

Layer	Key source	Responsibility
Public layout	`app/src/components/Layout.tsx`	Navigation, menus, footer and shared routes
Shared UI	`app/src/components/ui.tsx`	Logo, actions, headings and motion wrapper
Growth sections	`app/src/components/GrowthSections.tsx`	Pillars, journey, plans, industries, timeline, FAQ and calculator
Editable content	`app/src/data/content.ts`	Service and business copy
Public pages	`app/src/pages/Marketing.tsx`	Page composition
Request flow	`app/src/pages/Audit.tsx`	Input, review, network handling and saved state
Demo workspace	`app/src/pages/Workspace.tsx`	Fictional local state and controls
Private team UI	`app/src/pages/Operations.tsx`	Authenticated request queue and follow-up
Information pages	`app/src/pages/Info.tsx`	Readiness and privacy
Design system	`app/src/styles/global.css`	Tokens, layouts, responsive behavior and motion preferences
Shared validation	`app/shared/audit.ts`	Pure rules used by browser and server
API	`app/server/api.ts`	Request intake, sessions and private operations
Persistence	`app/server/store.ts`	SQLite schema and stored records
Application host	`app/server/index.ts`	Express, Vite development middleware and production assets

React and TypeScript provide the interface. Express hosts the API and frontend. Node 24's SQLite implementation supplies local durable storage. No separate database service or external API key is needed to demonstrate the implemented request workflow.

The database contains audit requests, request events and hashed team sessions. Database files, local environment values, installed dependencies and build outputs are excluded from Git. Real request details are not mixed into the fictional browser demo.

7. API contract

Endpoint	Access	Outcome
`GET /api/health`	Public	Version, storage type and connection/configuration flags
`POST /api/audits`	Public, validated and rate-limited	Persists a request and returns its reference
`GET /api/ops/session`	Current session	Authentication and configuration state
`POST /api/ops/login`	Password, rate-limited	Creates an expiring team session
`POST /api/ops/logout`	Current session	Revokes the session
`GET /api/ops/requests`	Authenticated team	Reads the private queue
`PATCH /api/ops/requests/:id`	Authenticated team	Persists a valid status and bounded notes

Public audit submission requires a valid Idempotency-Key header. Request-body limits, length validation, a honeypot, rate limits and write-origin checks are implemented. Unknown or invalid API operations return controlled failures rather than exposing stack traces or pretending to succeed.

Rate limits are in memory on one application instance. They are not a distributed abuse-prevention service. A larger deployment should add suitable perimeter protection, monitoring and shared limits.

8. Verification completed

• **25 server/API checks passed:** validation, persistence after database reopen, minimal public confirmation, retry protection, changed-payload protection, private access, session cookies, wrong passwords, expiration, logout, updates, origin checks, malformed requests, request limits and storage failure.

• **20 browser checks passed:** production routes, menus and focus, tab keyboard controls, industry selection, onboarding switcher, plan context, invalid input, reply permission, failed submission and retry, saved reference, real team review, persisted notes, CSV export, demo state, mobile navigation, mobile width and reduced-motion behavior.

• **Eight representative desktop routes checked with axe-core:** no automated WCAG A/AA violations remained in the checked states.

• **TypeScript and production build passed.**

The request/operations browser journey used a separate throwaway test database. Example identities use clearly fictional test values. The public production-mode app was checked separately. The intentional network-failure test produces an expected request error; unexpected

browser runtime and console errors were absent in the final run.

Issues found and fixed

1. Mobile workspace content initially expanded to its navigation's minimum width. The sidebar and grid were constrained; the final content width is 390 pixels.

2. Several low-emphasis labels missed contrast thresholds. Foreground tokens and captions were darkened; the automated recheck passed.

3. The review star label lacked an appropriate semantic role. It now uses an image role with its accessible rating label.

4. A request update could clear its saved confirmation during a state refresh. The state-reset effect was corrected, and reload persistence and confirmation were tested again.

5. Development HMR initially tried to use a separate websocket port. It now uses the Express HTTP server's supported websocket configuration.

These checks do not prove full accessibility compliance, real provider connectivity, load capacity or a completed production security review.

9. Running and configuring the build

Requirements: Node.js 24+, npm and a persistent filesystem for SQLite.

From the repository, enter app, run `npm ci`, then `npm run dev`. For the production-mode build, run `npm run build` and `npm start`.

Configuration is documented in `app/.env.example`:

• PORT: defaults to 4173.

• DATABASE_PATH: defaults to the application's ignored data directory.

• OPS_PASSWORD: configure a strong unique password, at least 12 characters, to enable the private team desk.

• PUBLIC_ORIGIN: exact public HTTPS origin for deployed write-origin validation.

• NODE_ENV: production mode serves built assets and uses Secure cookies.

Never use the test fixture's password in a live environment. Enter real secrets through the hosting environment or an ignored local environment file, not source control or chat.

The application's server is required; a static-only preview cannot save audit requests. An ephemeral/serverless filesystem must not be used as the production request database without a managed-database adaptation. The existing Vercel site was not changed by this build.

10. What is still needed for public launch

Requirement	Reason	Current state
Hosting with durable storage or a managed database	Preserve real requests across restarts and releases	Local SQLite is implemented; hosting is not deployed
Strong team access configuration	Enable private review without exposing requests	Desk works when configured; no real production password is invented
Confirmed public contact and privacy/retention policy	Give owners accurate operational information and rights routes	Development notice included; business details need confirmation
Email or CRM notifications	Notify the team automatically about new requests	Not connected; requests remain in the protected queue
Google Business Profile authorization	Read or update a real business profile	Not connected
WhatsApp Business authorization and templates	Send approved real messages and handle enquiries	Not connected
Calendar/booking provider	Offer real availability and confirm appointments	Not connected
AI provider, knowledge base and escalation rules	Generate or act on actual business information	Not connected; demo templates are explicitly rule-based
Verified team/customer proof	Publish trustworthy biographies and results	Omitted until evidence is supplied
Monitoring, backup and operational ownership	Run the service responsibly after launch	Deployment work remaining

11. Recommended product roadmap

Now - Version 2.1: use the public experience and audit flow to learn from a focused group of local businesses. Confirm one primary vertical, one initial city, a scoped offer and a qualification definition.

After paid validation: connect the provider systems needed by actual clients, introduce repeatable onboarding and genuine monthly reporting, and measure delivery cost and customer outcomes.

After repeatability: consider referrals, another vertical/location and a small Fellows pilot with clear quality controls.

Later: introduce a real multi-tenant client platform, permissions, connected analytics and carefully governed AI actions. The workspace demonstration is a design foundation for that discussion, not a claim that the future platform is already connected.

12. Handoff contents


The handoff includes the modular application source, dependency lockfile, tests, environment example, actual design screenshots, this build document, source review and design QA. The downloadable project excludes local databases, credentials and installed dependencies.

The original logo is preserved. The useful interactions are implemented. Simulation and real storage are separated. Public deployment and provider authorization are distinct next steps.

Complete design — actual application


The following images are captured from the implemented application. They are not generated interface mockups. Test identities appear only in the isolated verification flow.

1. Public homepage — original logo and immediate audit action







2. Growth pillar — explicit selection and supplied sculpture artwork




3. Audit request — review before server-side storage




4. Audit request — confirmation after actual storage




5. Private team desk — isolated test records only




6. Workspace — fictional data and explicit connection state



7. Industry playbooks




8. Indicative plans, setup and recurring costs



Mobile design


390 × 844 CSS-pixel captures. Navigation, content and controls were exercised on mobile. The workspace navigation scrolls inside its own width; the page does not overflow.




Left: public entry and visible primary action. Right: responsive workspace and local-demo notice.

Version 2 to Version 2.1

Source and implemented homepages, at matched viewport scale



Focused navigation comparison



The original logo, simpler action hierarchy, generated editorial hero and clearer product claims are intentional changes. Warm surfaces, typography and interactive structure remain grounded in the supplied project.

Version 2.1 source review

Captured 22 October 2026. The following findings use screenshots captured during this review, not the promotional video frames.

1. Desktop entry - needs improvement

Evidence: `research/v2.1/version1-hero.png`.

The original logo is clearly visible and the blue/teal identity is recognizable. At 1440 x 1000 the first viewport is dominated by the human/robot artwork. No audit or enquiry action is visible in this captured initial state. The redesign should present the value proposition and primary audit action immediately, while giving artwork a supporting role.

2. Services - useful structure

Evidence: `research/v2.1/02-services.png`.

The site already groups services into visibility, conversion, retention and growth operations. That structure is worth retaining. The separate growth-pillar cards advertise hover interaction; their details also need an explicit click/touch and keyboard route. The screenshot alone cannot establish keyboard behavior or screen-reader semantics.

3. Plans - useful but needs qualification

Evidence: `research/v2.1/03-pricing.png`.

Launch is marked as setup; Growth mentions an additional setup charge. The three ranges match the supplied business plan and can be retained as indicative. The “Most Popular” badge is not supported by supplied customer evidence, so omit it. Version 2.1 should explain setup versus recurring cost and identify what is scoped in the proposal.

4. Contact - accessible labels are visible; delivery unverified

Evidence: `research/v2.1/04-contact.png`.

Labels are visibly adjacent to the inputs, and corresponding DOM label/ID structure can be examined in implementation. The native required flags were false for all eight captured fields. Custom validation and actual message delivery were not tested by submitting to the live business site. The Version 2.1 form needs a short, clear flow, tested validation and success feedback that follows confirmed storage.

5. Mobile entry - fits the viewport

Evidence: `research/v2.1/05-mobile.png`.

At 390 x 844 the headline and supporting copy fit without observed horizontal overflow; document width measured 390 pixels. A compact navigation control is visible. The captured

viewport has no audit action. The redesign should surface the primary action sooner and verify touch targets, keyboard menu behavior and reduced-motion support in the actual build.

6. Version 2 - source access resolved

Evidence: `research/v2.1/version2.png`.

The shared app URL originally redirected to Google Accounts. The user then uploaded the complete source ZIP, resolving access. The project was inspected and run locally. Evidence now includes `version2-local-home.png`, `version2-local-workspace.png`, `version2-local-admin.png` and `version2-local-mobile.png` in the research folder.

Useful features verified in source and rendered UI: animated navigation, four-pillar selection, eight-stage journey, vertical-specific panels, process/onboarding switcher, plan and ROI interactions, and multi-tab workspace patterns.

Source limitations: the audit uses a deterministic local calculation rather than an external scan; lead capture returns a success response without storage; some front-end handlers confirm success even after network failure; dashboard records and provider actions are seeded simulations. The source's documentation describes client quotes and outcomes as verified, but no supporting evidence is included. Its test count does not establish provider connectivity or durable request delivery.

Version 2.1 retains the interaction patterns while adding real persistence, private operations access, explicit local-demo labels and honest connection states. The original logo replaces Version 2's recreated lockup. Fake testimonials and metric claims are removed.

Additional content findings

The current page text explicitly marks team profiles and customer stories as placeholders. Those identities, experience claims and stories must not appear as verified proof. Footer targets include an empty WhatsApp destination, generic social-network links and # legal links; do not preserve those as working contact/legal routes.

Limits

This is a focused source review of the public website and its acquisition path. No form was submitted to the production Version 1 business site. The Version 2.1 local request flow, authenticated operations and browser interactions were exercised separately in an isolated test database. External provider connectivity and complete accessibility compliance are not claimed. Final test evidence is in docs/v2.1/verification/.