

AI Customer Support Coaching Assistant

Expanded RAG Knowledge Base — 500 Detailed Customer-Support Scenarios

Purpose: A retrieval-friendly support knowledge base for customer-understanding, RAG/knowledge, escalation, coaching, summary, and conversation workflows.

Standard Handling Framework

- Acknowledge the customer's concern and use calm, professional language.
- Confirm the exact issue before suggesting troubleshooting.
- Collect only the information needed to investigate: account/order reference, affected product or service, timing, symptoms, and relevant error messages.
- Use simple step-by-step troubleshooting. Ask the customer to confirm the result of each step.
- Never promise a refund, compensation, replacement, technician visit, or resolution time unless the applicable policy or system confirms it.
- Escalate when the issue is high-impact, security-sensitive, repeatedly unresolved, outside the agent's authority, or specifically requested for supervisor review.
- Protect customer information. Never ask for passwords, full card numbers, OTPs, or other secrets.
- Document the symptoms, checks performed, outcome, next action, and any promised follow-up.

Scenario 1: Internet Completely Down — Initial customer request

Category: Internet & Connectivity

Scenario: Internet Completely Down

Customer situation: The customer reports a connectivity problem described as 'internet completely down'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: internet completely down. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; internet completely down; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 2: Internet Completely Down — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Internet Completely Down

Customer situation: The customer reports a connectivity problem described as 'internet completely down'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about internet completely down. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; internet completely down; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 3: Slow Internet — Initial customer request

Category: Internet & Connectivity

Scenario: Slow Internet

Customer situation: The customer reports a connectivity problem described as 'slow internet'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: slow internet. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; slow internet; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 4: Slow Internet — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Slow Internet

Customer situation: The customer reports a connectivity problem described as 'slow internet'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about slow internet. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; slow internet; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 5: Intermittent Connection — Initial customer request

Category: Internet & Connectivity

Scenario: Intermittent Connection

Customer situation: The customer is requesting help with 'intermittent connection'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: intermittent connection. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; intermittent connection; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 6: Intermittent Connection — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Intermittent Connection

Customer situation: The customer is requesting help with 'intermittent connection'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about intermittent connection. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; intermittent connection; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 7: Wi-Fi Not Connecting — Initial customer request

Category: Internet & Connectivity

Scenario: Wi-Fi Not Connecting

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi not connecting'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: Wi-Fi not connecting. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; Wi-Fi not connecting; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 8: Wi-Fi Not Connecting — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Wi-Fi Not Connecting

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi not connecting'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about Wi-Fi not connecting. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; Wi-Fi not connecting; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 9: Wi-Fi Connected But No Internet — Initial customer request

Category: Internet & Connectivity

Scenario: Wi-Fi Connected But No Internet

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi connected but no internet'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: Wi-Fi connected but no internet. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; Wi-Fi connected but no internet; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 10: Wi-Fi Connected But No Internet — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Wi-Fi Connected But No Internet

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi connected but no internet'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about Wi-Fi connected but no internet. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; Wi-Fi connected but no internet; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 11: Ethernet Not Working — Initial customer request

Category: Internet & Connectivity

Scenario: Ethernet Not Working

Customer situation: The customer is requesting help with 'Ethernet not working'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: Ethernet not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; Ethernet not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 12: Ethernet Not Working — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Ethernet Not Working

Customer situation: The customer is requesting help with 'Ethernet not working'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about Ethernet not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; Ethernet not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 13: Internet Disconnects During Work — Initial customer request

Category: Internet & Connectivity

Scenario: Internet Disconnects During Work

Customer situation: The customer reports a connectivity problem described as 'internet disconnects during work'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: internet disconnects during work. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; internet disconnects during work; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 14: Internet Disconnects During Work — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Internet Disconnects During Work

Customer situation: The customer reports a connectivity problem described as 'internet disconnects during work'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about internet disconnects during work. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; internet disconnects during work; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 15: Internet Drops At Night — Initial customer request

Category: Internet & Connectivity

Scenario: Internet Drops At Night

Customer situation: The customer reports a connectivity problem described as 'internet drops at night'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: internet drops at night. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; internet drops at night; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 16: Internet Drops At Night — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Internet Drops At Night

Customer situation: The customer reports a connectivity problem described as 'internet drops at night'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about internet drops at night. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; internet drops at night; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 17: High Latency/Ping — Initial customer request

Category: Internet & Connectivity

Scenario: High Latency/Ping

Customer situation: The customer is requesting help with 'high latency/ping'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: high latency/ping. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; high latency/ping; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 18: High Latency/Ping — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: High Latency/Ping

Customer situation: The customer is requesting help with 'high latency/ping'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about high latency/ping. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; high latency/ping; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 19: Packet Loss — Initial customer request

Category: Internet & Connectivity

Scenario: Packet Loss

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: packet loss. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: packet loss. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; packet loss; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 20: Packet Loss — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Packet Loss

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: packet loss. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about packet loss. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; packet loss; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 21: Dns Problem — Initial customer request

Category: Internet & Connectivity

Scenario: Dns Problem

Customer situation: The customer is requesting help with 'DNS problem'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: DNS problem. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; DNS problem; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 22: Dns Problem — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Dns Problem

Customer situation: The customer is requesting help with 'DNS problem'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about DNS problem. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; DNS problem; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 23: Browser Cannot Open Websites — Initial customer request

Category: Internet & Connectivity

Scenario: Browser Cannot Open Websites

Customer situation: The customer is requesting help with 'browser cannot open websites'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: browser cannot open websites. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; browser cannot open websites; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 24: Browser Cannot Open Websites — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Browser Cannot Open Websites

Customer situation: The customer is requesting help with 'browser cannot open websites'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about browser cannot open websites. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; browser cannot open websites; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 25: One Website Unavailable — Initial customer request

Category: Internet & Connectivity

Scenario: One Website Unavailable

Customer situation: The customer is requesting help with 'one website unavailable'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: one website unavailable. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; one website unavailable; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 26: One Website Unavailable — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: One Website Unavailable

Customer situation: The customer is requesting help with 'one website unavailable'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about one website unavailable. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; one website unavailable; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 27: All Devices Offline — Initial customer request

Category: Internet & Connectivity

Scenario: All Devices Offline

Customer situation: The customer is requesting help with 'all devices offline'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: all devices offline. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; all devices offline; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 28: All Devices Offline — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: All Devices Offline

Customer situation: The customer is requesting help with 'all devices offline'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about all devices offline. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; all devices offline; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 29: Only One Device Offline — Initial customer request

Category: Internet & Connectivity

Scenario: Only One Device Offline

Customer situation: The customer is requesting help with 'only one device offline'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: only one device offline. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; only one device offline; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 30: Only One Device Offline — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Only One Device Offline

Customer situation: The customer is requesting help with 'only one device offline'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about only one device offline. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; only one device offline; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 31: New Connection Not Active — Initial customer request

Category: Internet & Connectivity

Scenario: New Connection Not Active

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: new connection not active. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: new connection not active. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; new connection not active; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 32: New Connection Not Active — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: New Connection Not Active

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: new connection not active. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about new connection not active. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; new connection not active; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 33: Connection Activated But No Service — Initial customer request

Category: Internet & Connectivity

Scenario: Connection Activated But No Service

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: connection activated but no service. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: connection activated but no service. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; connection activated but no service; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 34: Connection Activated But No Service — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Connection Activated But No Service

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: connection activated but no service. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about connection activated but no service. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; connection activated but no service; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 35: Frequent Reconnection — Initial customer request

Category: Internet & Connectivity

Scenario: Frequent Reconnection

Customer situation: The customer is requesting help with 'frequent reconnection'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: frequent reconnection. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; frequent reconnection; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 36: Frequent Reconnection — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Frequent Reconnection

Customer situation: The customer is requesting help with 'frequent reconnection'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about frequent reconnection. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; frequent reconnection; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 37: Network Outage Inquiry — Initial customer request

Category: Internet & Connectivity

Scenario: Network Outage Inquiry

Customer situation: The customer is requesting help with 'network outage inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: network outage inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; network outage inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 38: Network Outage Inquiry — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Network Outage Inquiry

Customer situation: The customer is requesting help with 'network outage inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about network outage inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; network outage inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 39: Service Restored But Unstable — Initial customer request

Category: Internet & Connectivity

Scenario: Service Restored But Unstable

Customer situation: The customer is requesting help with 'service restored but unstable'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: service restored but unstable. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; service restored but unstable; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 40: Service Restored But Unstable — Follow-up after first troubleshooting

Category: Internet & Connectivity

Scenario: Service Restored But Unstable

Customer situation: The customer is requesting help with 'service restored but unstable'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about service restored but unstable. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Internet & Connectivity; service restored but unstable; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 41: Router Not Powering On — Initial customer request

Category: Router & Modem

Scenario: Router Not Powering On

Customer situation: The customer reports a connectivity problem described as 'router not powering on'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router not powering on. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router not powering on; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 42: Router Not Powering On — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Not Powering On

Customer situation: The customer reports a connectivity problem described as 'router not powering on'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router not powering on. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router not powering on; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 43: Router Power Light Blinking — Initial customer request

Category: Router & Modem

Scenario: Router Power Light Blinking

Customer situation: The customer reports a connectivity problem described as 'router power light blinking'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router power light blinking. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router power light blinking; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 44: Router Power Light Blinking — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Power Light Blinking

Customer situation: The customer reports a connectivity problem described as 'router power light blinking'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router power light blinking. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router power light blinking; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 45: Internet Light Red — Initial customer request

Category: Router & Modem

Scenario: Internet Light Red

Customer situation: The customer reports a connectivity problem described as 'internet light red'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: internet light red. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; internet light red; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 46: Internet Light Red — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Internet Light Red

Customer situation: The customer reports a connectivity problem described as 'internet light red'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about internet light red. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; internet light red; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 47: Los Light Red — Initial customer request

Category: Router & Modem

Scenario: Los Light Red

Customer situation: The customer is requesting help with 'LOS light red'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: LOS light red. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; LOS light red; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 48: Los Light Red — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Los Light Red

Customer situation: The customer is requesting help with 'LOS light red'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about LOS light red. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; LOS light red; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 49: Wi-Fi Light Off — Initial customer request

Category: Router & Modem

Scenario: Wi-Fi Light Off

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi light off'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: Wi-Fi light off. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; Wi-Fi light off; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 50: Wi-Fi Light Off — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Wi-Fi Light Off

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi light off'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about Wi-Fi light off. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; Wi-Fi light off; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 51: Router Overheating — Initial customer request

Category: Router & Modem

Scenario: Router Overheating

Customer situation: The customer reports a connectivity problem described as 'router overheating'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router overheating. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router overheating; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 52: Router Overheating — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Overheating

Customer situation: The customer reports a connectivity problem described as 'router overheating'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router overheating. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router overheating; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 53: Router Restarting Itself — Initial customer request

Category: Router & Modem

Scenario: Router Restarting Itself

Customer situation: The customer reports a connectivity problem described as 'router restarting itself'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router restarting itself. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router restarting itself; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 54: Router Restarting Itself — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Restarting Itself

Customer situation: The customer reports a connectivity problem described as 'router restarting itself'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router restarting itself. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router restarting itself; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 55: Router Password Forgotten — Initial customer request

Category: Router & Modem

Scenario: Router Password Forgotten

Customer situation: The customer reports a connectivity problem described as 'router password forgotten'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router password forgotten. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router password forgotten; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 56: Router Password Forgotten — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Password Forgotten

Customer situation: The customer reports a connectivity problem described as 'router password forgotten'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router password forgotten. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router password forgotten; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 57: Wi-Fi Password Change — Initial customer request

Category: Router & Modem

Scenario: Wi-Fi Password Change

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi password change'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: Wi-Fi password change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; Wi-Fi password change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 58: Wi-Fi Password Change — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Wi-Fi Password Change

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi password change'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about Wi-Fi password change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; Wi-Fi password change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 59: Router Reset Request — Initial customer request

Category: Router & Modem

Scenario: Router Reset Request

Customer situation: The customer reports a connectivity problem described as 'router reset request'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router reset request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router reset request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 60: Router Reset Request — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Reset Request

Customer situation: The customer reports a connectivity problem described as 'router reset request'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router reset request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router reset request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 61: Router Configuration Lost — Initial customer request

Category: Router & Modem

Scenario: Router Configuration Lost

Customer situation: The customer reports a connectivity problem described as 'router configuration lost'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router configuration lost. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router configuration lost; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 62: Router Configuration Lost — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Configuration Lost

Customer situation: The customer reports a connectivity problem described as 'router configuration lost'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router configuration lost. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router configuration lost; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 63: New Router Setup — Initial customer request

Category: Router & Modem

Scenario: New Router Setup

Customer situation: The customer reports a connectivity problem described as 'new router setup'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: new router setup. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; new router setup; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 64: New Router Setup — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: New Router Setup

Customer situation: The customer reports a connectivity problem described as 'new router setup'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about new router setup. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; new router setup; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 65: Modem Not Detected — Initial customer request

Category: Router & Modem

Scenario: Modem Not Detected

Customer situation: The customer reports a connectivity problem described as 'modem not detected'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: modem not detected. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; modem not detected; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 66: Modem Not Detected — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Modem Not Detected

Customer situation: The customer reports a connectivity problem described as 'modem not detected'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about modem not detected. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; modem not detected; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 67: Fiber Cable Concern — Initial customer request

Category: Router & Modem

Scenario: Fiber Cable Concern

Customer situation: The customer is requesting help with 'fiber cable concern'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: fiber cable concern. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; fiber cable concern; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 68: Fiber Cable Concern — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Fiber Cable Concern

Customer situation: The customer is requesting help with 'fiber cable concern'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about fiber cable concern. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; fiber cable concern; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 69: Router Firmware Update — Initial customer request

Category: Router & Modem

Scenario: Router Firmware Update

Customer situation: The customer reports a connectivity problem described as 'router firmware update'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: router firmware update. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router firmware update; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 70: Router Firmware Update — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Firmware Update

Customer situation: The customer reports a connectivity problem described as 'router firmware update'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about router firmware update. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router firmware update; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 71: Router Placement Issue — Initial customer request

Category: Router & Modem

Scenario: Router Placement Issue

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: router placement issue. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: router placement issue. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router placement issue; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 72: Router Placement Issue — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Router Placement Issue

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: router placement issue. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about router placement issue. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; router placement issue; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 73: Wi-Fi Range Problem — Initial customer request

Category: Router & Modem

Scenario: Wi-Fi Range Problem

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi range problem'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: Wi-Fi range problem. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; Wi-Fi range problem; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 74: Wi-Fi Range Problem — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Wi-Fi Range Problem

Customer situation: The customer reports a connectivity problem described as 'Wi-Fi range problem'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about Wi-Fi range problem. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; Wi-Fi range problem; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 75: Guest Wi-Fi Issue — Initial customer request

Category: Router & Modem

Scenario: Guest Wi-Fi Issue

Customer situation: The customer reports a connectivity problem described as 'guest Wi-Fi issue'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: guest Wi-Fi issue. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.

4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; guest Wi-Fi issue; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 76: Guest Wi-Fi Issue — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: Guest Wi-Fi Issue

Customer situation: The customer reports a connectivity problem described as 'guest Wi-Fi issue'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about guest Wi-Fi issue. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm whether the problem affects one device or multiple devices.
 2. Ask when the issue started and whether it is continuous or intermittent.
 3. Check the router/modem power status and relevant indicator lights.
 4. Confirm whether cables are securely connected and undamaged.
 5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
 6. Ask whether another device can connect and whether websites load after reconnection.
 7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; guest Wi-Fi issue; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 77: 5 Ghz Not Visible — Initial customer request

Category: Router & Modem

Scenario: 5 Ghz Not Visible

Customer situation: The customer is requesting help with '5 GHz not visible'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: 5 GHz not visible. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; 5 GHz not visible; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 78: 5 Ghz Not Visible — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: 5 Ghz Not Visible

Customer situation: The customer is requesting help with '5 GHz not visible'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about 5 GHz not visible. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; 5 GHz not visible; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 79: 2.4 Ghz Not Visible — Initial customer request

Category: Router & Modem

Scenario: 2.4 Ghz Not Visible

Customer situation: The customer is requesting help with '2.4 GHz not visible'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: 2.4 GHz not visible. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; 2.4 GHz not visible; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 80: 2.4 Ghz Not Visible — Follow-up after first troubleshooting

Category: Router & Modem

Scenario: 2.4 Ghz Not Visible

Customer situation: The customer is requesting help with '2.4 GHz not visible'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about 2.4 GHz not visible. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Router & Modem; 2.4 GHz not visible; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 81: Bill Higher Than Expected — Initial customer request

Category: Billing & Payments

Scenario: Bill Higher Than Expected

Customer situation: The customer has a billing or payment concern related to 'bill higher than expected'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: bill higher than expected. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; bill higher than expected; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 82: Bill Higher Than Expected — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Bill Higher Than Expected

Customer situation: The customer has a billing or payment concern related to 'bill higher than expected'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about bill higher than expected. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; bill higher than expected; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 83: Duplicate Charge — Initial customer request

Category: Billing & Payments

Scenario: Duplicate Charge

Customer situation: The customer has a billing or payment concern related to 'duplicate charge'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: duplicate charge. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; duplicate charge; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 84: Duplicate Charge — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Duplicate Charge

Customer situation: The customer has a billing or payment concern related to 'duplicate charge'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about duplicate charge. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; duplicate charge; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 85: Payment Failed — Initial customer request

Category: Billing & Payments

Scenario: Payment Failed

Customer situation: The customer has a billing or payment concern related to 'payment failed'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: payment failed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment failed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 86: Payment Failed — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Payment Failed

Customer situation: The customer has a billing or payment concern related to 'payment failed'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about payment failed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment failed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 87: Payment Pending — Initial customer request

Category: Billing & Payments

Scenario: Payment Pending

Customer situation: The customer has a billing or payment concern related to 'payment pending'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: payment pending. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment pending; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 88: Payment Pending — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Payment Pending

Customer situation: The customer has a billing or payment concern related to 'payment pending'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about payment pending. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Verify the customer account using the approved verification process.
 2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
 3. Check the billing/payment status in the authorized system.
 4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
 5. Explain the current status in plain language.
 6. If a correction or refund is required, follow the documented authorization and escalation process.
 7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment pending; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 89: Payment Successful But Account Unpaid — Initial customer request

Category: Billing & Payments

Scenario: Payment Successful But Account Unpaid

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: payment successful but account unpaid. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: payment successful but account unpaid. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment successful but account unpaid; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 90: Payment Successful But Account Unpaid — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Payment Successful But Account Unpaid

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: payment successful but account unpaid. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about payment successful but account unpaid. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment successful but account unpaid; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 91: Refund Pending — Initial customer request

Category: Billing & Payments

Scenario: Refund Pending

Customer situation: The customer has a billing or payment concern related to 'refund pending'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: refund pending. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; refund pending; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 92: Refund Pending — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Refund Pending

Customer situation: The customer has a billing or payment concern related to 'refund pending'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about refund pending. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; refund pending; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 93: Wrong Payment Amount — Initial customer request

Category: Billing & Payments

Scenario: Wrong Payment Amount

Customer situation: The customer has a billing or payment concern related to 'wrong payment amount'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: wrong payment amount. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; wrong payment amount; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 94: Wrong Payment Amount — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Wrong Payment Amount

Customer situation: The customer has a billing or payment concern related to 'wrong payment amount'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about wrong payment amount. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; wrong payment amount; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 95: Late Fee Dispute — Initial customer request

Category: Billing & Payments

Scenario: Late Fee Dispute

Customer situation: The customer has a billing or payment concern related to 'late fee dispute'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: late fee dispute. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; late fee dispute; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 96: Late Fee Dispute — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Late Fee Dispute

Customer situation: The customer has a billing or payment concern related to 'late fee dispute'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about late fee dispute. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; late fee dispute; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 97: Tax/Fee Question — Initial customer request

Category: Billing & Payments

Scenario: Tax/Fee Question

Customer situation: The customer has a billing or payment concern related to 'tax/fee question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: tax/fee question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; tax/fee question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 98: Tax/Fee Question — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Tax/Fee Question

Customer situation: The customer has a billing or payment concern related to 'tax/fee question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about tax/fee question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; tax/fee question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 99: Invoice Request — Initial customer request

Category: Billing & Payments

Scenario: Invoice Request

Customer situation: The customer has a billing or payment concern related to 'invoice request'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: invoice request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; invoice request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 100: Invoice Request — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Invoice Request

Customer situation: The customer has a billing or payment concern related to 'invoice request'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about invoice request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; invoice request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 101: Invoice Correction — Initial customer request

Category: Billing & Payments

Scenario: Invoice Correction

Customer situation: The customer has a billing or payment concern related to 'invoice correction'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: invoice correction. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; invoice correction; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 102: Invoice Correction — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Invoice Correction

Customer situation: The customer has a billing or payment concern related to 'invoice correction'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about invoice correction. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; invoice correction; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 103: Autopay Failed — Initial customer request

Category: Billing & Payments

Scenario: Autopay Failed

Customer situation: The customer has a billing or payment concern related to 'autopay failed'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: autopay failed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; autopay failed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 104: Autopay Failed — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Autopay Failed

Customer situation: The customer has a billing or payment concern related to 'autopay failed'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about autopay failed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; autopay failed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 105: Autopay Cancellation — Initial customer request

Category: Billing & Payments

Scenario: Autopay Cancellation

Customer situation: The customer has a billing or payment concern related to 'autopay cancellation'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: autopay cancellation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; autopay cancellation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 106: Autopay Cancellation — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Autopay Cancellation

Customer situation: The customer has a billing or payment concern related to 'autopay cancellation'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about autopay cancellation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Verify the customer account using the approved verification process.
 2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
 3. Check the billing/payment status in the authorized system.
 4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
 5. Explain the current status in plain language.
 6. If a correction or refund is required, follow the documented authorization and escalation process.
 7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; autopay cancellation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 107: Autopay Charged Unexpectedly — Initial customer request

Category: Billing & Payments

Scenario: Autopay Charged Unexpectedly

Customer situation: The customer has a billing or payment concern related to 'autopay charged unexpectedly'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: autopay charged unexpectedly. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; autopay charged unexpectedly; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 108: Autopay Charged Unexpectedly — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Autopay Charged Unexpectedly

Customer situation: The customer has a billing or payment concern related to 'autopay charged unexpectedly'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about autopay charged unexpectedly. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; autopay charged unexpectedly; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 109: Billing Date Question — Initial customer request

Category: Billing & Payments

Scenario: Billing Date Question

Customer situation: The customer has a billing or payment concern related to 'billing date question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: billing date question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; billing date question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 110: Billing Date Question — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Billing Date Question

Customer situation: The customer has a billing or payment concern related to 'billing date question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about billing date question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; billing date question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 111: Proration Question — Initial customer request

Category: Billing & Payments

Scenario: Proration Question

Customer situation: The customer has a billing or payment concern related to 'proration question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: proration question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; proration question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 112: Proration Question — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Proration Question

Customer situation: The customer has a billing or payment concern related to 'proration question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about proration question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Verify the customer account using the approved verification process.
 2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
 3. Check the billing/payment status in the authorized system.
 4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
 5. Explain the current status in plain language.
 6. If a correction or refund is required, follow the documented authorization and escalation process.
 7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; proration question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 113: Credit Not Reflected — Initial customer request

Category: Billing & Payments

Scenario: Credit Not Reflected

Customer situation: The customer has a billing or payment concern related to 'credit not reflected'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: credit not reflected. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; credit not reflected; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 114: Credit Not Reflected — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Credit Not Reflected

Customer situation: The customer has a billing or payment concern related to 'credit not reflected'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about credit not reflected. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; credit not reflected; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 115: Payment Receipt Request — Initial customer request

Category: Billing & Payments

Scenario: Payment Receipt Request

Customer situation: The customer has a billing or payment concern related to 'payment receipt request'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: payment receipt request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment receipt request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 116: Payment Receipt Request — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Payment Receipt Request

Customer situation: The customer has a billing or payment concern related to 'payment receipt request'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about payment receipt request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; payment receipt request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 117: Cash Payment Question — Initial customer request

Category: Billing & Payments

Scenario: Cash Payment Question

Customer situation: The customer has a billing or payment concern related to 'cash payment question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: cash payment question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.

4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; cash payment question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 118: Cash Payment Question — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Cash Payment Question

Customer situation: The customer has a billing or payment concern related to 'cash payment question'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about cash payment question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; cash payment question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 119: Bank Debit Not Recognized — Initial customer request

Category: Billing & Payments

Scenario: Bank Debit Not Recognized

Customer situation: The customer has a billing or payment concern related to 'bank debit not recognized'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: bank debit not recognized. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; bank debit not recognized; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 120: Bank Debit Not Recognized — Follow-up after first troubleshooting

Category: Billing & Payments

Scenario: Bank Debit Not Recognized

Customer situation: The customer has a billing or payment concern related to 'bank debit not recognized'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about bank debit not recognized. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Billing & Payments; bank debit not recognized; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 121: Cannot Log In — Initial customer request

Category: Account & Login

Scenario: Cannot Log In

Customer situation: The customer is experiencing an account/access issue: 'cannot log in'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: cannot log in. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; cannot log in; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 122: Cannot Log In — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Cannot Log In

Customer situation: The customer is experiencing an account/access issue: 'cannot log in'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about cannot log in. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; cannot log in; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 123: Forgot Password — Initial customer request

Category: Account & Login

Scenario: Forgot Password

Customer situation: The customer is experiencing an account/access issue: 'forgot password'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: forgot password. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.

4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; forgot password; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 124: Forgot Password — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Forgot Password

Customer situation: The customer is experiencing an account/access issue: 'forgot password'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about forgot password. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Complete approved identity/account verification.
 2. Never ask for the customer's password or OTP.
 3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
 4. Use the approved password-reset or account-recovery process.
 5. Confirm whether the customer can access the registered email or phone.
 6. Record any error message and the time the issue occurred.
 7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; forgot password; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 125: Password Reset Link Missing — Initial customer request

Category: Account & Login

Scenario: Password Reset Link Missing

Customer situation: The customer is experiencing an account/access issue: 'password reset link missing'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: password reset link missing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; password reset link missing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 126: Password Reset Link Missing — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Password Reset Link Missing

Customer situation: The customer is experiencing an account/access issue: 'password reset link missing'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about password reset link missing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; password reset link missing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 127: Otp Not Received — Initial customer request

Category: Account & Login

Scenario: Otp Not Received

Customer situation: The customer is experiencing an account/access issue: 'OTP not received'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: OTP not received. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; OTP not received; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 128: Otp Not Received — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Otp Not Received

Customer situation: The customer is experiencing an account/access issue: 'OTP not received'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about OTP not received. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; OTP not received; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 129: Otp Expired — Initial customer request

Category: Account & Login

Scenario: Otp Expired

Customer situation: The customer is experiencing an account/access issue: 'OTP expired'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: OTP expired. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.

4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; OTP expired; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 130: Otp Expired — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Otp Expired

Customer situation: The customer is experiencing an account/access issue: 'OTP expired'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about OTP expired. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Complete approved identity/account verification.
 2. Never ask for the customer's password or OTP.
 3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
 4. Use the approved password-reset or account-recovery process.
 5. Confirm whether the customer can access the registered email or phone.
 6. Record any error message and the time the issue occurred.
 7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; OTP expired; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 131: Wrong Otp — Initial customer request

Category: Account & Login

Scenario: Wrong Otp

Customer situation: The customer is experiencing an account/access issue: 'wrong OTP'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: wrong OTP. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; wrong OTP; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 132: Wrong Otp — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Wrong Otp

Customer situation: The customer is experiencing an account/access issue: 'wrong OTP'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about wrong OTP. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; wrong OTP; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 133: Account Locked — Initial customer request

Category: Account & Login

Scenario: Account Locked

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account locked. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: account locked. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account locked; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 134: Account Locked — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Account Locked

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account locked. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about account locked. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account locked; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 135: Username Forgotten — Initial customer request

Category: Account & Login

Scenario: Username Forgotten

Customer situation: The customer is experiencing an account/access issue: 'username forgotten'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: username forgotten. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.

3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; username forgotten; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 136: Username Forgotten — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Username Forgotten

Customer situation: The customer is experiencing an account/access issue: 'username forgotten'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about username forgotten. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Complete approved identity/account verification.
 2. Never ask for the customer's password or OTP.
 3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
 4. Use the approved password-reset or account-recovery process.
 5. Confirm whether the customer can access the registered email or phone.
 6. Record any error message and the time the issue occurred.
 7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; username forgotten; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 137: Email Change — Initial customer request

Category: Account & Login

Scenario: Email Change

Customer situation: The customer is experiencing an account/access issue: 'email change'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: email change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; email change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 138: Email Change — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Email Change

Customer situation: The customer is experiencing an account/access issue: 'email change'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about email change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; email change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 139: Phone Number Change — Initial customer request

Category: Account & Login

Scenario: Phone Number Change

Customer situation: The customer is experiencing an account/access issue: 'phone number change'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: phone number change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; phone number change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 140: Phone Number Change — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Phone Number Change

Customer situation: The customer is experiencing an account/access issue: 'phone number change'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about phone number change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; phone number change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 141: Account Verification — Initial customer request

Category: Account & Login

Scenario: Account Verification

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account verification. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: account verification. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.

4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account verification; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 142: Account Verification — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Account Verification

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account verification. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about account verification. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm the AC model or product identifier if available.
 2. Ask whether the unit has power and whether the indoor display or indicator is active.
 3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
 4. Confirm the temperature setting and fan setting.
 5. Ask whether the outdoor unit starts when cooling is requested.
 6. Check whether an error code is displayed and record the exact code.
 7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account verification; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 143: Identity Verification Failed — Initial customer request

Category: Account & Login

Scenario: Identity Verification Failed

Customer situation: The customer is experiencing an account/access issue: 'identity verification failed'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: identity verification failed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; identity verification failed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 144: Identity Verification Failed — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Identity Verification Failed

Customer situation: The customer is experiencing an account/access issue: 'identity verification failed'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about identity verification failed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; identity verification failed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 145: Duplicate Account — Initial customer request

Category: Account & Login

Scenario: Duplicate Account

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: duplicate account. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: duplicate account. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; duplicate account; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 146: Duplicate Account — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Duplicate Account

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: duplicate account. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about duplicate account. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; duplicate account; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 147: Account Deactivation — Initial customer request

Category: Account & Login

Scenario: Account Deactivation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account deactivation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: account deactivation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account deactivation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 148: Account Deactivation — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Account Deactivation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account deactivation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about account deactivation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account deactivation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 149: Account Reactivation — Initial customer request

Category: Account & Login

Scenario: Account Reactivation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account reactivation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: account reactivation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account reactivation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 150: Account Reactivation — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Account Reactivation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account reactivation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about account reactivation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; account reactivation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 151: Profile Details Correction — Initial customer request

Category: Account & Login

Scenario: Profile Details Correction

Customer situation: The customer is experiencing an account/access issue: 'profile details correction'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: profile details correction. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; profile details correction; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 152: Profile Details Correction — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Profile Details Correction

Customer situation: The customer is experiencing an account/access issue: 'profile details correction'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about profile details correction. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; profile details correction; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 153: Name Correction — Initial customer request

Category: Account & Login

Scenario: Name Correction

Customer situation: The customer is experiencing an account/access issue: 'name correction'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: name correction. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; name correction; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 154: Name Correction — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Name Correction

Customer situation: The customer is experiencing an account/access issue: 'name correction'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about name correction. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; name correction; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 155: Address Correction — Initial customer request

Category: Account & Login

Scenario: Address Correction

Customer situation: The customer is experiencing an account/access issue: 'address correction'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: address correction. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; address correction; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 156: Address Correction — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Address Correction

Customer situation: The customer is experiencing an account/access issue: 'address correction'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about address correction. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; address correction; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 157: Contact Preference Change — Initial customer request

Category: Account & Login

Scenario: Contact Preference Change

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: contact preference change. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: contact preference change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; contact preference change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 158: Contact Preference Change — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Contact Preference Change

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: contact preference change. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about contact preference change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; contact preference change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 159: Login From New Device — Initial customer request

Category: Account & Login

Scenario: Login From New Device

Customer situation: The customer is experiencing an account/access issue: 'login from new device'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: login from new device. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.

3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; login from new device; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 160: Login From New Device — Follow-up after first troubleshooting

Category: Account & Login

Scenario: Login From New Device

Customer situation: The customer is experiencing an account/access issue: 'login from new device'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about login from new device. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Complete approved identity/account verification.
 2. Never ask for the customer's password or OTP.
 3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
 4. Use the approved password-reset or account-recovery process.
 5. Confirm whether the customer can access the registered email or phone.
 6. Record any error message and the time the issue occurred.
 7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Account & Login; login from new device; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 161: Order Delayed — Initial customer request

Category: Orders & Delivery

Scenario: Order Delayed

Customer situation: The customer reports an order or delivery issue: 'order delayed'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: order delayed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order delayed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 162: Order Delayed — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Order Delayed

Customer situation: The customer reports an order or delivery issue: 'order delayed'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about order delayed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order delayed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 163: Order Not Received — Initial customer request

Category: Orders & Delivery

Scenario: Order Not Received

Customer situation: The customer reports an order or delivery issue: 'order not received'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: order not received. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order not received; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 164: Order Not Received — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Order Not Received

Customer situation: The customer reports an order or delivery issue: 'order not received'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about order not received. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order not received; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 165: Delivered But Customer Did Not Receive — Initial customer request

Category: Orders & Delivery

Scenario: Delivered But Customer Did Not Receive

Customer situation: The customer reports an order or delivery issue: 'delivered but customer did not receive'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: delivered but customer did not receive. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivered but customer did not receive; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 166: Delivered But Customer Did Not Receive — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Delivered But Customer Did Not Receive

Customer situation: The customer reports an order or delivery issue: 'delivered but customer did not receive'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about delivered but customer did not receive. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Verify the customer and order using the approved process.
 2. Confirm the order number and affected item.
 3. Check the latest order and tracking status.
 4. Compare the expected delivery date with the current date.
 5. If delivered, ask whether the customer or an authorized recipient received it.
 6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
 7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivered but customer did not receive; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 167: Wrong Item Delivered — Initial customer request

Category: Orders & Delivery

Scenario: Wrong Item Delivered

Customer situation: The customer reports an order or delivery issue: 'wrong item delivered'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: wrong item delivered. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; wrong item delivered; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 168: Wrong Item Delivered — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Wrong Item Delivered

Customer situation: The customer reports an order or delivery issue: 'wrong item delivered'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about wrong item delivered. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; wrong item delivered; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 169: Missing Item — Initial customer request

Category: Orders & Delivery

Scenario: Missing Item

Customer situation: The customer reports an order or delivery issue: 'missing item'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: missing item. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; missing item; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 170: Missing Item — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Missing Item

Customer situation: The customer reports an order or delivery issue: 'missing item'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about missing item. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; missing item; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 171: Damaged Package — Initial customer request

Category: Orders & Delivery

Scenario: Damaged Package

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: damaged package. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: damaged package. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.

4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; damaged package; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 172: Damaged Package — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Damaged Package

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: damaged package. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about damaged package. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm the AC model or product identifier if available.
 2. Ask whether the unit has power and whether the indoor display or indicator is active.
 3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
 4. Confirm the temperature setting and fan setting.
 5. Ask whether the outdoor unit starts when cooling is requested.
 6. Check whether an error code is displayed and record the exact code.
 7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; damaged package; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 173: Partial Delivery — Initial customer request

Category: Orders & Delivery

Scenario: Partial Delivery

Customer situation: The customer reports an order or delivery issue: 'partial delivery'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: partial delivery. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; partial delivery; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 174: Partial Delivery — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Partial Delivery

Customer situation: The customer reports an order or delivery issue: 'partial delivery'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about partial delivery. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; partial delivery; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 175: Delivery Address Change — Initial customer request

Category: Orders & Delivery

Scenario: Delivery Address Change

Customer situation: The customer reports an order or delivery issue: 'delivery address change'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: delivery address change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery address change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 176: Delivery Address Change — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Delivery Address Change

Customer situation: The customer reports an order or delivery issue: 'delivery address change'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about delivery address change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery address change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 177: Delivery Date Change — Initial customer request

Category: Orders & Delivery

Scenario: Delivery Date Change

Customer situation: The customer reports an order or delivery issue: 'delivery date change'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: delivery date change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery date change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 178: Delivery Date Change — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Delivery Date Change

Customer situation: The customer reports an order or delivery issue: 'delivery date change'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about delivery date change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery date change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 179: Tracking Unavailable — Initial customer request

Category: Orders & Delivery

Scenario: Tracking Unavailable

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: tracking unavailable. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: tracking unavailable. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; tracking unavailable; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 180: Tracking Unavailable — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Tracking Unavailable

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: tracking unavailable. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about tracking unavailable. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; tracking unavailable; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 181: Tracking Not Updating — Initial customer request

Category: Orders & Delivery

Scenario: Tracking Not Updating

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: tracking not updating. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: tracking not updating. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; tracking not updating; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 182: Tracking Not Updating — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Tracking Not Updating

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: tracking not updating. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about tracking not updating. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; tracking not updating; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 183: Courier Unable To Deliver — Initial customer request

Category: Orders & Delivery

Scenario: Courier Unable To Deliver

Customer situation: The customer reports an order or delivery issue: 'courier unable to deliver'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: courier unable to deliver. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.

3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; courier unable to deliver; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 184: Courier Unable To Deliver — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Courier Unable To Deliver

Customer situation: The customer reports an order or delivery issue: 'courier unable to deliver'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about courier unable to deliver. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Verify the customer and order using the approved process.
 2. Confirm the order number and affected item.
 3. Check the latest order and tracking status.
 4. Compare the expected delivery date with the current date.
 5. If delivered, ask whether the customer or an authorized recipient received it.
 6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
 7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; courier unable to deliver; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 185: Delivery Attempt Missed — Initial customer request

Category: Orders & Delivery

Scenario: Delivery Attempt Missed

Customer situation: The customer reports an order or delivery issue: 'delivery attempt missed'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: delivery attempt missed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery attempt missed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 186: Delivery Attempt Missed — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Delivery Attempt Missed

Customer situation: The customer reports an order or delivery issue: 'delivery attempt missed'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about delivery attempt missed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery attempt missed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 187: Package Returned — Initial customer request

Category: Orders & Delivery

Scenario: Package Returned

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: package returned. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: package returned. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; package returned; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 188: Package Returned — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Package Returned

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: package returned. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about package returned. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; package returned; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 189: Order Cancelled Unexpectedly — Initial customer request

Category: Orders & Delivery

Scenario: Order Cancelled Unexpectedly

Customer situation: The customer reports an order or delivery issue: 'order cancelled unexpectedly'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: order cancelled unexpectedly. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.

3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order cancelled unexpectedly; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 190: Order Cancelled Unexpectedly — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Order Cancelled Unexpectedly

Customer situation: The customer reports an order or delivery issue: 'order cancelled unexpectedly'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about order cancelled unexpectedly. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Verify the customer and order using the approved process.
 2. Confirm the order number and affected item.
 3. Check the latest order and tracking status.
 4. Compare the expected delivery date with the current date.
 5. If delivered, ask whether the customer or an authorized recipient received it.
 6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
 7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order cancelled unexpectedly; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 191: Order Confirmation Missing — Initial customer request

Category: Orders & Delivery

Scenario: Order Confirmation Missing

Customer situation: The customer reports an order or delivery issue: 'order confirmation missing'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: order confirmation missing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order confirmation missing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 192: Order Confirmation Missing — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Order Confirmation Missing

Customer situation: The customer reports an order or delivery issue: 'order confirmation missing'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about order confirmation missing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order confirmation missing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 193: Cash-On-Delivery Issue — Initial customer request

Category: Orders & Delivery

Scenario: Cash-On-Delivery Issue

Customer situation: The customer reports an order or delivery issue: 'cash-on-delivery issue'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: cash-on-delivery issue. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; cash-on-delivery issue; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 194: Cash-On-Delivery Issue — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Cash-On-Delivery Issue

Customer situation: The customer reports an order or delivery issue: 'cash-on-delivery issue'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about cash-on-delivery issue. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; cash-on-delivery issue; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 195: Delivery Fee Question — Initial customer request

Category: Orders & Delivery

Scenario: Delivery Fee Question

Customer situation: The customer reports an order or delivery issue: 'delivery fee question'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: delivery fee question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery fee question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 196: Delivery Fee Question — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Delivery Fee Question

Customer situation: The customer reports an order or delivery issue: 'delivery fee question'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about delivery fee question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; delivery fee question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 197: Wrong Quantity — Initial customer request

Category: Orders & Delivery

Scenario: Wrong Quantity

Customer situation: The customer reports an order or delivery issue: 'wrong quantity'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: wrong quantity. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; wrong quantity; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 198: Wrong Quantity — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Wrong Quantity

Customer situation: The customer reports an order or delivery issue: 'wrong quantity'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about wrong quantity. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; wrong quantity; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 199: Order Duplicate — Initial customer request

Category: Orders & Delivery

Scenario: Order Duplicate

Customer situation: The customer reports an order or delivery issue: 'order duplicate'. The investigation should use the order reference and current delivery status.

Example customer message: Customer: "I need help because I am having this problem: order duplicate. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.

2. Confirm the order number and affected item.

3. Check the latest order and tracking status.

4. Compare the expected delivery date with the current date.

5. If delivered, ask whether the customer or an authorized recipient received it.

6. If damaged, missing, or incorrect, record exactly what was received and what was missing.

7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order duplicate; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 200: Order Duplicate — Follow-up after first troubleshooting

Category: Orders & Delivery

Scenario: Order Duplicate

Customer situation: The customer reports an order or delivery issue: 'order duplicate'. The investigation should use the order reference and current delivery status.

Example customer message: Customer follow-up: "I already contacted support about order duplicate. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer and order using the approved process.
2. Confirm the order number and affected item.
3. Check the latest order and tracking status.
4. Compare the expected delivery date with the current date.
5. If delivered, ask whether the customer or an authorized recipient received it.
6. If damaged, missing, or incorrect, record exactly what was received and what was missing.
7. Follow the applicable return, replacement, courier-investigation, or escalation procedure.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Orders & Delivery; order duplicate; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 201: Ac Not Working — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Not Working

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC not working. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.

4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 202: Ac Not Working — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Not Working

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC not working. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm the AC model or product identifier if available.
 2. Ask whether the unit has power and whether the indoor display or indicator is active.
 3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
 4. Confirm the temperature setting and fan setting.
 5. Ask whether the outdoor unit starts when cooling is requested.
 6. Check whether an error code is displayed and record the exact code.
 7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 203: Ac Not Cooling — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Not Cooling

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC not cooling. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC not cooling. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC not cooling; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 204: Ac Not Cooling — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Not Cooling

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC not cooling. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC not cooling. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC not cooling; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 205: Ac Making Noise — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Making Noise

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC making noise. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC making noise. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC making noise; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 206: Ac Making Noise — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Making Noise

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC making noise. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC making noise. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC making noise; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 207: Ac Leaking Water — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Leaking Water

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC leaking water. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC leaking water. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC leaking water; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 208: Ac Leaking Water — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Leaking Water

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC leaking water. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC leaking water. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC leaking water; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 209: Ac Remote Not Working — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Remote Not Working

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC remote not working. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC remote not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC remote not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 210: Ac Remote Not Working — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Remote Not Working

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC remote not working. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC remote not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC remote not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 211: Ac Not Turning On — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Not Turning On

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC not turning on. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC not turning on. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC not turning on; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 212: Ac Not Turning On — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Not Turning On

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC not turning on. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: “I already contacted support about AC not turning on. I followed the steps I was given, but the problem is still not resolved. What should happen next?”

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC not turning on; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 213: Ac Showing Error Code — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Showing Error Code

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC showing error code. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: “I need help because I am having this problem: AC showing error code. Please tell me what I should do.”

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC showing error code; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 214: Ac Showing Error Code — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Showing Error Code

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC showing error code. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC showing error code. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.

7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC showing error code; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 215: Ac Freezing — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Freezing

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC freezing. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC freezing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC freezing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 216: Ac Freezing — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Freezing

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC freezing. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC freezing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC freezing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 217: Ac Airflow Weak — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Airflow Weak

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC airflow weak. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: AC airflow weak. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC airflow weak; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 218: Ac Airflow Weak — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Airflow Weak

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC airflow weak. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: “I already contacted support about AC airflow weak. I followed the steps I was given, but the problem is still not resolved. What should happen next?”

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC airflow weak; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 219: Ac Smells Unusual — Initial customer request

Category: Product Troubleshooting

Scenario: Ac Smells Unusual

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC smells unusual. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: “I need help because I am having this problem: AC smells unusual. Please tell me what I should do.”

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC smells unusual; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 220: Ac Smells Unusual — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Ac Smells Unusual

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: AC smells unusual. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about AC smells unusual. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; AC smells unusual; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 221: Refrigerator Not Cooling — Initial customer request

Category: Product Troubleshooting

Scenario: Refrigerator Not Cooling

Customer situation: The customer is requesting help with 'refrigerator not cooling'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: refrigerator not cooling. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; refrigerator not cooling; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 222: Refrigerator Not Cooling — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Refrigerator Not Cooling

Customer situation: The customer is requesting help with 'refrigerator not cooling'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about refrigerator not cooling. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; refrigerator not cooling; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 223: Refrigerator Noisy — Initial customer request

Category: Product Troubleshooting

Scenario: Refrigerator Noisy

Customer situation: The customer is requesting help with 'refrigerator noisy'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: refrigerator noisy. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; refrigerator noisy; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 224: Refrigerator Noisy — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Refrigerator Noisy

Customer situation: The customer is requesting help with 'refrigerator noisy'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about refrigerator noisy. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; refrigerator noisy; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 225: Washing Machine Not Starting — Initial customer request

Category: Product Troubleshooting

Scenario: Washing Machine Not Starting

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: washing machine not starting. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: washing machine not starting. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; washing machine not starting; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 226: Washing Machine Not Starting — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Washing Machine Not Starting

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: washing machine not starting. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about washing machine not starting. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; washing machine not starting; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 227: Washing Machine Not Draining — Initial customer request

Category: Product Troubleshooting

Scenario: Washing Machine Not Draining

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: washing machine not draining. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: washing machine not draining. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; washing machine not draining; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 228: Washing Machine Not Draining — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Washing Machine Not Draining

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: washing machine not draining. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about washing machine not draining. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; washing machine not draining; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 229: Washing Machine Vibrating — Initial customer request

Category: Product Troubleshooting

Scenario: Washing Machine Vibrating

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: washing machine vibrating. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: washing machine vibrating. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; washing machine vibrating; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 230: Washing Machine Vibrating — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Washing Machine Vibrating

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: washing machine vibrating. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about washing machine vibrating. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; washing machine vibrating; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 231: Tv Not Turning On — Initial customer request

Category: Product Troubleshooting

Scenario: Tv Not Turning On

Customer situation: The customer is requesting help with 'TV not turning on'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: “I need help because I am having this problem: TV not turning on. Please tell me what I should do.”

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV not turning on; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 232: Tv Not Turning On — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Tv Not Turning On

Customer situation: The customer is requesting help with 'TV not turning on'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: “I already contacted support about TV not turning on. I followed the steps I was given, but the problem is still not resolved. What should happen next?”

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV not turning on; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 233: Tv Has No Picture — Initial customer request

Category: Product Troubleshooting

Scenario: Tv Has No Picture

Customer situation: The customer is requesting help with 'TV has no picture'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: TV has no picture. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV has no picture; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 234: Tv Has No Picture — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Tv Has No Picture

Customer situation: The customer is requesting help with 'TV has no picture'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about TV has no picture. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV has no picture; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 235: Tv Has No Sound — Initial customer request

Category: Product Troubleshooting

Scenario: Tv Has No Sound

Customer situation: The customer is requesting help with 'TV has no sound'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: TV has no sound. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV has no sound; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 236: Tv Has No Sound — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Tv Has No Sound

Customer situation: The customer is requesting help with 'TV has no sound'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about TV has no sound. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV has no sound; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 237: Tv Remote Not Working — Initial customer request

Category: Product Troubleshooting

Scenario: Tv Remote Not Working

Customer situation: The customer is requesting help with 'TV remote not working'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: TV remote not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV remote not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 238: Tv Remote Not Working — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Tv Remote Not Working

Customer situation: The customer is requesting help with 'TV remote not working'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about TV remote not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; TV remote not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 239: Air Cooler Not Working — Initial customer request

Category: Product Troubleshooting

Scenario: Air Cooler Not Working

Customer situation: The customer is requesting help with 'air cooler not working'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: air cooler not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; air cooler not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 240: Air Cooler Not Working — Follow-up after first troubleshooting

Category: Product Troubleshooting

Scenario: Air Cooler Not Working

Customer situation: The customer is requesting help with 'air cooler not working'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about air cooler not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Product Troubleshooting; air cooler not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 241: Return Request — Initial customer request

Category: Returns Warranty Repairs

Scenario: Return Request

Customer situation: The customer is requesting help with 'return request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: return request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; return request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 242: Return Request — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Return Request

Customer situation: The customer is requesting help with 'return request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about return request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; return request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 243: Return Window Question — Initial customer request

Category: Returns Warranty Repairs

Scenario: Return Window Question

Customer situation: The customer is requesting help with 'return window question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: return window question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; return window question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 244: Return Window Question — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Return Window Question

Customer situation: The customer is requesting help with 'return window question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about return window question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; return window question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 245: Exchange Request — Initial customer request

Category: Returns Warranty Repairs

Scenario: Exchange Request

Customer situation: The customer is requesting help with 'exchange request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: exchange request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; exchange request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 246: Exchange Request — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Exchange Request

Customer situation: The customer is requesting help with 'exchange request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about exchange request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; exchange request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 247: Wrong Product Return — Initial customer request

Category: Returns Warranty Repairs

Scenario: Wrong Product Return

Customer situation: The customer is requesting help with 'wrong product return'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: wrong product return. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; wrong product return; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 248: Wrong Product Return — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Wrong Product Return

Customer situation: The customer is requesting help with 'wrong product return'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about wrong product return. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; wrong product return; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 249: Damaged Product Return — Initial customer request

Category: Returns Warranty Repairs

Scenario: Damaged Product Return

Customer situation: The customer is requesting help with 'damaged product return'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: damaged product return. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; damaged product return; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 250: Damaged Product Return — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Damaged Product Return

Customer situation: The customer is requesting help with 'damaged product return'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about damaged product return. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; damaged product return; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 251: Warranty Claim — Initial customer request

Category: Returns Warranty Repairs

Scenario: Warranty Claim

Customer situation: The customer is requesting help with 'warranty claim'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: warranty claim. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; warranty claim; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 252: Warranty Claim — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Warranty Claim

Customer situation: The customer is requesting help with 'warranty claim'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about warranty claim. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; warranty claim; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 253: Warranty Eligibility — Initial customer request

Category: Returns Warranty Repairs

Scenario: Warranty Eligibility

Customer situation: The customer is requesting help with 'warranty eligibility'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: warranty eligibility. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; warranty eligibility; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 254: Warranty Eligibility — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Warranty Eligibility

Customer situation: The customer is requesting help with 'warranty eligibility'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about warranty eligibility. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; warranty eligibility; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 255: Warranty Expired — Initial customer request

Category: Returns Warranty Repairs

Scenario: Warranty Expired

Customer situation: The customer is requesting help with 'warranty expired'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: warranty expired. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; warranty expired; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 256: Warranty Expired — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Warranty Expired

Customer situation: The customer is requesting help with 'warranty expired'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about warranty expired. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; warranty expired; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 257: Repair Request — Initial customer request

Category: Returns Warranty Repairs

Scenario: Repair Request

Customer situation: The customer is requesting help with 'repair request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: repair request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; repair request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 258: Repair Request — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Repair Request

Customer situation: The customer is requesting help with 'repair request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about repair request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; repair request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 259: Technician Appointment — Initial customer request

Category: Returns Warranty Repairs

Scenario: Technician Appointment

Customer situation: The customer is requesting help with 'technician appointment'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: technician appointment. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; technician appointment; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 260: Technician Appointment — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Technician Appointment

Customer situation: The customer is requesting help with 'technician appointment'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about technician appointment. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; technician appointment; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 261: Technician Delayed — Initial customer request

Category: Returns Warranty Repairs

Scenario: Technician Delayed

Customer situation: The customer is requesting help with 'technician delayed'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: technician delayed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; technician delayed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 262: Technician Delayed — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Technician Delayed

Customer situation: The customer is requesting help with 'technician delayed'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about technician delayed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; technician delayed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 263: Repair Incomplete — Initial customer request

Category: Returns Warranty Repairs

Scenario: Repair Incomplete

Customer situation: The customer is requesting help with 'repair incomplete'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: repair incomplete. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; repair incomplete; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 264: Repair Incomplete — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Repair Incomplete

Customer situation: The customer is requesting help with 'repair incomplete'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about repair incomplete. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; repair incomplete; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 265: Repeat Failure After Repair — Initial customer request

Category: Returns Warranty Repairs

Scenario: Repeat Failure After Repair

Customer situation: The customer is requesting help with 'repeat failure after repair'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: repeat failure after repair. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; repeat failure after repair; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 266: Repeat Failure After Repair — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Repeat Failure After Repair

Customer situation: The customer is requesting help with 'repeat failure after repair'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about repeat failure after repair. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; repeat failure after repair; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 267: Spare Part Unavailable — Initial customer request

Category: Returns Warranty Repairs

Scenario: Spare Part Unavailable

Customer situation: The customer is requesting help with 'spare part unavailable'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: spare part unavailable. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; spare part unavailable; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 268: Spare Part Unavailable — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Spare Part Unavailable

Customer situation: The customer is requesting help with 'spare part unavailable'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about spare part unavailable. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; spare part unavailable; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 269: Service Center Location — Initial customer request

Category: Returns Warranty Repairs

Scenario: Service Center Location

Customer situation: The customer is requesting help with 'service center location'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: service center location. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; service center location; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 270: Service Center Location — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Service Center Location

Customer situation: The customer is requesting help with 'service center location'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about service center location. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; service center location; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 271: Installation Request — Initial customer request

Category: Returns Warranty Repairs

Scenario: Installation Request

Customer situation: The customer is requesting help with 'installation request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: installation request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; installation request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 272: Installation Request — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Installation Request

Customer situation: The customer is requesting help with 'installation request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about installation request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; installation request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 273: Installation Delayed — Initial customer request

Category: Returns Warranty Repairs

Scenario: Installation Delayed

Customer situation: The customer is requesting help with 'installation delayed'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: installation delayed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; installation delayed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 274: Installation Delayed — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Installation Delayed

Customer situation: The customer is requesting help with 'installation delayed'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about installation delayed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; installation delayed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 275: Installation Incomplete — Initial customer request

Category: Returns Warranty Repairs

Scenario: Installation Incomplete

Customer situation: The customer is requesting help with 'installation incomplete'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: installation incomplete. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; installation incomplete; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 276: Installation Incomplete — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Installation Incomplete

Customer situation: The customer is requesting help with 'installation incomplete'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about installation incomplete. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; installation incomplete; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 277: Replacement Status — Initial customer request

Category: Returns Warranty Repairs

Scenario: Replacement Status

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: replacement status. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: replacement status. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; replacement status; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 278: Replacement Status — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Replacement Status

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: replacement status. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about replacement status. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; replacement status; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 279: Replacement Delayed — Initial customer request

Category: Returns Warranty Repairs

Scenario: Replacement Delayed

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: replacement delayed. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: replacement delayed. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; replacement delayed; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 280: Replacement Delayed — Follow-up after first troubleshooting

Category: Returns Warranty Repairs

Scenario: Replacement Delayed

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: replacement delayed. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about replacement delayed. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Returns Warranty Repairs; replacement delayed; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 281: Mobile Data Not Working — Initial customer request

Category: Mobile & Devices

Scenario: Mobile Data Not Working

Customer situation: The customer reports a mobile/device problem: 'mobile data not working'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: mobile data not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Identify the affected device and service.
 2. Ask whether the issue affects only this device or other devices/services as well.
 3. Check signal/network status and whether airplane mode is enabled.
 4. Restart the device when appropriate.
 5. For SIM/eSIM issues, follow the approved activation or replacement process.
 6. Record exact error messages and whether the issue began after a device or software change.
 7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; mobile data not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 282: Mobile Data Not Working — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Mobile Data Not Working

Customer situation: The customer reports a mobile/device problem: 'mobile data not working'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about mobile data not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; mobile data not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 283: Mobile Signal Weak — Initial customer request

Category: Mobile & Devices

Scenario: Mobile Signal Weak

Customer situation: The customer reports a mobile/device problem: 'mobile signal weak'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: mobile signal weak. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; mobile signal weak; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 284: Mobile Signal Weak — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Mobile Signal Weak

Customer situation: The customer reports a mobile/device problem: 'mobile signal weak'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about mobile signal weak. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; mobile signal weak; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 285: Sim Not Detected — Initial customer request

Category: Mobile & Devices

Scenario: Sim Not Detected

Customer situation: The customer reports a mobile/device problem: 'SIM not detected'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: SIM not detected. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SIM not detected; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 286: Sim Not Detected — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Sim Not Detected

Customer situation: The customer reports a mobile/device problem: 'SIM not detected'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about SIM not detected. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.

4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SIM not detected; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 287: Sim Activation — Initial customer request

Category: Mobile & Devices

Scenario: Sim Activation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: SIM activation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: SIM activation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SIM activation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 288: Sim Activation — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Sim Activation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: SIM activation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about SIM activation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SIM activation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 289: Esim Activation — Initial customer request

Category: Mobile & Devices

Scenario: Esim Activation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: eSIM activation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: eSIM activation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; eSIM activation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 290: Esim Activation — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Esim Activation

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: eSIM activation. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about eSIM activation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; eSIM activation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 291: Calls Failing — Initial customer request

Category: Mobile & Devices

Scenario: Calls Failing

Customer situation: The customer reports a mobile/device problem: 'calls failing'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: calls failing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; calls failing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 292: Calls Failing — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Calls Failing

Customer situation: The customer reports a mobile/device problem: 'calls failing'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about calls failing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.

4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; calls failing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 293: Incoming Calls Not Working — Initial customer request

Category: Mobile & Devices

Scenario: Incoming Calls Not Working

Customer situation: The customer reports a mobile/device problem: 'incoming calls not working'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: incoming calls not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Identify the affected device and service.
 2. Ask whether the issue affects only this device or other devices/services as well.
 3. Check signal/network status and whether airplane mode is enabled.
 4. Restart the device when appropriate.
 5. For SIM/eSIM issues, follow the approved activation or replacement process.
 6. Record exact error messages and whether the issue began after a device or software change.
 7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; incoming calls not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 294: Incoming Calls Not Working — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Incoming Calls Not Working

Customer situation: The customer reports a mobile/device problem: 'incoming calls not working'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about incoming calls not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; incoming calls not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 295: Sms Not Sending — Initial customer request

Category: Mobile & Devices

Scenario: Sms Not Sending

Customer situation: The customer reports a mobile/device problem: 'SMS not sending'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: SMS not sending. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SMS not sending; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 296: Sms Not Sending — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Sms Not Sending

Customer situation: The customer reports a mobile/device problem: 'SMS not sending'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about SMS not sending. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SMS not sending; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 297: Sms Not Receiving — Initial customer request

Category: Mobile & Devices

Scenario: Sms Not Receiving

Customer situation: The customer reports a mobile/device problem: 'SMS not receiving'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: SMS not receiving. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SMS not receiving; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 298: Sms Not Receiving — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Sms Not Receiving

Customer situation: The customer reports a mobile/device problem: 'SMS not receiving'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about SMS not receiving. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.

4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; SMS not receiving; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 299: Mobile Data Slow — Initial customer request

Category: Mobile & Devices

Scenario: Mobile Data Slow

Customer situation: The customer reports a mobile/device problem: 'mobile data slow'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: mobile data slow. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Identify the affected device and service.
 2. Ask whether the issue affects only this device or other devices/services as well.
 3. Check signal/network status and whether airplane mode is enabled.
 4. Restart the device when appropriate.
 5. For SIM/eSIM issues, follow the approved activation or replacement process.
 6. Record exact error messages and whether the issue began after a device or software change.
 7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; mobile data slow; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 300: Mobile Data Slow — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Mobile Data Slow

Customer situation: The customer reports a mobile/device problem: 'mobile data slow'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about mobile data slow. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; mobile data slow; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 301: Hotspot Not Working — Initial customer request

Category: Mobile & Devices

Scenario: Hotspot Not Working

Customer situation: The customer reports a mobile/device problem: 'hotspot not working'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: hotspot not working. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; hotspot not working; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 302: Hotspot Not Working — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Hotspot Not Working

Customer situation: The customer reports a mobile/device problem: 'hotspot not working'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about hotspot not working. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; hotspot not working; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 303: Bluetooth Not Connecting — Initial customer request

Category: Mobile & Devices

Scenario: Bluetooth Not Connecting

Customer situation: The customer reports a mobile/device problem: 'Bluetooth not connecting'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: Bluetooth not connecting. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; Bluetooth not connecting; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 304: Bluetooth Not Connecting — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Bluetooth Not Connecting

Customer situation: The customer reports a mobile/device problem: 'Bluetooth not connecting'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about Bluetooth not connecting. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.

4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; Bluetooth not connecting; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 305: Device Cannot Connect To Wi-Fi — Initial customer request

Category: Mobile & Devices

Scenario: Device Cannot Connect To Wi-Fi

Customer situation: The customer reports a connectivity problem described as 'device cannot connect to Wi-Fi'. The issue may affect one device or the entire connection.

Example customer message: Customer: "I need help because I am having this problem: device cannot connect to Wi-Fi. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; device cannot connect to Wi-Fi; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 306: Device Cannot Connect To Wi-Fi — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Device Cannot Connect To Wi-Fi

Customer situation: The customer reports a connectivity problem described as 'device cannot connect to Wi-Fi'. The issue may affect one device or the entire connection.

Example customer message: Customer follow-up: "I already contacted support about device cannot connect to Wi-Fi. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm whether the problem affects one device or multiple devices.
2. Ask when the issue started and whether it is continuous or intermittent.
3. Check the router/modem power status and relevant indicator lights.
4. Confirm whether cables are securely connected and undamaged.
5. If appropriate, ask the customer to restart the router/modem and wait for it to reconnect.
6. Ask whether another device can connect and whether websites load after reconnection.
7. Record any exact error message, red indicator, outage notice, or abnormal behavior.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; device cannot connect to Wi-Fi; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 307: App Crashing — Initial customer request

Category: Mobile & Devices

Scenario: App Crashing

Customer situation: The customer reports a mobile/device problem: 'app crashing'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: app crashing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; app crashing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 308: App Crashing — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: App Crashing

Customer situation: The customer reports a mobile/device problem: 'app crashing'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about app crashing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; app crashing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 309: App Not Updating — Initial customer request

Category: Mobile & Devices

Scenario: App Not Updating

Customer situation: The customer reports a mobile/device problem: 'app not updating'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: app not updating. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; app not updating; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 310: App Not Updating — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: App Not Updating

Customer situation: The customer reports a mobile/device problem: 'app not updating'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about app not updating. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.

4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; app not updating; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 311: Device Storage Full — Initial customer request

Category: Mobile & Devices

Scenario: Device Storage Full

Customer situation: The customer reports a mobile/device problem: 'device storage full'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: device storage full. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Identify the affected device and service.
 2. Ask whether the issue affects only this device or other devices/services as well.
 3. Check signal/network status and whether airplane mode is enabled.
 4. Restart the device when appropriate.
 5. For SIM/eSIM issues, follow the approved activation or replacement process.
 6. Record exact error messages and whether the issue began after a device or software change.
 7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; device storage full; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 312: Device Storage Full — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Device Storage Full

Customer situation: The customer reports a mobile/device problem: 'device storage full'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about device storage full. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; device storage full; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 313: Battery Draining Quickly — Initial customer request

Category: Mobile & Devices

Scenario: Battery Draining Quickly

Customer situation: The customer reports a mobile/device problem: 'battery draining quickly'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: battery draining quickly. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; battery draining quickly; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 314: Battery Draining Quickly — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Battery Draining Quickly

Customer situation: The customer reports a mobile/device problem: 'battery draining quickly'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about battery draining quickly. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; battery draining quickly; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 315: Device Overheating — Initial customer request

Category: Mobile & Devices

Scenario: Device Overheating

Customer situation: The customer reports a mobile/device problem: 'device overheating'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: device overheating. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; device overheating; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 316: Device Overheating — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Device Overheating

Customer situation: The customer reports a mobile/device problem: 'device overheating'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about device overheating. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.

4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; device overheating; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 317: Camera App Problem — Initial customer request

Category: Mobile & Devices

Scenario: Camera App Problem

Customer situation: The customer reports a mobile/device problem: 'camera app problem'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: camera app problem. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Identify the affected device and service.
 2. Ask whether the issue affects only this device or other devices/services as well.
 3. Check signal/network status and whether airplane mode is enabled.
 4. Restart the device when appropriate.
 5. For SIM/eSIM issues, follow the approved activation or replacement process.
 6. Record exact error messages and whether the issue began after a device or software change.
 7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; camera app problem; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 318: Camera App Problem — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Camera App Problem

Customer situation: The customer reports a mobile/device problem: 'camera app problem'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about camera app problem. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; camera app problem; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 319: Notification Problem — Initial customer request

Category: Mobile & Devices

Scenario: Notification Problem

Customer situation: The customer reports a mobile/device problem: 'notification problem'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: notification problem. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; notification problem; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 320: Notification Problem — Follow-up after first troubleshooting

Category: Mobile & Devices

Scenario: Notification Problem

Customer situation: The customer reports a mobile/device problem: 'notification problem'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about notification problem. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Mobile & Devices; notification problem; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 321: Plan Upgrade — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Upgrade

Customer situation: The customer is requesting help with 'plan upgrade'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: plan upgrade. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan upgrade; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 322: Plan Upgrade — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Upgrade

Customer situation: The customer is requesting help with 'plan upgrade'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about plan upgrade. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan upgrade; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 323: Plan Downgrade — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Downgrade

Customer situation: The customer is requesting help with 'plan downgrade'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: plan downgrade. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan downgrade; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 324: Plan Downgrade — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Downgrade

Customer situation: The customer is requesting help with 'plan downgrade'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about plan downgrade. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan downgrade; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 325: Plan Cancellation — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Cancellation

Customer situation: The customer is requesting help with 'plan cancellation'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: plan cancellation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan cancellation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 326: Plan Cancellation — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Cancellation

Customer situation: The customer is requesting help with 'plan cancellation'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about plan cancellation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan cancellation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 327: Plan Renewal — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Renewal

Customer situation: The customer is requesting help with 'plan renewal'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: plan renewal. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan renewal; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 328: Plan Renewal — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Renewal

Customer situation: The customer is requesting help with 'plan renewal'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about plan renewal. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan renewal; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 329: Subscription Renewed Unexpectedly — Initial customer request

Category: Subscriptions & Plans

Scenario: Subscription Renewed Unexpectedly

Customer situation: The customer is requesting help with 'subscription renewed unexpectedly'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: subscription renewed unexpectedly. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; subscription renewed unexpectedly; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 330: Subscription Renewed Unexpectedly — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Subscription Renewed Unexpectedly

Customer situation: The customer is requesting help with 'subscription renewed unexpectedly'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about subscription renewed unexpectedly. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; subscription renewed unexpectedly; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 331: Wrong Plan Activated — Initial customer request

Category: Subscriptions & Plans

Scenario: Wrong Plan Activated

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: wrong plan activated. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: wrong plan activated. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; wrong plan activated; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 332: Wrong Plan Activated — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Wrong Plan Activated

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: wrong plan activated. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about wrong plan activated. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; wrong plan activated; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 333: Plan Benefits Missing — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Benefits Missing

Customer situation: The customer is requesting help with 'plan benefits missing'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: plan benefits missing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan benefits missing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 334: Plan Benefits Missing — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Benefits Missing

Customer situation: The customer is requesting help with 'plan benefits missing'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about plan benefits missing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan benefits missing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 335: Data Allowance Question — Initial customer request

Category: Subscriptions & Plans

Scenario: Data Allowance Question

Customer situation: The customer is requesting help with 'data allowance question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: data allowance question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; data allowance question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 336: Data Allowance Question — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Data Allowance Question

Customer situation: The customer is requesting help with 'data allowance question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about data allowance question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; data allowance question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 337: Speed Limit Question — Initial customer request

Category: Subscriptions & Plans

Scenario: Speed Limit Question

Customer situation: The customer is requesting help with 'speed limit question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: speed limit question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; speed limit question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 338: Speed Limit Question — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Speed Limit Question

Customer situation: The customer is requesting help with 'speed limit question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about speed limit question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; speed limit question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 339: Trial Cancellation — Initial customer request

Category: Subscriptions & Plans

Scenario: Trial Cancellation

Customer situation: The customer is requesting help with 'trial cancellation'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: trial cancellation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; trial cancellation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 340: Trial Cancellation — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Trial Cancellation

Customer situation: The customer is requesting help with 'trial cancellation'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about trial cancellation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; trial cancellation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 341: Trial Converted To Paid — Initial customer request

Category: Subscriptions & Plans

Scenario: Trial Converted To Paid

Customer situation: The customer is requesting help with 'trial converted to paid'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: trial converted to paid. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; trial converted to paid; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 342: Trial Converted To Paid — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Trial Converted To Paid

Customer situation: The customer is requesting help with 'trial converted to paid'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about trial converted to paid. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; trial converted to paid; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 343: Add-On Purchase — Initial customer request

Category: Subscriptions & Plans

Scenario: Add-On Purchase

Customer situation: The customer is requesting help with 'add-on purchase'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: add-on purchase. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; add-on purchase; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 344: Add-On Purchase — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Add-On Purchase

Customer situation: The customer is requesting help with 'add-on purchase'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about add-on purchase. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; add-on purchase; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 345: Add-On Not Active — Initial customer request

Category: Subscriptions & Plans

Scenario: Add-On Not Active

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: add-on not active. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: add-on not active. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; add-on not active; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 346: Add-On Not Active — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Add-On Not Active

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: add-on not active. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about add-on not active. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; add-on not active; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 347: Coupon Not Applied — Initial customer request

Category: Subscriptions & Plans

Scenario: Coupon Not Applied

Customer situation: The customer is requesting help with 'coupon not applied'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: coupon not applied. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; coupon not applied; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 348: Coupon Not Applied — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Coupon Not Applied

Customer situation: The customer is requesting help with 'coupon not applied'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about coupon not applied. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; coupon not applied; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 349: Promo Eligibility — Initial customer request

Category: Subscriptions & Plans

Scenario: Promo Eligibility

Customer situation: The customer is requesting help with 'promo eligibility'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: promo eligibility. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; promo eligibility; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 350: Promo Eligibility — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Promo Eligibility

Customer situation: The customer is requesting help with 'promo eligibility'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about promo eligibility. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; promo eligibility; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 351: Discount Missing — Initial customer request

Category: Subscriptions & Plans

Scenario: Discount Missing

Customer situation: The customer is requesting help with 'discount missing'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: discount missing. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; discount missing; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 352: Discount Missing — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Discount Missing

Customer situation: The customer is requesting help with 'discount missing'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about discount missing. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; discount missing; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 353: Family Plan Question — Initial customer request

Category: Subscriptions & Plans

Scenario: Family Plan Question

Customer situation: The customer is requesting help with 'family plan question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: family plan question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; family plan question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 354: Family Plan Question — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Family Plan Question

Customer situation: The customer is requesting help with 'family plan question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about family plan question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; family plan question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 355: Shared Plan Issue — Initial customer request

Category: Subscriptions & Plans

Scenario: Shared Plan Issue

Customer situation: The customer is requesting help with 'shared plan issue'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: shared plan issue. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; shared plan issue; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 356: Shared Plan Issue — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Shared Plan Issue

Customer situation: The customer is requesting help with 'shared plan issue'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about shared plan issue. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; shared plan issue; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 357: Plan Expiry Question — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Expiry Question

Customer situation: The customer is requesting help with 'plan expiry question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: plan expiry question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan expiry question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 358: Plan Expiry Question — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Expiry Question

Customer situation: The customer is requesting help with 'plan expiry question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about plan expiry question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan expiry question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 359: Plan Activation Delay — Initial customer request

Category: Subscriptions & Plans

Scenario: Plan Activation Delay

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: plan activation delay. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: plan activation delay. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan activation delay; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 360: Plan Activation Delay — Follow-up after first troubleshooting

Category: Subscriptions & Plans

Scenario: Plan Activation Delay

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: plan activation delay. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about plan activation delay. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Subscriptions & Plans; plan activation delay; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 361: Suspicious Login — Initial customer request

Category: Security Privacy & Fraud

Scenario: Suspicious Login

Customer situation: The customer is experiencing an account/access issue: 'suspicious login'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: suspicious login. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; suspicious login; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 362: Suspicious Login — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Suspicious Login

Customer situation: The customer is experiencing an account/access issue: 'suspicious login'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about suspicious login. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; suspicious login; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 363: Unknown Account Activity — Initial customer request

Category: Security Privacy & Fraud

Scenario: Unknown Account Activity

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: unknown account activity. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: unknown account activity. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; unknown account activity; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 364: Unknown Account Activity — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Unknown Account Activity

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: unknown account activity. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about unknown account activity. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.

3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; unknown account activity; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 365: Unknown Payment — Initial customer request

Category: Security Privacy & Fraud

Scenario: Unknown Payment

Customer situation: The customer has a billing or payment concern related to 'unknown payment'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer: "I need help because I am having this problem: unknown payment. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; unknown payment; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 366: Unknown Payment — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Unknown Payment

Customer situation: The customer has a billing or payment concern related to 'unknown payment'. The agent should verify the transaction or invoice before making any commitment.

Example customer message: Customer follow-up: "I already contacted support about unknown payment. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer account using the approved verification process.
2. Ask for the transaction date, amount, and payment method; do not request full card details or passwords.
3. Check the billing/payment status in the authorized system.
4. Determine whether the transaction is pending, successful, failed, duplicated, reversed, or refunded.
5. Explain the current status in plain language.
6. If a correction or refund is required, follow the documented authorization and escalation process.
7. Provide the approved reference number or next step when available.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; unknown payment; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 367: Phishing Message — Initial customer request

Category: Security Privacy & Fraud

Scenario: Phishing Message

Customer situation: The customer reports a security/privacy concern: 'phishing message'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: phishing message. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; phishing message; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 368: Phishing Message — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Phishing Message

Customer situation: The customer reports a security/privacy concern: 'phishing message'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: “I already contacted support about phishing message. I followed the steps I was given, but the problem is still not resolved. What should happen next?”

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; phishing message; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 369: Phishing Email — Initial customer request

Category: Security Privacy & Fraud

Scenario: Phishing Email

Customer situation: The customer reports a security/privacy concern: 'phishing email'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: “I need help because I am having this problem: phishing email. Please tell me what I should do.”

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; phishing email; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 370: Phishing Email — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Phishing Email

Customer situation: The customer reports a security/privacy concern: 'phishing email'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about phishing email. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; phishing email; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 371: Fraud Call — Initial customer request

Category: Security Privacy & Fraud

Scenario: Fraud Call

Customer situation: The customer reports a security/privacy concern: 'fraud call'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: fraud call. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; fraud call; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 372: Fraud Call — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Fraud Call

Customer situation: The customer reports a security/privacy concern: 'fraud call'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about fraud call. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; fraud call; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 373: Otp Sharing Concern — Initial customer request

Category: Security Privacy & Fraud

Scenario: Otp Sharing Concern

Customer situation: The customer reports a security/privacy concern: 'OTP sharing concern'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: OTP sharing concern. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; OTP sharing concern; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 374: Otp Sharing Concern — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Otp Sharing Concern

Customer situation: The customer reports a security/privacy concern: 'OTP sharing concern'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about OTP sharing concern. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.

3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; OTP sharing concern; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 375: Password Compromise — Initial customer request

Category: Security Privacy & Fraud

Scenario: Password Compromise

Customer situation: The customer is experiencing an account/access issue: 'password compromise'. The account must be protected while troubleshooting.

Example customer message: Customer: "I need help because I am having this problem: password compromise. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Complete approved identity/account verification.
 2. Never ask for the customer's password or OTP.
 3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
 4. Use the approved password-reset or account-recovery process.
 5. Confirm whether the customer can access the registered email or phone.
 6. Record any error message and the time the issue occurred.
 7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; password compromise; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 376: Password Compromise — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Password Compromise

Customer situation: The customer is experiencing an account/access issue: 'password compromise'. The account must be protected while troubleshooting.

Example customer message: Customer follow-up: "I already contacted support about password compromise. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Complete approved identity/account verification.
2. Never ask for the customer's password or OTP.
3. Identify whether the issue is login failure, verification failure, locked access, or incorrect account details.
4. Use the approved password-reset or account-recovery process.
5. Confirm whether the customer can access the registered email or phone.
6. Record any error message and the time the issue occurred.
7. Escalate suspected account takeover or security incidents immediately according to policy.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; password compromise; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 377: Account Takeover Concern — Initial customer request

Category: Security Privacy & Fraud

Scenario: Account Takeover Concern

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account takeover concern. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: account takeover concern. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; account takeover concern; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 378: Account Takeover Concern — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Account Takeover Concern

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: account takeover concern. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about account takeover concern. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; account takeover concern; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 379: Device Stolen — Initial customer request

Category: Security Privacy & Fraud

Scenario: Device Stolen

Customer situation: The customer reports a security/privacy concern: 'device stolen'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: device stolen. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; device stolen; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 380: Device Stolen — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Device Stolen

Customer situation: The customer reports a security/privacy concern: 'device stolen'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about device stolen. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.

5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; device stolen; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 381: Sim Stolen — Initial customer request

Category: Security Privacy & Fraud

Scenario: Sim Stolen

Customer situation: The customer reports a mobile/device problem: 'SIM stolen'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer: "I need help because I am having this problem: SIM stolen. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Identify the affected device and service.
 2. Ask whether the issue affects only this device or other devices/services as well.
 3. Check signal/network status and whether airplane mode is enabled.
 4. Restart the device when appropriate.
 5. For SIM/eSIM issues, follow the approved activation or replacement process.
 6. Record exact error messages and whether the issue began after a device or software change.
 7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; SIM stolen; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 382: Sim Stolen — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Sim Stolen

Customer situation: The customer reports a mobile/device problem: 'SIM stolen'. The agent should distinguish between service, SIM, network, and device-specific causes.

Example customer message: Customer follow-up: "I already contacted support about SIM stolen. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Identify the affected device and service.
2. Ask whether the issue affects only this device or other devices/services as well.
3. Check signal/network status and whether airplane mode is enabled.
4. Restart the device when appropriate.
5. For SIM/eSIM issues, follow the approved activation or replacement process.
6. Record exact error messages and whether the issue began after a device or software change.
7. Escalate hardware or account-level faults when basic checks do not resolve the issue.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; SIM stolen; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 383: Privacy Request — Initial customer request

Category: Security Privacy & Fraud

Scenario: Privacy Request

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: privacy request. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: privacy request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; privacy request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 384: Privacy Request — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Privacy Request

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: privacy request. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: “I already contacted support about privacy request. I followed the steps I was given, but the problem is still not resolved. What should happen next?”

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; privacy request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 385: Data Deletion Request — Initial customer request

Category: Security Privacy & Fraud

Scenario: Data Deletion Request

Customer situation: The customer reports a security/privacy concern: 'data deletion request'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: “I need help because I am having this problem: data deletion request. Please tell me what I should do.”

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; data deletion request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 386: Data Deletion Request — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Data Deletion Request

Customer situation: The customer reports a security/privacy concern: 'data deletion request'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about data deletion request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; data deletion request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 387: Marketing Messages Complaint — Initial customer request

Category: Security Privacy & Fraud

Scenario: Marketing Messages Complaint

Customer situation: The customer reports a security/privacy concern: 'marketing messages complaint'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: marketing messages complaint. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; marketing messages complaint; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 388: Marketing Messages Complaint — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Marketing Messages Complaint

Customer situation: The customer reports a security/privacy concern: 'marketing messages complaint'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about marketing messages complaint. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; marketing messages complaint; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 389: Unauthorized Profile Change — Initial customer request

Category: Security Privacy & Fraud

Scenario: Unauthorized Profile Change

Customer situation: The customer reports a security/privacy concern: 'unauthorized profile change'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: unauthorized profile change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; unauthorized profile change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 390: Unauthorized Profile Change — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Unauthorized Profile Change

Customer situation: The customer reports a security/privacy concern: 'unauthorized profile change'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about unauthorized profile change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; unauthorized profile change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 391: Suspicious Link — Initial customer request

Category: Security Privacy & Fraud

Scenario: Suspicious Link

Customer situation: The customer reports a security/privacy concern: 'suspicious link'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: suspicious link. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; suspicious link; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 392: Suspicious Link — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Suspicious Link

Customer situation: The customer reports a security/privacy concern: 'suspicious link'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about suspicious link. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; suspicious link; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 393: Fake Support Representative — Initial customer request

Category: Security Privacy & Fraud

Scenario: Fake Support Representative

Customer situation: The customer reports a security/privacy concern: 'fake support representative'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: fake support representative. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; fake support representative; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 394: Fake Support Representative — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Fake Support Representative

Customer situation: The customer reports a security/privacy concern: 'fake support representative'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about fake support representative. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; fake support representative; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 395: Security Verification — Initial customer request

Category: Security Privacy & Fraud

Scenario: Security Verification

Customer situation: The customer reports a security/privacy concern: 'security verification'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: security verification. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; security verification; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 396: Security Verification — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Security Verification

Customer situation: The customer reports a security/privacy concern: 'security verification'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about security verification. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; security verification; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 397: Lost Access After Phone Change — Initial customer request

Category: Security Privacy & Fraud

Scenario: Lost Access After Phone Change

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: lost access after phone change. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: lost access after phone change. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; lost access after phone change; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 398: Lost Access After Phone Change — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Lost Access After Phone Change

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: lost access after phone change. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about lost access after phone change. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; lost access after phone change; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 399: Security Incident Escalation — Initial customer request

Category: Security Privacy & Fraud

Scenario: Security Incident Escalation

Customer situation: The customer reports a security/privacy concern: 'security incident escalation'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer: "I need help because I am having this problem: security incident escalation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; security incident escalation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 400: Security Incident Escalation — Follow-up after first troubleshooting

Category: Security Privacy & Fraud

Scenario: Security Incident Escalation

Customer situation: The customer reports a security/privacy concern: 'security incident escalation'. Treat suspicious activity as sensitive and avoid requesting secret credentials.

Example customer message: Customer follow-up: "I already contacted support about security incident escalation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Verify the customer's identity using approved secure procedures.
2. Do not request passwords, OTPs, PINs, or full payment credentials.
3. Ask for a safe description of the suspicious event without asking the customer to click suspicious links.
4. Secure or restrict the affected account using the approved process where authorized.
5. Document the event, approximate time, affected account/service, and visible indicators.
6. Escalate suspected fraud, account takeover, or significant privacy incidents immediately.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Security Privacy & Fraud; security incident escalation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 401: Customer Angry About Delay — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Angry About Delay

Customer situation: The customer is raising a complaint or escalation concern: 'customer angry about delay'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer angry about delay. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.

3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer angry about delay; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 402: Customer Angry About Delay — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Angry About Delay

Customer situation: The customer is raising a complaint or escalation concern: 'customer angry about delay'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer angry about delay. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Acknowledge the customer's frustration without blaming the customer.
 2. Clarify the unresolved issue and what outcome the customer is requesting.
 3. Review previous contacts, promised actions, and missed commitments when available.
 4. Attempt only the resolution steps within the agent's authority.
 5. If supervisor review or specialist intervention is required, escalate with complete notes.
 6. Give the customer a clear next step and approved follow-up expectation.
 7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer angry about delay; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 403: Customer Repeatedly Contacted Support — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Repeatedly Contacted Support

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: customer repeatedly contacted support. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: customer repeatedly contacted support. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer repeatedly contacted support; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 404: Customer Repeatedly Contacted Support — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Repeatedly Contacted Support

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: customer repeatedly contacted support. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about customer repeatedly contacted support. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer repeatedly contacted support; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 405: Customer Threatens Complaint — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Threatens Complaint

Customer situation: The customer is raising a complaint or escalation concern: 'customer threatens complaint'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer threatens complaint. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer threatens complaint; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 406: Customer Threatens Complaint — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Threatens Complaint

Customer situation: The customer is raising a complaint or escalation concern: 'customer threatens complaint'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer threatens complaint. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer threatens complaint; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 407: Customer Requests Supervisor — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Requests Supervisor

Customer situation: The customer is raising a complaint or escalation concern: 'customer requests supervisor'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer requests supervisor. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.

4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer requests supervisor; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 408: Customer Requests Supervisor — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Requests Supervisor

Customer situation: The customer is raising a complaint or escalation concern: 'customer requests supervisor'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer requests supervisor. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer requests supervisor; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 409: Service Affecting Work — Initial customer request

Category: Complaints & Escalation

Scenario: Service Affecting Work

Customer situation: The customer is raising a complaint or escalation concern: 'service affecting work'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: service affecting work. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; service affecting work; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 410: Service Affecting Work — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Service Affecting Work

Customer situation: The customer is raising a complaint or escalation concern: 'service affecting work'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about service affecting work. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; service affecting work; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 411: Service Affecting Business — Initial customer request

Category: Complaints & Escalation

Scenario: Service Affecting Business

Customer situation: The customer is raising a complaint or escalation concern: 'service affecting business'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: service affecting business. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; service affecting business; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 412: Service Affecting Business — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Service Affecting Business

Customer situation: The customer is raising a complaint or escalation concern: 'service affecting business'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about service affecting business. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; service affecting business; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 413: Critical Outage — Initial customer request

Category: Complaints & Escalation

Scenario: Critical Outage

Customer situation: The customer is raising a complaint or escalation concern: 'critical outage'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: critical outage. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.

4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; critical outage; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 414: Critical Outage — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Critical Outage

Customer situation: The customer is raising a complaint or escalation concern: 'critical outage'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about critical outage. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Acknowledge the customer's frustration without blaming the customer.
 2. Clarify the unresolved issue and what outcome the customer is requesting.
 3. Review previous contacts, promised actions, and missed commitments when available.
 4. Attempt only the resolution steps within the agent's authority.
 5. If supervisor review or specialist intervention is required, escalate with complete notes.
 6. Give the customer a clear next step and approved follow-up expectation.
 7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; critical outage; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 415: Repeat Unresolved Issue — Initial customer request

Category: Complaints & Escalation

Scenario: Repeat Unresolved Issue

Customer situation: The customer is raising a complaint or escalation concern: 'repeat unresolved issue'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: repeat unresolved issue. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; repeat unresolved issue; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 416: Repeat Unresolved Issue — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Repeat Unresolved Issue

Customer situation: The customer is raising a complaint or escalation concern: 'repeat unresolved issue'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about repeat unresolved issue. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; repeat unresolved issue; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 417: Missed Promised Callback — Initial customer request

Category: Complaints & Escalation

Scenario: Missed Promised Callback

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: missed promised callback. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: missed promised callback. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; missed promised callback; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 418: Missed Promised Callback — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Missed Promised Callback

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: missed promised callback. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about missed promised callback. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; missed promised callback; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 419: Missed Technician Appointment — Initial customer request

Category: Complaints & Escalation

Scenario: Missed Technician Appointment

Customer situation: The customer is raising a complaint or escalation concern: 'missed technician appointment'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: missed technician appointment. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.

3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; missed technician appointment; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 420: Missed Technician Appointment — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Missed Technician Appointment

Customer situation: The customer is raising a complaint or escalation concern: 'missed technician appointment'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about missed technician appointment. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Acknowledge the customer's frustration without blaming the customer.
 2. Clarify the unresolved issue and what outcome the customer is requesting.
 3. Review previous contacts, promised actions, and missed commitments when available.
 4. Attempt only the resolution steps within the agent's authority.
 5. If supervisor review or specialist intervention is required, escalate with complete notes.
 6. Give the customer a clear next step and approved follow-up expectation.
 7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; missed technician appointment; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 421: Customer Disputes Resolution — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Disputes Resolution

Customer situation: The customer is raising a complaint or escalation concern: 'customer disputes resolution'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer disputes resolution. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer disputes resolution; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 422: Customer Disputes Resolution — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Disputes Resolution

Customer situation: The customer is raising a complaint or escalation concern: 'customer disputes resolution'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer disputes resolution. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer disputes resolution; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 423: Customer Demands Immediate Resolution — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Demands Immediate Resolution

Customer situation: The customer is raising a complaint or escalation concern: 'customer demands immediate resolution'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer demands immediate resolution. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer demands immediate resolution; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 424: Customer Demands Immediate Resolution — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Demands Immediate Resolution

Customer situation: The customer is raising a complaint or escalation concern: 'customer demands immediate resolution'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer demands immediate resolution. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer demands immediate resolution; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 425: Customer Reports Poor Agent Behavior — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Reports Poor Agent Behavior

Customer situation: The customer is raising a complaint or escalation concern: 'customer reports poor agent behavior'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer reports poor agent behavior. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.

4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer reports poor agent behavior; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 426: Customer Reports Poor Agent Behavior — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Reports Poor Agent Behavior

Customer situation: The customer is raising a complaint or escalation concern: 'customer reports poor agent behavior'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer reports poor agent behavior. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Acknowledge the customer's frustration without blaming the customer.
 2. Clarify the unresolved issue and what outcome the customer is requesting.
 3. Review previous contacts, promised actions, and missed commitments when available.
 4. Attempt only the resolution steps within the agent's authority.
 5. If supervisor review or specialist intervention is required, escalate with complete notes.
 6. Give the customer a clear next step and approved follow-up expectation.
 7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer reports poor agent behavior; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 427: Customer Asks For Formal Complaint — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Asks For Formal Complaint

Customer situation: The customer is raising a complaint or escalation concern: 'customer asks for formal complaint'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer asks for formal complaint. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer asks for formal complaint; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 428: Customer Asks For Formal Complaint — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Asks For Formal Complaint

Customer situation: The customer is raising a complaint or escalation concern: 'customer asks for formal complaint'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer asks for formal complaint. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer asks for formal complaint; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 429: Customer Asks For Complaint Number — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Asks For Complaint Number

Customer situation: The customer is raising a complaint or escalation concern: 'customer asks for complaint number'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer asks for complaint number. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer asks for complaint number; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 430: Customer Asks For Complaint Number — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Asks For Complaint Number

Customer situation: The customer is raising a complaint or escalation concern: 'customer asks for complaint number'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer asks for complaint number. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer asks for complaint number; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 431: Customer Wants Management Review — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Wants Management Review

Customer situation: The customer is raising a complaint or escalation concern: 'customer wants management review'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer wants management review. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.

4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer wants management review; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 432: Customer Wants Management Review — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Wants Management Review

Customer situation: The customer is raising a complaint or escalation concern: 'customer wants management review'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer wants management review. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Acknowledge the customer's frustration without blaming the customer.
 2. Clarify the unresolved issue and what outcome the customer is requesting.
 3. Review previous contacts, promised actions, and missed commitments when available.
 4. Attempt only the resolution steps within the agent's authority.
 5. If supervisor review or specialist intervention is required, escalate with complete notes.
 6. Give the customer a clear next step and approved follow-up expectation.
 7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer wants management review; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 433: Customer Requests Compensation — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Requests Compensation

Customer situation: The customer is raising a complaint or escalation concern: 'customer requests compensation'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer requests compensation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer requests compensation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 434: Customer Requests Compensation — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Requests Compensation

Customer situation: The customer is raising a complaint or escalation concern: 'customer requests compensation'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer requests compensation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer requests compensation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 435: Customer Reports Repeated Billing Error — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Reports Repeated Billing Error

Customer situation: The customer is raising a complaint or escalation concern: 'customer reports repeated billing error'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer reports repeated billing error. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer reports repeated billing error; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 436: Customer Reports Repeated Billing Error — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Reports Repeated Billing Error

Customer situation: The customer is raising a complaint or escalation concern: 'customer reports repeated billing error'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer reports repeated billing error. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer reports repeated billing error; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 437: Customer Reports Repeated Delivery Failure — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Reports Repeated Delivery Failure

Customer situation: The customer is raising a complaint or escalation concern: 'customer reports repeated delivery failure'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer reports repeated delivery failure. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.

4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer reports repeated delivery failure; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 438: Customer Reports Repeated Delivery Failure — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Reports Repeated Delivery Failure

Customer situation: The customer is raising a complaint or escalation concern: 'customer reports repeated delivery failure'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer reports repeated delivery failure. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Acknowledge the customer's frustration without blaming the customer.
 2. Clarify the unresolved issue and what outcome the customer is requesting.
 3. Review previous contacts, promised actions, and missed commitments when available.
 4. Attempt only the resolution steps within the agent's authority.
 5. If supervisor review or specialist intervention is required, escalate with complete notes.
 6. Give the customer a clear next step and approved follow-up expectation.
 7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer reports repeated delivery failure; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 439: Customer Is Highly Frustrated — Initial customer request

Category: Complaints & Escalation

Scenario: Customer Is Highly Frustrated

Customer situation: The customer is raising a complaint or escalation concern: 'customer is highly frustrated'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer: "I need help because I am having this problem: customer is highly frustrated. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer is highly frustrated; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 440: Customer Is Highly Frustrated — Follow-up after first troubleshooting

Category: Complaints & Escalation

Scenario: Customer Is Highly Frustrated

Customer situation: The customer is raising a complaint or escalation concern: 'customer is highly frustrated'. The priority is to acknowledge the impact, avoid arguing, and identify the correct next action.

Example customer message: Customer follow-up: "I already contacted support about customer is highly frustrated. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Acknowledge the customer's frustration without blaming the customer.
2. Clarify the unresolved issue and what outcome the customer is requesting.
3. Review previous contacts, promised actions, and missed commitments when available.
4. Attempt only the resolution steps within the agent's authority.
5. If supervisor review or specialist intervention is required, escalate with complete notes.
6. Give the customer a clear next step and approved follow-up expectation.
7. Document the escalation reason and all relevant evidence.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: Complaints & Escalation; customer is highly frustrated; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 441: Change Language Preference — Initial customer request

Category: General Support

Scenario: Change Language Preference

Customer situation: The customer is requesting help with 'change language preference'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: change language preference. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; change language preference; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 442: Change Language Preference — Follow-up after first troubleshooting

Category: General Support

Scenario: Change Language Preference

Customer situation: The customer is requesting help with 'change language preference'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about change language preference. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; change language preference; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 443: Change Communication Preference — Initial customer request

Category: General Support

Scenario: Change Communication Preference

Customer situation: The customer is requesting help with 'change communication preference'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: change communication preference. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; change communication preference; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 444: Change Communication Preference — Follow-up after first troubleshooting

Category: General Support

Scenario: Change Communication Preference

Customer situation: The customer is requesting help with 'change communication preference'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about change communication preference. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; change communication preference; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 445: Contact Support Hours — Initial customer request

Category: General Support

Scenario: Contact Support Hours

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: contact support hours. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: contact support hours. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; contact support hours; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 446: Contact Support Hours — Follow-up after first troubleshooting

Category: General Support

Scenario: Contact Support Hours

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: contact support hours. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about contact support hours. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; contact support hours; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 447: Service Availability Inquiry — Initial customer request

Category: General Support

Scenario: Service Availability Inquiry

Customer situation: The customer is requesting help with 'service availability inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: service availability inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; service availability inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 448: Service Availability Inquiry — Follow-up after first troubleshooting

Category: General Support

Scenario: Service Availability Inquiry

Customer situation: The customer is requesting help with 'service availability inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about service availability inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; service availability inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 449: Product Availability Inquiry — Initial customer request

Category: General Support

Scenario: Product Availability Inquiry

Customer situation: The customer is requesting help with 'product availability inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: product availability inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; product availability inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 450: Product Availability Inquiry — Follow-up after first troubleshooting

Category: General Support

Scenario: Product Availability Inquiry

Customer situation: The customer is requesting help with 'product availability inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about product availability inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; product availability inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 451: Price Inquiry — Initial customer request

Category: General Support

Scenario: Price Inquiry

Customer situation: The customer is requesting help with 'price inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: price inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; price inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 452: Price Inquiry — Follow-up after first troubleshooting

Category: General Support

Scenario: Price Inquiry

Customer situation: The customer is requesting help with 'price inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about price inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; price inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 453: Feature Explanation — Initial customer request

Category: General Support

Scenario: Feature Explanation

Customer situation: The customer is requesting help with 'feature explanation'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: feature explanation. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; feature explanation; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 454: Feature Explanation — Follow-up after first troubleshooting

Category: General Support

Scenario: Feature Explanation

Customer situation: The customer is requesting help with 'feature explanation'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about feature explanation. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; feature explanation; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 455: Setup Guidance — Initial customer request

Category: General Support

Scenario: Setup Guidance

Customer situation: The customer is requesting help with 'setup guidance'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: setup guidance. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; setup guidance; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 456: Setup Guidance — Follow-up after first troubleshooting

Category: General Support

Scenario: Setup Guidance

Customer situation: The customer is requesting help with 'setup guidance'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about setup guidance. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; setup guidance; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 457: How-To Question — Initial customer request

Category: General Support

Scenario: How-To Question

Customer situation: The customer is requesting help with 'how-to question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: how-to question. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; how-to question; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 458: How-To Question — Follow-up after first troubleshooting

Category: General Support

Scenario: How-To Question

Customer situation: The customer is requesting help with 'how-to question'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about how-to question. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; how-to question; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 459: Status Inquiry — Initial customer request

Category: General Support

Scenario: Status Inquiry

Customer situation: The customer is requesting help with 'status inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: status inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; status inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 460: Status Inquiry — Follow-up after first troubleshooting

Category: General Support

Scenario: Status Inquiry

Customer situation: The customer is requesting help with 'status inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about status inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; status inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 461: Policy Inquiry — Initial customer request

Category: General Support

Scenario: Policy Inquiry

Customer situation: The customer is requesting help with 'policy inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: policy inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; policy inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 462: Policy Inquiry — Follow-up after first troubleshooting

Category: General Support

Scenario: Policy Inquiry

Customer situation: The customer is requesting help with 'policy inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about policy inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; policy inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 463: Terms Clarification — Initial customer request

Category: General Support

Scenario: Terms Clarification

Customer situation: The customer is requesting help with 'terms clarification'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: terms clarification. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; terms clarification; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 464: Terms Clarification — Follow-up after first troubleshooting

Category: General Support

Scenario: Terms Clarification

Customer situation: The customer is requesting help with 'terms clarification'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about terms clarification. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; terms clarification; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 465: Document Requirement — Initial customer request

Category: General Support

Scenario: Document Requirement

Customer situation: The customer is requesting help with 'document requirement'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: document requirement. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; document requirement; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 466: Document Requirement — Follow-up after first troubleshooting

Category: General Support

Scenario: Document Requirement

Customer situation: The customer is requesting help with 'document requirement'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about document requirement. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; document requirement; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 467: Verification Requirement — Initial customer request

Category: General Support

Scenario: Verification Requirement

Customer situation: The customer is requesting help with 'verification requirement'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: verification requirement. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; verification requirement; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 468: Verification Requirement — Follow-up after first troubleshooting

Category: General Support

Scenario: Verification Requirement

Customer situation: The customer is requesting help with 'verification requirement'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about verification requirement. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; verification requirement; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 469: Contact Information Request — Initial customer request

Category: General Support

Scenario: Contact Information Request

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: contact information request. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: contact information request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; contact information request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 470: Contact Information Request — Follow-up after first troubleshooting

Category: General Support

Scenario: Contact Information Request

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: contact information request. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about contact information request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; contact information request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 471: Service Center Inquiry — Initial customer request

Category: General Support

Scenario: Service Center Inquiry

Customer situation: The customer is requesting help with 'service center inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: service center inquiry. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; service center inquiry; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 472: Service Center Inquiry — Follow-up after first troubleshooting

Category: General Support

Scenario: Service Center Inquiry

Customer situation: The customer is requesting help with 'service center inquiry'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about service center inquiry. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; service center inquiry; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 473: Feedback Submission — Initial customer request

Category: General Support

Scenario: Feedback Submission

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: feedback submission. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer: "I need help because I am having this problem: feedback submission. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.

4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; feedback submission; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 474: Feedback Submission — Follow-up after first troubleshooting

Category: General Support

Scenario: Feedback Submission

Customer situation: The customer reports that the air conditioner is experiencing the specific issue: feedback submission. The customer may need cooling restored quickly, especially if the problem occurs repeatedly.

Example customer message: Customer follow-up: "I already contacted support about feedback submission. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm the AC model or product identifier if available.
2. Ask whether the unit has power and whether the indoor display or indicator is active.
3. Ask the customer to check that the remote has working batteries and the correct operating mode is selected.
4. Confirm the temperature setting and fan setting.
5. Ask whether the outdoor unit starts when cooling is requested.
6. Check whether an error code is displayed and record the exact code.
7. For water leakage, unusual smell, electrical smell, smoke, or exposed wiring, stop normal troubleshooting and advise appropriate safety precautions and service escalation.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; feedback submission; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 475: Compliment To Support — Initial customer request

Category: General Support

Scenario: Compliment To Support

Customer situation: The customer is requesting help with 'compliment to support'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: compliment to support. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; compliment to support; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 476: Compliment To Support — Follow-up after first troubleshooting

Category: General Support

Scenario: Compliment To Support

Customer situation: The customer is requesting help with 'compliment to support'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about compliment to support. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps:

1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; compliment to support; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 477: Complaint Follow-Up — Initial customer request

Category: General Support

Scenario: Complaint Follow-Up

Customer situation: The customer is requesting help with 'complaint follow-up'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: complaint follow-up. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.

2. Verify the relevant account, product, order, or service using the approved process.

3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.

5. Confirm whether the customer can complete each step.

6. If the request is outside the agent's authority, route it to the correct team.

7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; complaint follow-up; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 478: Complaint Follow-Up — Follow-up after first troubleshooting

Category: General Support

Scenario: Complaint Follow-Up

Customer situation: The customer is requesting help with 'complaint follow-up'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about complaint follow-up. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.
4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; complaint follow-up; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

Scenario 479: General Assistance Request — Initial customer request

Category: General Support

Scenario: General Assistance Request

Customer situation: The customer is requesting help with 'general assistance request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer: "I need help because I am having this problem: general assistance request. Please tell me what I should do."

Handling context: This is the initial contact. Establish the facts, perform approved first-line checks, and create a clear record before escalating.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

Troubleshooting / investigation steps: 1. Confirm what the customer is trying to accomplish.
2. Verify the relevant account, product, order, or service using the approved process.
3. Ask for the minimum information needed to understand the problem.

4. Provide the applicable documented procedure in simple steps.
5. Confirm whether the customer can complete each step.
6. If the request is outside the agent's authority, route it to the correct team.
7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; general assistance request; troubleshooting; customer support; Initial customer request; resolution; escalation; coaching

Scenario 480: General Assistance Request — Follow-up after first troubleshooting

Category: General Support

Scenario: General Assistance Request

Customer situation: The customer is requesting help with 'general assistance request'. The agent should understand the customer's goal before giving instructions.

Example customer message: Customer follow-up: "I already contacted support about general assistance request. I followed the steps I was given, but the problem is still not resolved. What should happen next?"

Handling context: This scenario is a follow-up after an earlier support interaction. Do not restart the conversation blindly. First review what was already tried, what changed, and what the previous agent promised.

Information to collect: Account/customer ID when required; affected product/service; order/reference number when applicable; date/time the issue started; exact symptoms; error messages; relevant steps already attempted; and the customer's requested outcome.

Recommended first response: Acknowledge the concern, confirm the issue, explain that you will check the relevant details, and ask only for the information needed to proceed. Keep the response concise and professional.

- Troubleshooting / investigation steps:**
1. Confirm what the customer is trying to accomplish.
 2. Verify the relevant account, product, order, or service using the approved process.
 3. Ask for the minimum information needed to understand the problem.
 4. Provide the applicable documented procedure in simple steps.
 5. Confirm whether the customer can complete each step.
 6. If the request is outside the agent's authority, route it to the correct team.
 7. Record the outcome and next action.

Expected handling: Use the result of each check to determine the next approved step. If the issue is resolved, confirm the customer can use the service/product normally. If unresolved, document the failure and route or escalate according to policy.

Escalation conditions: Escalate when there is a safety concern, suspected fraud/security incident, repeated failure, critical business impact, specialist-only action, policy exception, missing system capability, or a customer request for a supervisor when required by procedure.

Agent coaching guidance: Show empathy without overpromising. Use simple language, avoid blame, explain why a check is needed, confirm the result before moving to the next step, and summarize the agreed next action.

Closure / follow-up: Before closing, confirm the issue status, explain any remaining action, provide an approved reference or next step if available, and document what was done. Do not invent timelines or guarantees.

RAG keywords: General Support; general assistance request; troubleshooting; customer support; Follow-up after first troubleshooting; resolution; escalation; coaching

RAG Retrieval Notes

For best retrieval quality, chunk each scenario independently or by scenario sections. Keep the scenario title, category, customer message, investigation steps, escalation conditions, and coaching guidance together in the same chunk or with useful metadata.

- Suggested metadata: scenario_id, category, topic, variant, product/service, issue_type, escalation_type.
- Use customer wording as retrieval text because real customer messages may not use the exact policy terminology.
- Keep troubleshooting steps and escalation conditions together so the retrieved context supports both action and safe routing.
- Avoid storing secrets, passwords, OTPs, full card numbers, or unnecessary personal information in examples.
- If your current RAG pipeline uses PDFs, convert this document to PDF and ingest the resulting text with headings preserved.