


Landscape exercise view

Three fixed regions, no scrolling: a wide plan and timer column on the left, speed and inclination side by side on the right, and the end-workout panel beneath them. Nothing rotates, reflows or truncates mid-session.



Watch companion, read-only




Not part of the current production application. This concept does not authorise a watchOS target, HealthKit access or treadmill control, and nothing here is implementation authority. The production family is turn 1 below.

2a Live glance




Read-only. Speed, inclination and distance are labelled as reported values with their age, never as commands or continuous truth.

2b Glance · missing and stale



Heart rate absent is an em dash, never zero. Stale telemetry dims, keeps its age and says silence means unknown.

2c Session status · read-only



Replaces the old control face. Treadmill evidence reads current, stale, unavailable or disconnected; workout state comes from the phone execution authority. No Start, Stop, Pause, Resume, speed, inclination or Request Control — the only imperative points at the physical console.

2d Deferred concept

Deferred control concept — not implementation authority. Requires an accepted Watch interaction contract, authorised FTMS execution, physical FR30z evidence and explicit failure-handling rules.



Kept for exploration only, dimmed and quarantined: no send state, no stop action, and no path from this panel into the production family.

2e Architecture note

IF THIS IS EVER BUILT

- A future Watch companion may own the primary HKWorkoutSession and provide heart rate and active energy.
- The iPhone remains the treadmill orchestration authority.
- The Watch must not infer command success or treadmill state.
- Watch availability is never required for physical safety.
- The iPhone and Watch must not create duplicate HealthKit workouts.
- Loss of Watch or phone connectivity must not trigger automatic treadmill commands, reconnection or workout resumption.

Fourteen screens, one grammar

Plans in, validated locally, nothing written to the machine. Every status below is drawn from the same five-tone vocabulary, and unknown never borrows the look of confirmed. Reference screens by id in chat — [1c](#), [1m](#), and so on.

STATUS VOCABULARY

● Available · connected · confirmed

● Attention · needs consent · warning

● Inclination · information

● Unknown · unavailable · waiting · inactive

● Failure · destructive

| Warm-up · cool-down | Interval | Recovery

Numeric values use tabular figures throughout.

ICON INVENTORY · SF SYMBOLS

Every icon in these frames is a dashed placeholder carrying its intended symbol in a `data-sf-symbol` attribute (also its hover title) — SF Symbols cannot render here. In SwiftUI each becomes `Image(systemName:)` at the same placement and colour role.

Home tab	house
Plans tab	list.bullet.rectangle
History tab	clock.arrow.circlepath
Settings tab	gearshape
Treadmill	figure.run
Scan, scanning, connecting	dot.radiowaves.left.and.right
Connected, selected	checkmark.circle.fill
Failure, warning	exclamationmark.triangle.fill
Unavailable, unsupported	exclamationmark.circle.fill
Bluetooth state	antenna.radiowaves.left.and.right
Export, share	square.and.arrow.up
Import workout	square.and.arrow.down
New plan, add step	plus
Delete	trash
Retry	arrow.clockwise
Protected, read-only, safety	lock.shield
Reorder handle	line.3.horizontal
Stored credential	key.horizontal
Secure field reveal	eye.slash
Explanatory note	info.circle

Treadmill status stays neutral through idle, scanning, connecting and capability reads; `checkmark.circle.fill` in mint appears only once a current connection and both capability reads have succeeded. Bluetooth availability is never drawn as treadmill readiness.

1a Home · Bluetooth on, treadmill idle

Two facts, kept separate on purpose: the radio is one card, the machine is another. Bluetooth being green says nothing about control, so the treadmill card stays grey until a scan has actually found something.

9:41



PacePrompt



BLUETOOTH

Available

Radio powered on and authorised for this app.



TREADMILL

Idle

No scan started. Capability is unknown until you scan.

Set up treadmill



This version cannot start, stop or control the treadmill. It reads capability and prepares plans only — the physical console and safety key remain authoritative.



Home



Plans



History



Settings

1b Home · other status pairs

The same two cards across the states that actually occur. Connected shows what was read; failed says what to do; unauthorised routes to Settings rather than pretending a retry will help.

9:41



TREADMILL · SCANNING



Scanning

Started by you · 6 s elapsed

TREADMILL · CONNECTING



Connecting

FR30z-8814 · capability not yet read

TREADMILL · CONNECTED



Connected

Reebok FR30z · speed 0.8–16.0 · incline 0–12.0%

TREADMILL · DISCONNECTED



Disconnected

Capability from the last session is no longer current.

TREADMILL · FAILED



Connection failed

Feature read timed out. Wake the console and try again.



Retry

9:41



BLUETOOTH · AVAILABLE, POWERED OFF,
UNAUTHORISED



Available

Radio powered on and authorised for this app.



Powered off

Turn Bluetooth on in Control Centre or Settings.




Not authorised

PacePrompt has no Bluetooth permission.
Retrying will not help.

Open iOS Settings


1c Plans · populated

Rows carry only what is stored: name, activity, ordered step count, total duration. Delete stays a swipe — shown revealed on the last row — and never a visible button competing with the plan name.



1d Plans · empty + delete confirmation

The empty state describes the actual loop — build, review every target, confirm — so the first plan is not a leap of faith. Confirmation names the plan and its step count, because that is what makes the loss concrete.



1e Plans · blocked states

None of these may look like "no plans yet". Each names the fault, states plainly that stored data was preserved, and offers retry only where a retry can succeed.

9:41



Plans

Plans are locked

Protected data is unavailable until this iPhone is unlocked. Your saved plans are untouched.

 Try again

Could not read plans

The plan store could not be opened. Nothing was written or deleted.

 Retry read

2 plans could not be decoded

Their stored records are corrupt. They are hidden, not deleted, and the remaining 3 plans loaded normally.

Show details

Export raw

Last save finished partially

One plan was written and one was not. Existing plans were preserved; review before editing further.

Review affected plans

9:41



Plans

Saved by a newer version

These plans use schema v4; this build reads up to v3. They are kept as-is and cannot be shown safely.

Update PacePrompt to open them.

1f Manual plan editor

Step cards stay scannable by putting the three exact numbers on one tabular row — nothing is summarised away or hidden behind a disclosure. Problems collect in one block above the primary action, and invalid values are rejected rather than quietly corrected.

9:41

Cancel

Edit plan

Save

PLAN NAME

Pyramid 5 × 3

Indoor walking

Indoor running

STEPS · 23 ORDERED

Reorder

01 Warm-up Easy start

600 s 5.5 km/h 1.0 %

02 Recovery Walk

120 s 18.0 km/h 1.0 %

21 more steps · scroll

Add step

FIX BEFORE PREVIEW · 2

• Step 02 speed 18.0 exceeds the connected treadmill maximum of 16.0 km/h.

• Step 17 duration must be a whole number of seconds above zero.

Invalid values are rejected — PacePrompt never clamps or corrects a target for you.

Review exact plan

Review validates the whole plan against the currently known treadmill capability. It does not save.

1g Plan preview

The exact validated plan and nothing else — every step keeps its duration, speed and inclination. Distance is labelled estimated because it is derived, and the confirm button is the only thing on the screen that writes.

9:41

< Back to edit

review

Review

Pyramid 5 × 3

Indoor running

Duration

43:00

Est. distance

6.8 km

Steps

23

EXACT PLAN · EVERY STEP

01 · Warm-up

5.5 km/h · 1.0 %

10:00

02 · Interval · Rep 1

10.0 km/h · 1.0 %

3:00

03 · Recovery · Walk

5.5 km/h · 1.0 %

2:00

04 · Interval · Rep 2

10.0 km/h · 2.0 %

3:00

05 · Recovery · Walk

5.5 km/h · 2.0 %

2:00

18 more steps · scroll

Confirm and update

Only this action writes to local storage. Validated against capability read at 06:04 — the machine is not being contacted now.

1h Import · editor + awaiting result

Local checks run before anything leaves. The primary action opens the disclosure — it is never the send itself — and the waiting state names the stage rather than showing a spinner alone.

9:41

Cancel

import workout

Describe the workout in plain English. Leave out names, locations and anything personal — this text is what would be sent.

10 min easy, then 5 × 3 min at 12 k with 2 min walk recoveries, climbing 1% each rep, 8 min cool down

104 / 2000 characters

Keyboard

LOCAL CHECKS

- Length and unit vocabulary understood
- "12 k" read as 12.0 km/h — confirm on review
- Capability state: connected · 0.8–16.0 km/h · 0–12.0 %

Awaiting remote result

Sent 4 s ago after your consent. No plan exists until the proposal returns and passes local validation.

Cancel request

Review remote-send disclosure

Nothing is sent yet. You will see the exact text and give consent on the next screen.

1i Remote-send disclosure

Two columns of truth: what leaves, and what stays. The exact text is quoted verbatim so consent is given to something specific, and the two actions carry equal visual weight.

9:41

Before this leaves your iPhone

EXACT TEXT TO BE SENT

10 min easy, then 5 × 3 min at 12 k with 2 min walk recoveries, climbing 1% each rep, 8 min cool down

LEAVES THE DEVICE

- The exact text above, unchanged.
- Processed by OpenRouter and OpenAI on the fixed Sol route.
- Fixed instructions, schema, examples, locale and unit vocabulary.
- Capability states only — connected, speed range, inclination range.

STAYS ON THIS DEVICE

- Saved plans and history.
- Health data and device identifiers.
- Your treadmill's capability ranges.

TRANSMITTED CAPABILITY STATES

connection = connected
speed_min_kph = 0.8 · speed_max_kph = 16.0
incline_min_pct = 0.0 · incline_max_pct = 12.0



- There is no zero-retention guarantee for remote processing.
- Charges may apply to your OpenRouter account.
- The returned proposal is untrusted and is validated locally before you see a plan.

Cancel

I agree — send this request


1j Export · selection, then exact review

Stage two lists the filename, record count and the exact fields included, so the share sheet is not the first place you learn what is in the file. The copy stops short of promising a successful backup.




1k Settings

Four groups, no toggles that do not exist. "FTMS control: Disabled" is stated as a product fact in About rather than implied by absence.



1l OpenRouter credential

The stored value is never rendered, not even masked from the real string — the state line says only that a key is present and when it was stored. The secure field appears solely in the add/replace state shown below it.



1m Treadmill setup · read-only diagnostics

Decoded capability sits in normal type; raw bytes and UUIDs are monospaced and visually separated. Subscribed and data received are two distinct rows, and "no packets received" is coloured as unknown, never as zero. No Start, Stop, Pause or Request Control appears anywhere.

9:41

Settings

Treadmill setup

Bluetooth

Available

Connection

Connected

Scan for treadmills

Disconnect

DISCOVERED · SCAN STARTED BY YOU

Reebok FR30z

A81F2C40-9B3E-4D71-8E02-5C7A11D9F4B6

-54 dBm

FR30z-8814

6D0B7E19-22AF-45C8-91D3-0E4488AB27C1

-78 dBm

FITNESS MACHINE FEATURE · DECODED

Speed range

0.8-16.0 km/h

step 0.1

Inclination range

0.0-12.0 %

step 0.5

0x2ACC · feature = 0x0000 0286

speed 0x2AD5 = 08 00 A0 00 01 00

incline 0x2AD6 = 00 00 78 00 05 00

Read-only capability check. PacePrompt never writes to FTMS Control Point 0x2AD9. The physical console and safety key remain authoritative.

9:41

Setup

Diagnostics

PASSIVE SUBSCRIPTIONS

Treadmill Data 0x2ACD

Subscribed

Data received

42 packets

Machine Status 0x2ADA

Subscribed

Data received

No packets received — unknown

PACKET LOG · IN MEMORY

42 held · 200 max

06:04:12.418 · 0x2ACD · 08 00 3C 00 00 00 0A 00

Instantaneous speed 6.0 km/h · inclination 1.0 %

06:04:11.402 · 0x2ACD · 08 00 3C 00 00 00 0A 00

Instantaneous speed 6.0 km/h · inclination 1.0 %

06:04:10.396 · 0x2ACD · 08 00 00 00 00 00 0A 00

Instantaneous speed 0.0 km/h · inclination 1.0 %

Decoded values above are separate from the raw bytes they came from. The log is not saved and clears when the app quits.

CHARACTERISTICS DISCOVERED

0x2ACC Fitness Machine Feature

read

0x2ACD Treadmill Data

notify

0x2AD5 Supported Speed Range

read

0x2AD6 Supported Inclination Range

read

0x2AD9 Control Point

present · never written

Copy

Share

Clear


1n History · honest placeholder

No invented rows, no statistics, no repeat or export. It says why the tab is empty and stops, so nobody reads it as data loss.

9:41



History



No history yet

Workout execution and automatic history recording are not available in this version, so there is nothing to record. Your saved plans are unaffected.



Home



Plans



History



Settings