RAG Assignment API 0.2.0 OAS 3.1

/openapi.json

RAG: PyMuPDF + LangChain recursive chunking; OpenRouter Nemotron embeddings by default; figure VLM uses OpenRouter chat when CHAT_BASE_URL is set, else OpenAI; FAISS.

default

GET / Root

Browsers → Swagger UI; curl / API clients → JSON (avoids empty 404 on Codespaces).

Parameters Cancel

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/' \
  -H 'accept: application/json'
```

Request URL

```
https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/
```

Server response

Code	Details
200	

Response body

```
{
  "service": "RAG Assignment API",
  "docs": "/docs",
  "openapi": "/openapi.json",
  "health": "GET /health",
  "ingest": "POST /ingest (multipart PDF)",
  "query": "POST /query"
}
```

Download

Response headers

```
content-length: 158
content-type: application/json
date: Sun,05 Apr 2026 12:24:16 GMT
ratelimit-limit: HttpRequestRatePerPort:1500/m
ratelimit-remaining: HttpRequestRatePerPort:1499
ratelimit-reset: HttpRequestRatePerPort:22s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: 69211e3e-ef14-4dcb-bc91-a838f1262d00
x-content-type-options: nosniff
x-ms-ratelimit-limit: 1500
x-ms-ratelimit-remaining: 1496
x-ms-ratelimit-reset: 0
x-ms-ratelimit-used: 4
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

Code	Description	Links
	application/json Controls `Accept` header. **Example Value** Schema `"string"`	

GET /health Health

Parameters Cancel

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/health' \
  -H 'accept: application/json'
```

Request URL

https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/health

Server response

Code	Details
200	

Response body


```
{
  "status": "ok",
  "models_ready": true,
  "openai_ready": true,
  "chat_ready": true,
  "chat_base_url": "https://openrouter.ai/api/v1",
  "embedding_base_url": "https://openrouter.ai/api/v1",
  "indexed_documents": 2,
  "vector_count": 217,
  "uptime_seconds": 158.126,
  "embedding_model": "nvidia/llama-nemotron-embed-vl-1b-v2:free",
  "chat_model": "qwen/qwen3.6-plus:free",
  "vision_model": "google/gemini-2.0-flash-exp:free",
  "dotenv_path": "/workspaces/ADAS_Regulations_RAG/.env",
  "dotenv_found": true,
  "openai_key_set": true,
  "vision_key_set": true,
  "openrouter_or_chat_key_set": true
}
```


Download

Response headers

```
cache-control: no-cache,no-store
content-length: 540
content-type: application/json
date: Sun,05 Apr 2026 12:24:08 GMT
expires: Thu,01 Jan 1970 00:00:00 GMT
pragma: no-cache
ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort: max 1000
ratelimit-remaining: HttpRequestRatePerPort:1499,ClientConnectionsPerPort:1000
ratelimit-reset: HttpRequestRatePerPort:28s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: 3000fbc2-75aa-4ef7-9bcb-546859767b5c
x-content-type-options: nosniff
x-ms-ratelimit-limit: 1500
x-ms-ratelimit-remaining: 1495
x-ms-ratelimit-reset: 0
x-ms-ratelimit-used: 5
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "status": "string",
  "models_ready": true,
  "openai_ready": true,
  "chat_ready": true,
  "chat_base_url": "string",
  "embedding_base_url": "string",
  "indexed_documents": 0,
  "vector_count": 0,
  "uptime_seconds": 0,
  "embedding_model": "string",
  "chat_model": "string",
  "vision_model": "string",
  "dotenv_path": "string",
  "dotenv_found": true,
  "openai_key_set": true,
  "vision_key_set": true,
  "openrouter_or_chat_key_set": true
}
```


GET `/stats` Index Stats

Chunk counts per document and by type (from FAISS sidecar metadata).

Parameters Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/stats' \
  -H 'accept: application/json'
```

Request URL

```
https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/stats
```

Server response

Code	Details
200	**Response body**


```
{
  "vector_count": 217,
  "documents": [
    {
      "source_file": "AIS_162.pdf",
      "by_type": {
        "text": 54,
        "table": 55
      },
      "total": 109
    },
    {
      "source_file": "R131.pdf",
      "by_type": {
        "text": 101,
        "table": 3,
        "image": 4
      },
      "total": 108
    }
```

Code	Details	Download

```
  ]
}
```

Response headers

```
content-length: 191
content-type: application/json
date: Sun,05 Apr 2026 12:23:58 GMT
ratelimit-limit: HttpRequestRatePerPort:1500/m
ratelimit-remaining: HttpRequestRatePerPort:1499
ratelimit-reset: HttpRequestRatePerPort:33s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: 74be28bb-cd4d-4fdb-99c7-d8f820f5a33b
x-content-type-options: nosniff
x-ms-ratelimit-limit:
x-ms-ratelimit-remaining:
x-ms-ratelimit-reset:
x-ms-ratelimit-used: 1
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "vector_count": 0,
  "documents": [
    {
      "source_file": "string",
      "by_type": {
        "additionalProp1": 0,
        "additionalProp2": 0,
        "additionalProp3": 0
      },
```

Code	Description	Links


```
        "total": 0
      }
    ]
  }
```


POST /ingest Ingest

Parameters Cancel Reset

No parameters

Request body required multipart/form-data

file * required
string

Choose File AIS_162.pdf

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/ingest' \
  -H 'accept: application/json' \
  -H 'Content-Type: multipart/form-data' \
  -F 'file=@AIS_162.pdf;type=application/pdf'
```

Request URL

https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/ingest

Server response

Code	Details
200	

Response body


```
{
  "filename": "AIS_162.pdf",
  "processing_seconds": 11.581,
  "chunk_counts": {
    "text": 54,
    "table": 55,
    "image": 0
  },
  "chunks_indexed": 109,
  "chunker": "pymupdf_langchain"
}
```


Download

Response headers

```
cache-control: no-cache,no-store
content-length: 153
content-type: application/json
date: Sun,05 Apr 2026 12:23:41 GMT
expires: Thu,01 Jan 1970 00:00:00 GMT
pragma: no-cache
ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort: max 1000
ratelimit-remaining: HttpRequestRatePerPort:1499,ClientConnectionsPerPort:1000
ratelimit-reset: HttpRequestRatePerPort:2s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: e97e88ba-8404-4509-810f-35b1232b91ab
x-content-type-options: nosniff
x-ms-ratelimit-limit: 1500
x-ms-ratelimit-remaining: 1495
x-ms-ratelimit-reset: 0
x-ms-ratelimit-used: 5
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "filename": "string",
  "processing_seconds": 0,
  "chunk_counts": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  },
  "chunks_indexed": 0,
  "chunker": "pymupdf_langchain"
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST /query Query

Parameters

Cancel Reset

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "question": "what is AEBS? compare both the standards and tell me which test case is different?",
  "top_k": 5,
  "diversify_sources": true
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/query' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "question": "what is AEBS? compare both the standards and tell me which test case is different?",
  "top_k": 5,
  "diversify_sources": true
}'
```

Request URL

```
https://fictional-halibut-pjx46qrwv6xg36jgp-8000.app.github.dev/query
```

Server response

Code	Details
200	**Response body**

Download

Code

```
    },
```

Response headers

```
cache-control: no-cache,no-store
content-length: 4559
content-type: application/json
date: Sun,05 Apr 2026 12:27:28 GMT
expires: Thu,01 Jan 1970 00:00:00 GMT
pragma: no-cache
ratelimit-limit: HttpRequestRatePerPort:1500/m
ratelimit-remaining: HttpRequestRatePerPort:1499
ratelimit-reset: HttpRequestRatePerPort:22s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: c8640c25-43ea-4523-a5bd-4b040760c6be
x-content-type-options: nosniff
x-ms-ratelimit-limit: 1500
x-ms-ratelimit-remaining: 1497
x-ms-ratelimit-reset: 0
x-ms-ratelimit-used: 3
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "answer": "string",
  "sources": [
    {
      "filename": "string",
      "page": 0,
      "chunk_type": "string",
      "excerpt": "string",
```

Code	Description	Links


```
      "distance": 0
    }
  ]
}
```


422 Validation Error *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


Schemas

Body_ingest_ingest_post > Expand all `object`

DocumentChunkStats > Expand all `object`

HTTPValidationError > Expand all `object`

HealthResponse > Expand all `object`

IndexStatsResponse > Expand all `object`

IngestResponse > Expand all `object`

QueryRequest > Expand all `object`

QueryResponse > Expand all `object`

SourceRef > Expand all `object`

ValidationError > Expand all `object`