



SCREENSHOTS

POST



GET



Postman interface showing a GET request to `http://127.0.0.1:8000/books/2`. The request is selected in the top bar. The left sidebar shows a collection named "My first collection" with two folders: "First folder inside collection" and "Second folder inside collection". The main panel displays the request details, including the URL, method (GET), and response body (JSON). The response body is shown in the "Body" tab, displaying a JSON object with fields: `"id": 2`, `"title": "The song of ice and fire"`, `"description": "This is epic story of 7 kingdoms"`, `"author": "George R. R. Martin"`, and `"created": "2023-07-05T10:38:58.291777Z"`.

UPDATE(patch)

Postman interface showing a PATCH request to `http://127.0.0.1:8000/books/2/`. The request is selected in the top bar. The left sidebar shows the same collection structure. The main panel displays the request details, including the URL, method (PATCH), and response body (JSON). The response body is shown in the "Body" tab, displaying a JSON object with fields: `"id": 2`, `"title": "patch"`, `"description": "This is epic story of 7 kingdoms"`, `"author": "George R. R. Martin"`, and `"created": "2023-07-05T10:38:58.291777Z"`.

Postman interface showing a PUT request to `http://127.0.0.1:8000/books/2/`. The request body is a JSON object:

```
{  "title": "udated",  "description": "This is epic story of 7 kingdoms",  "author": "George R. R. Martin",  "created": ""}
```

The response is a JSON object:

```
{  "id": 2,  "title": "udated",  "description": "This is epic story of 7 kingdoms",  "author": "George R. R. Martin",  "created": "2023-07-05T10:38:58.291777Z"}
```

DELETE

Postman interface showing a DELETE request to `http://127.0.0.1:8000/books/2/`. The request body is a JSON object:

```
{  "title": "patch"}
```

The response is a 204 No Content status.

HomeWorkspacesAPI NetworkExplore

Search Postman

InviteUpgrade

My Workspace

NewImport

GET http://127.0.0.1:8000/b

POST http://127.0.0.1:8000/b

DEL http://127.0.0.1:8000/b

+

...

No Environment

Collections

Environments

History

...

My first collection

First folder inside collection

GET

POST

Second folder inside collection

GET

GET

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://127.0.0.1:8000/books/

Save

Send

...

Param

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body

Cookies

Headers (10)

Test Results

200 OK40 ms661 B

Save as Example

...

Pretty

Raw

Preview

Visualize

JSON

...

```
1  [
2    {
3      "id": 1,
4      "title": "The song of ice and Fire",
5      "description": "This is epic story of 7 kingdoms",
6      "author": "George R. R. Martin",
7      "created": "2023-07-05T10:38:27.497456Z"
8    },
9    {
10     "id": 3,
11     "title": "The song of ice and Fire",
12     "description": "This is epic story of 7 kingdoms",
13     "author": "George R. R. Martin",
14     "created": "2023-07-05T11:00:58.572773Z"
15   }
16 ]
```

Runner

Capture requests

Cookies

Trash

...