



UMS
UNIVERSITI MALAYSIA SABAH

KT24603 DATABASE
SEMESTER II, 2023/2024

LECTURER: DR MOHAMMED AHMED SALEH

ASSIGNMENT 2

PREPARED BY:

BIL NAME

MATRIC NUM

- | | |
|----------|-----------------------------------|
| 1 | SYAZA SYAZANA BINTI ANWAR |
| 2 | SHWEHTTA PARANI KUMAR |
| 3 | NORSYLAH BINTI SAFRUDIN |
| 4 | WAN NURADRIANA BALQIS BT WAN AZMI |
| 5 | LEENA A/P SELLAMANY |




Table of Content

1.0 Data Dictionary.....	2
2.0 Entity Relationship Diagram.....	11
3.0 SQL Queries Constructed.....	12
4.0 Screenshots.....	19
4.1 Before and after the SQL Queries to INSERT.....	19
4.2 Before and after the SQL Queries to UPDATE.....	31
4.3 Before and after the SQL Queries to DELETE.....	35
4.4 Before and after for Query 1: Total Users.....	38
4.5 Before and after for Query 2: Active Users.....	38
4.6 Before and after for Query 3: Total Events and Average Registration Fee.....	39
4.7 Before and after for Query 4: Top 5 Events by Number of Participants.....	39
4.8 Before and after for Query 5: Total Groups and Average Posts per Group.....	40
4.9 Before and after for Query 6: Top 3 Users by Number of Event Participations.....	40
4.10 Before and after for Query 7: Total Plans and Average Duration.....	41
4.11 Before and after for Query 8: Top 3 Plans by Mileage Targets.....	41
4.12 Before and after for Query 9: Top 5 Medical Conditions.....	42
4.13 Before and after for Query 10: Latest Activity in Discussion Groups.....	42

1.0 Data Dictionary

Table	Field Name	Data Type	Field Length	Constraint	Description
User	userID	INT	-	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each user
	username	VARCHAR	50	NOT NULL, UNIQUE	Username of the user
	password	VARCHAR	255	NOT NULL	Password of the user
	email	VARCHAR	100	NOT NULL, UNIQUE	Email address of the user
	securityQuestion	VARCHAR	255	NOT NULL	Security question for password recovery
	securityAnswer	VARCHAR	255	NOT NULL	Answer to the security question
	lastLoginDateTime	DATE TIME	-	-	Last login date and time of the user
	accountCreationDateTime	DATE TIME	-	NOT NULL	Account creation date and time

	securityQuestion	VARCHAR	255	NOT NULL	Security question for password recovery
	securityAnswer	VARCHAR	255	NOT NULL	Answer to the security question
	accountCreationDateTime	DATE TIME	-	NOT NULL	Account creation date and time
Event	eventID	INT	-	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each event
	eventName	VARCHAR	100	NOT NULL	Name of the event
	eventDateTime	DATE TIME	-	NOT NULL	Date and time of the event
	location	VARCHAR	255	NOT NULL	Location of the event
	description	TEXT	-	-	Description of the event
	organizer	VARCHAR	100	NOT NULL	Organizer of the event
	registrationDeadline	DATE	-	NOT NULL	Deadline for registration
	eventType	VARCHAR	50	NOT NULL	Type of the event

	registration Fee	DECIMAL	10, 2	-	Registration fee for the event
	organizerID	INT	-	FOREIGN KEY (organizerID) REFERENCES User(userID)	User ID of the event organizer
	registration Deadline	DATE	-	NOT NULL	Deadline for registration
	registration Fee	DECIMAL	10,2	-	Registration fee for the event
	organizerID	INT	-	FOREIGN KEY (organizerID) REFERENCES User(userID)	User ID of the event organizer
TrainingPlan	planID	INT	-	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each training plan
	planName	VARCHAR	100	NOT NULL	Name of the training plan
	duration	INT	-	NOT NULL	Duration of the training plan (in weeks)
	startDate	DATE	-	NOT NULL	Start date of the training plan
	endDate	DATE	-	NOT NULL	End date of the training plan
	weeklyTrainingSchedule	TEXT	-	NOT NULL	Weekly training schedule

	mileageTargets	INT	-	NOT NULL	Mileage targets
	trainingIntensityLevels	VARCHAR	50	NOT NULL	Training intensity levels
	progressTracking	TEXT	-	NOT NULL	Progress tracking
	mileageTargets	INT	-	NOT NULL	Mileage targets for the training plan
	trainingIntensityLevels	VARCHAR	50	NOT NULL	Training intensity levels
MedicalRecord	recordID	INT	-	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each medical record
	userID	INT	-	NOT NULL, FOREIGN KEY (userID) REFERENCES User(userID)	User ID associated with the medical record
	dateOfVisit	DATE	-	NOT NULL	Date of medical visit
	medicalConditions	TEXT	-	-	Medical conditions of the user
	medications	TEXT	-	-	Medications taken by the user

	allergies	TEXT	-	-	Allergies of the user
	previousSurgeries	TEXT	-	-	Previous surgeries
	testResults	TEXT	-	-	Results of medical tests
	treatmentHistory	TEXT	-	-	History of treatments
	previousSurgeries	TEXT	-	-	Previous surgeries of the user
	treatmentHistory	TEXT	-	-	History of treatments
DiscussionGroup	groupID	INT	-	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each discussion group
	groupName	VARCHAR	100	NOT NULL	Name of the discussion group
	description	TEXT	-	-	Description of the discussion group
	topics	TEXT	-	-	Topics discussed in the group
	posts	TEXT	-	-	Posts in the discussion group


	dateCreated	DATE	-	NOT NULL	Date the group was created
	lastActivityDateTime	DATE TIME	-	-	Last activity date and time
	moderatorID	INT	-	FOREIGN KEY (moderatorID) REFERENCES User(userID)	User ID of the group moderator
	posts	TEXT	-	-	Posts in the discussion group
	dateCreated	DATE	-	NOT NULL	Date the group was created
	lastActivityDateTime	DATE TIME	-	-	Last activity date and time of the group
	moderatorID	INT	-	FOREIGN KEY (moderatorID) REFERENCES User(userID)	User ID of the group moderator
UserDiscussionGroup	userID	INT	-	NOT NULL, FOREIGN KEY (userID) REFERENCES User(userID)	User ID
	groupID	INT	-	NOT NULL, FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID)	Group ID
	PRIMARY KEY	userID, group ID	-	-	Composite primary key (userID, groupID)

EventParticipants	eventID	INT	-	NOT NULL, FOREIGN KEY (eventID) REFERENCES Event(eventID)	Event ID
	userID	INT	-	NOT NULL, FOREIGN KEY (userID) REFERENCES User(userID)	User ID
	PRIMARY KEY	event ID, userID	-	-	Composite primary key (eventID, userID)
EventTrainingPlan	eventID	INT	-	NOT NULL, FOREIGN KEY (eventID) REFERENCES Event(eventID)	Event ID
	planID	INT	-	NOT NULL, FOREIGN KEY (planID) REFERENCES TrainingPlan(planID)	Training Plan ID
	PRIMARY KEY	event ID, planID	-	-	Composite primary key (eventID, planID)
EventMedicalRecord	eventID	INT	-	NOT NULL, FOREIGN KEY (eventID) REFERENCES Event(eventID)	Event ID
	recordID	INT	-	NOT NULL, FOREIGN KEY (recordID) REFERENCES MedicalRecord(recordID)	Medical Record ID

	PRIMARY KEY	event ID, recor dID	-	-	Composite primary key (eventID, recordID)
EventDiscus sionGroup	eventID	INT	-	NOT NULL, FOREIGN KEY (eventID) REFERENCES Event(eventID)	Event ID
	groupID	INT	-	NOT NULL, FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID)	Group ID
	PRIMARY KEY	event ID, group ID	-	-	Composite primary key (eventID, groupID)
TrainingPlan MedicalReco rd	planID	INT	-	NOT NULL, FOREIGN KEY (planID) REFERENCES TrainingPlan(planID)	Training Plan ID
	recordID	INT	-	NOT NULL, FOREIGN KEY (recordID) REFERENCES MedicalRecord(recordID)	Medical Record ID
	PRIMARY KEY	planI D, recor dID	-	-	Composite primary key (planID, recordID)
TrainingPlan DiscussionG roup	planID	INT	-	NOT NULL, FOREIGN KEY (planID) REFERENCES TrainingPlan(planID)	Training Plan ID

	groupID	INT	-	NOT NULL, FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID)	Group ID
	PRIMARY KEY	planID, group ID	-	-	Composite primary key (planID, groupID)

2.0 Entity Relationship Diagram



3.0 SQL Queries Constructed

SELECT Queries:

- Select all columns from the user table:

```
SELECT * FROM `user` ;
```

INSERT Queries:

- Insert user data into the user table:

```
INSERT INTO `user` (username, password, email, securityQuestion, securityAnswer,  
lastLoginDateTime, accountCreationDateTime)
```

```
VALUES
```

```
('user1', 'pass1', 'tiqa@example.com', 'Your pet name?', 'chopper', '2024-06-01  
10:00:00', '2024-05-01 09:00:00'),
```

```
('user2', 'pass2', 'Aini@example.com', 'Your birthplace?', 'Sandakan', '2024-05-26  
11:00:00', '2024-05-02 09:30:00'),
```

```
('user3', 'pass3', 'yati@example.com', 'Your favorite color?', 'grey', NULL, '2024-05-03  
09:45:00'),
```

```
('user4', 'pass4', 'Ibun@example.com', 'Your first school?', 'Greenwood', NULL,  
'2024-05-04 10:15:00'),
```

```
('user5', 'pass5', 'syera@example.com', 'Your pet name?', 'Buddy', '2024-05-25  
12:00:00', '2024-05-05 11:00:00'),
```

```
('user6', 'pass6', 'pateng@example.com', 'Your favorite color?', 'purple', NULL,  
'2024-05-06 11:15:00'),
```

```
('user7', 'pass7', 'huda@example.com', 'Your birthplace?', 'KK', '2024-05-24 09:00:00',  
'2024-05-07 11:30:00'),
```

```
('user8', 'pass8', 'ann@example.com', 'Your first school?', 'Furin', '2024-05-23  
08:45:00', '2024-05-08 11:45:00'),
```

```
('user9', 'pass9', 'hasni@example.com', 'Your pet name?', 'neko', '2024-05-22  
10:00:00', '2024-05-09 12:00:00'),
```

```
('user10', 'pass10', 'amel@example.com', 'Your favorite color?', 'Pink', NULL,  
'2024-05-10 12:15:00');
```

- Insert event data into the event table:

```
INSERT INTO Event (eventName, eventDateTime, location, description, organizer,  
registrationDeadline, eventType, registrationFee, organizerID)
```

```
VALUES
```

```
('Event 1 Unity Color Run', '2024-06-01 10:00:00', 'Location 1', 'Description 1',  
'Organizer 1', '2024-05-25', 'Type 1', 10.00, 1),  
( 'Event 2 Borneo Half Marathon', '2024-06-02 11:00:00', 'Location 2', 'Description 2',  
'Organizer 2', '2024-05-26', 'Type 2', 20.00, 2),  
( 'Event 3 Meow Autism Run', '2024-06-03 12:00:00', 'Location 3', 'Description 3',  
'Organizer 3', '2024-05-27', 'Type 3', 30.00, 3),  
( 'Event 4 Elopura Marathon Sandakan', '2024-06-04 13:00:00', 'Location 4', 'Description  
4', 'Organizer 4', '2024-05-28', 'Type 4', 40.00, 4),  
( 'Event 5 Wild Run', '2024-06-05 14:00:00', 'Location 5', 'Description 5', 'Organizer 5',  
'2024-05-29', 'Type 5', 50.00, 5),  
( 'Event 6 Twincity Marathon', '2024-06-06 15:00:00', 'Location 6', 'Description 6',  
'Organizer 6', '2024-05-30', 'Type 6', 60.00, 6),  
( 'Event 7 Cultural Night Run', '2024-06-07 16:00:00', 'Location 7', 'Description 7',  
'Organizer 7', '2024-05-31', 'Type 7', 70.00, 7),  
( 'Event 8 Glow Fun Run', '2024-06-08 17:00:00', 'Location 8', 'Description 8', 'Organizer  
8', '2024-06-01', 'Type 8', 80.00, 8),  
( 'Event 9 Malaysia Women Marathon', '2024-06-09 18:00:00', 'Location 9', 'Description  
9', 'Organizer 9', '2024-06-02', 'Type 9', 90.00, 9),  
( 'Event 10 Sibu Marathon', '2024-06-10 19:00:00', 'Location 10', 'Description 10',  
'Organizer 10', '2024-06-03', 'Type 10', 100.00, 10);
```

- Insert training plan data into the TrainingPlan table:

```
INSERT INTO TrainingPlan (planName, duration, startDate, endDate,  
weeklyTrainingSchedule, mileageTargets, trainingIntensityLevels, progressTracking)
```

```
VALUES
```

('Unity Color Run Plan', 12, '2024-03-10', '2024-06-01', 'Weekly Schedule for Unity Color Run', 200, 'Moderate', 'Unity Color Run Progress Tracking'),
 ('Borneo Half Marathon Plan', 16, '2024-02-09', '2024-06-02', 'Weekly Schedule for Borneo Half Marathon', 300, 'High', 'Borneo Half Marathon Progress Tracking'),
 ('Meow Autism Run Plan', 10, '2024-03-25', '2024-06-03', 'Weekly Schedule for Meow Autism Run', 150, 'Low', 'Meow Autism Run Progress Tracking'),
 ('Elopura Marathon Sandakan Plan', 20, '2024-01-15', '2024-06-04', 'Weekly Schedule for Elopura Marathon Sandakan', 400, 'Very High', 'Elopura Marathon Sandakan Progress Tracking'),
 ('Wild Run Plan', 8, '2024-04-10', '2024-06-05', 'Weekly Schedule for Wild Run', 160, 'Moderate', 'Wild Run Progress Tracking'),
 ('Twincity Marathon Plan', 18, '2024-01-30', '2024-06-06', 'Weekly Schedule for Twincity Marathon', 360, 'High', 'Twincity Marathon Progress Tracking'),
 ('Cultural Night Run Plan', 12, '2024-03-16', '2024-06-07', 'Weekly Schedule for Cultural Night Run', 240, 'Moderate', 'Cultural Night Run Progress Tracking'),
 ('Glow Fun Run Plan', 6, '2024-04-27', '2024-06-08', 'Weekly Schedule for Glow Fun Run', 120, 'Low', 'Glow Fun Run Progress Tracking'),
 ('Malaysia Women Marathon Plan', 14, '2024-02-24', '2024-06-09', 'Weekly Schedule for Malaysia Women Marathon', 280, 'High', 'Malaysia Women Marathon Progress Tracking'),
 ('Sibu Marathon Plan', 16, '2024-02-14', '2024-06-10', 'Weekly Schedule for Sibu Marathon', 320, 'Very High', 'Sibu Marathon Progress Tracking');

UPDATE Queries:

- Update user's last login date and time:

```

UPDATE User
SET lastLoginDateTime = '2024-06-01 10:00:00'
WHERE userID = 1;

```
- Update user's email:

```

UPDATE User
SET email = 'Aini2@example.com'

```

WHERE userID = 2;

- Update medical record user IDs:

UPDATE medicalrecord SET userID = 3 WHERE userID = 9;

UPDATE medicalrecord SET userID = 3 WHERE userID = 10;

- Update event organizer IDs:

UPDATE event SET organizerID = 3 WHERE organizerID = 9;

UPDATE event SET organizerID = 3 WHERE organizerID = 10;

- Update discussion group moderator IDs:

UPDATE discussiongroup SET moderatorID = 3 WHERE moderatorID = 9;

UPDATE discussiongroup SET moderatorID = 3 WHERE moderatorID = 10;

DELETE Queries:

- Delete user discussion group entries:

DELETE FROM UserDiscussionGroup WHERE userID IN (9, 10);

- Delete event participants:

DELETE FROM EventParticipants WHERE userID IN (9, 10);

- Delete users:

DELETE FROM `user` WHERE userID IN (9, 10);

Reports:

- Total Users Count:

SELECT COUNT(*) AS total_users

FROM `user`;

- Active Users Count:

```
SELECT COUNT(*) AS active_users
FROM `user`
WHERE lastLoginDateTime > DATE_SUB(CURRENT_DATE(), INTERVAL 30 DAY);
```

- Top Users by Event Participation:

```
SELECT
u.username,
COUNT(ep.eventID) AS num_events
FROM `user` u
JOIN EventParticipants ep ON u.userID = ep.userID
GROUP BY u.username
ORDER BY num_events DESC
LIMIT 3;
```

- Events Summary:

```
SELECT
COUNT(*) AS total_events,
AVG(registrationFee) AS avg_registration_fee
FROM Event;
```

- Top Events by Participant Count:

```
SELECT
e.eventName,
COUNT(ep.userID) AS num_participants
FROM Event e
JOIN EventParticipants ep ON e.eventID = ep.eventID
GROUP BY e.eventName
ORDER BY num_participants DESC
LIMIT 5;
```

- Discussion Groups Summary:

```

SELECT
COUNT(*) AS total_groups,
AVG(posts) AS avg_posts_per_group
FROM DiscussionGroup;

```
- Top Active Discussion Groups:

```

SELECT
groupName,
lastActivityDateTime
FROM DiscussionGroup
ORDER BY lastActivityDateTime DESC
LIMIT 3;

```
- Training Plans Summary:

```

SELECT
COUNT(*) AS total_plans,
AVG(duration) AS avg_duration
FROM TrainingPlan;

```
- Top Training Plans by Mileage Targets:

```

SELECT
planName,
mileageTargets
FROM TrainingPlan
ORDER BY mileageTargets DESC
LIMIT 3;

```
- Medical Conditions Summary:

```

SELECT
medicalConditions,


```

```
COUNT(*) AS occurrence  
FROM MedicalRecord  
GROUP BY medicalConditions  
ORDER BY occurrence DESC  
LIMIT 5;
```


4.0 Screenshots

4.1 Before and after the SQL Queries to INSERT


1. Before SQL Queries to INSERT into 'user'



2. After SQL Queries to INSERT into 'user'



1. Before SQL Queries to INSERT into 'Event'




2. After SQL Queries to INSERT into 'Event'

The screenshot shows the same database management interface, but now the 'Event' table contains 10 rows of data. The message at the top says: 'Showing rows 0 - 9 (10 total, Query took 0.0004 seconds.)'. The SQL query remains 'SELECT * FROM `Event`;'. The table structure is the same. The 'Query results operations' section includes a 'Create view' button. The 'Bookmark this SQL query' section is also present. The table data is as follows:

eventID	eventName	eventDateTime	location	description	organizer	registrationDeadline	eventType	registrationFee	organizerID
1	Event 1 Unity Color Run	2024-06-01 10:00:00	Location 1	Description 1	Organizer 1	2024-05-25	Type 1	10.00	1
2	Event 2 Borneo Half Marathon	2024-06-02 11:00:00	Location 2	Description 2	Organizer 2	2024-05-26	Type 2	20.00	2
3	Event 3 Meow Autism Run	2024-06-03 12:00:00	Location 3	Description 3	Organizer 3	2024-05-27	Type 3	30.00	3
4	Event 4 Elopura Marathon Sandakan	2024-06-04 13:00:00	Location 4	Description 4	Organizer 4	2024-05-28	Type 4	40.00	4
5	Event 5 Wild Run	2024-06-05 14:00:00	Location 5	Description 5	Organizer 5	2024-05-29	Type 5	50.00	5
6	Event 6 Twincity Marathon	2024-06-06 15:00:00	Location 6	Description 6	Organizer 6	2024-05-30	Type 6	60.00	6
7	Event 7 Cultural Night Run	2024-06-07 16:00:00	Location 7	Description 7	Organizer 7	2024-05-31	Type 7	70.00	7
8	Event 8 Glow Fun Run	2024-06-08 17:00:00	Location 8	Description 8	Organizer 8	2024-06-01	Type 8	80.00	8
9	Event 9 Malaysia Women Marathon	2024-06-09 18:00:00	Location 9	Description 9	Organizer 9	2024-06-02	Type 9	90.00	9
10	Event 10 Sibn Marathon	2024-06-10 19:00:00	Location 10	Description 10	Organizer 10	2024-06-03	Type 10	100.00	10

1. Before SQL Queries to INSERT into 'TrainingPlan'




2. After SQL Queries to INSERT into 'TrainingPlan'


The screenshot shows the same database management interface, but now the 'TrainingPlan' table contains 10 rows of data. The query bar still displays 'SELECT * FROM `TrainingPlan`;', and the results area shows 10 rows. The table structure is defined as follows:

planID	planName	duration	startDate	endDate	weeklyTrainingSchedule	mileageTargets	trainingIntensityLevels	progressTracking
1	Unity Color Run Plan	12	2024-03-10	2024-06-01	Weekly Schedule for Unity Color Run	200	Moderate	Unity Color Run Progress Tracking
2	Borneo Half Marathon Plan	16	2024-02-09	2024-06-02	Weekly Schedule for Borneo Half Marathon	300	High	Borneo Half Marathon Progress Tracking
3	Meow Autism Run Plan	10	2024-03-25	2024-06-03	Weekly Schedule for Meow Autism Run	150	Low	Meow Autism Run Progress Tracking
4	Elopura Marathon Sandakan Plan	20	2024-01-15	2024-06-04	Weekly Schedule for Elopura Marathon Sandakan	400	Very High	Elopura Marathon Sandakan Progress Tracking
5	Wild Run Plan	8	2024-04-10	2024-06-05	Weekly Schedule for Wild Run	180	Moderate	Wild Run Progress Tracking
6	Twincity Marathon Plan	18	2024-01-30	2024-06-06	Weekly Schedule for Twincity Marathon	360	High	Twincity Marathon Progress Tracking
7	Cultural Night Run Plan	12	2024-03-16	2024-06-07	Weekly Schedule for Cultural Night Run	240	Moderate	Cultural Night Run Progress Tracking
8	Glow Fun Run Plan	6	2024-04-27	2024-06-08	Weekly Schedule for Glow Fun Run	120	Low	Glow Fun Run Progress Tracking
9	Malaysia Women Marathon Plan	14	2024-02-24	2024-06-09	Weekly Schedule for Malaysia Women Marathon	280	High	Malaysia Women Marathon Progress Tracking
10	Sibu Marathon Plan	16	2024-02-14	2024-06-10	Weekly Schedule for Sibu Marathon	320	Very High	Sibu Marathon Progress Tracking


1. Before SQL Queries to INSERT into 'MedicalRecord'




2. After SQL Queries to INSERT into 'MedicalRecord'




1. Before SQL Queries to INSERT into 'DiscussionGroup'




2. After SQL Queries to INSERT into 'DiscussionGroup'




1. Before SQL Queries to INSERT into 'UserDiscussionGroup'




2. After SQL Queries to INSERT into 'UserDiscussionGroup'




1. Before SQL Queries to INSERT into 'EventParticipants'




2. After SQL Queries to INSERT into 'EventParticipants'




1. Before SQL Queries to INSERT into 'EventTrainingPlan'




2. After SQL Queries to INSERT into 'EventTrainingPlan'




1. Before SQL Queries to INSERT into 'EventMedicalRecord'




2. After SQL Queries to INSERT into 'EventMedicalRecord'




1. Before SQL Queries to INSERT into 'EventDiscussionGroup'




2. After SQL Queries to INSERT into 'EventDiscussionGroup'




1. Before SQL Queries to INSERT into 'TrainingPlanMedicalRecord'




2. After SQL Queries to INSERT into 'TrainingPlanMedicalRecord'



1. Before SQL Queries to INSERT into 'TrainingPlanDiscussionGroup'




2. After SQL Queries to INSERT into 'TrainingPlanDiscussionGroup'



4.2 Before and after the SQL Queries to UPDATE 'user'

1. Before SQL Queries to UPDATE 'user'



Showing rows 0 - 9 (10 total, Query took 0.0016 seconds.)

```
SELECT * FROM 'user';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None


Extra options

	userID	username	password	email	securityQuestion	securityAnswer	lastLoginDateTime	accountCreationDateTime
☐ Edit ☐ Copy ☐ Delete	1	user1	pass1	tiqa@example.com	Your pet name?	chopper	2024-06-01 10:00:00	2024-05-01 09:00:00
☐ Edit ☐ Copy ☐ Delete	2	user2	pass2	Aini@example.com	Your birthplace?	Sandakan	2024-05-26 11:00:00	2024-05-02 09:30:00
☐ Edit ☐ Copy ☐ Delete	3	user3	pass3	yati@example.com	Your favorite color?	grey	NULL	2024-05-03 09:45:00
☐ Edit ☐ Copy ☐ Delete	4	user4	pass4	ibun@example.com	Your first school?	Greenwood	NULL	2024-05-04 10:15:00
☐ Edit ☐ Copy ☐ Delete	5	user5	pass5	syera@example.com	Your pet name?	Buddy	2024-05-25 12:00:00	2024-05-05 11:00:00
☐ Edit ☐ Copy ☐ Delete	6	user6	pass6	pateng@example.com	Your favorite color?	purple	NULL	2024-05-06 11:15:00
☐ Edit ☐ Copy ☐ Delete	7	user7	pass7	huda@example.com	Your birthplace?	KK	2024-05-24 09:00:00	2024-05-07 11:30:00
☐ Edit ☐ Copy ☐ Delete	8	user8	pass8	ann@example.com	Your first school?	Furin	2024-05-23 08:45:00	2024-05-08 11:45:00
☐ Edit ☐ Copy ☐ Delete	9	user9	pass9	hasni@example.com	Your pet name?	neko	2024-05-22 10:00:00	2024-05-09 12:00:00
☐ Edit ☐ Copy ☐ Delete	10	user10	pass10	amel@example.com	Your favorite color?	Pink	NULL	2024-05-10 12:15:00

Check all | With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

2. After SQL Queries to UPDATE 'user'



```
UPDATE 'user' SET lastLoginDateTime = '2024-06-01 10:00:00' WHERE userID = 1;
```

[Edit inline] [Edit] [Create PHP code]

1 row affected. (Query took 0.0002 seconds.)

```
UPDATE 'user' SET email = 'Aini2@example.com' WHERE userID = 2;
```

[Edit inline] [Edit] [Create PHP code]

Showing rows 0 - 9 (10 total, Query took 0.0001 seconds.)

```
SELECT * FROM 'user';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None


Extra options

	userID	username	password	email	securityQuestion	securityAnswer	lastLoginDateTime	accountCreationDateTime
☐ Edit ☐ Copy ☐ Delete	1	user1	pass1	tiqa@example.com	Your pet name?	chopper	2024-06-01 10:00:00	2024-05-01 09:00:00
☐ Edit ☐ Copy ☐ Delete	2	user2	pass2	Aini2@example.com	Your birthplace?	Sandakan	2024-05-26 11:00:00	2024-05-02 09:30:00
☐ Edit ☐ Copy ☐ Delete	3	user3	pass3	yati@example.com	Your favorite color?	grey	NULL	2024-05-03 09:45:00
☐ Edit ☐ Copy ☐ Delete	4	user4	pass4	ibun@example.com	Your first school?	Greenwood	NULL	2024-05-04 10:15:00
☐ Edit ☐ Copy ☐ Delete	5	user5	pass5	syera@example.com	Your pet name?	Buddy	2024-05-25 12:00:00	2024-05-05 11:00:00
☐ Edit ☐ Copy ☐ Delete	6	user6	pass6	pateng@example.com	Your favorite color?	purple	NULL	2024-05-06 11:15:00
☐ Edit ☐ Copy ☐ Delete	7	user7	pass7	huda@example.com	Your birthplace?	KK	2024-05-24 09:00:00	2024-05-07 11:30:00
☐ Edit ☐ Copy ☐ Delete	8	user8	pass8	ann@example.com	Your first school?	Furin	2024-05-23 08:45:00	2024-05-08 11:45:00
☐ Edit ☐ Copy ☐ Delete	9	user9	pass9	hasni@example.com	Your pet name?	neko	2024-05-22 10:00:00	2024-05-09 12:00:00
☐ Edit ☐ Copy ☐ Delete	10	user10	pass10	amel@example.com	Your favorite color?	Pink	NULL	2024-05-10 12:15:00

Check all | With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

Console | Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None


1. Before SQL Queries to UPDATE 'medicalrecord'



The screenshot shows a database management interface for a table named 'medicalrecord'. The table contains 10 rows of data. The columns are: recordID, userID, dateOfVisit, medicalConditions, medications, allergies, previousSurgeries, testResults, and treatmentHistory. The data is as follows:

recordID	userID	dateOfVisit	medicalConditions	medications	allergies	previousSurgeries	testResults	treatmentHistory
1	1	2024-05-01	Condition 1	Medication 1	Allergy 1	Surgery 1	Test Result 1	Treatment 1
2	2	2024-05-02	Condition 2	Medication 2	Allergy 2	Surgery 2	Test Result 2	Treatment 2
3	3	2024-05-03	Condition 3	Medication 3	Allergy 3	Surgery 3	Test Result 3	Treatment 3
4	4	2024-05-04	Condition 4	Medication 4	Allergy 4	Surgery 4	Test Result 4	Treatment 4
5	5	2024-05-05	Condition 5	Medication 5	Allergy 5	Surgery 5	Test Result 5	Treatment 5
6	6	2024-05-06	Condition 6	Medication 6	Allergy 6	Surgery 6	Test Result 6	Treatment 6
7	7	2024-05-07	Condition 7	Medication 7	Allergy 7	Surgery 7	Test Result 7	Treatment 7
8	8	2024-05-08	Condition 8	Medication 8	Allergy 8	Surgery 8	Test Result 8	Treatment 8
9	9	2024-05-09	Condition 9	Medication 9	Allergy 9	Surgery 9	Test Result 9	Treatment 9
10	10	2024-05-10	Condition 10	Medication 10	Allergy 10	Surgery 10	Test Result 10	Treatment 10


2. After SQL Queries to UPDATE 'medicalrecord'



The screenshot shows the same database management interface after two UPDATE queries. The first query updated the userID of record 3 to 9, and the second query updated the userID of record 10 to 3. The table now contains 10 rows of data with the following changes:

recordID	userID	dateOfVisit	medicalConditions	medications	allergies	previousSurgeries	testResults	treatmentHistory
1	1	2024-05-01	Condition 1	Medication 1	Allergy 1	Surgery 1	Test Result 1	Treatment 1
2	2	2024-05-02	Condition 2	Medication 2	Allergy 2	Surgery 2	Test Result 2	Treatment 2
3	9	2024-05-03	Condition 3	Medication 3	Allergy 3	Surgery 3	Test Result 3	Treatment 3
4	4	2024-05-04	Condition 4	Medication 4	Allergy 4	Surgery 4	Test Result 4	Treatment 4
5	5	2024-05-05	Condition 5	Medication 5	Allergy 5	Surgery 5	Test Result 5	Treatment 5
6	6	2024-05-06	Condition 6	Medication 6	Allergy 6	Surgery 6	Test Result 6	Treatment 6
7	7	2024-05-07	Condition 7	Medication 7	Allergy 7	Surgery 7	Test Result 7	Treatment 7
8	8	2024-05-08	Condition 8	Medication 8	Allergy 8	Surgery 8	Test Result 8	Treatment 8
9	3	2024-05-09	Condition 9	Medication 9	Allergy 9	Surgery 9	Test Result 9	Treatment 9
10	3	2024-05-10	Condition 10	Medication 10	Allergy 10	Surgery 10	Test Result 10	Treatment 10


1. Before SQL Queries to UPDATE 'event'



The screenshot shows the phpMyAdmin interface for the 'event' table. The table contains 10 rows of data. The SQL query bar shows 'SELECT * FROM `event`;'.

eventID	eventName	eventDateTime	location	description	organizer	registrationDeadline	eventType	registrationFee	orga
1	Event 1 Unity Color Run	2024-06-01 10:00:00	Location 1	Description 1	Organizer 1	2024-05-25	Type 1	10.00	
2	Event 2 Borneo Half Marathon	2024-06-02 11:00:00	Location 2	Description 2	Organizer 2	2024-05-26	Type 2	20.00	
3	Event 3 Meow Autism Run	2024-06-03 12:00:00	Location 3	Description 3	Organizer 3	2024-05-27	Type 3	30.00	
4	Event 4 Ekspora Marathon Sandakan	2024-06-04 13:00:00	Location 4	Description 4	Organizer 4	2024-05-28	Type 4	40.00	
5	Event 5 Wild Run	2024-06-05 14:00:00	Location 5	Description 5	Organizer 5	2024-05-29	Type 5	50.00	
6	Event 6 Twincity Marathon	2024-06-06 15:00:00	Location 6	Description 6	Organizer 6	2024-05-30	Type 6	60.00	
7	Event 7 Cultural Night Run	2024-06-07 16:00:00	Location 7	Description 7	Organizer 7	2024-05-31	Type 7	70.00	
8	Event 8 Glow Fun Run	2024-06-08 17:00:00	Location 8	Description 8	Organizer 8	2024-06-01	Type 8	80.00	
9	Event 9 Malaysia Women Marathon	2024-06-09 18:00:00	Location 9	Description 9	Organizer 9	2024-06-02	Type 9	90.00	
10	Event 10 Sibiu Marathon	2024-06-10 19:00:00	Location 10	Description 10	Organizer 10	2024-06-03	Type 10	100.00	


2. After SQL Queries to UPDATE 'event'



The screenshot shows the phpMyAdmin interface after two UPDATE queries. The first query updated the organizerID of event 9 to 3, and the second query updated the organizerID of event 10 to 10. The SQL query bar shows 'SELECT * FROM `event`;'.

eventID	eventName	eventDateTime	location	description	organizer	registrationDeadline	eventType	registrationFee	orga
1	Event 1 Unity Color Run	2024-06-01 10:00:00	Location 1	Description 1	Organizer 1	2024-05-25	Type 1	10.00	
2	Event 2 Borneo Half Marathon	2024-06-02 11:00:00	Location 2	Description 2	Organizer 2	2024-05-26	Type 2	20.00	
3	Event 3 Meow Autism Run	2024-06-03 12:00:00	Location 3	Description 3	Organizer 3	2024-05-27	Type 3	30.00	
4	Event 4 Ekspora Marathon Sandakan	2024-06-04 13:00:00	Location 4	Description 4	Organizer 4	2024-05-28	Type 4	40.00	
5	Event 5 Wild Run	2024-06-05 14:00:00	Location 5	Description 5	Organizer 5	2024-05-29	Type 5	50.00	
6	Event 6 Twincity Marathon	2024-06-06 15:00:00	Location 6	Description 6	Organizer 6	2024-05-30	Type 6	60.00	
7	Event 7 Cultural Night Run	2024-06-07 16:00:00	Location 7	Description 7	Organizer 7	2024-05-31	Type 7	70.00	
8	Event 8 Glow Fun Run	2024-06-08 17:00:00	Location 8	Description 8	Organizer 8	2024-06-01	Type 8	80.00	
9	Event 9 Malaysia Women Marathon	2024-06-09 18:00:00	Location 9	Description 9	Organizer 9	2024-06-02	Type 9	90.00	
10	Event 10 Sibiu Marathon	2024-06-10 19:00:00	Location 10	Description 10	Organizer 10	2024-06-03	Type 10	100.00	

1. Before SQL Queries to UPDATE 'discussiongroup'



Server: localhost - Database: MarathonTrainingSystem - Table: discussiongroup

Showing rows 0 - 9 (10 total, Query took 0.0003 seconds.)

```
SELECT * FROM `discussiongroup`;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None


Extra options

	groupID	groupName	description	topics	posts	dateCreated	lastActivityDateTime	moderatorID
☐ Edit ☐ Copy ☐ Delete	1	Group 1	Description 1	Topic 1	Post 1	2024-05-01	2024-05-10 10:00:00	1
☐ Edit ☐ Copy ☐ Delete	2	Group 2	Description 2	Topic 2	Post 2	2024-05-02	2024-05-10 11:00:00	2
☐ Edit ☐ Copy ☐ Delete	3	Group 3	Description 3	Topic 3	Post 3	2024-05-03	2024-05-10 12:00:00	3
☐ Edit ☐ Copy ☐ Delete	4	Group 4	Description 4	Topic 4	Post 4	2024-05-04	2024-05-10 13:00:00	4
☐ Edit ☐ Copy ☐ Delete	5	Group 5	Description 5	Topic 5	Post 5	2024-05-05	2024-05-10 14:00:00	5
☐ Edit ☐ Copy ☐ Delete	6	Group 6	Description 6	Topic 6	Post 6	2024-05-06	2024-05-10 15:00:00	6
☐ Edit ☐ Copy ☐ Delete	7	Group 7	Description 7	Topic 7	Post 7	2024-05-07	2024-05-10 16:00:00	7
☐ Edit ☐ Copy ☐ Delete	8	Group 8	Description 8	Topic 8	Post 8	2024-05-08	2024-05-10 17:00:00	8
☐ Edit ☐ Copy ☐ Delete	9	Group 9	Description 9	Topic 9	Post 9	2024-05-09	2024-05-10 18:00:00	9
☐ Edit ☐ Copy ☐ Delete	10	Group 10	Description 10	Topic 10	Post 10	2024-05-10	2024-05-10 19:00:00	10

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

2. After SQL Queries to UPDATE 'discussiongroup'



Server: localhost - Database: MarathonTrainingSystem - Table: discussiongroup

1 row affected. (Query took 0.0003 seconds.)

```
UPDATE discussiongroup SET moderatorID = 3 WHERE moderatorID = 9;
```

[Edit inline] [Edit] [Create PHP code]

1 row affected. (Query took 0.0002 seconds.)

```
UPDATE discussiongroup SET moderatorID = 3 WHERE moderatorID = 10;
```

[Edit inline] [Edit] [Create PHP code]

Showing rows 0 - 9 (10 total, Query took 0.0002 seconds.)

```
SELECT * FROM `discussiongroup`;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	groupID	groupName	description	topics	posts	dateCreated	lastActivityDateTime	moderatorID
☐ Edit ☐ Copy ☐ Delete	1	Group 1	Description 1	Topic 1	Post 1	2024-05-01	2024-05-10 10:00:00	1
☐ Edit ☐ Copy ☐ Delete	2	Group 2	Description 2	Topic 2	Post 2	2024-05-02	2024-05-10 11:00:00	2
☐ Edit ☐ Copy ☐ Delete	3	Group 3	Description 3	Topic 3	Post 3	2024-05-03	2024-05-10 12:00:00	3
☐ Edit ☐ Copy ☐ Delete	4	Group 4	Description 4	Topic 4	Post 4	2024-05-04	2024-05-10 13:00:00	4
☐ Edit ☐ Copy ☐ Delete	5	Group 5	Description 5	Topic 5	Post 5	2024-05-05	2024-05-10 14:00:00	5
☐ Edit ☐ Copy ☐ Delete	6	Group 6	Description 6	Topic 6	Post 6	2024-05-06	2024-05-10 15:00:00	6
☐ Edit ☐ Copy ☐ Delete	7	Group 7	Description 7	Topic 7	Post 7	2024-05-07	2024-05-10 16:00:00	7
☐ Edit ☐ Copy ☐ Delete	8	Group 8	Description 8	Topic 8	Post 8	2024-05-08	2024-05-10 17:00:00	8
☐ Edit ☐ Copy ☐ Delete	9	Group 9	Description 9	Topic 9	Post 9	2024-05-09	2024-05-10 18:00:00	3
☐ Edit ☐ Copy ☐ Delete	10	Group 10	Description 10	Topic 10	Post 10	2024-05-10	2024-05-10 19:00:00	3

Check all | With selected: Edit Copy Delete Export

Console

4.3 Before and after the SQL Queries to DELETE

1. Before SQL Queries to DELETE from 'UserDiscussionGroup'

Server: localhost - Database: MarathonTrainingSystem - Table: UserDiscussionGroup

Browse

Structure

SQL

Search

Insert

Export

Import

Privileges

Operations

Tracking

Triggers

Show query box

Showing rows 0 - 9 (10 total, Query took 0.0003 seconds.)

SELECT * FROM `UserDiscussionGroup`;

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Extra options

userID

groupID

☐	Edit	Copy	Delete	1	1
☐	Edit	Copy	Delete	2	2
☐	Edit	Copy	Delete	3	3
☐	Edit	Copy	Delete	4	4
☐	Edit	Copy	Delete	5	5
☐	Edit	Copy	Delete	6	6
☐	Edit	Copy	Delete	7	7
☐	Edit	Copy	Delete	8	8
☐	Edit	Copy	Delete	9	9
☐	Edit	Copy	Delete	10	10

Check all

With selected:

Edit

Copy

Delete

Export

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

2. After SQL Queries to DELETE from 'UserDiscussionGroup'

Server: localhost

Database: MarathonTrainingSystem

Table: UserDiscussionGroup

Browse

Structure

SQL

Search

Insert

Export

Import

Privileges

Operations

Tracking

Triggers

2 rows deleted. (Query took 0.0021 seconds.)

DELETE FROM UserDiscussionGroup WHERE userID IN (9, 10);

[Edit inline] [Edit] [Create PHP code]

Showing rows 0 - 7 (8 total, Query took 0.0002 seconds.)

SELECT * FROM `UserDiscussionGroup`;

Profiling

[Edit inline]

[Edit]

[Explain SQL]

[Create PHP code]

[Refresh]

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Extra options

Edit

Copy

Delete

1

1

Edit

Copy

Delete

2

2

Edit

Copy

Delete

3

3

Edit

Copy

Delete

4

4

Edit

Copy

Delete

5

5

Edit

Copy

Delete

6

6

Edit

Copy

Delete

7

7

Edit

Copy

Delete

8

8

Check all

With selected:

Edit

Copy

Delete

Export


Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None


1. Before SQL Queries to DELETE from 'EventParticipants'



The screenshot shows the phpMyAdmin interface for the 'EventParticipants' table. The top status bar indicates 'Showing rows 0 - 9 (10 total, Query took 0.0003 seconds.)'. The SQL query editor contains the query: `SELECT * FROM 'EventParticipants';`. Below the query, the table structure is shown with columns 'eventID' and 'userID'. The table contains 10 rows of data, with 'eventID' ranging from 1 to 10 and 'userID' ranging from 1 to 10. The interface includes various navigation and action buttons like 'Edit', 'Copy', and 'Delete' for each row.

eventID	userID
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10


2. After SQL Queries to DELETE from 'EventParticipants'



The screenshot shows the phpMyAdmin interface after a DELETE query. The top status bar indicates '2 rows deleted. (Query took 0.0005 seconds.)'. The SQL query editor contains the query: `DELETE FROM EventParticipants WHERE userID IN (9, 10);`. Below the query, the table structure is shown with columns 'eventID' and 'userID'. The table now contains 8 rows of data, with 'eventID' ranging from 1 to 8 and 'userID' ranging from 1 to 8. The interface includes various navigation and action buttons like 'Edit', 'Copy', and 'Delete' for each row.

eventID	userID
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8

1. Before SQL Queries to DELETE from 'user'



Server: localhost - Database: MarathonTrainingSystem - Table: user

Showing rows 0 - 9 (10 total, Query took 0.0004 seconds.)

```
SELECT * FROM 'user';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None


Extra options

	userID	username	password	email	securityQuestion	securityAnswer	lastLoginDateTime	accountCreationDateTime
☐ Edit ☐ Copy ☐ Delete	1	user1	pass1	tiga@example.com	Your pet name?	chopper	2024-05-01 10:00:00	2024-05-01 09:00:00
☐ Edit ☐ Copy ☐ Delete	2	user2	pass2	Aini2@example.com	Your birthplace?	Sandakan	2024-05-26 11:00:00	2024-05-02 09:30:00
☐ Edit ☐ Copy ☐ Delete	3	user3	pass3	yati@example.com	Your favorite color?	grey	NULL	2024-05-03 09:45:00
☐ Edit ☐ Copy ☐ Delete	4	user4	pass4	lbun@example.com	Your first school?	Greenwood	NULL	2024-05-04 10:15:00
☐ Edit ☐ Copy ☐ Delete	5	user5	pass5	syera@example.com	Your pet name?	Buddy	2024-05-25 12:00:00	2024-05-05 11:00:00
☐ Edit ☐ Copy ☐ Delete	6	user6	pass6	pating@example.com	Your favorite color?	purple	NULL	2024-05-06 11:15:00
☐ Edit ☐ Copy ☐ Delete	7	user7	pass7	huda@example.com	Your birthplace?	KK	2024-05-24 09:00:00	2024-05-07 11:30:00
☐ Edit ☐ Copy ☐ Delete	8	user8	pass8	ann@example.com	Your first school?	Furin	2024-05-23 08:45:00	2024-05-08 11:45:00
☐ Edit ☐ Copy ☐ Delete	9	user9	pass9	hasni@example.com	Your pet name?	neko	2024-05-22 10:00:00	2024-05-09 12:00:00
☐ Edit ☐ Copy ☐ Delete	10	user10	pass10	amel@example.com	Your favorite color?	Pink	NULL	2024-05-10 12:15:00

Check all | With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

2. After SQL Queries to DELETE from 'user'



Server: localhost - Database: MarathonTrainingSystem - Table: user

2 rows deleted. (Query took 0.0012 seconds.)

```
DELETE FROM 'user' WHERE userID IN (9, 10);
```

[Edit inline] [Edit] [Create PHP code]

Showing rows 0 - 7 (8 total, Query took 0.0002 seconds.)

```
SELECT * FROM 'user';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	userID	username	password	email	securityQuestion	securityAnswer	lastLoginDateTime	accountCreationDateTime
☐ Edit ☐ Copy ☐ Delete	1	user1	pass1	tiga@example.com	Your pet name?	chopper	2024-05-01 10:00:00	2024-05-01 09:00:00
☐ Edit ☐ Copy ☐ Delete	2	user2	pass2	Aini2@example.com	Your birthplace?	Sandakan	2024-05-26 11:00:00	2024-05-02 09:30:00
☐ Edit ☐ Copy ☐ Delete	3	user3	pass3	yati@example.com	Your favorite color?	grey	NULL	2024-05-03 09:45:00
☐ Edit ☐ Copy ☐ Delete	4	user4	pass4	lbun@example.com	Your first school?	Greenwood	NULL	2024-05-04 10:15:00
☐ Edit ☐ Copy ☐ Delete	5	user5	pass5	syera@example.com	Your pet name?	Buddy	2024-05-25 12:00:00	2024-05-05 11:00:00
☐ Edit ☐ Copy ☐ Delete	6	user6	pass6	pating@example.com	Your favorite color?	purple	NULL	2024-05-06 11:15:00
☐ Edit ☐ Copy ☐ Delete	7	user7	pass7	huda@example.com	Your birthplace?	KK	2024-05-24 09:00:00	2024-05-07 11:30:00
☐ Edit ☐ Copy ☐ Delete	8	user8	pass8	ann@example.com	Your first school?	Furin	2024-05-23 08:45:00	2024-05-08 11:45:00

Check all | With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export


Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

4.4 Before and after for Query 1: Total Users

1. Before




2. After




4.5 Before and after for Query 2: Active Users

1. Before




2. After



4.6 Before and after for Query 3: Total Events and Average Registration Fee

1. Before



Server: localhost - Database: MarathonTrainingSystem - Table: Event


Your SQL query has been executed successfully.

```
SELECT COUNT(*) AS total_events_before, AVG(registrationFee) AS avg_registration_fee_before FROM Event;
```

total_events_before avg_registration_fee_before

10	\$5.000000
----	------------

2. After



Server: localhost - Database: MarathonTrainingSystem - Table: Event

Bookmark this SQL query

1 row inserted. (Query took 0.0020 seconds.)

```
INSERT INTO Event (eventId, eventName, registrationFee, eventDateTime, location, organizer, registrationDeadline, eventType) VALUES (11, 'New Event', 20.00, NOW(), 'New Location', 'Event Organizer', NOW() + INTERVAL 7 DAY, 'Type A');
```

Your SQL query has been executed successfully.


```
SELECT COUNT(*) AS total_events_after, AVG(registrationFee) AS avg_registration_fee_after FROM Event;
```

total_events_after avg_registration_fee_after

11	\$1.818182
----	------------

4.7 Before and after for Query 4: Top 5 Events by Number of Participants

1. Before



Server: localhost - Database: MarathonTrainingSystem - Table: Event


Showing rows 0 - 4 (5 total, Query took 0.0002 seconds.)

```
SELECT e.eventName, COUNT(ep.userID) AS num_participants_before FROM Event e JOIN EventParticipants ep ON e.eventID = ep.eventID GROUP BY e.eventName ORDER BY num_participants_before DESC LIMIT 5;
```

eventName num_participants_before

Event 1 Unity Color Run	1
Event 6 TwinCity Marathon	1
Event 3 Meow Autism Run	1
Event 8 Glow Fun Run	1
Event 5 Wild Run	1

2. After



Server: localhost - Database: MarathonTrainingSystem - Table: Event

1 row inserted. (Query took 0.0002 seconds.)

```
INSERT INTO EventParticipants (eventId, userID) VALUES (1, 101);
```

Showing rows 0 - 4 (5 total, Query took 0.0015 seconds.)

```
SELECT e.eventName, COUNT(ep.userID) AS num_participants_after FROM Event e JOIN EventParticipants ep ON e.eventID = ep.eventID GROUP BY e.eventName ORDER BY num_participants_after DESC LIMIT 5;
```

eventName num_participants_after

Event 1 Unity Color Run	2
Event 6 TwinCity Marathon	1
Event 3 Meow Autism Run	1
Event 8 Glow Fun Run	1
Event 5 Wild Run	1

4.8 Before and after for Query 5: Total Groups and Average Posts per Group

1. Before



Server: localhost - Database: MarathonTrainingSystem - Table: DiscussionGroup


Your SQL query has been executed successfully.

```
SELECT COUNT(*) AS total_groups_before, AVG(posts) AS avg_posts_per_group_before FROM DiscussionGroup;
```

total_groups_before avg_posts_per_group_before

11	0.45454545454545453
----	---------------------

2. After



Server: localhost - Database: MarathonTrainingSystem - Table: DiscussionGroup

1 row inserted. (Query took 0.0002 seconds.)

```
INSERT INTO DiscussionGroup (groupID, groupName, posts, lastActivityDateTime, dateCreated) VALUES (12, 'New Group', 5, NOW(), NOW());
```

Your SQL query has been executed successfully.

```
SELECT COUNT(*) AS total_groups_after, AVG(posts) AS avg_posts_per_group_after FROM DiscussionGroup;
```

total_groups_after avg_posts_per_group_after

12	0.8333333333333334
----	--------------------

4.9 Before and after for Query 6: Top 3 Users by Number of Event Participations

1. Before



Server: localhost - Database: MarathonTrainingSystem - Table: user

Showing rows 0 - 2 (3 total, Query took 0.0004 seconds.)

```
SELECT u.username, COUNT(ep.eventID) AS num_events_before FROM 'user' u JOIN EventParticipants ep ON u.userID = ep.userID GROUP BY u.username ORDER BY num_events_before DESC LIMIT 3;
```

username num_events_before

user1	1
user6	1
user5	1

2. After



Server: localhost - Database: MarathonTrainingSystem - Table: user

Bookmark this SQL query

1 row inserted. (Query took 0.0003 seconds.)

```
INSERT INTO EventParticipants (eventID, userID) VALUES (1, 103);
```

Showing rows 0 - 2 (3 total, Query took 0.0003 seconds.)


```
SELECT u.username, COUNT(ep.eventID) AS num_events_after FROM 'user' u JOIN EventParticipants ep ON u.userID = ep.userID GROUP BY u.username ORDER BY num_events_after DESC LIMIT 3;
```

username num_events_after


user1	1
user5	1
user4	1

4.10 Before and after for Query 7: Total Plans and Average Duration

1. Before




2. After




4.11 Before and after for Query 8: Top 3 Plans by Mileage Targets

1. Before




2. After



4.12 Before and after for Query 9: Top 5 Medical Conditions

1. Before



Showing rows 0 - 4 (5 total, Query took 0.0007 seconds)

```
SELECT medicalConditions, COUNT(*) AS occurrence_before FROM MedicalRecord GROUP BY medicalConditions ORDER BY occurrence_before DESC LIMIT 5;
```

Extra options

medicalConditions	occurrence_before
Condition 1	1
Condition 2	1
Condition 3	1
Condition 4	1
Condition 5	1

2. After



Bookmark this SQL query

1 row inserted. (Query took 0.0002 seconds)

```
INSERT INTO MedicalRecord (recordID, medicalConditions, userID, dateOfVisit) VALUES (12, 'Condition X', 101, CURDATE());
```

Showing rows 0 - 4 (5 total, Query took 0.0011 seconds)


```
SELECT medicalConditions, COUNT(*) AS occurrence_after FROM MedicalRecord GROUP BY medicalConditions ORDER BY occurrence_after DESC LIMIT 5;
```

Extra options

medicalConditions	occurrence_after
Condition X	2
Condition 1	1
Condition 2	1
Condition 3	1
Condition 4	1

4.13 Before and after for Query 10: Latest Activity in Discussion Groups

1. Before




Showing rows 0 - 2 (3 total, Query took 0.0003 seconds) [lastActivityDateTime: 2024-06-15 10:09:21... - 2024-06-15 10:00:00...]

```
SELECT groupName, lastActivityDateTime FROM DiscussionGroup ORDER BY lastActivityDateTime DESC LIMIT 3;
```

Extra options

groupName	lastActivityDateTime
New Group	2024-06-15 10:09:21
New Group	2024-06-15 10:08:58
Group 10	2024-06-10 10:00:00

2. After



Bookmark this SQL query

1 row affected. (Query took 0.0002 seconds)

```
UPDATE DiscussionGroup SET lastActivityDateTime = NOW() WHERE groupID = 1;
```

Showing rows 0 - 2 (3 total, Query took 0.0001 seconds) [lastActivityDateTime: 2024-06-15 10:06:02... - 2024-06-15 10:08:58...]

```
SELECT groupName, lastActivityDateTime FROM DiscussionGroup ORDER BY lastActivityDateTime DESC LIMIT 3;
```

Extra options

groupName	lastActivityDateTime
Group 1	2024-06-15 10:06:02
New Group	2024-06-15 10:09:21
New Group	2024-06-15 10:08:58

APPENDIX

DATABASE DESIGN

The screenshot displays the phpMyAdmin web interface in a browser window. The address bar shows the URL `localhost/phpmyadmin/index.php?route=/server/sql`. The interface includes a sidebar with a database list (New, bi22110300, information_schema, mysql, performance_schema, phpmyadmin, salesco, test) and a main panel with tabs for Databases, SQL, Status, User accounts, Export, Import, Settings, Replication, Variables, and Charsets. The SQL tab is active, showing a query box and a console. The console displays three queries and their results:

```
-- Create the database CREATE DATABASE MarathonTrainingSystem;
```

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0013 seconds.)

```
USE MarathonTrainingSystem;
```

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0003 seconds.)

```
-- Create User table CREATE TABLE User ( userID INT AUTO_INCREMENT PRIMARY KEY, -- Primary Key username VARCHAR(50) NOT NULL UNIQUE, password VARCHAR(255) NOT NULL, email VARCHAR(100) NOT NULL UNIQUE, securityQuestion VARCHAR(255) NOT NULL, securityAnswer VARCHAR(255) NOT NULL, lastLoginDateTime DATETIME, accountCreationDateTime DATETIME NOT NULL );
```

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0313 seconds.)

The bottom of the screen shows the Windows taskbar with the search bar and system clock indicating 11:45 AM on 27/5/2024.

Sign in localhost / 127.0.0.1 | phpMyAdmin x +

localhost/phpmyadmin/index.php?route=/server/sql

ASUS Software Port... MyASUS Software: ... Tamil Mp3-Friendst... Bank Islam IB Learning Managem... (1) General (KT1450... MyNext Home General (KT14403 D...

phpMyAdmin

Recent Favorites

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets

New

- bi22110300
- information_schema
- mysql
- performance_schema
- phpmyadmin
- salesco
- test

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0173 seconds.)

```
-- Create Event table CREATE TABLE Event ( eventID INT AUTO_INCREMENT PRIMARY KEY, -- Primary Key eventName VARCHAR(100) NOT NULL, eventDateTime DATETIME NOT NULL, location VARCHAR(255) NOT NULL, description TEXT, organizer VARCHAR(100) NOT NULL, registrationDeadline DATE NOT NULL, eventType VARCHAR(50) NOT NULL, registrationFee DECIMAL(10, 2), organizerID INT, FOREIGN KEY (organizerID) REFERENCES User(userID) -- Foreign Key );
```

[Edit inline] [Edit] [Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0062 seconds.)

```
-- Create TrainingPlan table CREATE TABLE TrainingPlan ( planID INT AUTO_INCREMENT PRIMARY KEY, -- Primary Key planName VARCHAR(100) NOT NULL, duration INT NOT NULL, startDate DATE NOT NULL, endDate DATE NOT NULL, weeklyTrainingSchedule TEXT NOT NULL, mileageTargets INT NOT NULL, trainingIntensityLevels VARCHAR(50) NOT NULL, progressTracking TEXT NOT NULL );
```

[Edit inline] [Edit] [Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0256 seconds.)

```
-- Create MedicalRecord table CREATE TABLE MedicalRecord ( recordID INT AUTO_INCREMENT PRIMARY KEY, -- Primary Key userID INT NOT NULL, -- Foreign Key dateOfVisit DATE NOT NULL, medicalConditions TEXT, medications TEXT, allergies TEXT, previousSurgeries TEXT, testResults TEXT, treatmentHistory TEXT, FOREIGN KEY (userID) REFERENCES User(userID) -- Foreign Key );
```

[Edit inline] [Edit] [Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0339 seconds.)

Console

Type here to search

11:45 AM 27/5/2024

Sign in

localhost / 127.0.0.1 | phpMyAdmin

localhost/phpmyadmin/index.php?route=/server/sql

ASUS Software Port...MyASUS Software: ...Tamil Mp3-Friendst...Bank Islam IBLearning Managem...(1) General (KT1450...MyNextHomeGeneral (KT14403 D...

phpMyAdmin

RecentFavorites

Newbi22110300information_schemamysqlperformance_schemaphpmyadminsalescotest

Server: 127.0.0.1

DatabasesSQLStatusUser accountsExportImportSettingsReplicationVariablesCharsets

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0339 seconds.)

-- Create DiscussionGroup table CREATE TABLE DiscussionGroup (groupID INT AUTO_INCREMENT PRIMARY KEY, -- Primary Key groupName VARCHAR(100) NOT NULL, description TEXT, topics TEXT, posts TEXT, dateCreated DATE NOT NULL, lastActivityDateTime DATETIME, moderatorID INT, FOREIGN KEY (moderatorID) REFERENCES User(userID) -- Foreign Key);

[Edit inline][Edit][Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0251 seconds.)

-- Create UserDiscussionGroup table CREATE TABLE UserDiscussionGroup (userID INT NOT NULL, -- Foreign Key groupID INT NOT NULL, -- Foreign Key FOREIGN KEY (userID) REFERENCES User(userID), FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID), PRIMARY KEY (userID, groupID) -- Composite Primary Key);

[Edit inline][Edit][Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0240 seconds.)

-- Create EventParticipants table CREATE TABLE EventParticipants (eventID INT NOT NULL, -- Foreign Key userID INT NOT NULL, -- Foreign Key FOREIGN KEY (eventID) REFERENCES Event(eventID), FOREIGN KEY (userID) REFERENCES User(userID), PRIMARY KEY (eventID, userID) -- Composite Primary Key);

[Edit inline][Edit][Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0369 seconds.)

-- Create EventTrainingPlan table CREATE TABLE EventTrainingPlan (eventID INT NOT NULL, -- Foreign Key planID INT NOT NULL, -- Foreign Key FOREIGN KEY (eventID) REFERENCES Event(eventID), FOREIGN KEY (planID) REFERENCES TrainingPlan(planID), PRIMARY KEY (eventID, planID) --

Console: EY (eventID) REFERENCES Event(eventID), FOREIGN KEY (planID) REFERENCES TrainingPlan(planID), PRIMARY KEY (eventID, planID) --

Type here to search

11:45 AM27/5/2024

Sign in localhost / 127.0.0.1 | phpMyAdmin x +

localhost/phpmyadmin/index.php?route=/server/sql

ASUS Software Port... MyASUS Software: ... Tamil Mp3-Friendst... Bank Islam IB Learning Managem... (1) General (KT1450... MyNext Home General (KT14403 D...

phpMyAdmin

Recent Favorites

- New
- bi22110300
- information_schema
- mysql
- performance_schema
- phpmyadmin
- salesco
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0369 seconds.)

```
-- Create EventTrainingPlan table CREATE TABLE EventTrainingPlan ( eventID INT NOT NULL, -- Foreign Key planID INT NOT NULL, -- Foreign Key FOREIGN KEY (eventID) REFERENCES Event(eventID), FOREIGN KEY (planID) REFERENCES TrainingPlan(planID), PRIMARY KEY (eventID, planID) -- Composite Primary Key );
```

[Edit inline] [Edit] [Create PHP code]

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0252 seconds.)

```
-- Create EventMedicalRecord table CREATE TABLE EventMedicalRecord ( eventID INT NOT NULL, -- Foreign Key recordID INT NOT NULL, -- Foreign Key FOREIGN KEY (eventID) REFERENCES Event(eventID), FOREIGN KEY (recordID) REFERENCES MedicalRecord(recordID), PRIMARY KEY (eventID, recordID) -- Composite Primary Key );
```

[Edit inline] [Edit] [Create PHP code]

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0377 seconds.)

```
-- Create EventDiscussionGroup table CREATE TABLE EventDiscussionGroup ( eventID INT NOT NULL, -- Foreign Key groupID INT NOT NULL, -- Foreign Key FOREIGN KEY (eventID) REFERENCES Event(eventID), FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID), PRIMARY KEY (eventID, groupID) -- Composite Primary Key );
```

[Edit inline] [Edit] [Create PHP code]

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0232 seconds.)

```
-- Create TrainingPlanMedicalRecord table CREATE TABLE TrainingPlanMedicalRecord ( planID INT NOT NULL, -- Foreign Key recordID INT NOT NULL, -- Foreign Key FOREIGN KEY (planID) REFERENCES TrainingPlan(planID), FOREIGN KEY (recordID) REFERENCES MedicalRecord(recordID), PRIMARY KEY (planID, recordID) );
```

Console

Type here to search

11:45 AM 27/5/2024

Sign in

localhost / 127.0.0.1 | phpMyAdmin

localhost/phpmyadmin/index.php?route=/server/sql

ASUS Software Port...MyASUS Software...Tamil Mp3-Friendst...Bank Islam IBLearning Managem...(1) General (KT1450...)MyNextHomeGeneral (KT14403 D...

phpMyAdmin

RecentFavorites

Newbi22110300information_schemamysqlperformance_schomaphpmyadminsalescotest

Server: 127.0.0.1

DatabasesSQLStatusUser accountsExportImportSettingsReplicationVariablesCharsets

[Edit inline][Edit][Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0377 seconds.)

-- Create EventDiscussionGroup table CREATE TABLE EventDiscussionGroup (eventID INT NOT NULL, -- Foreign Key groupID INT NOT NULL, -- Foreign Key FOREIGN KEY (eventID) REFERENCES Event(eventID), FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID), PRIMARY KEY (eventID, groupID) -- Composite Primary Key);

[Edit inline][Edit][Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0232 seconds.)

-- Create TrainingPlanMedicalRecord table CREATE TABLE TrainingPlanMedicalRecord (planID INT NOT NULL, -- Foreign Key recordID INT NOT NULL, -- Foreign Key FOREIGN KEY (planID) REFERENCES TrainingPlan(planID), FOREIGN KEY (recordID) REFERENCES MedicalRecord(recordID), PRIMARY KEY (planID, recordID) -- Composite Primary Key);

[Edit inline][Edit][Create PHP code]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0277 seconds.)

-- Create TrainingPlanDiscussionGroup table CREATE TABLE TrainingPlanDiscussionGroup (planID INT NOT NULL, -- Foreign Key groupID INT NOT NULL, -- Foreign Key FOREIGN KEY (planID) REFERENCES TrainingPlan(planID), FOREIGN KEY (groupID) REFERENCES DiscussionGroup(groupID), PRIMARY KEY (planID, groupID) -- Composite Primary Key);

[Edit inline][Edit][Create PHP code]

Console

Type here to search

11:45 AM27/5/2024

Sign in

localhost / 127.0.0.1 / marathon

localhost/phpmyadmin/index.php?route=/database/structure&db=marathontrainingsystem

ASUS Software Port...MyASUS Software...Tamil Mp3-Friendst...Bank Islam IBLearning Managem...(1) General (KT1450...MyNextHomeGeneral (KT14403 D...

phpMyAdmin

RecentFavorites

bi22110300

information_schema

marathontrainingsystem

New

discussiongroup

event

eventdiscussiongroup

eventmedicalrecord

eventparticipants

eventtrainingplan

medicalrecord

trainingplan

trainingplandiscussiongroup

trainingplanmedicalrecord

user

userdiscussiongroup

mysql

performance_schema

phpmyadmin

salesco

test

Server: 127.0.0.1 > Database: marathontrainingsystem

StructureSQLSearchQueryExportImportOperationsPrivilegesRoutinesEventsMore

Containing the word:

Table	Action	Rows	Type	Collation	Size	Overhead
☐ discussiongroup	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ event	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ eventdiscussiongroup	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ eventmedicalrecord	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ eventparticipants	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ eventtrainingplan	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ medicalrecord	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ trainingplan	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	16.0 KiB	-
☐ trainingplandiscussiongroup	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ trainingplanmedicalrecord	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ user	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	48.0 KiB	-
☐ userdiscussiongroup	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
12 tables		Sum	0 InnoDB	utf8mb4_general_ci	384.0 KiB	0 B

☐ Check all

With selected:

Console

Type here to search

11:45 AM

27/5/2024

ENG

localhost / 127.0.0.1 / marathontr...
localhost/phpmyadmin/index.php?route=/database/designer&db=marathontrainingsystem

phpMyAdmin
Server: 127.0.0.1 Database: marathontrainingsystem

Structure SQL Search Query Export Import Operations Privileges Routines Events More

Recent Favorites

marathontrainingsystem event

- eventID : int(11)
- eventName : varchar(100)
- eventDateTime : datetime
- location : varchar(255)
- description : text
- organizer : varchar(100)
- registrationDeadline : date
- eventType : varchar(50)
- registrationFee : decimal(10,2)
- organizerID : int(11)

marathontrainingsystem trainingplanmedicalrecord

- planID : int(11)
- recordID : int(11)

marathontrainingsystem userdiscussiongroup

- userID : int(11)
- groupID : int(11)

marathontrainingsystem eventmedicalrecord

- eventID : int(11)
- recordID : int(11)

marathontrainingsystem discussiongroup

- groupID : int(11)
- groupName : varchar(100)
- description : text
- topics : text
- posts : text
- dateCreated : date
- lastActivityDateTime : datetime
- moderatorID : int(11)

marathontrainingsystem eventtrainingplan

- eventID : int(11)
- planID : int(11)

marathontrainingsystem eventparticipants

- eventID : int(11)
- userID : int(11)

marathontrainingsystem medicalrecord

- recordID : int(11)
- userID : int(11)
- dateOfVisit : date
- medicalConditions : text
- medications : text
- allergies : text
- previousSurgeries : text
- testResults : text
- treatmentHistory : text

marathontrainingsystem eventdiscussiongroup

mysql performance_schema phpmyadmin salesco

Type here to search

11:47 AM 27/5/2024

Sign in localhost / 127.0.0.1 / marathontr... +

localhost/phpmyadmin/index.php?route=/database/designer&db=marathontrainingsystem

ASUS Software Port... MyASUS Software: ... Tamil Mp3-Friendst... Bank Islam IB Learning Managem... (1) General (KT1450)... MyNext Home General (KT14403 D...

phpMyAdmin

Recent Favorites

Server: 127.0.0.1 > Database: marathontrainingsystem

Structure SQL Search Query Export Import Operations Privileges Routines Events More

marathontrainingsystem medicalrecord

- recordID : int(11)
- userID : int(11)
- dateOfVisit : date
- medicalConditions : text
- medications : text
- allergies : text
- previousSurgeries : text
- testResults : text
- treatmentHistory : text

marathontrainingsystem user

- userID : int(11)
- username : varchar(50)
- password : varchar(255)
- email : varchar(100)
- securityQuestion : varchar(255)
- securityAnswer : varchar(255)
- lastLoginDateTime : datetime
- accountCreationDateTime : datetime

marathontrainingsystem eventdiscussiongroup

- eventID : int(11)
- groupID : int(11)

marathontrainingsystem trainingplandiscussiongroup

- planID : int(11)
- groupID : int(11)

marathontrainingsystem eventparticipants

- eventID : int(11)
- userID : int(11)

marathontrainingsystem trainingplan

- planID : int(11)
- planName : varchar(100)
- duration : int(11)
- startDate : date
- endDate : date
- weeklyTrainingSchedule : text
- mileageTargets : int(11)
- trainingIntensityLevels : varchar(50)
- progressTracking : text

Console

Type here to search

11:47 AM 27/5/2024

SQL QUERIES FOR DATA MANIPULATION

Insert data into each table.

User table

The first screenshot shows the phpMyAdmin interface with the 'user' table selected. The SQL query bar contains an INSERT statement to add 10 new users. The message below the query bar indicates that 10 rows were inserted successfully.

```
INSERT INTO user (username, password, email, securityQuestion, securityAnswer, lastLoginDate, accountCreationDate) VALUES ('user1', 'pass1', 'helloworld.com', 'Your pet name', 'chopper', '2024-05-27 18:00:00', '2024-05-01 00:00:00'), ('user2', 'pass2', 'helloworld.com', 'Your favorite color', 'blue', '2024-05-28 00:00:00', '2024-05-02 00:00:00'), ('user3', 'pass3', 'helloworld.com', 'Your first school', 'helloworld', '2024-05-29 00:00:00', '2024-05-03 00:00:00'), ('user4', 'pass4', 'helloworld.com', 'Your pet name', 'Buddy', '2024-05-30 12:00:00', '2024-05-04 12:00:00'), ('user5', 'pass5', 'helloworld.com', 'Your favorite color', 'purple', '2024-05-31 12:00:00', '2024-05-05 12:00:00'), ('user6', 'pass6', 'helloworld.com', 'Your first school', 'ABC', '2024-06-01 00:00:00', '2024-06-01 00:00:00'), ('user7', 'pass7', 'helloworld.com', 'Your pet name', 'Milo', '2024-06-02 00:00:00', '2024-06-02 00:00:00'), ('user8', 'pass8', 'helloworld.com', 'Your favorite color', 'green', '2024-06-03 00:00:00', '2024-06-03 00:00:00'), ('user9', 'pass9', 'helloworld.com', 'Your first school', 'XYZ', '2024-06-04 00:00:00', '2024-06-04 00:00:00'), ('user10', 'pass10', 'helloworld.com', 'Your pet name', 'Charlie', '2024-06-05 00:00:00', '2024-06-05 00:00:00');
```

The second screenshot shows the 'user' table with 10 rows of data. The columns are: user_id, username, password, email, securityQuestion, securityAnswer, lastLoginDate, and accountCreationDate.

user_id	username	password	email	securityQuestion	securityAnswer	lastLoginDate	accountCreationDate
1	user1	pass1	helloworld.com	Your pet name?	chopper	2024-05-27 18:00:00	2024-05-01 00:00:00
2	user2	pass2	helloworld.com	Your favorite color?	blue	2024-05-28 00:00:00	2024-05-02 00:00:00
3	user3	pass3	helloworld.com	Your first school?	helloworld	2024-05-29 00:00:00	2024-05-03 00:00:00
4	user4	pass4	helloworld.com	Your pet name?	Buddy	2024-05-30 12:00:00	2024-05-04 12:00:00
5	user5	pass5	helloworld.com	Your favorite color?	purple	2024-05-31 12:00:00	2024-05-05 12:00:00
6	user6	pass6	helloworld.com	Your first school?	ABC	2024-06-01 00:00:00	2024-06-01 00:00:00
7	user7	pass7	helloworld.com	Your pet name?	Milo	2024-06-02 00:00:00	2024-06-02 00:00:00
8	user8	pass8	helloworld.com	Your favorite color?	green	2024-06-03 00:00:00	2024-06-03 00:00:00
9	user9	pass9	helloworld.com	Your first school?	XYZ	2024-06-04 00:00:00	2024-06-04 00:00:00
10	user10	pass10	helloworld.com	Your pet name?	Charlie	2024-06-05 00:00:00	2024-06-05 00:00:00

Event table

The screenshot shows the phpMyAdmin interface with the 'event' table selected. The SQL query bar contains an INSERT statement to add 10 new events. The message below the query bar indicates that 10 rows were inserted successfully.

```
INSERT INTO event (eventName, eventLocation, description, organizer, registrationDeadline, eventType, registrationFee, organizerID) VALUES ('Event 1: Charity Color Run', '2024-06-01 18:00:00', 'Location 1', 'Description 1', 'Organizer 1', '2024-06-25', 'Type 1', 25.00, 1), ('Event 2: Summer Half Marathon', '2024-06-02 08:00:00', 'Location 2', 'Description 2', 'Organizer 2', '2024-06-26', 'Type 2', 30.00, 2), ('Event 3: New Artist Run', '2024-06-03 12:00:00', 'Location 3', 'Description 3', 'Organizer 3', '2024-06-27 10:00:00', 'Type 3', 20.00, 3), ('Event 4: Sunset Yoga Session', '2024-06-04 18:00:00', 'Location 4', 'Description 4', 'Organizer 4', '2024-06-28 18:00:00', 'Type 4', 15.00, 4), ('Event 5: Family Fun Day', '2024-06-05 10:00:00', 'Location 5', 'Description 5', 'Organizer 5', '2024-06-29 10:00:00', 'Type 5', 10.00, 5), ('Event 6: Jazz Night', '2024-06-06 20:00:00', 'Location 6', 'Description 6', 'Organizer 6', '2024-06-30 20:00:00', 'Type 6', 35.00, 6), ('Event 7: Cultural Festival', '2024-06-07 12:00:00', 'Location 7', 'Description 7', 'Organizer 7', '2024-07-01 12:00:00', 'Type 7', 40.00, 7), ('Event 8: Book Launch Event', '2024-06-08 19:00:00', 'Location 8', 'Description 8', 'Organizer 8', '2024-07-02 19:00:00', 'Type 8', 22.00, 8), ('Event 9: Charity Golf Tournament', '2024-06-09 08:00:00', 'Location 9', 'Description 9', 'Organizer 9', '2024-07-03 08:00:00', 'Type 9', 50.00, 9), ('Event 10: Music Festival', '2024-06-10 15:00:00', 'Location 10', 'Description 10', 'Organizer 10', '2024-07-04 15:00:00', 'Type 10', 45.00, 10);
```


Trainingplan table

The screenshot shows the phpMyAdmin interface for the 'marathon' database. The 'Trainingplan' table is selected, and its structure is displayed. The table has 10 rows inserted. The data is as follows:

id	planname	duration	startdate	enddate	weeklytrainingschedule	mileagetargets	trainingintensitylevels	progresstracking	notes
1	'Dirty Color Run Plan'	12	'2024-01-10'	'2024-01-01'	'Weekly Schedule for Dirty Color Run'	200	'Moderate'	'Dirty Color Run Progress Tracking'	'New Half Marathon Plan'
2	'New Active Run Plan'	10	'2024-01-05'	'2024-01-02'	'Weekly Schedule for New Active Run'	300	'High'	'New Active Run Progress Tracking'	'New Active Run Plan'
3	'Elopura Marathon Schedule Plan'	20	'2024-01-20'	'2024-01-01'	'Weekly Schedule for Elopura Marathon'	100	'Low'	'Elopura Marathon Progress Tracking'	'Elopura Marathon Schedule Plan'
4	'Wild Run Plan'	8	'2024-01-15'	'2024-01-04'	'Weekly Schedule for Wild Run'	400	'Very High'	'Wild Run Progress Tracking'	'Wild Run Plan'
5	'24h Run Progress Tracking'	10	'2024-01-05'	'2024-01-05'	'24h Run Progress Tracking'	100	'Moderate'	'24h Run Progress Tracking'	'24h Run Progress Tracking'

Medicalrecord table

The screenshot shows the phpMyAdmin interface for the 'marathon' database. The 'Medicalrecord' table is selected, and its structure is displayed. The table has 10 rows inserted. The data is as follows:


id	userid	dateofvisit	medicalconditions	medications	allergies	previousinjuries	testresults	treatmenthistory	notes
1	'User 1'	'2024-01-01'	'Allergy 1', 'Surgery 1'	'Treatment 1'	'Condition 1'	'Medication 1', 'Allergy 2', 'Surgery 2'	'Test Result 1', 'Treatment 2'	'Condition 2', 'Medication 3', 'Allergy 3', 'Surgery 3'	'2024-01-01'
2	'User 2'	'2024-01-02'	'Allergy 2', 'Surgery 2'	'Treatment 2'	'Condition 2'	'Medication 2', 'Allergy 3', 'Surgery 3'	'Test Result 2', 'Treatment 3'	'Condition 3', 'Medication 4', 'Allergy 4', 'Surgery 4'	'2024-01-02'
3	'User 3'	'2024-01-03'	'Allergy 3', 'Surgery 3'	'Treatment 3'	'Condition 3'	'Medication 3', 'Allergy 4', 'Surgery 4'	'Test Result 3', 'Treatment 4'	'Condition 4', 'Medication 5', 'Allergy 5', 'Surgery 5'	'2024-01-03'
4	'User 4'	'2024-01-04'	'Allergy 4', 'Surgery 4'	'Treatment 4'	'Condition 4'	'Medication 4', 'Allergy 5', 'Surgery 5'	'Test Result 4', 'Treatment 5'	'Condition 5', 'Medication 6', 'Allergy 6', 'Surgery 6'	'2024-01-04'
5	'User 5'	'2024-01-05'	'Allergy 5', 'Surgery 5'	'Treatment 5'	'Condition 5'	'Medication 5', 'Allergy 6', 'Surgery 6'	'Test Result 5', 'Treatment 6'	'Condition 6', 'Medication 7', 'Allergy 7', 'Surgery 7'	'2024-01-05'

Discussiongroup table


The screenshot shows the phpMyAdmin interface for the 'marathon' database. The 'Discussiongroup' table is selected, and its structure is displayed. The table has 10 rows inserted. The data is as follows:

id	groupid	description	topic	posts	datecreated	lastactivitydate	adminid	notes
1	'Group 1 (G1)'	'Description 1'	'Topic 1'	'Post 1'	'2024-01-10 10:00:00'	'2024-01-10 10:00:00'	'Admin 1 (A1)'	'2024-01-10 10:00:00'
2	'Group 2 (G2)'	'Description 2'	'Topic 2'	'Post 2'	'2024-01-11 11:00:00'	'2024-01-11 11:00:00'	'Admin 2 (A2)'	'2024-01-11 11:00:00'
3	'Group 3 (G3)'	'Description 3'	'Topic 3'	'Post 3'	'2024-01-12 12:00:00'	'2024-01-12 12:00:00'	'Admin 3 (A3)'	'2024-01-12 12:00:00'
4	'Group 4 (G4)'	'Description 4'	'Topic 4'	'Post 4'	'2024-01-13 13:00:00'	'2024-01-13 13:00:00'	'Admin 4 (A4)'	'2024-01-13 13:00:00'
5	'Group 5 (G5)'	'Description 5'	'Topic 5'	'Post 5'	'2024-01-14 14:00:00'	'2024-01-14 14:00:00'	'Admin 5 (A5)'	'2024-01-14 14:00:00'
6	'Group 6 (G6)'	'Description 6'	'Topic 6'	'Post 6'	'2024-01-15 15:00:00'	'2024-01-15 15:00:00'	'Admin 6 (A6)'	'2024-01-15 15:00:00'
7	'Group 7 (G7)'	'Description 7'	'Topic 7'	'Post 7'	'2024-01-16 16:00:00'	'2024-01-16 16:00:00'	'Admin 7 (A7)'	'2024-01-16 16:00:00'
8	'Group 8 (G8)'	'Description 8'	'Topic 8'	'Post 8'	'2024-01-17 17:00:00'	'2024-01-17 17:00:00'	'Admin 8 (A8)'	'2024-01-17 17:00:00'
9	'Group 9 (G9)'	'Description 9'	'Topic 9'	'Post 9'	'2024-01-18 18:00:00'	'2024-01-18 18:00:00'	'Admin 9 (A9)'	'2024-01-18 18:00:00'
10	'Group 10 (G10)'	'Description 10'	'Topic 10'	'Post 10'	'2024-01-19 19:00:00'	'2024-01-19 19:00:00'	'Admin 10 (A10)'	'2024-01-19 19:00:00'


Userdiscussiongroup table




EventParticipants table




EventTrainingPlan table




EventMedicalRecord table



EventDiscussionGroup table



TrainingPlanMedicalRecord



TrainingPlanDiscussionGroup

The screenshot shows the phpMyAdmin interface with the SQL tab selected. The database is 'marathontrainingsystem' and the table is 'trainingplannediscussiongroup'. The SQL query executed is:

```
INSERT INTO trainingplannediscussiongroup (x1x10, groupID) VALUES (1, 1), (2, 2), (3, 3), (4, 4), (5, 5), (6, 6), (7, 7), (8, 8), (9, 9), (10, 10);
```

The result shows 10 rows inserted successfully. The left sidebar shows the database structure, and the bottom status bar indicates the system is running on a Windows 10 desktop.

The screenshot shows the phpMyAdmin interface with the Structure tab selected. The table 'trainingplannediscussiongroup' is highlighted in the list of tables. The table structure is as follows:

Table	Action	Rows	Type	Collation	Size	Overhead
discussiongroup	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
event	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	30	InnoDB	utf8mb4_general_ci	32.0 KiB	-
eventdiscussiongroup	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
eventmedicarecord	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
eventparticipants	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
eventtrainingplan	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
medicarecord	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	30	InnoDB	utf8mb4_general_ci	32.0 KiB	-
trainingplan	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
trainingplannediscussiongroup	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
trainingplannediscussionrecord	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
user	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
userdiscussiongroup	[Browse] [Structure] [Search] [Insert] [Empty] [Drop]	10	InnoDB	utf8mb4_general_ci	32.0 KiB	-
12 tables	Sum	140	InnoDB	utf8mb4_general_ci	384.0 KiB	0 B

The bottom section shows the 'Create new table' dialog with the table name 'trainingplannediscussiongroup' and the number of columns set to 4.

UPDATE

User table


The first screenshot shows the phpMyAdmin interface with the following SQL queries executed:

```
SHOW USER SET SecurityQuestion = '2004-05-01 10:00:00' WHERE userID = 3;
UPDATE User SET passwd = 'd1s1d@example.com' WHERE userID = 2;
```


The second screenshot shows the 'Data' tab for the 'user' table, displaying 10 rows of data:

userID	username	password	email	securityQuestion	securityAnswer	lastLoginDateTime	accountCreationDateTime
1	user1	pass1	log@example.com	Your pet name?	chepper	2024-05-31 10:00:00	2024-05-01 09:00:00
2	user2	pass2	Ami2@example.com	Your birthplace?	Sanskari	2024-05-26 11:00:00	2024-05-02 09:30:00
3	user3	pass3	pat@example.com	Your favorite color?	grey	N/A	2024-05-03 00:45:00
4	user4	pass4	Evam@example.com	Your first school?	Greenwood	N/A	2024-05-04 10:15:00
5	user5	pass5	tyana@example.com	Your pet name?	Buddy	2024-05-25 12:00:00	2024-05-05 11:00:00
6	user6	pass6	patery@example.com	Your favorite color?	purple	N/A	2024-05-06 11:15:00
7	user7	pass7	huda@example.com	Your birthplace?	HR	2024-05-24 08:00:00	2024-05-07 11:30:00
8	user8	pass8	am@example.com	Your first school?	Farsi	2024-05-23 00:45:00	2024-05-08 11:40:00
9	user9	pass9	ham@example.com	Your pet name?	neko	2024-05-22 10:00:00	2024-05-09 12:00:00
10	user10	pass10	am@example.com	Your favorite color?	Pink	N/A	2024-05-10 12:15:00


Update medicalRecord of userID 3 to where userID 9,10 before delete userID 9,10 from user table




Update event table for organizerId 3 to where organizerId 9,10 before delete userId 9,10 from user table



Update discussiongroup moderatorId of 3 to where moderatorId 9,10 before delete userId 9,10 from user table



Delete



localhost / 127.0.0.1 / mariadb - MySQL: MySQL 8.0 Reference - X | +

phpMyAdmin

Recent Favorites

- New
- bu2110215
- information_schema
- marathontrainingsystem
- New
- trainingplan
- mysql
- performance_schema
- phpmyadmin
- salesco
- test

Table: eventparticipants

Show query box

0 rows deleted. (Query took 0.0001 seconds)

```
DELETE FROM eventparticipants WHERE userID IN (9, 10);
```

[Edit table] [Edit] [Create PHP code]

Showing rows 0 - 7 (8 total. Query took 0.0003 seconds)

```
SELECT * FROM eventparticipants;
```

☐ Profiling [Get columns] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	eventID	userID
☐ Edit ☐ Copy ☐ Delete	1	1
☐ Edit ☐ Copy ☐ Delete	2	2
☐ Edit ☐ Copy ☐ Delete	3	3
☐ Edit ☐ Copy ☐ Delete	4	4
☐ Edit ☐ Copy ☐ Delete	5	5
☐ Edit ☐ Copy ☐ Delete	6	6
☐ Edit ☐ Copy ☐ Delete	7	7
☐ Edit ☐ Copy ☐ Delete	8	8

☐ Check all | With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

☐ Print ☐ Copy to clipboard ☐ Export ☐ Display chart ☐ Create view

Console

25°C Partly cloudy

localhost / 127.0.0.1 / mariadb - MySQL: MySQL 8.0 Reference - X | +

phpMyAdmin

Recent Favorites

- New
- bu2110215
- information_schema
- marathontrainingsystem
- New
- trainingplan
- mysql
- performance_schema
- phpmyadmin
- salesco
- test

Table: eventparticipants

Showing rows 0 - 7 (8 total. Query took 0.0003 seconds)

```
SELECT * FROM eventparticipants;
```

☐ Profiling [Get columns] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	eventID	userID
☐ Edit ☐ Copy ☐ Delete	1	1
☐ Edit ☐ Copy ☐ Delete	2	2
☐ Edit ☐ Copy ☐ Delete	3	3
☐ Edit ☐ Copy ☐ Delete	4	4
☐ Edit ☐ Copy ☐ Delete	5	5
☐ Edit ☐ Copy ☐ Delete	6	6
☐ Edit ☐ Copy ☐ Delete	7	7
☐ Edit ☐ Copy ☐ Delete	8	8

☐ Check all | With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

☐ Print ☐ Copy to clipboard ☐ Export ☐ Display chart ☐ Create view

Console

5/27/2024 7:25 PM

localhost / 127.0.0.1 / phpmyadmin

MySQL: MySQL 8.0 Reference

phpMyAdmin

Recent Favorites

- New
- bu2110215
- information_schema
- marathontrainingsystem
- New
- trainingplan
- mysql
- performance_schema
- phpmyadmin
- salesco
- test

Table: user

Show query box

1 row deleted. (Query took 0.0196 seconds.)

Delete user with user ID 9: `DELETE FROM user WHERE userID = 9;`

[Edit History] [Edit] [Create PHP code]

1 row deleted. (Query took 0.0028 seconds.)

Delete user with user ID 10: `DELETE FROM user WHERE userID = 10;`

[Edit History] [Edit] [Create PHP code]

Showing rows 0 - 7 (8 total. Query took 0.0004 seconds.)

SELECT * FROM user

[Profiling] [Columns] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	userID	username	password	email	securityQuestion	securityAnswer	lastLoginDateTime	accountCreationDateTime
☐	1	user1	pass1	lisa@example.com	Your pet name?	chopper	2024-05-01 10:00:00	2024-05-01 08:00:00
☐	2	user2	pass2	Ali@example.com	Your birthplace?	Sandakan	2024-05-25 11:00:00	2024-05-02 08:30:00
☐	3	user3	pass3	yan@example.com	Your favorite color?	grey	N.I.L.	2024-05-03 09:45:00
☐	4	user4	pass4	item@example.com	Your first school?	Greenwood	N.I.L.	2024-05-04 10:15:00
☐	5	user5	pass5	syera@example.com	Your pet name?	Buddy	2024-05-25 12:00:00	2024-05-05 11:00:00
☐	6	user6	pass6	pating@example.com	Your favorite color?	purple	N.I.L.	2024-05-06 11:15:00
☐	7	user7	pass7	huda@example.com	Your birthplace?	KK	2024-05-24 09:00:00	2024-05-07 11:30:00
☐	8	user8	pass8	am@example.com	Your first school?	Fuile	2024-05-23 08:45:00	2024-05-08 11:45:00

Check all | With selected | Edit | Copy | Delete | Export



Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations



Print | Copy to clipboard | Export | Display chart | Create view

REPORT GENERATION

1. Get the total number of registered users



2. Get the number of users who have logged in within the last 30 days



3. Get the total number of events and the average registration fee

The screenshot shows a SQL IDE interface. On the left, a tree view displays the database structure, including 'information_schema' and 'marathontrainingsystem'. The main area shows a SQL query being executed:

```
1 SELECT
2   COUNT(*) AS total_events,
3   AVG(registrationFee) AS avg_registration_fee
4 FROM Event;
5
```

Below the query editor, a message states: "Your SQL query has been executed successfully." The results are displayed in a table:

total_events	avg_registration_fee
10	55.000000

At the bottom, there are buttons for "Query results operations" including Print, Copy to clipboard, Export, Display chart, and Create view.

4. Get the top 5 events with the highest number of participants

The screenshot shows a SQL IDE interface. On the left, a tree view displays the database structure, including 'information_schema' and 'marathontrainingsystem'. The main area shows a SQL query being executed:

```
1 SELECT
2   e.eventName,
3   COUNT(ep.userID) AS num_participants
4 FROM Event e
5 JOIN EventParticipants ep ON e.eventID = ep.eventID
6 GROUP BY e.eventName
7 ORDER BY num_participants DESC
8 LIMIT 5;
9
```

Below the query editor, a message states: "Showing rows 0 - 4 (5 total, Query took 0.0006 seconds)". The results are displayed in a table:

eventName	num_participants
Event 4 Elopura Marathon Sandakan	1
Event 1 Unity Color Run	1
Event 0 Twincity Marathon	1
Event 3 Meow Autism Run	1
Event 8 Glow Fun Run	1

At the bottom, there are buttons for "Query results operations" including Print, Copy to clipboard, Export, Display chart, and Create view.

5. Get the total number of discussion groups and the average number of posts per group

The screenshot shows a database management tool interface. On the left, a tree view displays the database structure, including a schema named 'marathontrainingsystem' with tables like 'discussiongroup', 'event', 'eventdiscussiongroup', 'eventmedicalrecord', and 'eventparticipants'. The main area on the right shows a SQL query editor with the following code:

```
1 SELECT
2   COUNT(*) AS total_groups,
3   AVG(posts) AS avg_posts_per_group
4 FROM DiscussionGroup;
5
```

Below the query editor, a message states: "Your SQL query has been executed successfully." The results are displayed in a table with two columns: 'total_groups' and 'avg_posts_per_group'. The values are 10 and 0, respectively.

total_groups	avg_posts_per_group
10	0

6. Get the top 3 users who have participated in the most events

The screenshot shows the same database management tool interface. The SQL query editor now contains the following code:

```
1 SELECT
2   u.username,
3   COUNT(ep.eventID) AS num_events
4 FROM `user` u
5 JOIN EventParticipants ep ON u.userID = ep.userID
6 GROUP BY u.username
7 ORDER BY num_events DESC
8 LIMIT 3;
9
```

Below the query editor, a message states: "Showing rows 0 - 2 (3 total). Query took 0.0005 seconds." The results are displayed in a table with two columns: 'username' and 'num_events'. The values are user6 (1), user5 (1), and user4 (1).

username	num_events
user6	1
user5	1
user4	1

7. Get the total number of training plans and the average duration

The screenshot shows a database management tool interface. On the left, a tree view displays the database structure, including a schema named 'marathontrainingsystem' with tables like 'eventtrainingplan'. The main area on the right shows a SQL query editor with the following code:

```
1 SELECT
2     COUNT(*) AS total_plans,
3     AVG(duration) AS avg_duration
4 FROM TrainingPlan;
5
```

Below the query editor, a message states: "Your SQL query has been executed successfully". The query results are displayed in a table:

total_plans	avg_duration
10	13.2000

At the bottom, there are buttons for "Query results operations" including Print, Copy to clipboard, Export, Display chart, and Create view.

8. Get the top 3 training plans with the highest mileage targets

The screenshot shows the same database management tool interface. The SQL query editor now contains the following code:

```
1 SELECT
2     planName,
3     mileageTargets
4 FROM TrainingPlan
5 ORDER BY mileageTargets DESC
6 LIMIT 3;
7
```

Below the query editor, a message states: "Showing rows 0 - 2 (3 total). Query took 0.0002 seconds. [mileageTargets: 400... - 320...]". The query results are displayed in a table:

planName	mileageTargets
Elopura Marathon Sandakan Plan	400
Twincity Marathon Plan	360
Sibu Marathon Plan	320

At the bottom, there are buttons for "Query results operations" including Edit, Copy, Delete, Check all, With selected, and Export.

9. Get the top 5 medical conditions with the highest occurrence

The screenshot shows a database management tool interface. On the left is a tree view of the database schema, including a 'marathontrainingsystem' database with tables like 'discussiongroup', 'event', 'eventdiscussiongroup', 'eventmedicalrecord', 'eventparticipants', and 'eventtrainingplan'. The main area displays a SQL query:

```
1 SELECT
2     medicalConditions,
3     COUNT(*) AS occurrence
4 FROM MedicalRecord
5 GROUP BY medicalConditions
6 ORDER BY occurrence DESC
7 LIMIT 5;
```

Below the query editor, the results are shown as a table with 5 rows. The status bar indicates 'Showing rows 0 - 4 (5 total. Query took 0.0020 seconds)'.

medicalConditions	occurrence
Condition 1	2
Condition 2	2
Condition 3	2
Condition 4	2
Condition 5	2

At the bottom, there are buttons for 'Query results operations' including Print, Copy to clipboard, Export, Display chart, and Create view.

10. Get the top 3 discussion groups with the most recent activity

The screenshot shows the same database management tool interface. The SQL query is:

```
1 SELECT
2     groupName,
3     lastActivityDateTime
4 FROM DiscussionGroup
5 ORDER BY lastActivityDateTime DESC
6 LIMIT 3;
```

The results table shows 3 rows. The status bar indicates 'Showing rows 0 - 2 (3 total. Query took 0.0003 seconds) [lastActivityDateTime: 2024-05-10 19:00:00... - 2024-05-10 17:00:00...]'. Each row includes options to Edit, Copy, or Delete the record.

groupName	lastActivityDateTime
Group 10	2024-05-10 19:00:00
Group 9	2024-05-10 18:00:00
Group 8	2024-05-10 17:00:00

At the bottom, there are buttons for 'Query results operations' including Check all, With selected, Edit, Copy, Delete, and Export.