

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>My First Webpage</title>
```

```
<meta charset="UTF-8">
```

```
<meta name="description" content="This is my first HTML page.">
```

```
<meta name="keyword" content="HTML, beginner, web development">
```

```
<meta name="author" content="Gil Scudge Ybañez">
```

```
<style>
```

```
  body {
```

```
    font-family: Arial, sans-serif;
```

```
    background-color: #D2B9D3;
```

```
  }
```

```
  h1 {
```

```
    color: #2c3e50;
```

```
  }
```

```
  p {
```

```
    line-height: 1.5;
```

```
  }
```

```
  .highlight {
```

```
    background-color: #9E7BFF;
```

```
  }
```

```
</style>
```

```
<script>
```

```
  function greet(){
```

```
    alert("Hello! Welcome to my first webpage!!!!");
```

```
  }
```

</script>

</head>

<body onload="greet()">

<h1>Welcome to My First Webpage</h1>

<p>This is a <b>BOLD</b> statement, and here is some <i>italic</i> text.</p>

<p class="highlight"> This paragraph is highlighted using CSS.</p>

<h2>My Favorite Fruits</h2>

<ul>

<li>Watermelon</li>

<li>Strawberry</li>

<li>Mangos</li>

</ul>

<h2>Steps to Make Tea</h2>

<ol>

<li>Boil some Water</li>

<li>Add some Tea leaves</li>

<li>Pour it into a cup</li>

</ol>

<!-- This is a comment: The above lists shows unordered and ordered lists sheeeeeeeeeesh-->

<p>Visit <a href="www.example.com" target="\_blank">Example Website</a> for more info.</p>

<h2>My Favorite Song!!</h2>

<p>Bloom in the mud - <i>Nightcord at 25:00 cover</i></p>

<audio controls>

<source src="泥中に咲く 25時ナイトコードで 初音ミク.mp3" type="audio/mpeg">

Your browser does not support the audio element.

</audio>

<h2>My Favorite Movie Scene!!</h2>

<video width="320" height="240" controls>

<source src="videoplayback.mp4" type="video/mp4">

Your browser does not support the video tag.

</video>

<h2>My Favorite Picture!!</h2>



<div style="color: #7D0552; border: 1px solid #000; padding:10px; margin-top:10px;">

<p>This is a block container using <span style ="color:red;">div</span> and

<span style ="font-weight: bold;">span</span> elements.</p>

</div>

<h2>Class Scheduler</h2>

<table border="1" cellpadding="5">

<tr>

<th style="color:purple">Day</th>

<th style="color:purple">Subject</th>

<th style="color:purple">Time</th>

<th style="color:purple">Room</th>

</tr>

<tr>

<th style="color:purple">Monday/Wednesday</th>

<th style="color:purple">Web Systems and Technology I</th>

<th style="color:purple">10:00 - 11:00 AM</th>

<th style="color:purple">CISC Room 2</th>

</tr>

<tr>

<th style="color:purple">Tuesday</th>

<th style="color:purple">Web Systems and Technology I(LAB)</th>

<th style="color:purple">1:00 - 4:00 PM</th>

<th style="color:purple">CISC Lab 26</th>

</tr>

</table>

<h2>Contact Me</h2>

<form>

<label for="name">Name:</label>

<input type="text" id="name" name="name"><br><br>

<label for="email">Email:</label>

<input type="email" id="email" name="email"><br><br>

<label for="message">Message:</label><br>

<textarea id="message" name="message"></textarea><br><br>

<input type="submit" value="send">

</form>

</body>

</html>