









We have designed our home lifts with your home in mind. All Aritco home lifts have been designed with both safety and

reliability in focus: to meet all kinds of situations that can occur in a home.


Much smarter than conventional lifts.

To understand just how brilliant our home lifts really are you need to know a little about conventional lifts. A conventional lift requires machinery above and a deep pit beneath the lift. It requires a pre-built shaft and the installation may take several weeks. Such operations cost a lot of money, demands space and could mean that the lift ends up in a part of the house which is far from comfort and convenience.


Our home lifts use a well-tested and reliable screw and nut drive

system, developed and adapted to the requirements of a home environment. All machinery fits inside the lift walls. This means our lifts do not need any space for neither pit nor machinery; they can be placed directly on the floor practically anywhere. Since our home lifts do not have a traditional cabin we have maximised the internal space and minimised the external dimensions. And the installation is so much simpler and quicker. The complete lift is installed in just a couple of days.









Increase the value of you home.

By having a home that is safe and accessible for everyone, you facilitate many moments of happiness. Being able to open your home to all the ones you love adds extra meaning to life and everyone will feel welcome.

Additionally it increases the actual value and attraction of your home, just lika a swiming pool, garage or a new kitchen would do.



Models that meet your needs.

Our classic models of home lifts come in two different models Aritco 4000 and Aritco 6000. The major difference between them is the size.

Aritco 4000 is the smallest, most compact home lift on the market. It is designed to meet every requirement for comfort, space and style. It's available in three different

Aritco 6000 is our larger sized home lift with great possibilities to choose different appearances and styles. You can choose between six different sizes, materials, types of glass and colours.

Both Aritco 4000 and 6000 allow you to make your personal choices of lift colour, floor coverings, glass types and door types.



Aritco 4000

Platform width 580-1080 mm Platform length 805 mm




Aritco 6000

Platform width 900-1100 mm Platform length 1040-1480 mm









Aritco 4000

LIFT COLOUR

Can be painted in any RAL colour from the RAL Classic chart.

FLOOR

9 different floorings to choose from.





















GLASS

4 different glass types to choose from.











DOORS

2 different door types to choose from




Size: 580 x 805 mm

Rated load: 250 kg / 2 persons



Size: 880 x 805 mm

Rated load: 250 kg / 2 persons



Size: 1080 x 805 mm

Rated load: 250 kg / 2 person

Product summary

TOP HEIGHT

 $2300~\mathrm{mm}$



INSTALLATION

Recessed installation 50 mm below floor

Installed directly on floor with 50 mm ramp



TYPE OF LIFT

Home lift intended for installation in private homes.

INSTALLATION ENVIRONMENT



Max **0,15 m/s**



Patented screv and nut system

15 kW motor

TRAVEL HEIGHT

250–13 000 millimeter

CONTROL FROM CARRIER CONTROL PANEL

Hold to run - press and hold

For installations outside Europe - One touch operation (press one time)





WARRANTY

Aritco 4000 comes with a 24 month warranty. The screw and nut assembly has a 10 year warranty.



TECHNICAL COMPLIANCE

European Machine directive 2006/42/EC European standard EN 81-41

Emergency lowering: Battery-powered

Aritco 6000

FLOOR























Size: 900 x 1040 mm



Size: 900 x 1280 mm

LIFT COLOUR

Can be painted in any RAL colour from the RAL Classic chart.

GLASS












DOORS




Size: 1000 x 1480 mm



Size: 1100 x 1480 mm



Size: 900 x 1480 mm Rated load: 410 kg / 5 persons



Size: 1000 x 1280 mm

TOP HEIGHT

mum mm



INSTALLATION

Recessed installation

Installed directly on floor with 50 mm ramp



Power supply: 230 V 1-phase 400 V 3-phase

TYPE OF LIFT

intended for installation



Max **0,15 m/s** Max **0,25 m/s** outside Europe



TRAVEL HEIGHT

 $3\overline{\,000}$ millimeter

CONTROL FROM CARRIER CONTROL PANEL

Hold to run – press and hold For installations outside Europe

One touch operation (press one time)





WARRANTY

with a 24 month warranty. The screw and nut assembly has a 10 year warranty.



TECHNICAL COMPLIANCE

directive 2006/42/EC European standard EN 81-41

Find your closest reseller at www.aritcohomelifts.com Follow Us!



