Intro to Sass DCBPW/April 14, 2012 What Is Sass?

- CSS Compiler Converts other languages to CSS
- Inspired by "HAML" HTML Compiler
- Turing complete add variables/functions/mixins/control structures/etc.
- 2 Syntaxes SCSS (sassy CSS), and SASS (think perl vs. Perl)

SCSS vs. SASS

- SCSS can be just CSS, SASS is a completely different syntax
- SCSS is semicolon-terminated, SASS is newline-terminated
- SCSS uses {} for nesting, SASS uses indentation (à la HAML/Python)
- IMHO SCSS better for existing projects, SASS better for new ones

Variable Construction

- Perlish (using \$)
- Mostly-"regular" naming rules
- o \$isvalid, \$also_valid, \$9invalid, \$valid-but-bad
- CSS-based datatypes
- o Numbers, Strings, Colors, "Lists", Booleans

Initial CSS Example

```
body { background-color: #EEE; font-size: 12px; }
h1 {
    background-color: #CCC;
    color:
                      #FA3B3B;
    font-size:
                      24px;
}
a {
    background-color: #CCC;
    color:
                      #FA3B3B;
    text-decoration: none;
    border-bottom:
                      3px solid #AAA;
    border-top:
                      3px solid #AAA;
}
```

Sass Variables

SCSS

```
$bgcolor:
             #EEE;
$size:
             12px;
$accents:
             #FA3B3B;
$accentbg:
            #CCC;
$linkborder: 3px solid #AAA;
body { background-color: $bgcolor; font-size:
$size; }
h1 {
    background-color: $accentbg;
    color:
                      $accents;
    font-size:
                      $size * 2;
}
a {
    background-color: $accentbg;
    color:
                      $accents;
   text-decoration: none;
    border-bottom:
                      $linkborder;
    border-top:
                      $linkborder;
}
```

SASS

```
$bgcolor:
            #EEE
$size:
            12px
$accents:
            #FA3B3B
$accentbq: #CCC
$linkborder: 3px solid #AAA
body
    background-color: $bgcolor
    font-size:
                      $size
h1
    background-color: $accentbg
    color:
                      $accents
    font-size:
                     $size * 2
    background-color: $accentbg
    color:
                      $accents
    text-decoration: none
    border-bottom:
                      $linkborder
    border-top:
                      $linkborder
```

Sass Functions

SCSS

```
$bgcolor:
             #EEE;
$size:
             12px;
             mix($bgcolor, #F00, 25%);
$accents:
$accentbg:
            darken($bgcolor, 13.5%);
$linkborder: 3px solid darken($bgcolor, 26.5%);
body { background-color: $bgcolor; font-size:
$size; }
h1 {
   background-color: $accentbg;
    color:
                      $accents;
   font-size:
                      $size * 2;
}
a {
    background-color: $accentbg;
   color:
                      $accents;
   text-decoration: none;
    border-bottom:
                      $linkborder;
    border-top:
                      $linkborder;
}
```

SASS

```
$bgcolor:
             #EEE
$size:
             12px
$accents:
             mix($bqcolor, #F00, 25%)
$accentbg: darken($bgcolor, 13.5%)
$linkborder: 3px solid darken($bgcolor, 26.5%)
body
  background-color: $bgcolor
  font-size:
                    $size
h1
  background-color: $accentbg
  color:
                    $accents
  font-size:
                    $size * 2
  background-color: $accentbg
  color:
                    $accents
  text-decoration: none
  border-bottom:
                    $linkborder
  border-top:
                    $linkborder
```

Sass Mixins

SCSS

```
$bgcolor:
            #EEE;
$size:
            12px;
$accents:
            mix($bgcolor, #F00, 25%);
$accentbg: darken($bgcolor, 13.5%);
$linkborder: 3px solid darken($bgcolor, 26.5%);
@mixin accented {
    background-color: $accentbg;
   color:
                      $accents;
}
body { background-color: $bgcolor; font-size:
$size; }
h1 {
    @include accented;
   font-size: $size * 2;
}
a {
    @include accented;
    text-decoration: none;
   border-bottom: $linkborder;
   border-top:
                     $linkborder;
```

SASS

```
$bgcolor:
             #EEE
$size:
             12px
$accents:
             mix($bgcolor, #F00, 25%)
$accentbg: darken($bgcolor, 13.5%)
$linkborder: 3px solid darken($bgcolor, 26.5%)
@mixin accented
    background-color: $accentbg
    color:
                      $accents
body
    background-color: $bgcolor
    font-size:
                      $size
h1
    @include accented
    font-size: $size * 2
    @include accented
    text-decoration: none
    border-bottom: $linkborder
    border-top:
                     $linkborder
```

Using Sass

Rubygems

```
$ gem install sass
$ sudo gem install sass
$ sass some.sass styles.css
$ sass --watch some.scss styles.css
```

Text::Sass

```
Text::Sass->scss2css($scss);
Text::Sass->sass2css($sass);
```

Catalyst

- o perl-catalyst-view-sass
- http://github.com/bolav/perl-catalyst-view-sass
- Mojolicious
- CPAN: Mojolicious::Plugin::SassRenderer
- Supports SASS-only

- Dancer
- o CPAN: Dancer::Plugin::Preprocess::Sass
- Suports SCSS and SASS
- Supports caching

Contact

- Stephen Belcher
- Email: sbelcher@gmail.com
- Twitter: @sycobuny
- Slides at: http://github.com/sycobuny/sass_presentation