
rosette.diameter
resid(mod)
0.2
0.0
−0.2
−0.4
−0.6
−0.8
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.10
2.15
2.20
2.25
2.30
2.35
2.40
fitted(mod)


Normal Q−Q Plot
rosette.diameter
Sample Quantiles
0.2
0.0
−0.2
−0.4
−0.6
−0.8
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


Length.cm.
resid(mod)
0.0
−0.5
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.5
2.6
2.7
2.8
2.9
3.0
3.1
fitted(mod)


Normal Q−Q Plot
Length.cm.
Sample Quantiles
0.0
−0.5
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


primary.length
resid(mod)
0.2
0.0
−0.2
−0.4
−0.6
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
1.62
1.64
1.66
1.68
1.70
1.72
fitted(mod)


Normal Q−Q Plot
primary.length
Sample Quantiles
0.2
0.0
−0.2
−0.4
−0.6
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


mid.LR.count
resid(mod)
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.8
3.0
3.2
3.4
fitted(mod)


Normal Q−Q Plot
mid.LR.count
Sample Quantiles
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


lower.LR.count
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.0
2.2
2.4
2.6
2.8
3.0
3.2
fitted(mod)


Normal Q−Q Plot
lower.LR.count
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2


mid.LR.length
resid(mod)
1.0
0.5
0.0
−0.5
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
1.45
1.50
1.55
1.60
fitted(mod)


Normal Q−Q Plot
mid.LR.length
Sample Quantiles
1.0
0.5
0.0
−0.5
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


lower.LR.length
resid(mod)
1.0
0.5
0.0
−0.5
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
0.85
0.90
0.95
1.00
1.05
1.10
1.15
fitted(mod)


Normal Q−Q Plot
lower.LR.length
Sample Quantiles
1.0
0.5
0.0
−0.5
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


LR.density
resid(mod)
1.0
0.5
0.0
−0.5
−1.0
−1.5
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.1
2.2
2.3
2.4
2.5
2.6
2.7
fitted(mod)


Normal Q−Q Plot
LR.density
Sample Quantiles
1.0
0.5
0.0
−0.5
−1.0
−1.5
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


mid.LR.density
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.3
2.4
2.5
2.6
2.7
2.8
2.9
fitted(mod)


Normal Q−Q Plot
mid.LR.density
Sample Quantiles
2
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


lower.LR.density
resid(mod)
6
4
2
0
−2
−4
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.0
2.5
3.0
3.5
4.0
4.5
fitted(mod)


Normal Q−Q Plot
lower.LR.density
Sample Quantiles
6
4
2
0
−2
−4
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


below.ground.mass.mg
resid(mod)
0.4
0.2
0.0
−0.2
−0.4
−0.6
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
1.0
1.1
1.2
1.3
1.4
1.5
1.6
fitted(mod)


Normal Q−Q Plot
below.ground.mass.mg
Sample Quantiles
0.4
0.2
0.0
−0.2
−0.4
−0.6
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


above.ground.mass.mg
resid(mod)
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
2.0
2.5
3.0
3.5
4.0
fitted(mod)


Normal Q−Q Plot
above.ground.mass.mg
Sample Quantiles
1
0
−1
−2
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


ttl.biomass
resid(mod)
0.5
0.0
−0.5
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
1.4
1.6
1.8
2.0
fitted(mod)


Normal Q−Q Plot
ttl.biomass
Sample Quantiles
0.5
0.0
−0.5
−1.0
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−2
−1
0
1
2
Theoretical Quantiles


ttl.LR
resid(mod)
2
1
0
−1
−2
−3
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
3.2
3.4
3.6
3.8
4.0
4.2
4.4
fitted(mod)


Normal Q−Q Plot
ttl.LR
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_control[,i]~PA.group+collection.time*PA.group)
−3
−2
−1
0
1
2