
scaled_rosette.diameter
resid(mod)
2
1
0
−1
−2
−3
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
fitted(mod)


Normal Q−Q Plot
scaled_rosette.diameter
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
2
1
0
−1
−2
−3
−2
−1
0
1
2


scaled_Length.cm.
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.2
−0.1
0.0
0.1
0.2
fitted(mod)


Normal Q−Q Plot
scaled_Length.cm.
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2


scaled_primary.length
resid(mod)
2
1
0
−1
−2
−3
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
0.2
fitted(mod)


Normal Q−Q Plot
scaled_primary.length
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−3
−2
−1
0
1
2
−2
−1
0
1
2


scaled_mid.LR.count
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
0.2
0.3
fitted(mod)


Normal Q−Q Plot
scaled_mid.LR.count
Sample Quantiles
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2
Theoretical Quantiles


scaled_lower.LR.count
resid(mod)
3
2
1
0
−1
lm(seedling_SALK_scaled_control[,l]~PA.group+collection.time*PA.group
−0.10
−0.05
0.00
0.05
0.10
fitted(mod)


Normal Q−Q Plot
scaled_lower.LR.count
Sample Quantiles
3
2
1
0
−1
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2
Theoretical Quantiles


scaled_mid.LR.length
resid(mod)
2
1
0
−1
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.10
−0.05
0.00
0.05
0.10
0.15
0.20
fitted(mod)


Normal Q−Q Plot
scaled_mid.LR.length
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2
−1
0
1
2


scaled_lower.LR.length
resid(mod)
5
4
3
2
1
0
−1
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.15
−0.10
−0.05
0.00
0.05
0.10
fitted(mod)


Normal Q−Q Plot
scaled_lower.LR.length
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2
−1
0
1
2
3
4
5


scaled_LR.density
resid(mod)
4
3
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.2
−0.1
0.0
0.1
0.2
0.3
fitted(mod)


Normal Q−Q Plot
scaled_LR.density
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2
3
4


scaled_mid.LR.density
resid(mod)
4
2
0
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
0.2
0.3
fitted(mod)


Normal Q−Q Plot
scaled_mid.LR.density
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
0
2
4
−2
−1
0
1
2


scaled_lower.LR.density
resid(mod)
3
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.05
0.00
0.05
0.10
fitted(mod)


Normal Q−Q Plot
scaled_lower.LR.density
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
Sample Quantiles
Theoretical Quantiles
3
2
1
0
−1
−2
−2
−1
0
1
2


scaled_below.ground.mass.mg
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
0.2
fitted(mod)


Normal Q−Q Plot
scaled_below.ground.mass.mg
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2


scaled_above.ground.mass.mg
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
fitted(mod)


Normal Q−Q Plot
scaled_above.ground.mass.mg
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2


scaled_ttl.biomass
resid(mod)
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.3
−0.2
−0.1
0.0
0.1
0.2
fitted(mod)


Normal Q−Q Plot
scaled_ttl.biomass
Sample Quantiles
Theoretical Quantiles
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2


scaled_ttl.LR
resid(mod)
3
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−0.2
−0.1
0.0
0.1
0.2
fitted(mod)


Normal Q−Q Plot
scaled_ttl.LR
Sample Quantiles
3
2
1
0
−1
−2
lm(seedling_SALK_scaled_control[,i]~PA.group+collection.time*PA.group
−2
−1
0
1
2
Theoretical Quantiles