

Campaign review: 1,000 levels

1,000 maps total | 800 new maps | original 001-200 preserved

Scope: Levels 201-1000 are deterministic, varied map layouts built from street-loop and divided-district families. Existing patrol movement, two-step Echo trail, light costs, delivery refill, timed gates, ice and fading crossings are unchanged.

Difficulty direction: the new campaign expands from 18 x 18 to 24 x 24 boards and 8 to 11 mandatory houses. Blockage generally falls from about 35% toward 21%, creating more junctions and loops. Reference-route light margin tightens from 10 toward 1. Complexity rises in bands; individual maps deliberately vary. Structural metrics and valid routes do not prove player difficulty or balanced shortest-route fuel.

Repair-required maps: 32 new maps, every 25th level, split required houses across disconnected districts. They cannot be completed before the marked connection is repaired. A reserved level-bound free repair is specified for each, so gem spending is unnecessary. The gem shop and voucher collection UI remain a separate implementation task; these maps must not ship as paid progression locks.

Verification: all archived routes were replayed under production movement rules. The original 200 retain their archived shortest routes. New maps store a verified completion route, with exact light, house mask, patrol phase, Echo and timer state at every move; global shortest routes for the 800 new maps are not claimed.

Read the map: D = depot; numbered gold tiles = houses; violet outlines = patrol loops; S = switch; G = timed gate; F = fading crossing; I = ice; L = dark street. Gray tiles are blocked. Green outline = optional repair; red outline = mandatory connection. Teal arrows show a reference route, not the only solution. Coordinates in the PDF start at 1.

Review next: inspect route choices, house orders, patrol interaction, temporary-crossing bypasses and repair value. Many extra streets permit shorter alternatives. Phone readability, hint-search performance, global optimum and economy balance need dedicated playtesting before release.

Expansion progression


Measured structure, not a claim of human playtest difficulty

Levels	Grid	Houses	Avg block %	Avg junctions	Avg loops	Finish light	Free repairs
201-300	18	8	32.9	126	72	7-10	4
301-400	18	8	31.4	134	79	6-9	4
401-500	20	9	29.2	181	111	5-8	4
501-600	20	9	27.6	194	121	4-7	4
601-700	22	10	26.4	246	157	3-6	4
701-800	22	10	24.7	262	171	2-5	4
801-900	24	11	22.9	331	223	1-4	4
901-1000	24	11	21.3	350	242	1-3	4

A reserved free repair is specified for each required map. Optional repair gem prices are proposed metadata, not a shop implementation. The original 200-map game and APK are unchanged by this expansion package.

Level 0001 - Standard

8 x 8 | Light 1 of 3 houses | Original rules



Layout: 3.1% blocked; 57 junctions; 45 independent street loops.

Verified route: 4 moves. Start light 23; finish light 21. Archived shortest route.

Objective: Tutorial: one house, return, bank; then reveal the other houses.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0002 - Standard

8 x 8 | Light 1 of 3 houses | Original rules



Layout: 3.1% blocked; 56 junctions; 47 independent street loops.

Verified route: 4 moves. Start light 23; finish light 21. Archived shortest route.

Objective: Choose between two nearby houses before returning.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0003 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 6.2% blocked; 51 junctions; 39 independent street loops.

Verified route: 10 moves. Start light 22; finish light 16. Archived shortest route.

Objective: First blocked street and a visible detour.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0004 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 6.2% blocked; 52 junctions; 40 independent street loops.

Verified route: 10 moves. Start light 21; finish light 15. Archived shortest route.

Objective: Shadow wakes after the first delivery.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0005 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 9.4% blocked; 49 junctions; 36 independent street loops.

Verified route: 10 moves. Start light 21; finish light 15. Archived shortest route.

Objective: Wait by choosing a safe side step to alter patrol timing.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0006 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 18.8% blocked; 36 junctions; 24 independent street loops.

Verified route: 18 moves. Start light 22; finish light 8. Archived shortest route.

Objective: Rubble splits two possible return routes.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0007 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 37 junctions; 24 independent street loops.

Verified route: 16 moves. Start light 20; finish light 8. Archived shortest route.

Objective: Full three-house run with generous light.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0008 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 10.9% blocked; 46 junctions; 35 independent street loops.

Verified route: 16 moves. Start light 20; finish light 8. Archived shortest route.

Objective: Early banking versus one more distant house.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0009 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 14.1% blocked; 40 junctions; 29 independent street loops.

Verified route: 18 moves. Start light 21; finish light 7. Archived shortest route.

Objective: First 2-light dark tile; take it or go around.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0010 - Standard

8 x 8 | Light 3 of 3 houses | Original rules



Layout: 18.8% blocked; 36 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 22; finish light 6. Archived shortest route.

Objective: Finale: three houses, one shadow, safe return.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0011 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 44 junctions; 33 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Cross a bridge before its visible timer expires.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0012 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 14.1% blocked; 44 junctions; 29 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Return by a different street after crossing fades.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0013 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 40 junctions; 30 independent street loops.

Verified route: 16 moves. Start light 22; finish light 10. Archived shortest route.

Objective: Locked alley makes the return longer.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0014 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 43 junctions; 32 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Shadow patrol meets bridge timing.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0015 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 18.8% blocked; 37 junctions; 30 independent street loops.

Verified route: 16 moves. Start light 20; finish light 8. Archived shortest route.

Objective: Choose which house to visit before crossing.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0016 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 43 junctions; 27 independent street loops.

Verified route: 16 moves. Start light 22; finish light 10. Archived shortest route.

Objective: Broken footbridge hides a safer return.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0017 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 43 junctions; 31 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Fading bridge with two viable lower detours.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0018 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 37 junctions; 25 independent street loops.

Verified route: 14 moves. Start light 20; finish light 10. Archived shortest route.

Objective: One delivered house lies across a fading bridge.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0019 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 21.9% blocked; 34 junctions; 21 independent street loops.

Verified route: 20 moves. Start light 22; finish light 6. Archived shortest route.

Objective: Repair or take a tight shadow-timed detour.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0020 - Standard

8 x 8 | Light 3 of 3 houses | Original rules



Layout: 15.6% blocked; 39 junctions; 26 independent street loops.

Verified route: 22 moves. Start light 22; finish light 6. Archived shortest route.

Objective: Finale: three houses, bridge timer, bank at depot.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0021 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 39 junctions; 30 independent street loops.

Verified route: 18 moves. Start light 23; finish light 9. Archived shortest route.

Objective: Flood divides near and far houses.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0022 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 37 junctions; 23 independent street loops.

Verified route: 22 moves. Start light 24; finish light 6. Archived shortest route.

Objective: Return around a water edge while shadow loops.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0023 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 34 junctions; 26 independent street loops.

Verified route: 16 moves. Start light 22; finish light 10. Archived shortest route.

Objective: Flooded road creates an appealing shortcut.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0024 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 12.5% blocked; 45 junctions; 32 independent street loops.

Verified route: 18 moves. Start light 21; finish light 7. Archived shortest route.

Objective: Two delivery orders with different light costs.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0025 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 14.1% blocked; 40 junctions; 26 independent street loops.

Verified route: 20 moves. Start light 26; finish light 10. Archived shortest route.

Objective: A fading crossing bypasses the flood briefly.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0026 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 36 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 28; finish light 10. Archived shortest route.

Objective: Dark lamp tile competes with a longer safe route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0027 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 36 junctions; 24 independent street loops.

Verified route: 24 moves. Start light 23; finish light 5. Archived shortest route.

Objective: Patrol crosses the dry edge at a fixed rhythm.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0028 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 12.5% blocked; 44 junctions; 32 independent street loops.

Verified route: 18 moves. Start light 22; finish light 8. Archived shortest route.

Objective: Three-house attempt requires banking or tight routing.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0029 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 40 junctions; 30 independent street loops.

Verified route: 18 moves. Start light 22; finish light 8. Archived shortest route.

Objective: Collapsed tunnel offers a broad shortcut.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0030 - Standard

8 x 8 | Light 3 of 3 houses | Original rules



Layout: 14.1% blocked; 42 junctions; 32 independent street loops.

Verified route: 22 moves. Start light 21; finish light 5. Archived shortest route.

Objective: Finale: flood edge, crossing, three-house loop.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0031 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 18.8% blocked; 34 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 28; finish light 10. Archived shortest route.

Objective: Step on switch, pass gate, return another way.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0032 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 14.1% blocked; 38 junctions; 25 independent street loops.

Verified route: 24 moves. Start light 28; finish light 8. Archived shortest route.

Objective: Switch is off the shortest path.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0033 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 14.1% blocked; 42 junctions; 32 independent street loops.

Verified route: 20 moves. Start light 21; finish light 5. Archived shortest route.

Objective: Shadow timing changes while reaching the switch.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0034 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 43 junctions; 27 independent street loops.

Verified route: 22 moves. Start light 24; finish light 6. Archived shortest route.

Objective: Gate can be latched open permanently.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0035 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 34 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 24; finish light 6. Archived shortest route.

Objective: Choose between switch route and longer road.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0036 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 38 junctions; 25 independent street loops.

Verified route: 16 moves. Start light 21; finish light 9. Archived shortest route.

Objective: Rubble blocks a convenient approach to switch.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0037 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 31 junctions; 21 independent street loops.

Verified route: 24 moves. Start light 26; finish light 6. Archived shortest route.

Objective: Two houses are reachable within one gate window.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0038 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 37 junctions; 25 independent street loops.

Verified route: 24 moves. Start light 24; finish light 3. Archived shortest route.

Objective: Bridge timer and switch timer overlap.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0039 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 38 junctions; 30 independent street loops.

Verified route: 16 moves. Start light 21; finish light 9. Archived shortest route.

Objective: Optional shortcut saves three light but faces patrol.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0040 - Standard

8 x 8 | Light 3 of 3 houses | Original rules



Layout: 12.5% blocked; 45 junctions; 33 independent street loops.

Verified route: 22 moves. Start light 22; finish light 5. Archived shortest route.

Objective: Finale: three houses and a gate you cannot linger in.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0041 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 41 junctions; 27 independent street loops.

Verified route: 20 moves. Start light 23; finish light 7. Archived shortest route.

Objective: Playable Echo Shadow tutorial on an open board.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0042 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 42 junctions; 29 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Make a loop, then avoid your own echo.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0043 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 18.8% blocked; 34 junctions; 20 independent street loops.

Verified route: 24 moves. Start light 25; finish light 5. Archived shortest route.

Objective: Choose which house wakes the echo first.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0044 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 45 junctions; 29 independent street loops.

Verified route: 18 moves. Start light 21; finish light 7. Archived shortest route.

Objective: Echo trail and normal shadow share the board.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0045 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 37 junctions; 24 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: An alley gives a second exit from a loop.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0046 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 18.8% blocked; 37 junctions; 25 independent street loops.

Verified route: 16 moves. Start light 21; finish light 9. Archived shortest route.

Objective: Fallen tower divides echo-safe routes.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0047 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 34 junctions; 21 independent street loops.

Verified route: 18 moves. Start light 21; finish light 7. Archived shortest route.

Objective: Use a side step to let the echo pass.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0048 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 36 junctions; 24 independent street loops.

Verified route: 24 moves. Start light 24; finish light 4. Archived shortest route.

Objective: Fading crossing closes behind the echo.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0049 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 37 junctions; 25 independent street loops.

Verified route: 24 moves. Start light 25; finish light 5. Archived shortest route.

Objective: Optional lamp helps an extended detour.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0050 - Standard

8 x 8 | Light 3 of 3 houses | Original rules



Layout: 21.9% blocked; 37 junctions; 22 independent street loops.

Verified route: 22 moves. Start light 21; finish light 4. Archived shortest route.

Objective: Finale: three houses, echo loop, depot return.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0051 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 34 junctions; 26 independent street loops.

Verified route: 20 moves. Start light 18; finish light 2. Archived shortest route.

Objective: Cross ice once, leave before it breaks.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0052 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 14.1% blocked; 43 junctions; 32 independent street loops.

Verified route: 20 moves. Start light 23; finish light 7. Archived shortest route.

Objective: Compare ice shortcut with long land route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0053 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 37 junctions; 28 independent street loops.

Verified route: 18 moves. Start light 21; finish light 6. Archived shortest route.

Objective: Stable crossing can replace risky ice.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0054 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 17.2% blocked; 37 junctions; 22 independent street loops.

Verified route: 24 moves. Start light 22; finish light 2. Archived shortest route.

Objective: Shadow reaches shore on the same turn.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0055 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 21.9% blocked; 30 junctions; 19 independent street loops.

Verified route: 20 moves. Start light 21; finish light 5. Archived shortest route.

Objective: House order changes which shore you finish on.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0056 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 15.6% blocked; 37 junctions; 26 independent street loops.

Verified route: 20 moves. Start light 21; finish light 5. Archived shortest route.

Objective: Rubble adds two moves to the winter return.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0057 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 18.8% blocked; 35 junctions; 25 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Echo trail follows the ice entry.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0058 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 20.3% blocked; 34 junctions; 20 independent street loops.

Verified route: 22 moves. Start light 23; finish light 4. Archived shortest route.

Objective: Switch gate gives a second way off the canal.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0059 - Standard

8 x 8 | Light 2 of 3 houses | Original rules



Layout: 26.6% blocked; 29 junctions; 16 independent street loops.

Verified route: 20 moves. Start light 21; finish light 5. Archived shortest route.

Objective: Route shortcut costs points but saves light.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0060 - Standard

8 x 8 | Light 3 of 3 houses | Original rules



Layout: 20.3% blocked; 34 junctions; 22 independent street loops.

Verified route: 22 moves. Start light 20; finish light 4. Archived shortest route.

Objective: Finale: three houses split across two shores.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0061 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 40 junctions; 27 independent street loops.

Verified route: 24 moves. Start light 24; finish light 4. Archived shortest route.

Objective: Second shadow introduced on a separate lane.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0062 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 15.6% blocked; 37 junctions; 25 independent street loops.

Verified route: 18 moves. Start light 24; finish light 10. Archived shortest route.

Objective: Cross between patrol lanes safely.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0063 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 20.3% blocked; 35 junctions; 24 independent street loops.

Verified route: 18 moves. Start light 19; finish light 5. Archived shortest route.

Objective: Two houses are close but their exits differ.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0064 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 40 junctions; 25 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Narrow shortcut bypasses one patrol lane.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0065 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 36 junctions; 22 independent street loops.

Verified route: 24 moves. Start light 24; finish light 4. Archived shortest route.

Objective: Echo and second patrol activate at different houses.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0066 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 33 junctions; 20 independent street loops.

Verified route: 22 moves. Start light 24; finish light 6. Archived shortest route.

Objective: Dark streetlamp consumes precious light.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0067 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 20.3% blocked; 35 junctions; 24 independent street loops.

Verified route: 20 moves. Start light 24; finish light 8. Archived shortest route.

Objective: Decide when to bank rather than chase house three.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0068 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 38 junctions; 25 independent street loops.

Verified route: 16 moves. Start light 20; finish light 8. Archived shortest route.

Objective: Shadowed arch hides a side route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0069 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 37 junctions; 24 independent street loops.

Verified route: 22 moves. Start light 23; finish light 5. Archived shortest route.

Objective: Switch timing intersects both patrol lanes.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0070 - Standard

8 x 8 | Light 3 of 3 houses | Two patrols + Echo



Layout: 23.4% blocked; 27 junctions; 18 independent street loops.

Verified route: 22 moves. Start light 20; finish light 3. Archived shortest route.

Objective: Finale: three houses, two patrols, one return.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0071 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 21.9% blocked; 35 junctions; 23 independent street loops.

Verified route: 20 moves. Start light 22; finish light 5. Archived shortest route.

Objective: Two looping streets, one closer to the depot.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0072 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 36 junctions; 22 independent street loops.

Verified route: 28 moves. Start light 25; finish light 1. Archived shortest route.

Objective: Fading bridge cuts the inner loop.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0073 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 23.4% blocked; 31 junctions; 19 independent street loops.

Verified route: 22 moves. Start light 20; finish light 2. Archived shortest route.

Objective: Broken arch opens a third return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0074 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 36 junctions; 22 independent street loops.

Verified route: 22 moves. Start light 24; finish light 6. Archived shortest route.

Objective: Echo repeats a tempting short loop.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0075 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 32 junctions; 18 independent street loops.

Verified route: 26 moves. Start light 25; finish light 3. Archived shortest route.

Objective: Time a switch while carrying two deliveries.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0076 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 37 junctions; 24 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Flooded central tile splits the board.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0077 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 15.6% blocked; 39 junctions; 27 independent street loops.

Verified route: 22 moves. Start light 24; finish light 6. Archived shortest route.

Objective: Dark lamp penalizes the fastest geometric route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0078 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 36 junctions; 26 independent street loops.

Verified route: 18 moves. Start light 21; finish light 7. Archived shortest route.

Objective: Three-house route has several safe orders.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0079 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 21.9% blocked; 33 junctions; 21 independent street loops.

Verified route: 18 moves. Start light 20; finish light 6. Archived shortest route.

Objective: Collapsed tunnel creates a mastery shortcut.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0080 - Standard

8 x 8 | Light 3 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 42 junctions; 27 independent street loops.

Verified route: 22 moves. Start light 20; finish light 4. Archived shortest route.

Objective: Finale: city loops, echo, crossing, depot.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0081 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 32 junctions; 18 independent street loops.

Verified route: 24 moves. Start light 25; finish light 5. Archived shortest route.

Objective: Start with less light; deliver nearby first.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0082 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 38 junctions; 26 independent street loops.

Verified route: 20 moves. Start light 21; finish light 5. Archived shortest route.

Objective: Refill timing matters at house two.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0083 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 36 junctions; 25 independent street loops.

Verified route: 22 moves. Start light 21; finish light 3. Archived shortest route.

Objective: Short but shadow-timed route versus safe long route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0084 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 35 junctions; 23 independent street loops.

Verified route: 22 moves. Start light 23; finish light 5. Archived shortest route.

Objective: Streetlamp fixes a 2-light tile.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0085 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 35 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 25; finish light 7. Archived shortest route.

Objective: Ice crossing and low lantern cap.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0086 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 21.9% blocked; 32 junctions; 20 independent street loops.

Verified route: 20 moves. Start light 19; finish light 3. Archived shortest route.

Objective: Broken bridge opens a more efficient loop.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0087 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 34 junctions; 23 independent street loops.

Verified route: 22 moves. Start light 20; finish light 2. Archived shortest route.

Objective: Echo trail makes an efficient route risky.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0088 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 15.6% blocked; 40 junctions; 26 independent street loops.

Verified route: 22 moves. Start light 21; finish light 2. Archived shortest route.

Objective: Bank two houses, then replay for mastery.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0089 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 20.3% blocked; 38 junctions; 26 independent street loops.

Verified route: 20 moves. Start light 21; finish light 4. Archived shortest route.

Objective: Broken beacon lowers capacity on this map.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0090 - Standard

8 x 8 | Light 3 of 3 houses | Two patrols + Echo



Layout: 21.9% blocked; 29 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 18; finish light 2. Archived shortest route.

Objective: Finale: three refills needed to return.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0091 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 23.4% blocked; 26 junctions; 15 independent street loops.

Verified route: 26 moves. Start light 23; finish light 0. Archived shortest route.

Objective: Choose a delivery order that preserves light.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0092 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 17.2% blocked; 38 junctions; 26 independent street loops.

Verified route: 22 moves. Start light 21; finish light 3. Archived shortest route.

Objective: Two shadows leave one safe timing window.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0093 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 34 junctions; 24 independent street loops.

Verified route: 20 moves. Start light 18; finish light 2. Archived shortest route.

Objective: Echo crosses the apparent shortcut.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0094 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 20.3% blocked; 35 junctions; 21 independent street loops.

Verified route: 20 moves. Start light 19; finish light 3. Archived shortest route.

Objective: Bridge timer closes the outward route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0095 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 23.4% blocked; 30 junctions; 16 independent street loops.

Verified route: 26 moves. Start light 23; finish light 0. Archived shortest route.

Objective: Switch opens an exit but costs a detour.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0096 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 15.6% blocked; 38 junctions; 26 independent street loops.

Verified route: 26 moves. Start light 25; finish light 3. Archived shortest route.

Objective: Dark lamp competes with a patrol detour.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0097 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 34 junctions; 21 independent street loops.

Verified route: 22 moves. Start light 23; finish light 5. Archived shortest route.

Objective: Flood and ice create two changing crossings.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0098 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 37 junctions; 26 independent street loops.

Verified route: 20 moves. Start light 19; finish light 3. Archived shortest route.

Objective: Tunnel repair supports a shorter mastery route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0099 - Standard

8 x 8 | Light 2 of 3 houses | Two patrols + Echo



Layout: 23.4% blocked; 30 junctions; 17 independent street loops.

Verified route: 26 moves. Start light 24; finish light 2. Archived shortest route.

Objective: Practice board: all mechanics, generous retry.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0100 - Standard

8 x 8 | Light 3 of 3 houses | Two patrols + Echo



Layout: 18.8% blocked; 38 junctions; 26 independent street loops.

Verified route: 22 moves. Start light 19; finish light 3. Archived shortest route.

Objective: Finale: light all three houses, evade both shadows and echo, return to depot; town fully lights up.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0101 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 65.0% blocked; 7 junctions; 5 independent street loops.

Verified route: 30 moves. Start light 27; finish light 4. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0102 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 65.0% blocked; 11 junctions; 7 independent street loops.

Verified route: 32 moves. Start light 29; finish light 4. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0103 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 64.0% blocked; 10 junctions; 6 independent street loops.

Verified route: 32 moves. Start light 29; finish light 4. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0104 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 63.0% blocked; 10 junctions; 6 independent street loops.

Verified route: 34 moves. Start light 31; finish light 4. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0105 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 59.0% blocked; 10 junctions; 6 independent street loops.

Verified route: 38 moves. Start light 35; finish light 4. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0106 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 60.0% blocked; 8 junctions; 5 independent street loops.

Verified route: 36 moves. Start light 32; finish light 3. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0107 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 62.0% blocked; 11 junctions; 8 independent street loops.

Verified route: 34 moves. Start light 30; finish light 3. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0108 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 64.0% blocked; 10 junctions; 6 independent street loops.

Verified route: 32 moves. Start light 28; finish light 3. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0109 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 66.0% blocked; 11 junctions; 7 independent street loops.

Verified route: 28 moves. Start light 26; finish light 5. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0110 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 60.0% blocked; 7 junctions; 5 independent street loops.

Verified route: 36 moves. Start light 32; finish light 3. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0111 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 62.0% blocked; 10 junctions; 6 independent street loops.

Verified route: 34 moves. Start light 29; finish light 2. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0112 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 58.0% blocked; 11 junctions; 7 independent street loops.

Verified route: 38 moves. Start light 33; finish light 2. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0113 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 60.0% blocked; 13 junctions; 8 independent street loops.

Verified route: 36 moves. Start light 31; finish light 2. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0114 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 64.0% blocked; 13 junctions; 8 independent street loops.

Verified route: 32 moves. Start light 27; finish light 2. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0115 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 62.0% blocked; 8 junctions; 5 independent street loops.

Verified route: 34 moves. Start light 29; finish light 2. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0116 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 62.0% blocked; 14 junctions; 9 independent street loops.

Verified route: 34 moves. Start light 28; finish light 1. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0117 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 59.0% blocked; 8 junctions; 5 independent street loops.

Verified route: 38 moves. Start light 32; finish light 1. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0118 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 60.0% blocked; 9 junctions; 6 independent street loops.

Verified route: 36 moves. Start light 30; finish light 1. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0119 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 59.0% blocked; 9 junctions; 6 independent street loops.

Verified route: 38 moves. Start light 32; finish light 1. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0120 - Standard

10 x 10 | Light 4 of 4 houses | Two patrols + Echo



Layout: 64.0% blocked; 8 junctions; 5 independent street loops.

Verified route: 32 moves. Start light 26; finish light 1. Archived shortest route.

Objective: Light all 4 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0121 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 68.8% blocked; 13 junctions; 8 independent street loops.

Verified route: 40 moves. Start light 35; finish light 4. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0122 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 64.6% blocked; 10 junctions; 6 independent street loops.

Verified route: 46 moves. Start light 41; finish light 4. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0123 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 70.1% blocked; 12 junctions; 8 independent street loops.

Verified route: 38 moves. Start light 33; finish light 4. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0124 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 66.7% blocked; 11 junctions; 7 independent street loops.

Verified route: 42 moves. Start light 39; finish light 6. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0125 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 67.4% blocked; 12 junctions; 8 independent street loops.

Verified route: 42 moves. Start light 37; finish light 4. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0126 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 67.4% blocked; 14 junctions; 8 independent street loops.

Verified route: 42 moves. Start light 36; finish light 3. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0127 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 70.8% blocked; 11 junctions; 7 independent street loops.

Verified route: 38 moves. Start light 32; finish light 3. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0128 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 69.4% blocked; 12 junctions; 7 independent street loops.

Verified route: 36 moves. Start light 34; finish light 7. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0129 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 68.1% blocked; 10 junctions; 7 independent street loops.

Verified route: 42 moves. Start light 36; finish light 3. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0130 - Standard


12 x 12 | Light 5 of 5 houses | Two patrols + Echo



- Layout:** 66.0% blocked; 12 junctions; 8 independent street loops.
- Verified route:** 44 moves. Start light 38; finish light 3. Archived shortest route.
- Objective:** Light all 5 houses. Plan the winding streets, gate timing and return route.
- Before repair:** a verified no-purchase completion exists. Optional upgrades may offer alternate routes.
- Legacy economy:** original repair data retained.
- Review focus:** house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0131 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 68.1% blocked; 10 junctions; 7 independent street loops.

Verified route: 42 moves. Start light 35; finish light 2. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0132 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 67.4% blocked; 10 junctions; 6 independent street loops.

Verified route: 38 moves. Start light 35; finish light 6. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0133 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 70.1% blocked; 10 junctions; 6 independent street loops.

Verified route: 34 moves. Start light 31; finish light 6. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0134 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 68.8% blocked; 9 junctions; 7 independent street loops.

Verified route: 40 moves. Start light 33; finish light 2. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0135 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 68.8% blocked; 10 junctions; 6 independent street loops.

Verified route: 40 moves. Start light 33; finish light 2. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0136 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 69.4% blocked; 12 junctions; 8 independent street loops.

Verified route: 36 moves. Start light 32; finish light 5. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0137 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 66.0% blocked; 14 junctions; 8 independent street loops.

Verified route: 40 moves. Start light 36; finish light 5. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0138 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 69.4% blocked; 12 junctions; 7 independent street loops.

Verified route: 40 moves. Start light 32; finish light 1. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0139 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 66.7% blocked; 14 junctions; 8 independent street loops.

Verified route: 44 moves. Start light 36; finish light 1. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0140 - Standard

12 x 12 | Light 5 of 5 houses | Two patrols + Echo



Layout: 66.7% blocked; 10 junctions; 6 independent street loops.

Verified route: 42 moves. Start light 36; finish light 3. Archived shortest route.

Objective: Light all 5 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0141 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 58.7% blocked; 16 junctions; 9 independent street loops.

Verified route: 72 moves. Start light 69; finish light 8. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0142 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 55.6% blocked; 12 junctions; 8 independent street loops.

Verified route: 80 moves. Start light 73; finish light 4. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0143 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 60.7% blocked; 18 junctions; 10 independent street loops.

Verified route: 72 moves. Start light 65; finish light 4. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0144 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 60.7% blocked; 13 junctions; 8 independent street loops.

Verified route: 72 moves. Start light 65; finish light 4. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0145 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 60.7% blocked; 16 junctions; 9 independent street loops.

Verified route: 72 moves. Start light 65; finish light 4. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0146 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 61.2% blocked; 18 junctions; 10 independent street loops.

Verified route: 70 moves. Start light 62; finish light 3. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0147 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 63.8% blocked; 16 junctions; 10 independent street loops.

Verified route: 66 moves. Start light 58; finish light 3. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0148 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 56.6% blocked; 13 junctions; 8 independent street loops.

Verified route: 80 moves. Start light 72; finish light 3. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0149 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 58.2% blocked; 15 junctions; 9 independent street loops.

Verified route: 76 moves. Start light 68; finish light 3. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0150 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 58.7% blocked; 12 junctions; 7 independent street loops.

Verified route: 76 moves. Start light 68; finish light 3. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0151 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 59.2% blocked; 18 junctions; 11 independent street loops.

Verified route: 74 moves. Start light 65; finish light 2. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0152 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 59.7% blocked; 15 junctions; 9 independent street loops.

Verified route: 66 moves. Start light 65; finish light 10. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0153 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 58.7% blocked; 14 junctions; 8 independent street loops.

Verified route: 74 moves. Start light 67; finish light 4. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0154 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 58.7% blocked; 14 junctions; 8 independent street loops.

Verified route: 76 moves. Start light 67; finish light 2. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0155 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 57.7% blocked; 16 junctions; 9 independent street loops.

Verified route: 78 moves. Start light 69; finish light 2. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0156 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 59.2% blocked; 12 junctions; 7 independent street loops.

Verified route: 74 moves. Start light 64; finish light 1. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0157 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 59.2% blocked; 18 junctions; 10 independent street loops.

Verified route: 74 moves. Start light 64; finish light 1. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0158 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 57.7% blocked; 15 junctions; 9 independent street loops.

Verified route: 78 moves. Start light 68; finish light 1. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0159 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 59.7% blocked; 14 junctions; 8 independent street loops.

Verified route: 74 moves. Start light 64; finish light 1. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0160 - Standard

14 x 14 | Light 6 of 6 houses | Two patrols + Echo



Layout: 59.7% blocked; 15 junctions; 9 independent street loops.

Verified route: 70 moves. Start light 64; finish light 5. Archived shortest route.

Objective: Light all 6 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0161 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 63.3% blocked; 17 junctions; 10 independent street loops.

Verified route: 84 moves. Start light 79; finish light 8. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0162 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 65.6% blocked; 14 junctions; 9 independent street loops.

Verified route: 80 moves. Start light 73; finish light 6. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0163 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.8% blocked; 16 junctions; 9 independent street loops.

Verified route: 80 moves. Start light 75; finish light 8. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0164 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.8% blocked; 15 junctions; 9 independent street loops.

Verified route: 84 moves. Start light 75; finish light 4. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0165 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 62.5% blocked; 17 junctions; 10 independent street loops.

Verified route: 86 moves. Start light 81; finish light 8. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0166 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 63.3% blocked; 17 junctions; 10 independent street loops.

Verified route: 76 moves. Start light 78; finish light 15. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0167 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 62.5% blocked; 17 junctions; 10 independent street loops.

Verified route: 90 moves. Start light 80; finish light 3. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0168 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 66.4% blocked; 16 junctions; 9 independent street loops.

Verified route: 72 moves. Start light 70; finish light 11. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0169 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.8% blocked; 15 junctions; 9 independent street loops.

Verified route: 74 moves. Start light 74; finish light 13. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0170 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 66.4% blocked; 15 junctions; 9 independent street loops.

Verified route: 80 moves. Start light 70; finish light 3. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0171 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 63.3% blocked; 16 junctions; 9 independent street loops.

Verified route: 80 moves. Start light 77; finish light 10. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0172 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.1% blocked; 16 junctions; 9 independent street loops.

Verified route: 86 moves. Start light 75; finish light 2. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0173 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 62.5% blocked; 19 junctions; 11 independent street loops.

Verified route: 90 moves. Start light 79; finish light 2. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0174 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 65.6% blocked; 19 junctions; 11 independent street loops.

Verified route: 78 moves. Start light 71; finish light 6. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0175 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 65.6% blocked; 16 junctions; 9 independent street loops.

Verified route: 82 moves. Start light 71; finish light 2. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0176 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.1% blocked; 17 junctions; 10 independent street loops.

Verified route: 74 moves. Start light 74; finish light 13. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0177 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.8% blocked; 19 junctions; 11 independent street loops.

Verified route: 80 moves. Start light 72; finish light 5. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0178 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 64.8% blocked; 16 junctions; 9 independent street loops.

Verified route: 84 moves. Start light 72; finish light 1. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0179 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 65.6% blocked; 20 junctions; 11 independent street loops.

Verified route: 80 moves. Start light 70; finish light 3. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0180 - Standard

16 x 16 | Light 7 of 7 houses | Two patrols + Echo



Layout: 63.3% blocked; 16 junctions; 10 independent street loops.

Verified route: 88 moves. Start light 76; finish light 1. Archived shortest route.

Objective: Light all 7 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0181 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 57.4% blocked; 16 junctions; 9 independent street loops.

Verified route: 124 moves. Start light 121; finish light 12. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0182 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 56.8% blocked; 16 junctions; 9 independent street loops.

Verified route: 134 moves. Start light 123; finish light 4. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0183 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 57.4% blocked; 19 junctions; 11 independent street loops.

Verified route: 132 moves. Start light 121; finish light 4. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0184 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 56.8% blocked; 16 junctions; 9 independent street loops.

Verified route: 130 moves. Start light 123; finish light 8. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0185 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 56.2% blocked; 19 junctions; 11 independent street loops.

Verified route: 136 moves. Start light 125; finish light 4. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0186 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 60.5% blocked; 16 junctions; 9 independent street loops.

Verified route: 122 moves. Start light 110; finish light 3. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0187 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 59.3% blocked; 18 junctions; 10 independent street loops.

Verified route: 126 moves. Start light 114; finish light 3. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0188 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 58.0% blocked; 16 junctions; 9 independent street loops.

Verified route: 130 moves. Start light 118; finish light 3. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0189 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 59.3% blocked; 19 junctions; 11 independent street loops.

Verified route: 126 moves. Start light 114; finish light 3. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0190 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 58.0% blocked; 16 junctions; 9 independent street loops.

Verified route: 130 moves. Start light 118; finish light 3. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0191 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 57.4% blocked; 16 junctions; 9 independent street loops.

Verified route: 132 moves. Start light 119; finish light 2. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0192 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 57.4% blocked; 15 junctions; 9 independent street loops.

Verified route: 124 moves. Start light 119; finish light 10. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0193 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 58.0% blocked; 15 junctions; 10 independent street loops.

Verified route: 126 moves. Start light 117; finish light 6. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0194 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 55.6% blocked; 22 junctions; 13 independent street loops.

Verified route: 136 moves. Start light 123; finish light 2. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0195 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 58.0% blocked; 18 junctions; 10 independent street loops.

Verified route: 130 moves. Start light 117; finish light 2. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0196 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 59.9% blocked; 16 junctions; 9 independent street loops.

Verified route: 116 moves. Start light 110; finish light 9. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0197 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 56.5% blocked; 18 junctions; 10 independent street loops.

Verified route: 134 moves. Start light 120; finish light 1. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0198 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 57.4% blocked; 20 junctions; 11 independent street loops.

Verified route: 128 moves. Start light 118; finish light 5. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0199 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 57.4% blocked; 16 junctions; 10 independent street loops.

Verified route: 130 moves. Start light 118; finish light 3. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0200 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 60.5% blocked; 16 junctions; 9 independent street loops.

Verified route: 122 moves. Start light 108; finish light 1. Archived shortest route.

Objective: Light all 8 houses. Plan the winding streets, gate timing and return route.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Legacy economy: original repair data retained.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0201 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 34.3% blocked; 111 junctions; 60 independent street loops.

Verified route: 142 moves. Start light 137; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0202 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 130 junctions; 71 independent street loops.

Verified route: 132 moves. Start light 127; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0203 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 34.3% blocked; 119 junctions; 67 independent street loops.

Verified route: 126 moves. Start light 121; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0204 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 124 junctions; 75 independent street loops.

Verified route: 122 moves. Start light 117; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0205 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 108 junctions; 57 independent street loops.

Verified route: 138 moves. Start light 133; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0206 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 116 junctions; 66 independent street loops.

Verified route: 126 moves. Start light 121; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0207 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 128 junctions; 74 independent street loops.

Verified route: 120 moves. Start light 115; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0208 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 114 junctions; 68 independent street loops.

Verified route: 108 moves. Start light 103; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0209 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 128 junctions; 73 independent street loops.

Verified route: 118 moves. Start light 113; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0210 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 130 junctions; 79 independent street loops.

Verified route: 90 moves. Start light 85; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0211 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 122 junctions; 71 independent street loops.

Verified route: 130 moves. Start light 125; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0212 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 111 junctions; 59 independent street loops.

Verified route: 124 moves. Start light 119; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0213 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 138 junctions; 84 independent street loops.

Verified route: 116 moves. Start light 111; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0214 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 124 junctions; 74 independent street loops.

Verified route: 102 moves. Start light 97; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0215 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 34.3% blocked; 129 junctions; 76 independent street loops.

Verified route: 130 moves. Start light 125; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0216 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 124 junctions; 72 independent street loops.

Verified route: 132 moves. Start light 127; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0217 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 119 junctions; 67 independent street loops.

Verified route: 114 moves. Start light 109; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0218 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 130 junctions; 72 independent street loops.

Verified route: 124 moves. Start light 119; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0219 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 119 junctions; 69 independent street loops.

Verified route: 134 moves. Start light 129; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0220 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 34.0% blocked; 121 junctions; 69 independent street loops.

Verified route: 122 moves. Start light 117; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0221 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 122 junctions; 72 independent street loops.

Verified route: 114 moves. Start light 109; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0222 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 130 junctions; 78 independent street loops.

Verified route: 130 moves. Start light 125; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0223 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 124 junctions; 67 independent street loops.

Verified route: 112 moves. Start light 107; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0224 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 123 junctions; 66 independent street loops.

Verified route: 114 moves. Start light 109; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0225 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 107 junctions; 56 independent street loops.

Verified route: 98 moves. Start light 93; finish light 10. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0226 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 135 junctions; 80 independent street loops.

Verified route: 100 moves. Start light 94; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0227 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 34.0% blocked; 114 junctions; 68 independent street loops.

Verified route: 136 moves. Start light 130; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0228 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 34.3% blocked; 122 junctions; 68 independent street loops.

Verified route: 138 moves. Start light 132; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0229 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 116 junctions; 69 independent street loops.

Verified route: 116 moves. Start light 110; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0230 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 116 junctions; 67 independent street loops.

Verified route: 130 moves. Start light 124; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0231 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 121 junctions; 70 independent street loops.

Verified route: 130 moves. Start light 124; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0232 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 128 junctions; 79 independent street loops.

Verified route: 120 moves. Start light 114; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0233 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 138 junctions; 76 independent street loops.

Verified route: 120 moves. Start light 114; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0234 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 132 junctions; 76 independent street loops.

Verified route: 112 moves. Start light 106; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0235 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 140 junctions; 82 independent street loops.

Verified route: 112 moves. Start light 106; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0236 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 113 junctions; 63 independent street loops.

Verified route: 138 moves. Start light 132; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0237 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 117 junctions; 66 independent street loops.

Verified route: 116 moves. Start light 110; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0238 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 126 junctions; 76 independent street loops.

Verified route: 110 moves. Start light 104; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0239 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 122 junctions; 64 independent street loops.

Verified route: 120 moves. Start light 114; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0240 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 128 junctions; 70 independent street loops.

Verified route: 104 moves. Start light 98; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0241 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 122 junctions; 73 independent street loops.

Verified route: 134 moves. Start light 128; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0242 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 135 junctions; 78 independent street loops.

Verified route: 124 moves. Start light 118; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0243 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 118 junctions; 66 independent street loops.

Verified route: 124 moves. Start light 118; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0244 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 120 junctions; 70 independent street loops.

Verified route: 124 moves. Start light 118; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0245 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 123 junctions; 67 independent street loops.

Verified route: 140 moves. Start light 134; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0246 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 112 junctions; 68 independent street loops.

Verified route: 120 moves. Start light 114; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0247 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 121 junctions; 68 independent street loops.

Verified route: 114 moves. Start light 108; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0248 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 131 junctions; 74 independent street loops.

Verified route: 124 moves. Start light 118; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0249 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 127 junctions; 73 independent street loops.

Verified route: 112 moves. Start light 106; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0250 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 116 junctions; 63 independent street loops.

Verified route: 98 moves. Start light 92; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0251 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 132 junctions; 77 independent street loops.

Verified route: 112 moves. Start light 105; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0252 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 129 junctions; 74 independent street loops.

Verified route: 120 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0253 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 123 junctions; 72 independent street loops.

Verified route: 120 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0254 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 127 junctions; 78 independent street loops.

Verified route: 120 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0255 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 129 junctions; 76 independent street loops.

Verified route: 118 moves. Start light 111; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0256 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 147 junctions; 90 independent street loops.

Verified route: 134 moves. Start light 127; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0257 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 123 junctions; 73 independent street loops.

Verified route: 128 moves. Start light 121; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0258 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 140 junctions; 80 independent street loops.

Verified route: 106 moves. Start light 99; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0259 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 114 junctions; 67 independent street loops.

Verified route: 120 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0260 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 121 junctions; 67 independent street loops.

Verified route: 116 moves. Start light 109; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0261 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 117 junctions; 67 independent street loops.

Verified route: 134 moves. Start light 127; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0262 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 141 junctions; 79 independent street loops.

Verified route: 100 moves. Start light 93; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0263 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 125 junctions; 74 independent street loops.

Verified route: 122 moves. Start light 115; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0264 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 124 junctions; 73 independent street loops.

Verified route: 124 moves. Start light 117; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0265 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 124 junctions; 73 independent street loops.

Verified route: 130 moves. Start light 123; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0266 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 131 junctions; 71 independent street loops.

Verified route: 120 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0267 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 139 junctions; 78 independent street loops.

Verified route: 102 moves. Start light 95; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0268 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 121 junctions; 69 independent street loops.

Verified route: 114 moves. Start light 107; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0269 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 132 junctions; 77 independent street loops.

Verified route: 106 moves. Start light 99; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0270 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 112 junctions; 65 independent street loops.

Verified route: 132 moves. Start light 125; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0271 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 130 junctions; 75 independent street loops.

Verified route: 124 moves. Start light 117; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0272 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 136 junctions; 78 independent street loops.

Verified route: 126 moves. Start light 119; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0273 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.3% blocked; 114 junctions; 65 independent street loops.

Verified route: 136 moves. Start light 129; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0274 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.6% blocked; 106 junctions; 61 independent street loops.

Verified route: 132 moves. Start light 125; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0275 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 108 junctions; 56 independent street loops.

Verified route: 98 moves. Start light 91; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0276 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 145 junctions; 89 independent street loops.

Verified route: 122 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0277 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 118 junctions; 64 independent street loops.

Verified route: 120 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0278 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 129 junctions; 75 independent street loops.

Verified route: 106 moves. Start light 98; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0279 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 135 junctions; 81 independent street loops.

Verified route: 134 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0280 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 130 junctions; 76 independent street loops.

Verified route: 94 moves. Start light 86; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0281 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 131 junctions; 75 independent street loops.

Verified route: 114 moves. Start light 106; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0282 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 131 junctions; 76 independent street loops.

Verified route: 122 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0283 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 134 junctions; 81 independent street loops.

Verified route: 128 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0284 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 139 junctions; 78 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0285 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 132 junctions; 76 independent street loops.

Verified route: 120 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0286 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 129 junctions; 73 independent street loops.

Verified route: 120 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0287 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 122 junctions; 68 independent street loops.

Verified route: 128 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0288 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 124 junctions; 71 independent street loops.

Verified route: 110 moves. Start light 102; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0289 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 142 junctions; 85 independent street loops.

Verified route: 120 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0290 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 140 junctions; 84 independent street loops.

Verified route: 128 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0291 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 128 junctions; 73 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0292 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 123 junctions; 70 independent street loops.

Verified route: 120 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0293 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 123 junctions; 67 independent street loops.

Verified route: 122 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0294 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 125 junctions; 69 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0295 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 129 junctions; 75 independent street loops.

Verified route: 112 moves. Start light 104; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0296 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 136 junctions; 84 independent street loops.

Verified route: 128 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0297 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 130 junctions; 82 independent street loops.

Verified route: 126 moves. Start light 118; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0298 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 130 junctions; 71 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0299 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 132 junctions; 78 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 25 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0300 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 130 junctions; 70 independent street loops.

Verified route: 98 moves. Start light 90; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0301 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 139 junctions; 85 independent street loops.

Verified route: 114 moves. Start light 108; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0302 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 123 junctions; 68 independent street loops.

Verified route: 120 moves. Start light 114; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0303 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 134 junctions; 74 independent street loops.

Verified route: 118 moves. Start light 112; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0304 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 144 junctions; 87 independent street loops.

Verified route: 122 moves. Start light 116; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0305 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 128 junctions; 76 independent street loops.

Verified route: 124 moves. Start light 118; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0306 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 139 junctions; 77 independent street loops.

Verified route: 124 moves. Start light 118; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0307 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 124 junctions; 71 independent street loops.

Verified route: 116 moves. Start light 110; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0308 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 139 junctions; 82 independent street loops.

Verified route: 126 moves. Start light 120; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0309 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 126 junctions; 76 independent street loops.

Verified route: 110 moves. Start light 104; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0310 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 132 junctions; 76 independent street loops.

Verified route: 118 moves. Start light 112; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0311 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 141 junctions; 85 independent street loops.

Verified route: 132 moves. Start light 126; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0312 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 141 junctions; 82 independent street loops.

Verified route: 110 moves. Start light 104; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0313 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 130 junctions; 72 independent street loops.

Verified route: 128 moves. Start light 122; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0314 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 138 junctions; 85 independent street loops.

Verified route: 104 moves. Start light 98; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0315 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 135 junctions; 81 independent street loops.

Verified route: 138 moves. Start light 132; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0316 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 128 junctions; 75 independent street loops.

Verified route: 106 moves. Start light 100; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0317 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 134 junctions; 75 independent street loops.

Verified route: 122 moves. Start light 116; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0318 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.4% blocked; 134 junctions; 83 independent street loops.

Verified route: 134 moves. Start light 128; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0319 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 131 junctions; 79 independent street loops.

Verified route: 132 moves. Start light 126; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0320 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.7% blocked; 130 junctions; 78 independent street loops.

Verified route: 116 moves. Start light 110; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0321 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 134 junctions; 80 independent street loops.

Verified route: 120 moves. Start light 114; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0322 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 131 junctions; 76 independent street loops.

Verified route: 122 moves. Start light 116; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0323 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 129 junctions; 80 independent street loops.

Verified route: 140 moves. Start light 134; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0324 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 116 junctions; 66 independent street loops.

Verified route: 116 moves. Start light 110; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0325 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 119 junctions; 59 independent street loops.

Verified route: 98 moves. Start light 92; finish light 9. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0326 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 33.0% blocked; 128 junctions; 70 independent street loops.

Verified route: 134 moves. Start light 127; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0327 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 139 junctions; 87 independent street loops.

Verified route: 118 moves. Start light 111; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0328 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 128 junctions; 75 independent street loops.

Verified route: 122 moves. Start light 115; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0329 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 127 junctions; 72 independent street loops.

Verified route: 130 moves. Start light 123; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0330 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 140 junctions; 84 independent street loops.

Verified route: 122 moves. Start light 115; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0331 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 139 junctions; 83 independent street loops.

Verified route: 96 moves. Start light 89; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0332 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 128 junctions; 77 independent street loops.

Verified route: 132 moves. Start light 125; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0333 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 146 junctions; 91 independent street loops.

Verified route: 94 moves. Start light 87; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0334 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 130 junctions; 77 independent street loops.

Verified route: 128 moves. Start light 121; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0335 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 124 junctions; 70 independent street loops.

Verified route: 114 moves. Start light 107; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0336 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 132 junctions; 77 independent street loops.

Verified route: 126 moves. Start light 119; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0337 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 124 junctions; 74 independent street loops.

Verified route: 126 moves. Start light 119; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0338 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 136 junctions; 81 independent street loops.

Verified route: 124 moves. Start light 117; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0339 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 129 junctions; 79 independent street loops.

Verified route: 136 moves. Start light 129; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0340 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 120 junctions; 70 independent street loops.

Verified route: 136 moves. Start light 129; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0341 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 140 junctions; 82 independent street loops.

Verified route: 138 moves. Start light 131; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0342 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 128 junctions; 73 independent street loops.

Verified route: 124 moves. Start light 117; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0343 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 132 junctions; 74 independent street loops.

Verified route: 102 moves. Start light 95; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0344 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 135 junctions; 75 independent street loops.

Verified route: 130 moves. Start light 123; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0345 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 147 junctions; 86 independent street loops.

Verified route: 110 moves. Start light 103; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0346 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 140 junctions; 85 independent street loops.

Verified route: 124 moves. Start light 117; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0347 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 137 junctions; 80 independent street loops.

Verified route: 126 moves. Start light 119; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0348 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 120 junctions; 70 independent street loops.

Verified route: 140 moves. Start light 133; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0349 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 129 junctions; 73 independent street loops.

Verified route: 116 moves. Start light 109; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0350 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 116 junctions; 60 independent street loops.

Verified route: 98 moves. Start light 91; finish light 8. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0351 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 152 junctions; 89 independent street loops.

Verified route: 128 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0352 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 143 junctions; 88 independent street loops.

Verified route: 126 moves. Start light 118; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0353 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 140 junctions; 82 independent street loops.

Verified route: 142 moves. Start light 134; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0354 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.2% blocked; 140 junctions; 81 independent street loops.

Verified route: 116 moves. Start light 108; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0355 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 149 junctions; 92 independent street loops.

Verified route: 118 moves. Start light 110; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0356 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 132 junctions; 75 independent street loops.

Verified route: 132 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0357 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 146 junctions; 93 independent street loops.

Verified route: 102 moves. Start light 94; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0358 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 133 junctions; 76 independent street loops.

Verified route: 132 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0359 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 142 junctions; 88 independent street loops.

Verified route: 132 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0360 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 140 junctions; 88 independent street loops.

Verified route: 116 moves. Start light 108; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0361 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 136 junctions; 78 independent street loops.

Verified route: 122 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0362 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 136 junctions; 80 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0363 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 130 junctions; 77 independent street loops.

Verified route: 124 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0364 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 130 junctions; 80 independent street loops.

Verified route: 142 moves. Start light 134; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0365 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 136 junctions; 79 independent street loops.

Verified route: 132 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0366 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 135 junctions; 80 independent street loops.

Verified route: 132 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0367 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 123 junctions; 72 independent street loops.

Verified route: 136 moves. Start light 128; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0368 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 29.6% blocked; 139 junctions; 79 independent street loops.

Verified route: 108 moves. Start light 100; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0369 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 135 junctions; 75 independent street loops.

Verified route: 118 moves. Start light 110; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0370 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 130 junctions; 76 independent street loops.

Verified route: 122 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0371 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 145 junctions; 81 independent street loops.

Verified route: 98 moves. Start light 90; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0372 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 139 junctions; 88 independent street loops.

Verified route: 116 moves. Start light 108; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0373 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 151 junctions; 89 independent street loops.

Verified route: 122 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0374 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 32.1% blocked; 127 junctions; 71 independent street loops.

Verified route: 132 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0375 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 107 junctions; 58 independent street loops.

Verified route: 98 moves. Start light 90; finish light 7. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0376 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 147 junctions; 85 independent street loops.

Verified route: 122 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0377 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 138 junctions; 82 independent street loops.

Verified route: 136 moves. Start light 127; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0378 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 144 junctions; 92 independent street loops.

Verified route: 136 moves. Start light 127; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0379 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 127 junctions; 75 independent street loops.

Verified route: 108 moves. Start light 99; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0380 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 133 junctions; 82 independent street loops.

Verified route: 122 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0381 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 138 junctions; 83 independent street loops.

Verified route: 110 moves. Start light 101; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0382 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 132 junctions; 71 independent street loops.

Verified route: 128 moves. Start light 119; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0383 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.5% blocked; 121 junctions; 73 independent street loops.

Verified route: 112 moves. Start light 103; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0384 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 138 junctions; 81 independent street loops.

Verified route: 120 moves. Start light 111; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0385 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 123 junctions; 73 independent street loops.

Verified route: 118 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0386 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 144 junctions; 88 independent street loops.

Verified route: 128 moves. Start light 119; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0387 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 142 junctions; 80 independent street loops.

Verified route: 118 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0388 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 29.9% blocked; 146 junctions; 84 independent street loops.

Verified route: 110 moves. Start light 101; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0389 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 131 junctions; 73 independent street loops.

Verified route: 118 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0390 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.2% blocked; 135 junctions; 83 independent street loops.

Verified route: 118 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0391 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 132 junctions; 75 independent street loops.

Verified route: 110 moves. Start light 101; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0392 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 146 junctions; 88 independent street loops.

Verified route: 110 moves. Start light 101; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0393 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 139 junctions; 82 independent street loops.

Verified route: 116 moves. Start light 107; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0394 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 29.9% blocked; 155 junctions; 94 independent street loops.

Verified route: 124 moves. Start light 115; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0395 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 31.8% blocked; 131 junctions; 82 independent street loops.

Verified route: 126 moves. Start light 117; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0396 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 145 junctions; 84 independent street loops.

Verified route: 112 moves. Start light 103; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0397 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.2% blocked; 147 junctions; 85 independent street loops.

Verified route: 134 moves. Start light 125; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0398 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.9% blocked; 128 junctions; 73 independent street loops.

Verified route: 114 moves. Start light 105; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0399 - Standard

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 149 junctions; 86 independent street loops.

Verified route: 124 moves. Start light 115; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 30 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0400 - Repair required

18 x 18 | Light 8 of 8 houses | Two patrols + Echo



Layout: 30.6% blocked; 129 junctions; 72 independent street loops.

Verified route: 98 moves. Start light 89; finish light 6. Reference completion, not a global minimum.

Objective: Light all 8 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0401 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.2% blocked; 173 junctions; 107 independent street loops.

Verified route: 114 moves. Start light 105; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0402 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 185 junctions; 114 independent street loops.

Verified route: 116 moves. Start light 107; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0403 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 168 junctions; 106 independent street loops.

Verified route: 138 moves. Start light 129; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0404 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 176 junctions; 107 independent street loops.

Verified route: 142 moves. Start light 133; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0405 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 172 junctions; 106 independent street loops.

Verified route: 144 moves. Start light 135; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0406 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 184 junctions; 107 independent street loops.

Verified route: 146 moves. Start light 137; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0407 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 185 junctions; 114 independent street loops.

Verified route: 140 moves. Start light 131; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0408 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 172 junctions; 106 independent street loops.

Verified route: 112 moves. Start light 103; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0409 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 174 junctions; 110 independent street loops.

Verified route: 136 moves. Start light 127; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0410 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 184 junctions; 109 independent street loops.

Verified route: 136 moves. Start light 127; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0411 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.0% blocked; 166 junctions; 99 independent street loops.

Verified route: 132 moves. Start light 123; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0412 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 184 junctions; 112 independent street loops.

Verified route: 120 moves. Start light 111; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0413 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 178 junctions; 104 independent street loops.

Verified route: 142 moves. Start light 133; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0414 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.2% blocked; 170 junctions; 100 independent street loops.

Verified route: 124 moves. Start light 115; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0415 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 172 junctions; 102 independent street loops.

Verified route: 134 moves. Start light 125; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0416 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.5% blocked; 169 junctions; 96 independent street loops.

Verified route: 122 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0417 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 184 junctions; 111 independent street loops.

Verified route: 130 moves. Start light 121; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0418 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 176 junctions; 108 independent street loops.

Verified route: 148 moves. Start light 139; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0419 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 190 junctions; 120 independent street loops.

Verified route: 112 moves. Start light 103; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0420 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 184 junctions; 114 independent street loops.

Verified route: 128 moves. Start light 119; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0421 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 169 junctions; 105 independent street loops.

Verified route: 142 moves. Start light 133; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0422 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.5% blocked; 169 junctions; 105 independent street loops.

Verified route: 144 moves. Start light 135; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0423 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 181 junctions; 107 independent street loops.

Verified route: 120 moves. Start light 111; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0424 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 181 junctions; 113 independent street loops.

Verified route: 122 moves. Start light 113; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0425 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.2% blocked; 160 junctions; 90 independent street loops.

Verified route: 110 moves. Start light 101; finish light 8. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0426 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.0% blocked; 174 junctions; 107 independent street loops.

Verified route: 136 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0427 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 181 junctions; 111 independent street loops.

Verified route: 120 moves. Start light 110; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0428 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 172 junctions; 101 independent street loops.

Verified route: 116 moves. Start light 106; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0429 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.0% blocked; 179 junctions; 106 independent street loops.

Verified route: 130 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0430 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 184 junctions; 117 independent street loops.

Verified route: 116 moves. Start light 106; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0431 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 190 junctions; 107 independent street loops.

Verified route: 116 moves. Start light 106; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0432 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 174 junctions; 103 independent street loops.

Verified route: 144 moves. Start light 134; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0433 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 180 junctions; 111 independent street loops.

Verified route: 118 moves. Start light 108; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0434 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 189 junctions; 116 independent street loops.

Verified route: 122 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0435 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 177 junctions; 103 independent street loops.

Verified route: 140 moves. Start light 130; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0436 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 178 junctions; 112 independent street loops.

Verified route: 126 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0437 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 192 junctions; 118 independent street loops.

Verified route: 130 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0438 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 190 junctions; 121 independent street loops.

Verified route: 124 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0439 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 184 junctions; 107 independent street loops.

Verified route: 134 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0440 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 182 junctions; 109 independent street loops.

Verified route: 136 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0441 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 180 junctions; 115 independent street loops.

Verified route: 136 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0442 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.2% blocked; 164 junctions; 103 independent street loops.

Verified route: 124 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0443 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 191 junctions; 116 independent street loops.

Verified route: 130 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0444 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 191 junctions; 120 independent street loops.

Verified route: 128 moves. Start light 118; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0445 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 208 junctions; 133 independent street loops.

Verified route: 106 moves. Start light 96; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0446 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 181 junctions; 116 independent street loops.

Verified route: 116 moves. Start light 106; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0447 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 181 junctions; 106 independent street loops.

Verified route: 118 moves. Start light 108; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0448 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 182 junctions; 116 independent street loops.

Verified route: 132 moves. Start light 122; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0449 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 202 junctions; 125 independent street loops.

Verified route: 104 moves. Start light 94; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0450 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 175 junctions; 99 independent street loops.

Verified route: 110 moves. Start light 100; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0451 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.0% blocked; 183 junctions; 104 independent street loops.

Verified route: 140 moves. Start light 129; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0452 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 180 junctions; 118 independent street loops.

Verified route: 108 moves. Start light 97; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0453 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 174 junctions; 106 independent street loops.

Verified route: 128 moves. Start light 117; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0454 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 164 junctions; 102 independent street loops.

Verified route: 136 moves. Start light 125; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0455 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 180 junctions; 110 independent street loops.

Verified route: 106 moves. Start light 95; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0456 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 173 junctions; 104 independent street loops.

Verified route: 138 moves. Start light 127; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0457 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 172 junctions; 101 independent street loops.

Verified route: 134 moves. Start light 123; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0458 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 166 junctions; 99 independent street loops.

Verified route: 128 moves. Start light 117; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0459 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 179 junctions; 107 independent street loops.

Verified route: 144 moves. Start light 133; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0460 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 195 junctions; 119 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0461 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 186 junctions; 116 independent street loops.

Verified route: 122 moves. Start light 111; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0462 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 192 junctions; 120 independent street loops.

Verified route: 118 moves. Start light 107; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0463 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 176 junctions; 104 independent street loops.

Verified route: 136 moves. Start light 125; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0464 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 188 junctions; 111 independent street loops.

Verified route: 150 moves. Start light 139; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0465 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 30.0% blocked; 182 junctions; 105 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0466 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 191 junctions; 124 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0467 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 178 junctions; 109 independent street loops.

Verified route: 118 moves. Start light 107; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0468 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 171 junctions; 104 independent street loops.

Verified route: 134 moves. Start light 123; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0469 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 176 junctions; 105 independent street loops.

Verified route: 130 moves. Start light 119; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0470 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 180 junctions; 113 independent street loops.

Verified route: 122 moves. Start light 111; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0471 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 197 junctions; 127 independent street loops.

Verified route: 106 moves. Start light 95; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0472 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 185 junctions; 113 independent street loops.

Verified route: 144 moves. Start light 133; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0473 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 184 junctions; 117 independent street loops.

Verified route: 120 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0474 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 192 junctions; 120 independent street loops.

Verified route: 130 moves. Start light 119; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0475 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 169 junctions; 98 independent street loops.

Verified route: 110 moves. Start light 99; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0476 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 187 junctions; 114 independent street loops.

Verified route: 108 moves. Start light 96; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0477 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 181 junctions; 116 independent street loops.

Verified route: 112 moves. Start light 100; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0478 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 184 junctions; 114 independent street loops.

Verified route: 146 moves. Start light 134; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0479 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 179 junctions; 107 independent street loops.

Verified route: 128 moves. Start light 116; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0480 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 189 junctions; 116 independent street loops.

Verified route: 102 moves. Start light 90; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0481 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.5% blocked; 168 junctions; 103 independent street loops.

Verified route: 126 moves. Start light 114; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0482 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 192 junctions; 121 independent street loops.

Verified route: 122 moves. Start light 110; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0483 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 182 junctions; 113 independent street loops.

Verified route: 146 moves. Start light 134; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0484 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 189 junctions; 118 independent street loops.

Verified route: 114 moves. Start light 102; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0485 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 173 junctions; 108 independent street loops.

Verified route: 130 moves. Start light 118; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0486 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 185 junctions; 113 independent street loops.

Verified route: 118 moves. Start light 106; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0487 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 191 junctions; 120 independent street loops.

Verified route: 116 moves. Start light 104; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0488 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 188 junctions; 114 independent street loops.

Verified route: 90 moves. Start light 78; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0489 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 187 junctions; 114 independent street loops.

Verified route: 114 moves. Start light 102; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0490 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 193 junctions; 120 independent street loops.

Verified route: 112 moves. Start light 100; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0491 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 191 junctions; 115 independent street loops.

Verified route: 132 moves. Start light 120; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0492 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 180 junctions; 113 independent street loops.

Verified route: 108 moves. Start light 96; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0493 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 171 junctions; 109 independent street loops.

Verified route: 140 moves. Start light 128; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0494 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.2% blocked; 179 junctions; 106 independent street loops.

Verified route: 144 moves. Start light 132; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0495 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 174 junctions; 103 independent street loops.

Verified route: 138 moves. Start light 126; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0496 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.8% blocked; 193 junctions; 124 independent street loops.

Verified route: 116 moves. Start light 104; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0497 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 193 junctions; 127 independent street loops.

Verified route: 142 moves. Start light 130; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0498 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 180 junctions; 111 independent street loops.

Verified route: 112 moves. Start light 100; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0499 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 179 junctions; 116 independent street loops.

Verified route: 116 moves. Start light 104; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 35 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0500 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 173 junctions; 97 independent street loops.

Verified route: 110 moves. Start light 98; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0501 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 202 junctions; 119 independent street loops.

Verified route: 136 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0502 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 194 junctions; 123 independent street loops.

Verified route: 142 moves. Start light 132; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0503 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 183 junctions; 110 independent street loops.

Verified route: 122 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0504 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 186 junctions; 120 independent street loops.

Verified route: 122 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0505 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.2% blocked; 196 junctions; 126 independent street loops.

Verified route: 90 moves. Start light 80; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0506 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 189 junctions; 115 independent street loops.

Verified route: 118 moves. Start light 108; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0507 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 191 junctions; 119 independent street loops.

Verified route: 110 moves. Start light 100; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0508 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 183 junctions; 111 independent street loops.

Verified route: 132 moves. Start light 122; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0509 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 191 junctions; 121 independent street loops.

Verified route: 122 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0510 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 176 junctions; 102 independent street loops.

Verified route: 134 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0511 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 186 junctions; 112 independent street loops.

Verified route: 122 moves. Start light 112; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0512 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 197 junctions; 121 independent street loops.

Verified route: 136 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0513 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 195 junctions; 117 independent street loops.

Verified route: 114 moves. Start light 104; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0514 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.8% blocked; 182 junctions; 116 independent street loops.

Verified route: 134 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0515 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 180 junctions; 115 independent street loops.

Verified route: 134 moves. Start light 124; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0516 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 186 junctions; 115 independent street loops.

Verified route: 112 moves. Start light 102; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0517 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 196 junctions; 115 independent street loops.

Verified route: 102 moves. Start light 92; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0518 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 190 junctions; 121 independent street loops.

Verified route: 130 moves. Start light 120; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0519 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 196 junctions; 123 independent street loops.

Verified route: 138 moves. Start light 128; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0520 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 179 junctions; 109 independent street loops.

Verified route: 126 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0521 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.0% blocked; 194 junctions; 125 independent street loops.

Verified route: 126 moves. Start light 116; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0522 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 194 junctions; 126 independent street loops.

Verified route: 116 moves. Start light 106; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0523 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 196 junctions; 122 independent street loops.

Verified route: 136 moves. Start light 126; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0524 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 183 junctions; 110 independent street loops.

Verified route: 124 moves. Start light 114; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0525 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 180 junctions; 107 independent street loops.

Verified route: 110 moves. Start light 100; finish light 7. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0526 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 203 junctions; 125 independent street loops.

Verified route: 122 moves. Start light 111; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0527 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 187 junctions; 111 independent street loops.

Verified route: 98 moves. Start light 87; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0528 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 184 junctions; 115 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0529 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 203 junctions; 125 independent street loops.

Verified route: 114 moves. Start light 103; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0530 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.8% blocked; 209 junctions; 130 independent street loops.

Verified route: 112 moves. Start light 101; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0531 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 201 junctions; 130 independent street loops.

Verified route: 106 moves. Start light 95; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0532 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 197 junctions; 119 independent street loops.

Verified route: 108 moves. Start light 97; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0533 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 193 junctions; 123 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0534 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 196 junctions; 120 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0535 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 197 junctions; 118 independent street loops.

Verified route: 120 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0536 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 29.0% blocked; 178 junctions; 108 independent street loops.

Verified route: 124 moves. Start light 113; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0537 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 206 junctions; 132 independent street loops.

Verified route: 122 moves. Start light 111; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0538 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 201 junctions; 124 independent street loops.

Verified route: 110 moves. Start light 99; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0539 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 185 junctions; 116 independent street loops.

Verified route: 132 moves. Start light 121; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0540 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 195 junctions; 118 independent street loops.

Verified route: 102 moves. Start light 91; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0541 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.8% blocked; 197 junctions; 127 independent street loops.

Verified route: 142 moves. Start light 131; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0542 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 198 junctions; 119 independent street loops.

Verified route: 132 moves. Start light 121; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0543 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 188 junctions; 120 independent street loops.

Verified route: 134 moves. Start light 123; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0544 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 190 junctions; 121 independent street loops.

Verified route: 126 moves. Start light 115; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0545 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.5% blocked; 185 junctions; 110 independent street loops.

Verified route: 132 moves. Start light 121; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0546 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 195 junctions; 118 independent street loops.

Verified route: 122 moves. Start light 111; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0547 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 199 junctions; 121 independent street loops.

Verified route: 128 moves. Start light 117; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0548 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 197 junctions; 127 independent street loops.

Verified route: 136 moves. Start light 125; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0549 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.8% blocked; 194 junctions; 128 independent street loops.

Verified route: 112 moves. Start light 101; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0550 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 175 junctions; 103 independent street loops.

Verified route: 110 moves. Start light 99; finish light 6. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0551 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 194 junctions; 121 independent street loops.

Verified route: 128 moves. Start light 116; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0552 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 183 junctions; 113 independent street loops.

Verified route: 122 moves. Start light 110; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0553 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 193 junctions; 121 independent street loops.

Verified route: 124 moves. Start light 112; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0554 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.2% blocked; 170 junctions; 105 independent street loops.

Verified route: 128 moves. Start light 116; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.


Level 0555 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Level 0556 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 185 junctions; 115 independent street loops.

Verified route: 108 moves. Start light 96; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0557 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 194 junctions; 124 independent street loops.

Verified route: 122 moves. Start light 110; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0558 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.2% blocked; 193 junctions; 119 independent street loops.

Verified route: 134 moves. Start light 122; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0559 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 195 junctions; 118 independent street loops.

Verified route: 122 moves. Start light 110; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0560 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 196 junctions; 126 independent street loops.

Verified route: 128 moves. Start light 116; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0561 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 191 junctions; 119 independent street loops.

Verified route: 130 moves. Start light 118; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0562 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 187 junctions; 123 independent street loops.

Verified route: 112 moves. Start light 100; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0563 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.8% blocked; 212 junctions; 135 independent street loops.

Verified route: 132 moves. Start light 120; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0564 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 193 junctions; 120 independent street loops.

Verified route: 124 moves. Start light 112; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0565 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.0% blocked; 195 junctions; 117 independent street loops.

Verified route: 124 moves. Start light 112; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0566 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.0% blocked; 189 junctions; 123 independent street loops.

Verified route: 118 moves. Start light 106; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0567 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 186 junctions; 124 independent street loops.

Verified route: 120 moves. Start light 108; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0568 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.5% blocked; 197 junctions; 128 independent street loops.

Verified route: 100 moves. Start light 88; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0569 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 195 junctions; 117 independent street loops.

Verified route: 128 moves. Start light 116; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0570 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 194 junctions; 123 independent street loops.

Verified route: 138 moves. Start light 126; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0571 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 197 junctions; 124 independent street loops.

Verified route: 126 moves. Start light 114; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0572 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 194 junctions; 128 independent street loops.

Verified route: 116 moves. Start light 104; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0573 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 25.5% blocked; 212 junctions; 148 independent street loops.

Verified route: 102 moves. Start light 90; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0574 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 192 junctions; 119 independent street loops.

Verified route: 136 moves. Start light 124; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0575 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 181 junctions; 110 independent street loops.

Verified route: 110 moves. Start light 98; finish light 5. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0576 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 195 junctions; 121 independent street loops.

Verified route: 126 moves. Start light 113; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0577 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 212 junctions; 134 independent street loops.

Verified route: 110 moves. Start light 97; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0578 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.0% blocked; 199 junctions; 125 independent street loops.

Verified route: 128 moves. Start light 115; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0579 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 205 junctions; 129 independent street loops.

Verified route: 132 moves. Start light 119; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0580 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 193 junctions; 122 independent street loops.

Verified route: 108 moves. Start light 95; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0581 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 185 junctions; 115 independent street loops.

Verified route: 126 moves. Start light 113; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0582 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 189 junctions; 117 independent street loops.

Verified route: 116 moves. Start light 103; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0583 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.8% blocked; 194 junctions; 127 independent street loops.

Verified route: 126 moves. Start light 113; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0584 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 193 junctions; 122 independent street loops.

Verified route: 102 moves. Start light 89; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0585 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 28.0% blocked; 189 junctions; 118 independent street loops.

Verified route: 138 moves. Start light 125; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0586 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.5% blocked; 198 junctions; 127 independent street loops.

Verified route: 126 moves. Start light 113; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0587 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 190 junctions; 117 independent street loops.

Verified route: 136 moves. Start light 123; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0588 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.0% blocked; 203 junctions; 130 independent street loops.

Verified route: 110 moves. Start light 97; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0589 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 194 junctions; 127 independent street loops.

Verified route: 124 moves. Start light 111; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0590 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 196 junctions; 126 independent street loops.

Verified route: 142 moves. Start light 129; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0591 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 193 junctions; 120 independent street loops.

Verified route: 120 moves. Start light 107; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0592 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.0% blocked; 216 junctions; 136 independent street loops.

Verified route: 138 moves. Start light 125; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0593 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.2% blocked; 207 junctions; 132 independent street loops.

Verified route: 126 moves. Start light 113; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0594 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.5% blocked; 217 junctions; 147 independent street loops.

Verified route: 110 moves. Start light 97; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0595 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 26.8% blocked; 211 junctions; 142 independent street loops.

Verified route: 138 moves. Start light 125; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0596 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.8% blocked; 193 junctions; 123 independent street loops.

Verified route: 146 moves. Start light 133; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0597 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 197 junctions; 120 independent street loops.

Verified route: 124 moves. Start light 111; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0598 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.2% blocked; 197 junctions; 125 independent street loops.

Verified route: 128 moves. Start light 115; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0599 - Standard

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 201 junctions; 128 independent street loops.

Verified route: 124 moves. Start light 111; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 40 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0600 - Repair required

20 x 20 | Light 9 of 9 houses | Two patrols + Echo



Layout: 27.5% blocked; 196 junctions; 112 independent street loops.

Verified route: 110 moves. Start light 97; finish light 4. Reference completion, not a global minimum.

Objective: Light all 9 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0601 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.3% blocked; 239 junctions; 152 independent street loops.

Verified route: 206 moves. Start light 193; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0602 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.5% blocked; 213 junctions; 129 independent street loops.

Verified route: 180 moves. Start light 167; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0603 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.3% blocked; 238 junctions; 154 independent street loops.

Verified route: 202 moves. Start light 189; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0604 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 239 junctions; 155 independent street loops.

Verified route: 200 moves. Start light 187; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0605 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 241 junctions; 152 independent street loops.

Verified route: 190 moves. Start light 177; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0606 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 244 junctions; 158 independent street loops.

Verified route: 170 moves. Start light 157; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0607 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 251 junctions; 160 independent street loops.

Verified route: 178 moves. Start light 165; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0608 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 247 junctions; 162 independent street loops.

Verified route: 174 moves. Start light 161; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0609 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 246 junctions; 163 independent street loops.

Verified route: 170 moves. Start light 157; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0610 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 238 junctions; 148 independent street loops.

Verified route: 182 moves. Start light 169; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0611 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.3% blocked; 247 junctions; 158 independent street loops.

Verified route: 186 moves. Start light 173; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0612 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 222 junctions; 140 independent street loops.

Verified route: 192 moves. Start light 179; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0613 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.5% blocked; 243 junctions; 148 independent street loops.

Verified route: 178 moves. Start light 165; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0614 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 242 junctions; 150 independent street loops.

Verified route: 200 moves. Start light 187; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0615 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 261 junctions; 170 independent street loops.

Verified route: 180 moves. Start light 167; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0616 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 249 junctions; 151 independent street loops.

Verified route: 204 moves. Start light 191; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0617 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.5% blocked; 234 junctions; 151 independent street loops.

Verified route: 206 moves. Start light 193; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0618 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 246 junctions; 165 independent street loops.

Verified route: 168 moves. Start light 155; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0619 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 242 junctions; 150 independent street loops.

Verified route: 188 moves. Start light 175; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0620 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 254 junctions; 158 independent street loops.

Verified route: 194 moves. Start light 181; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0621 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 248 junctions; 155 independent street loops.

Verified route: 158 moves. Start light 145; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0622 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 245 junctions; 155 independent street loops.

Verified route: 202 moves. Start light 189; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0623 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.5% blocked; 231 junctions; 147 independent street loops.

Verified route: 212 moves. Start light 199; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0624 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 255 junctions; 164 independent street loops.

Verified route: 196 moves. Start light 183; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0625 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 228 junctions; 136 independent street loops.

Verified route: 122 moves. Start light 109; finish light 6. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0626 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 257 junctions; 169 independent street loops.

Verified route: 190 moves. Start light 176; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0627 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 236 junctions; 146 independent street loops.

Verified route: 188 moves. Start light 174; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0628 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 241 junctions; 140 independent street loops.

Verified route: 178 moves. Start light 164; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0629 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 249 junctions; 159 independent street loops.

Verified route: 182 moves. Start light 168; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0630 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 246 junctions; 152 independent street loops.

Verified route: 152 moves. Start light 138; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0631 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 232 junctions; 153 independent street loops.

Verified route: 170 moves. Start light 156; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0632 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 238 junctions; 153 independent street loops.

Verified route: 190 moves. Start light 176; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0633 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 255 junctions; 162 independent street loops.

Verified route: 170 moves. Start light 156; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0634 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 238 junctions; 152 independent street loops.

Verified route: 194 moves. Start light 180; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0635 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 251 junctions; 161 independent street loops.

Verified route: 194 moves. Start light 180; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0636 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.3% blocked; 248 junctions; 162 independent street loops.

Verified route: 200 moves. Start light 186; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0637 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 233 junctions; 145 independent street loops.

Verified route: 194 moves. Start light 180; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0638 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 255 junctions; 163 independent street loops.

Verified route: 184 moves. Start light 170; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0639 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 257 junctions; 164 independent street loops.

Verified route: 156 moves. Start light 142; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0640 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 247 junctions; 162 independent street loops.

Verified route: 196 moves. Start light 182; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0641 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 246 junctions; 159 independent street loops.

Verified route: 184 moves. Start light 170; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0642 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 240 junctions; 150 independent street loops.

Verified route: 182 moves. Start light 168; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0643 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 248 junctions; 157 independent street loops.

Verified route: 190 moves. Start light 176; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0644 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 242 junctions; 154 independent street loops.

Verified route: 192 moves. Start light 178; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0645 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 27.1% blocked; 241 junctions; 154 independent street loops.

Verified route: 170 moves. Start light 156; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0646 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 238 junctions; 150 independent street loops.

Verified route: 192 moves. Start light 178; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0647 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 237 junctions; 151 independent street loops.

Verified route: 196 moves. Start light 182; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0648 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 246 junctions; 152 independent street loops.

Verified route: 154 moves. Start light 140; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0649 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.9% blocked; 237 junctions; 148 independent street loops.

Verified route: 192 moves. Start light 178; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0650 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 250 junctions; 154 independent street loops.

Verified route: 122 moves. Start light 108; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0651 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 238 junctions; 149 independent street loops.

Verified route: 160 moves. Start light 145; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0652 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 236 junctions; 146 independent street loops.

Verified route: 184 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0653 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 250 junctions; 153 independent street loops.

Verified route: 192 moves. Start light 177; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0654 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 233 junctions; 156 independent street loops.

Verified route: 174 moves. Start light 159; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0655 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 259 junctions; 170 independent street loops.

Verified route: 184 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0656 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 238 junctions; 154 independent street loops.

Verified route: 188 moves. Start light 173; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0657 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.8% blocked; 253 junctions; 165 independent street loops.

Verified route: 188 moves. Start light 173; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0658 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 241 junctions; 159 independent street loops.

Verified route: 176 moves. Start light 161; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0659 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 255 junctions; 159 independent street loops.

Verified route: 178 moves. Start light 163; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0660 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 259 junctions; 168 independent street loops.

Verified route: 182 moves. Start light 167; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0661 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 259 junctions; 168 independent street loops.

Verified route: 184 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0662 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 239 junctions; 156 independent street loops.

Verified route: 176 moves. Start light 161; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0663 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 245 junctions; 159 independent street loops.

Verified route: 194 moves. Start light 179; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0664 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 244 junctions; 161 independent street loops.

Verified route: 192 moves. Start light 177; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0665 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 238 junctions; 158 independent street loops.

Verified route: 188 moves. Start light 173; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0666 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 251 junctions; 158 independent street loops.

Verified route: 178 moves. Start light 163; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0667 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 256 junctions; 157 independent street loops.

Verified route: 182 moves. Start light 167; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0668 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 255 junctions; 162 independent street loops.

Verified route: 196 moves. Start light 181; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0669 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 267 junctions; 172 independent street loops.

Verified route: 172 moves. Start light 157; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0670 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 254 junctions; 168 independent street loops.

Verified route: 166 moves. Start light 151; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0671 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 261 junctions; 175 independent street loops.

Verified route: 190 moves. Start light 175; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0672 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 257 junctions; 165 independent street loops.

Verified route: 174 moves. Start light 159; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0673 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 250 junctions; 159 independent street loops.

Verified route: 194 moves. Start light 179; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0674 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 249 junctions; 156 independent street loops.

Verified route: 162 moves. Start light 147; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0675 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.8% blocked; 245 junctions; 146 independent street loops.

Verified route: 122 moves. Start light 107; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0676 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 234 junctions; 150 independent street loops.

Verified route: 176 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0677 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 247 junctions; 158 independent street loops.

Verified route: 192 moves. Start light 176; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0678 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 241 junctions; 162 independent street loops.

Verified route: 200 moves. Start light 184; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0679 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 258 junctions; 165 independent street loops.

Verified route: 184 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0680 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 265 junctions; 170 independent street loops.

Verified route: 174 moves. Start light 158; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0681 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 236 junctions; 158 independent street loops.

Verified route: 198 moves. Start light 182; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0682 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 242 junctions; 152 independent street loops.

Verified route: 200 moves. Start light 184; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0683 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 247 junctions; 159 independent street loops.

Verified route: 186 moves. Start light 170; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0684 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.7% blocked; 241 junctions; 148 independent street loops.

Verified route: 188 moves. Start light 172; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0685 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 256 junctions; 161 independent street loops.

Verified route: 176 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0686 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 243 junctions; 154 independent street loops.

Verified route: 204 moves. Start light 188; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0687 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 248 junctions; 157 independent street loops.

Verified route: 188 moves. Start light 172; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0688 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 262 junctions; 166 independent street loops.

Verified route: 192 moves. Start light 176; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0689 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.4% blocked; 261 junctions; 171 independent street loops.

Verified route: 186 moves. Start light 170; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0690 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 258 junctions; 161 independent street loops.

Verified route: 182 moves. Start light 166; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0691 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 260 junctions; 164 independent street loops.

Verified route: 176 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0692 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 241 junctions; 150 independent street loops.

Verified route: 196 moves. Start light 180; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0693 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 247 junctions; 164 independent street loops.

Verified route: 182 moves. Start light 166; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0694 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 236 junctions; 161 independent street loops.

Verified route: 188 moves. Start light 172; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0695 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 250 junctions; 154 independent street loops.

Verified route: 196 moves. Start light 180; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0696 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 265 junctions; 172 independent street loops.

Verified route: 182 moves. Start light 166; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0697 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 251 junctions; 159 independent street loops.

Verified route: 186 moves. Start light 170; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0698 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 245 junctions; 161 independent street loops.

Verified route: 206 moves. Start light 190; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0699 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.2% blocked; 253 junctions; 156 independent street loops.

Verified route: 194 moves. Start light 178; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 45 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0700 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 238 junctions; 145 independent street loops.

Verified route: 122 moves. Start light 106; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0701 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 251 junctions; 162 independent street loops.

Verified route: 184 moves. Start light 170; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0702 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 26.0% blocked; 233 junctions; 149 independent street loops.

Verified route: 208 moves. Start light 194; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0703 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 254 junctions; 170 independent street loops.

Verified route: 156 moves. Start light 142; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0704 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 263 junctions; 166 independent street loops.

Verified route: 200 moves. Start light 186; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0705 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 262 junctions; 160 independent street loops.

Verified route: 180 moves. Start light 166; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0706 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 265 junctions; 172 independent street loops.

Verified route: 174 moves. Start light 160; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0707 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 253 junctions; 168 independent street loops.

Verified route: 172 moves. Start light 158; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0708 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 270 junctions; 177 independent street loops.

Verified route: 172 moves. Start light 158; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0709 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 261 junctions; 169 independent street loops.

Verified route: 160 moves. Start light 146; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0710 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 263 junctions; 175 independent street loops.

Verified route: 172 moves. Start light 158; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0711 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 264 junctions; 173 independent street loops.

Verified route: 162 moves. Start light 148; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0712 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 250 junctions; 164 independent street loops.

Verified route: 182 moves. Start light 168; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0713 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 257 junctions; 166 independent street loops.

Verified route: 178 moves. Start light 164; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0714 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.6% blocked; 268 junctions; 170 independent street loops.

Verified route: 190 moves. Start light 176; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0715 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.8% blocked; 258 junctions; 166 independent street loops.

Verified route: 184 moves. Start light 170; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0716 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 252 junctions; 163 independent street loops.

Verified route: 194 moves. Start light 180; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0717 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 257 junctions; 164 independent street loops.

Verified route: 188 moves. Start light 174; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0718 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 275 junctions; 182 independent street loops.

Verified route: 200 moves. Start light 186; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0719 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 252 junctions; 166 independent street loops.

Verified route: 206 moves. Start light 192; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0720 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 268 junctions; 176 independent street loops.

Verified route: 186 moves. Start light 172; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0721 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.8% blocked; 262 junctions; 163 independent street loops.

Verified route: 198 moves. Start light 184; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0722 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 241 junctions; 158 independent street loops.

Verified route: 202 moves. Start light 188; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0723 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 254 junctions; 167 independent street loops.

Verified route: 194 moves. Start light 180; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0724 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 261 junctions; 172 independent street loops.

Verified route: 192 moves. Start light 178; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0725 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 255 junctions; 157 independent street loops.

Verified route: 122 moves. Start light 108; finish light 5. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0726 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 260 junctions; 169 independent street loops.

Verified route: 208 moves. Start light 193; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0727 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 264 junctions; 170 independent street loops.

Verified route: 178 moves. Start light 163; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0728 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 264 junctions; 170 independent street loops.

Verified route: 204 moves. Start light 189; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0729 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 253 junctions; 166 independent street loops.

Verified route: 202 moves. Start light 187; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0730 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 264 junctions; 170 independent street loops.

Verified route: 196 moves. Start light 181; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0731 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 263 junctions; 171 independent street loops.

Verified route: 180 moves. Start light 165; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0732 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 259 junctions; 166 independent street loops.

Verified route: 184 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0733 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 262 junctions; 168 independent street loops.

Verified route: 184 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0734 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 277 junctions; 180 independent street loops.

Verified route: 196 moves. Start light 181; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0735 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 256 junctions; 179 independent street loops.

Verified route: 186 moves. Start light 171; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0736 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 263 junctions; 174 independent street loops.

Verified route: 150 moves. Start light 135; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0737 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 272 junctions; 181 independent street loops.

Verified route: 162 moves. Start light 147; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0738 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 245 junctions; 159 independent street loops.

Verified route: 182 moves. Start light 167; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0739 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 252 junctions; 166 independent street loops.

Verified route: 180 moves. Start light 165; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0740 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 261 junctions; 169 independent street loops.

Verified route: 192 moves. Start light 177; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0741 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 265 junctions; 170 independent street loops.

Verified route: 140 moves. Start light 125; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0742 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 271 junctions; 175 independent street loops.

Verified route: 200 moves. Start light 185; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0743 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 254 junctions; 170 independent street loops.

Verified route: 184 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0744 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 265 junctions; 175 independent street loops.

Verified route: 190 moves. Start light 175; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0745 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 258 junctions; 162 independent street loops.

Verified route: 162 moves. Start light 147; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0746 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 265 junctions; 174 independent street loops.

Verified route: 158 moves. Start light 143; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0747 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.4% blocked; 259 junctions; 173 independent street loops.

Verified route: 170 moves. Start light 155; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0748 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 256 junctions; 166 independent street loops.

Verified route: 166 moves. Start light 151; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0749 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 256 junctions; 167 independent street loops.

Verified route: 180 moves. Start light 165; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0750 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 256 junctions; 161 independent street loops.

Verified route: 122 moves. Start light 107; finish light 4. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0751 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 271 junctions; 181 independent street loops.

Verified route: 176 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0752 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 264 junctions; 182 independent street loops.

Verified route: 194 moves. Start light 178; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0753 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 252 junctions; 168 independent street loops.

Verified route: 190 moves. Start light 174; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0754 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 252 junctions; 163 independent street loops.

Verified route: 206 moves. Start light 190; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0755 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 265 junctions; 175 independent street loops.

Verified route: 200 moves. Start light 184; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0756 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.0% blocked; 261 junctions; 178 independent street loops.

Verified route: 148 moves. Start light 132; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0757 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 253 junctions; 162 independent street loops.

Verified route: 204 moves. Start light 188; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0758 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 250 junctions; 163 independent street loops.

Verified route: 182 moves. Start light 166; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0759 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 254 junctions; 164 independent street loops.

Verified route: 190 moves. Start light 174; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0760 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 23.6% blocked; 276 junctions; 187 independent street loops.

Verified route: 154 moves. Start light 138; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0761 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 23.3% blocked; 269 junctions; 179 independent street loops.

Verified route: 176 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0762 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 266 junctions; 183 independent street loops.

Verified route: 152 moves. Start light 136; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0763 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 260 junctions; 177 independent street loops.

Verified route: 156 moves. Start light 140; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0764 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 281 junctions; 184 independent street loops.

Verified route: 178 moves. Start light 162; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0765 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 265 junctions; 167 independent street loops.

Verified route: 194 moves. Start light 178; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0766 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 272 junctions; 183 independent street loops.

Verified route: 186 moves. Start light 170; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0767 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 268 junctions; 176 independent street loops.

Verified route: 180 moves. Start light 164; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0768 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 270 junctions; 184 independent street loops.

Verified route: 188 moves. Start light 172; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0769 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 263 junctions; 175 independent street loops.

Verified route: 144 moves. Start light 128; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0770 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 261 junctions; 162 independent street loops.

Verified route: 184 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0771 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.2% blocked; 260 junctions; 172 independent street loops.

Verified route: 174 moves. Start light 158; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0772 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 271 junctions; 182 independent street loops.

Verified route: 174 moves. Start light 158; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0773 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 267 junctions; 181 independent street loops.

Verified route: 180 moves. Start light 164; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0774 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 23.8% blocked; 273 junctions; 167 independent street loops.

Verified route: 190 moves. Start light 174; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0775 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 243 junctions; 149 independent street loops.

Verified route: 122 moves. Start light 106; finish light 3. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0776 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 254 junctions; 164 independent street loops.

Verified route: 182 moves. Start light 165; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0777 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 270 junctions; 178 independent street loops.

Verified route: 190 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0778 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 277 junctions; 180 independent street loops.

Verified route: 190 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0779 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 285 junctions; 196 independent street loops.

Verified route: 190 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0780 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 23.8% blocked; 275 junctions; 187 independent street loops.

Verified route: 178 moves. Start light 161; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0781 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.0% blocked; 268 junctions; 174 independent street loops.

Verified route: 166 moves. Start light 149; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0782 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 269 junctions; 167 independent street loops.

Verified route: 210 moves. Start light 193; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0783 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 270 junctions; 176 independent street loops.

Verified route: 184 moves. Start light 167; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0784 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 25.0% blocked; 257 junctions; 173 independent street loops.

Verified route: 200 moves. Start light 183; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0785 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 257 junctions; 164 independent street loops.

Verified route: 182 moves. Start light 165; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0786 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 264 junctions; 176 independent street loops.

Verified route: 180 moves. Start light 163; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0787 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 23.6% blocked; 267 junctions; 178 independent street loops.

Verified route: 172 moves. Start light 155; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0788 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 265 junctions; 177 independent street loops.

Verified route: 186 moves. Start light 169; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0789 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 262 junctions; 168 independent street loops.

Verified route: 192 moves. Start light 175; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0790 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 257 junctions; 170 independent street loops.

Verified route: 162 moves. Start light 145; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0791 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.8% blocked; 269 junctions; 166 independent street loops.

Verified route: 210 moves. Start light 193; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0792 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.0% blocked; 261 junctions; 170 independent street loops.

Verified route: 162 moves. Start light 145; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0793 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 23.6% blocked; 276 junctions; 176 independent street loops.

Verified route: 192 moves. Start light 175; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0794 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.0% blocked; 262 junctions; 180 independent street loops.

Verified route: 196 moves. Start light 179; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0795 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.6% blocked; 268 junctions; 174 independent street loops.

Verified route: 190 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0796 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 267 junctions; 175 independent street loops.

Verified route: 194 moves. Start light 177; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0797 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 263 junctions; 170 independent street loops.

Verified route: 202 moves. Start light 185; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0798 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.2% blocked; 267 junctions; 181 independent street loops.

Verified route: 188 moves. Start light 171; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0799 - Standard

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.0% blocked; 259 junctions; 166 independent street loops.

Verified route: 206 moves. Start light 189; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 50 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0800 - Repair required

22 x 22 | Light 10 of 10 houses | Two patrols + Echo



Layout: 24.4% blocked; 264 junctions; 168 independent street loops.

Verified route: 122 moves. Start light 105; finish light 2. Reference completion, not a global minimum.

Objective: Light all 10 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0801 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 320 junctions; 212 independent street loops.

Verified route: 170 moves. Start light 153; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0802 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.6% blocked; 332 junctions; 220 independent street loops.

Verified route: 190 moves. Start light 173; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0803 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 343 junctions; 235 independent street loops.

Verified route: 192 moves. Start light 175; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0804 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 334 junctions; 231 independent street loops.

Verified route: 194 moves. Start light 177; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0805 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 330 junctions; 226 independent street loops.

Verified route: 184 moves. Start light 167; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0806 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 333 junctions; 230 independent street loops.

Verified route: 198 moves. Start light 181; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0807 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 24.0% blocked; 322 junctions; 214 independent street loops.

Verified route: 154 moves. Start light 137; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0808 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 323 junctions; 212 independent street loops.

Verified route: 174 moves. Start light 157; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0809 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 332 junctions; 223 independent street loops.

Verified route: 178 moves. Start light 161; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0810 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.8% blocked; 315 junctions; 216 independent street loops.

Verified route: 160 moves. Start light 143; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0811 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 327 junctions; 212 independent street loops.

Verified route: 194 moves. Start light 177; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0812 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.6% blocked; 340 junctions; 226 independent street loops.

Verified route: 186 moves. Start light 169; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0813 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 24.0% blocked; 307 junctions; 201 independent street loops.

Verified route: 164 moves. Start light 147; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0814 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 332 junctions; 219 independent street loops.

Verified route: 206 moves. Start light 189; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0815 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 335 junctions; 222 independent street loops.

Verified route: 188 moves. Start light 171; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0816 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.6% blocked; 323 junctions; 213 independent street loops.

Verified route: 144 moves. Start light 127; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0817 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 319 junctions; 215 independent street loops.

Verified route: 162 moves. Start light 145; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0818 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 334 junctions; 228 independent street loops.

Verified route: 192 moves. Start light 175; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0819 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 332 junctions; 226 independent street loops.

Verified route: 212 moves. Start light 195; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0820 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.6% blocked; 326 junctions; 224 independent street loops.

Verified route: 210 moves. Start light 193; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0821 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 336 junctions; 225 independent street loops.

Verified route: 174 moves. Start light 157; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0822 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 326 junctions; 223 independent street loops.

Verified route: 210 moves. Start light 193; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0823 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 332 junctions; 218 independent street loops.

Verified route: 182 moves. Start light 165; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0824 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 325 junctions; 211 independent street loops.

Verified route: 210 moves. Start light 193; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0825 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.8% blocked; 322 junctions; 210 independent street loops.

Verified route: 134 moves. Start light 117; finish light 4. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0826 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 332 junctions; 216 independent street loops.

Verified route: 172 moves. Start light 154; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0827 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 324 junctions; 222 independent street loops.

Verified route: 182 moves. Start light 164; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0828 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.6% blocked; 322 junctions; 216 independent street loops.

Verified route: 206 moves. Start light 188; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0829 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 341 junctions; 223 independent street loops.

Verified route: 172 moves. Start light 154; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0830 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 337 junctions; 227 independent street loops.

Verified route: 172 moves. Start light 154; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0831 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 332 junctions; 230 independent street loops.

Verified route: 188 moves. Start light 170; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0832 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 329 junctions; 221 independent street loops.

Verified route: 190 moves. Start light 172; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0833 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 315 junctions; 214 independent street loops.

Verified route: 162 moves. Start light 144; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0834 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 329 junctions; 217 independent street loops.

Verified route: 166 moves. Start light 148; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0835 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 336 junctions; 227 independent street loops.

Verified route: 182 moves. Start light 164; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0836 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 348 junctions; 238 independent street loops.

Verified route: 154 moves. Start light 136; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0837 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 316 junctions; 214 independent street loops.

Verified route: 178 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0838 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 325 junctions; 218 independent street loops.

Verified route: 160 moves. Start light 142; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0839 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 322 junctions; 215 independent street loops.

Verified route: 186 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0840 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 330 junctions; 230 independent street loops.

Verified route: 174 moves. Start light 156; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0841 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 335 junctions; 222 independent street loops.

Verified route: 172 moves. Start light 154; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0842 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 320 junctions; 217 independent street loops.

Verified route: 162 moves. Start light 144; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0843 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 337 junctions; 219 independent street loops.

Verified route: 180 moves. Start light 162; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0844 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 325 junctions; 219 independent street loops.

Verified route: 150 moves. Start light 132; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0845 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 340 junctions; 231 independent street loops.

Verified route: 196 moves. Start light 178; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0846 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 336 junctions; 225 independent street loops.

Verified route: 150 moves. Start light 132; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0847 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 320 junctions; 222 independent street loops.

Verified route: 188 moves. Start light 170; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0848 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 328 junctions; 231 independent street loops.

Verified route: 204 moves. Start light 186; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0849 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 336 junctions; 224 independent street loops.

Verified route: 168 moves. Start light 150; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0850 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.4% blocked; 320 junctions; 203 independent street loops.

Verified route: 134 moves. Start light 116; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0851 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.4% blocked; 349 junctions; 240 independent street loops.

Verified route: 192 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0852 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 321 junctions; 225 independent street loops.

Verified route: 172 moves. Start light 153; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0853 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 327 junctions; 221 independent street loops.

Verified route: 174 moves. Start light 155; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0854 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 337 junctions; 234 independent street loops.

Verified route: 148 moves. Start light 129; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0855 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 330 junctions; 221 independent street loops.

Verified route: 190 moves. Start light 171; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0856 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 336 junctions; 226 independent street loops.

Verified route: 196 moves. Start light 177; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0857 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 330 junctions; 225 independent street loops.

Verified route: 186 moves. Start light 167; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0858 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 339 junctions; 227 independent street loops.

Verified route: 196 moves. Start light 177; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0859 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 333 junctions; 229 independent street loops.

Verified route: 186 moves. Start light 167; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0860 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.4% blocked; 338 junctions; 234 independent street loops.

Verified route: 156 moves. Start light 137; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0861 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.4% blocked; 327 junctions; 222 independent street loops.

Verified route: 176 moves. Start light 157; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0862 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 330 junctions; 220 independent street loops.

Verified route: 206 moves. Start light 187; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0863 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 333 junctions; 224 independent street loops.

Verified route: 162 moves. Start light 143; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0864 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 322 junctions; 225 independent street loops.

Verified route: 152 moves. Start light 133; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0865 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 332 junctions; 227 independent street loops.

Verified route: 164 moves. Start light 145; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0866 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 324 junctions; 219 independent street loops.

Verified route: 166 moves. Start light 147; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0867 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 338 junctions; 230 independent street loops.

Verified route: 174 moves. Start light 155; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0868 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 356 junctions; 235 independent street loops.

Verified route: 174 moves. Start light 155; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0869 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 341 junctions; 230 independent street loops.

Verified route: 192 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0870 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 333 junctions; 213 independent street loops.

Verified route: 170 moves. Start light 151; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0871 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 326 junctions; 220 independent street loops.

Verified route: 164 moves. Start light 145; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0872 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 334 junctions; 226 independent street loops.

Verified route: 176 moves. Start light 157; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0873 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 335 junctions; 232 independent street loops.

Verified route: 168 moves. Start light 149; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0874 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 326 junctions; 216 independent street loops.

Verified route: 186 moves. Start light 167; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0875 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 328 junctions; 203 independent street loops.

Verified route: 134 moves. Start light 115; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0876 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 333 junctions; 224 independent street loops.

Verified route: 184 moves. Start light 164; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0877 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 322 junctions; 227 independent street loops.

Verified route: 190 moves. Start light 170; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0878 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 323 junctions; 227 independent street loops.

Verified route: 138 moves. Start light 118; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0879 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 346 junctions; 236 independent street loops.

Verified route: 196 moves. Start light 176; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0880 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.4% blocked; 339 junctions; 229 independent street loops.

Verified route: 188 moves. Start light 168; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0881 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.1% blocked; 319 junctions; 216 independent street loops.

Verified route: 196 moves. Start light 176; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0882 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 330 junctions; 215 independent street loops.

Verified route: 204 moves. Start light 184; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0883 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 340 junctions; 230 independent street loops.

Verified route: 170 moves. Start light 150; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0884 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 335 junctions; 220 independent street loops.

Verified route: 160 moves. Start light 140; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0885 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 345 junctions; 234 independent street loops.

Verified route: 198 moves. Start light 178; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0886 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 23.3% blocked; 320 junctions; 218 independent street loops.

Verified route: 192 moves. Start light 172; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0887 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 326 junctions; 229 independent street loops.

Verified route: 160 moves. Start light 140; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0888 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.4% blocked; 341 junctions; 226 independent street loops.

Verified route: 178 moves. Start light 158; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0889 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 323 junctions; 215 independent street loops.

Verified route: 176 moves. Start light 156; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0890 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 334 junctions; 225 independent street loops.

Verified route: 162 moves. Start light 142; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0891 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.6% blocked; 330 junctions; 220 independent street loops.

Verified route: 158 moves. Start light 138; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0892 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.4% blocked; 352 junctions; 241 independent street loops.

Verified route: 176 moves. Start light 156; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0893 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 338 junctions; 240 independent street loops.

Verified route: 160 moves. Start light 140; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0894 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 332 junctions; 221 independent street loops.

Verified route: 182 moves. Start light 162; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0895 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 348 junctions; 240 independent street loops.

Verified route: 136 moves. Start light 116; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0896 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 341 junctions; 232 independent street loops.

Verified route: 166 moves. Start light 146; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0897 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 339 junctions; 222 independent street loops.

Verified route: 194 moves. Start light 174; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0898 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 334 junctions; 227 independent street loops.

Verified route: 180 moves. Start light 160; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0899 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.9% blocked; 331 junctions; 214 independent street loops.

Verified route: 214 moves. Start light 194; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 55 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0900 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.7% blocked; 330 junctions; 215 independent street loops.

Verified route: 134 moves. Start light 114; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0901 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.0% blocked; 343 junctions; 228 independent street loops.

Verified route: 186 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0902 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 331 junctions; 230 independent street loops.

Verified route: 202 moves. Start light 184; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0903 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.0% blocked; 342 junctions; 237 independent street loops.

Verified route: 172 moves. Start light 154; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0904 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.0% blocked; 345 junctions; 243 independent street loops.

Verified route: 190 moves. Start light 172; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0905 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 353 junctions; 237 independent street loops.

Verified route: 202 moves. Start light 184; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0906 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.0% blocked; 345 junctions; 229 independent street loops.

Verified route: 196 moves. Start light 178; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0907 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 354 junctions; 242 independent street loops.

Verified route: 162 moves. Start light 144; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0908 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 339 junctions; 238 independent street loops.

Verified route: 168 moves. Start light 150; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0909 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 353 junctions; 247 independent street loops.

Verified route: 174 moves. Start light 156; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0910 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 343 junctions; 226 independent street loops.

Verified route: 214 moves. Start light 196; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0911 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 353 junctions; 243 independent street loops.

Verified route: 178 moves. Start light 160; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0912 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 342 junctions; 231 independent street loops.

Verified route: 158 moves. Start light 140; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0913 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 350 junctions; 249 independent street loops.

Verified route: 196 moves. Start light 178; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0914 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 349 junctions; 245 independent street loops.

Verified route: 164 moves. Start light 146; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0915 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 330 junctions; 236 independent street loops.

Verified route: 146 moves. Start light 128; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0916 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 348 junctions; 236 independent street loops.

Verified route: 186 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0917 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 351 junctions; 240 independent street loops.

Verified route: 192 moves. Start light 174; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0918 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 334 junctions; 233 independent street loops.

Verified route: 186 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0919 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.2% blocked; 345 junctions; 233 independent street loops.

Verified route: 176 moves. Start light 158; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0920 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.0% blocked; 353 junctions; 243 independent street loops.

Verified route: 186 moves. Start light 168; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0921 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 357 junctions; 245 independent street loops.

Verified route: 202 moves. Start light 184; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0922 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 346 junctions; 229 independent street loops.

Verified route: 192 moves. Start light 174; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0923 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 22.0% blocked; 348 junctions; 235 independent street loops.

Verified route: 176 moves. Start light 158; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0924 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 368 junctions; 255 independent street loops.

Verified route: 174 moves. Start light 156; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0925 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 341 junctions; 231 independent street loops.

Verified route: 134 moves. Start light 116; finish light 3. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0926 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 340 junctions; 234 independent street loops.

Verified route: 180 moves. Start light 161; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0927 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 355 junctions; 243 independent street loops.

Verified route: 174 moves. Start light 155; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0928 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 356 junctions; 247 independent street loops.

Verified route: 194 moves. Start light 175; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0929 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 343 junctions; 238 independent street loops.

Verified route: 208 moves. Start light 189; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0930 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 361 junctions; 254 independent street loops.

Verified route: 144 moves. Start light 125; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0931 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 339 junctions; 229 independent street loops.

Verified route: 158 moves. Start light 139; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0932 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 338 junctions; 228 independent street loops.

Verified route: 226 moves. Start light 207; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0933 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 348 junctions; 230 independent street loops.

Verified route: 160 moves. Start light 141; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0934 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 352 junctions; 241 independent street loops.

Verified route: 172 moves. Start light 153; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0935 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.9% blocked; 333 junctions; 233 independent street loops.

Verified route: 154 moves. Start light 135; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0936 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.8% blocked; 362 junctions; 248 independent street loops.

Verified route: 198 moves. Start light 179; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0937 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 341 junctions; 234 independent street loops.

Verified route: 198 moves. Start light 179; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0938 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 339 junctions; 237 independent street loops.

Verified route: 182 moves. Start light 163; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0939 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 346 junctions; 234 independent street loops.

Verified route: 166 moves. Start light 147; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0940 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 340 junctions; 230 independent street loops.

Verified route: 168 moves. Start light 149; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0941 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 350 junctions; 233 independent street loops.

Verified route: 188 moves. Start light 169; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0942 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 345 junctions; 241 independent street loops.

Verified route: 178 moves. Start light 159; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0943 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 347 junctions; 245 independent street loops.

Verified route: 178 moves. Start light 159; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0944 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 353 junctions; 247 independent street loops.

Verified route: 152 moves. Start light 133; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0945 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 353 junctions; 246 independent street loops.

Verified route: 192 moves. Start light 173; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0946 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 347 junctions; 238 independent street loops.

Verified route: 172 moves. Start light 153; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0947 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 364 junctions; 244 independent street loops.

Verified route: 168 moves. Start light 149; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0948 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.5% blocked; 354 junctions; 255 independent street loops.

Verified route: 208 moves. Start light 189; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0949 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 351 junctions; 247 independent street loops.

Verified route: 168 moves. Start light 149; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0950 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.7% blocked; 345 junctions; 223 independent street loops.

Verified route: 134 moves. Start light 115; finish light 2. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0951 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 347 junctions; 248 independent street loops.

Verified route: 192 moves. Start light 172; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0952 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 347 junctions; 238 independent street loops.

Verified route: 204 moves. Start light 184; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0953 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 348 junctions; 254 independent street loops.

Verified route: 176 moves. Start light 156; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0954 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 358 junctions; 242 independent street loops.

Verified route: 164 moves. Start light 144; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0955 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 355 junctions; 246 independent street loops.

Verified route: 162 moves. Start light 142; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0956 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 357 junctions; 253 independent street loops.

Verified route: 170 moves. Start light 150; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0957 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.3% blocked; 354 junctions; 257 independent street loops.

Verified route: 192 moves. Start light 172; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0958 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 358 junctions; 255 independent street loops.

Verified route: 170 moves. Start light 150; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0959 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 361 junctions; 240 independent street loops.

Verified route: 164 moves. Start light 144; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0960 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 338 junctions; 246 independent street loops.

Verified route: 202 moves. Start light 182; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0961 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 352 junctions; 246 independent street loops.

Verified route: 152 moves. Start light 132; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0962 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 354 junctions; 230 independent street loops.

Verified route: 170 moves. Start light 150; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0963 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 356 junctions; 251 independent street loops.

Verified route: 190 moves. Start light 170; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0964 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 342 junctions; 240 independent street loops.

Verified route: 136 moves. Start light 116; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0965 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 352 junctions; 236 independent street loops.

Verified route: 150 moves. Start light 130; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0966 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.5% blocked; 358 junctions; 247 independent street loops.

Verified route: 146 moves. Start light 126; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0967 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 346 junctions; 239 independent street loops.

Verified route: 162 moves. Start light 142; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0968 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.8% blocked; 350 junctions; 250 independent street loops.

Verified route: 180 moves. Start light 160; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0969 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 363 junctions; 249 independent street loops.

Verified route: 198 moves. Start light 178; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0970 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 355 junctions; 246 independent street loops.

Verified route: 190 moves. Start light 170; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0971 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 347 junctions; 243 independent street loops.

Verified route: 178 moves. Start light 158; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0972 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 341 junctions; 241 independent street loops.

Verified route: 196 moves. Start light 176; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0973 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 357 junctions; 250 independent street loops.

Verified route: 188 moves. Start light 168; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0974 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 354 junctions; 241 independent street loops.

Verified route: 206 moves. Start light 186; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0975 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.4% blocked; 343 junctions; 225 independent street loops.

Verified route: 134 moves. Start light 114; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.


Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0976 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 351 junctions; 238 independent street loops.

Verified route: 186 moves. Start light 166; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0977 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 352 junctions; 243 independent street loops.

Verified route: 178 moves. Start light 158; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0978 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 352 junctions; 244 independent street loops.

Verified route: 202 moves. Start light 182; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0979 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 352 junctions; 236 independent street loops.

Verified route: 148 moves. Start light 128; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0980 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 366 junctions; 256 independent street loops.

Verified route: 202 moves. Start light 182; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0981 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 355 junctions; 251 independent street loops.

Verified route: 176 moves. Start light 156; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0982 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 353 junctions; 246 independent street loops.

Verified route: 204 moves. Start light 184; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0983 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 351 junctions; 249 independent street loops.

Verified route: 170 moves. Start light 150; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0984 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 363 junctions; 246 independent street loops.

Verified route: 200 moves. Start light 180; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0985 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 352 junctions; 247 independent street loops.

Verified route: 194 moves. Start light 174; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0986 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 362 junctions; 244 independent street loops.

Verified route: 170 moves. Start light 150; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0987 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 341 junctions; 245 independent street loops.

Verified route: 162 moves. Start light 142; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0988 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 349 junctions; 242 independent street loops.

Verified route: 204 moves. Start light 184; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0989 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.2% blocked; 354 junctions; 239 independent street loops.

Verified route: 144 moves. Start light 124; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0990 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 344 junctions; 242 independent street loops.

Verified route: 166 moves. Start light 146; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0991 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.8% blocked; 356 junctions; 243 independent street loops.

Verified route: 178 moves. Start light 158; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0992 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 353 junctions; 245 independent street loops.

Verified route: 180 moves. Start light 160; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0993 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 366 junctions; 251 independent street loops.

Verified route: 202 moves. Start light 182; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0994 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 364 junctions; 257 independent street loops.

Verified route: 182 moves. Start light 162; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0995 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 358 junctions; 254 independent street loops.

Verified route: 168 moves. Start light 148; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0996 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.7% blocked; 361 junctions; 253 independent street loops.

Verified route: 192 moves. Start light 172; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0997 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.8% blocked; 350 junctions; 249 independent street loops.

Verified route: 132 moves. Start light 112; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0998 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.8% blocked; 360 junctions; 243 independent street loops.

Verified route: 186 moves. Start light 166; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 0999 - Standard

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 20.5% blocked; 365 junctions; 256 independent street loops.

Verified route: 168 moves. Start light 148; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Choose house order and crossing timing; repairs are optional.


Before repair: a verified no-purchase completion exists. Optional upgrades may offer alternate routes.

Proposed repair: 60 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.

Level 1000 - Repair required

24 x 24 | Light 11 of 11 houses | Two patrols + Echo



Layout: 21.0% blocked; 352 junctions; 237 independent street loops.

Verified route: 134 moves. Start light 114; finish light 1. Reference completion, not a global minimum.

Objective: Light all 11 houses across branching streets. Use the reserved free repair to connect both districts.

Before repair: not possible. Required houses lie in disconnected districts.

Free item: one reserved repair for this marked connection. Validate using the repaired layout.

Proposed repair: 0 gems; points are score only in the planned economy.

Review focus: house-order choices, lantern planning, shadow timing and detours. Gray density alone is not difficulty.