

AN ISO 9001-2015 CERTIFIED COMPANY

*An Innovative Company
with Innovative members...*

IMPAC LIFT

(Elevator)

Our goals is to make
the best device in the world
not to be the *Biggest*



Head Office

Shop No. 08, R.K. Plaza, Near Ajanta Hospital, Tedhi Pulia, Kursi Road, Lucknow - 226024

Ph : +91-9889-435997, +91-8112303218, +91-7860324614

Branch Office

58/209, Behind H.P. Petrol Pump, Kheria Mode, V.I.P Road, Agra - 282001

Ph : +91-8171279040, 8077042965

SERVICE UNIT IN

- LUCKNOW
- BAREILLY
- AGRA

E-mail : impaclift@gmail.com | Web : www.impaclift.com



ABOUT IMPAC LIFT

An Elevator or Lift is a type of vertical transportation machine that moves people or freight between floors level or decks of building. **Impac (Indian Mechanical Powerful and Captivating) Lift** is a renowned company which was established in 2015 by Innovative Engineers. This company also has experienced employees of various MNC's companies. We pledge to give you the best captivating vertical transportation system.



PRODUCT RANGE

RANGE OF ELEVATORS

Home/Bungalow Elevator
Capsules/Panoramic Elevator
Car Elevator
MRL Gearless Elevator
Hospital Elevator
2 & 3 Side Opening Elevator
Pitless Elevator
Goods Cum Passenger Elevator
Hydraulic Elevator

PRODUCT RANGE IN DETAIL

HOME/BUNGALOW ELEVATOR

A vital range of attractive and smoother Elevators. It is also a solution for elderly people living in multi floor home.

CAPSULE/PANORAMIC ELEVATOR

This is one of the most attractive, advanced control technology applying fully digital V3F Drive technology Elevator.



CAR ELEVATOR

It is vertical transportation which basically used in showrooms and multilevel parking to reduce parking space.

MRL GEARLESS ELEVATOR

MRL (Machine Room Less) Elevators are ideal where space for machine room is not available. They are economically best and high speed elevators.

Speed Range : 1m/sec to 2.5m/ sec

HOSPITAL ELEVATOR

It is used for simple transportation of patient through wheel chair & stretcher. It is a smooth, silent & swift without jerks & shocks.

2 & 3 SIDE OPENING ELEVATOR

This Elevator is unique of its kind which opens on several sides of floor. Auto Doors are installed in it as per customer requirement.

PITLESS ELEVATOR

This Elevator is unique of its kind which do not require pit. It requires only minimum depth of the pit which helps contractor in planning of base and saving space of the building.

GOODS CUM PASSENGER ELEVATOR


It is essentially designed to fulfill material handling requirements of various industries, building, hotels etc.

HYDRAULIC ELEVATOR

It is low maintenance elevator. This elevator has its machine room located at the basement.

'QUALITY

*is remembered
long after the
price
forgotten'*



RANGE OF DOORS

MANUAL DOOR

AUTOMATIC DOOR

TYPES OF MANUAL DOOR

These Doors are manually operated doors. They are mostly used in Apartments, Industrial Sector and Commercial Sector.



COLLAPSIBLE

SWING

IMPERFORATED

TELESCOPIC

TYPES OF AUTOMATIC DOOR

These Doors are fully automatic operated doors. They are mostly used in Malls, Bungalows, Residential Sector etc.



CENTER OPENING

HALF-VISION

FULL-VISION

AUTO-TELESCOPIC

RANGE OF CABIN

MS CABIN

SS CABIN

MILD STEEL POWDER COATED CABINS

The powder coating process is done very carefully to prevent rusting. They are prepared by very high technologies and processes.



MS CABIN

MS & WHITE

MS & SS

MS TEXTURE

STAINLESS STEEL CABINS

We use Grade-304 Steel as to avoid rusting throughout lifetime. We also use Stainless Steel Hairline Finish Cabin to give a good feel to the cabin



SS FINISH

GOLDEN SS

MIRROR FINISH

BACK FULL GLASS & SS

COMPONENT'S

GEARED & GEARLESS TRACTION MACHINE



LOP (LAND OPERATING PANEL)



COP (CAR OPERATING PANEL)



SAFETY FEATURES

- PU BUFFERS
- FIREMAN'S SWITCH (FIRE SAFETY)
- OVERLOAD SENSOR (AUDIO VISUAL INDICATION)
- OVER SPEED GOVERNOR (SAFETY IN CASE OF ROPE BREAKS)
- EMERGENCY RESCUE BUTTON
- INFRARED LIGHT CURTAIN
- CAR EMERGENCY LIGHT & FAN

STANDARD FEATURES

- OVER LOAD NON-START
- SPOTLESS DOOR SILLS
- CAR LIGHT & FAN AUTOMATIC SHUTOFF
- CAR CALL CANCELLATION
- CONTINUITY OF SERVICE
- PASSENGERS SENSING DOORS
- VOICE SYNTHESIZER
- DOOR SAFETY EDGE
- EMERGENCY POWER OPERATION

MANUAL ELEVATOR

| LOAD | | CAR SIZE | | LIFT WELL | | ENT. | MACHINE ROOM | | |
|--------|---------|----------|-------|-----------|-------|------|--------------|-------|--------|
| PERSON | WEIGHT | WIDTH | DEPTH | WIDTH | DEPTH | | WIDTH | DEPTH | HEIGHT |
| | (IN KG) | A | B | C | D | E | F | G | H |
| 4 | 272 | 900 | 800 | 1200 | 1200 | 760 | 2500 | 3000 | 2100 |
| 5 | 340 | 1000 | 950 | 1400 | 1250 | 760 | 2500 | 3000 | 2100 |
| 6 | 408 | 1100 | 1000 | 1600 | 1400 | 760 | 2700 | 3000 | 2100 |
| 8 | 544 | 1300 | 1100 | 1700 | 1600 | 760 | 3000 | 3500 | 2100 |
| 10 | 680 | 1350 | 1300 | 1800 | 1800 | 900 | 3000 | 3500 | 2100 |

AUTOMATIC ELEVATOR

| LOAD | | CAR SIZE | | LIFT WELL | | ENT. | MACHINE ROOM | | |
|--------|---------|----------|-------|-----------|-------|------|--------------|-------|--------|
| PERSON | WEIGHT | WIDTH | DEPTH | WIDTH | DEPTH | | WIDTH | DEPTH | HEIGHT |
| | (IN KG) | A | B | C | D | E | F | G | H |
| 4 | 272 | 900 | 800 | 1500 | 1200 | 700 | 2500 | 3000 | 2100 |
| 5 | 340 | 1000 | 850 | 1500 | 1400 | 700 | 2500 | 3000 | 2100 |
| 6 | 408 | 1100 | 1000 | 1600 | 1525 | 700 | 2700 | 3000 | 2100 |
| 8 | 544 | 1300 | 1100 | 1800 | 1800 | 800 | 3000 | 3500 | 2100 |
| 10 | 680 | 1350 | 1300 | 1900 | 2000 | 800 | 3000 | 3500 | 2100 |
| 13 | 884 | 2000 | 1100 | 2500 | 1900 | 900 | 3000 | 3500 | 2100 |
| 16 | 1088 | 2000 | 1300 | 2500 | 2100 | 1000 | 3500 | 4200 | 2100 |

GOOD CUM PASSENGER ELEVATOR

| LOAD | CAR SIZE | | LIFT WELL | | ENT. |
|----------------|----------|-------|-----------|-------|------|
| WEIGHT (IN KG) | WIDTH | DEPTH | WIDTH | DEPTH | |
| 800 | 1550 | 1500 | 2000 | 2000 | 800 |
| 1000 | 1400 | 1800 | 2300 | 2100 | 900 |
| 1500 | 1700 | 2000 | 2500 | 2300 | 1200 |
| 2000 | 1700 | 2500 | 2600 | 2800 | 1500 |
| 3000 | 2000 | 3000 | 2800 | 3300 | 1700 |

CAPSULE ELEVATOR

| LOAD | | CAR SIZE | | LIFT WELL | | ENT. |
|--------|---------|----------|-------|-----------|-------|------|
| PERSON | WEIGHT | WIDTH | DEPTH | WIDTH | DEPTH | |
| | (IN KG) | AA | BB | AH | BH | JJ |
| 6 | 408 | 1060 | 1700 | 2000 | 1200 | 800 |
| 8 | 544 | 1060 | 1800 | 2000 | 1300 | 800 |
| 10 | 680 | 1060 | 1900 | 2000 | 1400 | 1000 |
| 13 | 884 | 1300 | 2000 | 2400 | 1500 | 1000 |

CAR ELEVATOR

| LOAD | CAR SIZE | | LIFT WELL | ENT. |
|----------------|----------|-------|-----------|-------|
| WEIGHT (IN KG) | WIDTH | DEPTH | WIDTH | DEPTH |
| MANUAL | | | | |
| 3000 | 2500 | 5400 | 3400 | 6000 |
| AUTOMATIC | | | | |
| 2000 | 2500 | 5400 | 3700 | 6000 |

TECHNICAL SPECIFICATIONS

HOSPITAL ELEVATOR

| LOAD | | CAR SIZE | | LIFT WELL | | ENT. |
|--------|---------|----------|-------|-----------|-------|------|
| PERSON | WEIGHT | WIDTH | DEPTH | WIDTH | DEPTH | |
| | (IN KG) | A | B | C | D | E |
| 15 | 1020 | 950 | 2400 | 1700 | 3000 | 800 |
| 20 | 1360 | 1300 | 2400 | 2200 | 3000 | 1000 |
| 26 | 1768 | 1770 | 2400 | 2350 | 3000 | 1200 |

