

Digital Nurture 5.0 DeepSkilling

Tasks:

1. React 2 HOL – StudentApp:

About.js:

```
Week 1 > React - 2 HOL > studentapp > src > Components > JS About.js > default
1  import React, { Component } from 'react';
2
3  class About extends Component {
4      render() {
5          return (
6              <h1>
7                  <center>Welcome to the About page of the Student Management Portal</center>
8              </h1>
9          );
10     }
11 }
12
13 export default About;
```

Contact.js:

```
Week 1 > React - 2 HOL > studentapp > src > Components > JS Contact.js > ...
1  import React, { Component } from 'react';
2
3  class Contact extends Component {
4      render() {
5          return (
6              <h1>
7                  <center>Welcome to the Contact page of the Student Management Portal</center>
8              </h1>
9          );
10     }
11 }
12
13 export default Contact;
```

About.js:

```
Week 1 > React - 2 HOL > studentapp > src > Components > JS Home.js > ...
1  import React, { Component } from 'react';
2
3  class Home extends Component {
4      render() {
5          return (
6              <h1>
7                  <center>Welcome to the Home page of Student Management Portal</center>
8              </h1>
9          );
10     }
11 }
12
13 export default Home;
```

App.js:

```
Week 1 > React - 2 HOL > studentapp > src > JS App.js > [🔍] default
You, last week | 2 authors (You and one other)
1  import React from 'react';
2  import Home from './Components/Home';
3  import About from './Components/About';
4  import Contact from './Components/Contact';
5
6  function App() {
7    return (
8      <div>
9        <Home />
10       <About />
11       <Contact />
12     </div>
13   );
14 }
15
16 export default App; | You, last week • Uncommitted changes
```

Output:

Welcome to the Home page of Student Management Portal

Welcome to the About page of the Student Management Portal

Welcome to the Contact page of the Student Management Portal

2. React 3 HOL – ScoreCalculatorApp:

CalculatorScore.js:

```
Week 1 > React - 3 HOL > scorecalculatorapp > src > Components > CalculateScore.js > CalculateScore
1  import '../Stylesheets/mystyle.css';
2
3  const percentToDecimal = (decimal) => {
4    return Math.round(decimal * 100) + '%';
5  }
6
7  const calcScore = (total, goal) => {
8    return percentToDecimal(total/goal);
9  }
10
11 export const CalculateScore = ({Name, School, total, goal}) => {
12   return(
13     <div className="formatstyle">
14       <h1><font color="brown">Student Details:</font></h1>
15       <div className="Name">
16         <b><span>Name:</span></b>
17         <span>{Name}</span>
18       </div>
19       <div className="School">
20         <b><span>School:</span></b>
21         <span>{School}</span>
22       </div>
23       <div className="Total">
24         <b><span>Total:</span></b>
25         <span>{total}</span>
26         <span>Marks</span>
27       </div>
28       <div className="Score">
29         <b><span>Score:</span></b>
30         <span>{calcScore(
31           total,
32           goal
33         )}</span>
34       </div>
35     </div>
36   );
37 }
38 }
```

App.js:

```
Week 1 > React - 3 HOL > scorecalculatorapp > src > App.js > ...
You, 6 days ago | 2 authors (You and one other)
1  import React from 'react'
2  import {CalculateScore} from './Components/CalculateScore';
3
4  function App() {
5    return(
6      <div>
7        <CalculateScore Name={"Prabath"}
8        School={"Chinmaya Vidyalaya"}
9        total={85}
10       goal={100}
11       />
12     </div>
13   )
14 }
15
16 export default App;
```

Output:

Student Details:

Name:Prabath
School:Chinmaya Vidyalaya
Total:85Marks
Score:85%

3. React 4 HOL – BlogApp:

App.js:

```
Week 1 > React - 4 HOL > blogapp > src > JS App.js > ...
1  import React from 'react';
2  import Posts from './Posts';
3
4  function App() {
5    return (
6      <div>
7        <Posts />
8      </div>
9    );
10 }
11
12 export default App;
```

Post.js:

```
Week 1 > React - 4 HOL > blogapp > src > JS Post.js > ...
1  import React from 'react';
2
3  function Post(props) {
4    return (
5      <div>
6        <h3>{props.title}</h3>
7        <p>{props.body}</p>
8        <hr />
9      </div>
10   );
11 }
12
13 export default Post;
```

Posts.js:

Week 1 > React - 4 HOL > blogapp > src > Posts.js > ...

```
1  import React, { Component } from 'react';
2  import Post from './Post';
3
4  class Posts extends Component {
5
6      constructor(props) {
7          super(props);
8
9          this.state = {
10             posts: []
11         };
12     }
13
14     loadPosts() {
15         fetch('https://jsonplaceholder.typicode.com/posts')
16             .then(response => response.json())
17             .then(data => {
18                 this.setState({
19                     posts: data
20                 });
21             });
22     }
23
24     componentDidMount() {
25         this.loadPosts();
26     }
27
```

```
27
28     componentDidCatch(error) {
29         alert(error);
30     }
31
32     render() {
33         return (
34             <div>
35                 <h1>Blog Posts</h1>
36
37                 {
38                     this.state.posts.map(post => (
39                         <Post
40                             key={post.id}
41                             title={post.title}
42                             body={post.body}
43                         />
44                     ))
45                 }
46             </div>
47         );
48     }
49 }
50
51 export default Posts;
```

Output:

Blog Posts

sunt aut facere repellat provident occaecati excepturi optio reprehenderit

quia et suscipit suscipit recusandae consequuntur expedita et cum reprehenderit molestiae ut ut quas totam nostrum rerum est autem sunt rem eveniet architecto

qui est esse

est rerum tempore vitae sequi sint nihil reprehenderit dolor beatae ea dolores neque fugiat blanditiis voluptate porro vel nihil molestiae ut reiciendis qui aperiam non debitis possimus qui neque nisi nulla

ea molestias quasi exercitationem repellat qui ipsa sit aut

et iusto sed quo iure voluptatem occaecati omnis eligendi aut ad voluptatem doloribus vel accusantium quis pariatur molestiae porro eius odio et labore et velit aut

eum et est occaecati

ullam et saepe reiciendis voluptatem adipisci sit amet autem assumenda provident rerum culpa quis hic commodi nesciunt rem tenetur doloremque ipsam iure quis sunt voluptatem rerum illo velit

nesciunt quas odio

repudiandae veniam quaerat sunt sed alias aut fugiat sit autem sed est voluptatem omnis possimus esse voluptatibus quis est aut tenetur dolor neque

dolorem eum magni eos aperiam quia

ut aspernatur corporis harum nihil quis provident sequi mollitia nobis aliquid molestiae perspiciatis et ea nemo ab reprehenderit accusantium quas voluptate dolores velit et doloremque molestiae

magnam facilis autem

dolore placeat quibusdam ea quo vitae magni quis enim qui quis quo nemo aut saepe quidem repellat excepturi ut quia sunt ut sequi eos ea sed quas

4. React 5 HOL – CohortTracker:

App.js:

```
Week 1 > React - 5 HOL > cohorttracker > src > App.test.js > ...
prabathd-ux05, 4 days ago | 1 author (prabathd-ux05)
1 import { render, screen } from '@testing-library/react';
2 import App from './App';
3
4 test('renders learn react link', () => {
5   render(<App />);
6   const linkElement = screen.getByText(/learn react/i);
7   expect(linkElement).toBeInTheDocument();
8 });
9
```

CohortDetails.js:

```
Week 1 > React - 5 HOL > cohorttracker > src > CohortDetails.js > ...
1 import React from 'react';
2 import styles from './CohortDetails.module.css';
3
4 function CohortDetails(props) {
5
6   return (
7     <div className={styles.box}>
8
9       <h3
10         style={{
11           color:
12             props.status === "Ongoing"
13               ? "green"
14               : "blue"
15         }}
16       >
```

```

14         : "blue"
15     }}
16 >
17     {props.name}
18 </h3>
19
20     <dl>
21         <dt>Started On</dt>
22         <dd>{props.startDate}</dd>
23
24         <dt>Current Status</dt>
25         <dd>{props.status}</dd>
26
27         <dt>Coach</dt>
28         <dd>{props.coach}</dd>
29
30         <dt>Trainer</dt>
31         <dd>{props.trainer}</dd>
32     </dl>
33
34 </div>
35 );
36 }
37
38 export default CohortDetails;

```

CohortDetails.module.css:

```

Week 1 > React - 5 HOL > cohorttracker > src > CSS CohortDetails.module.css > .box
1  .box {
2      width: 300px;
3      display: inline-block;
4      margin: 10px;
5      padding: 10px 20px;
6      border: 1px solid black;
7      border-radius: 10px;
8  }
9
10  dt {
11      font-weight: 500;
12  }

```

Output:

Cohorts Details

INTADMDF10 - .NET FSD Started On 22-Feb-2022 Current Status Scheduled Coach Aathma Trainer Jojo Jose	ADM21JF014 - Java FSD Started On 10-Sep-2021 Current Status Ongoing Coach Apoorv Trainer Elisa Smith	CDBJF21025 - Java FSD Started On 24-Dec-2021 Current Status Ongoing Coach Aathma Trainer John Doe
---	---	--

5. React 9 HOL – CricketApp:

App.js:

```
Week 1 > React - 9 HOL > cricketapp > src > JS App.js > ...
1  import React from 'react';
2  import ListOfPlayers from './ListOfPlayers';
3  import IndianPlayers from './IndianPlayers';
4
5  function App() {
6
7      const flag = true;
8
9      return (
10         <div style={{ textAlign: 'center' }}>
11             <h1>Cricket App</h1>
12             {
13                 flag
14                 ? <ListOfPlayers />
15                 : <IndianPlayers />
16             }
17         </div>
18     );
19 }
20
21 export default App;
```

IndianPlayers.js:

```
Week 1 > React - 9 HOL > cricketapp > src > JS IndianPlayers.js > ...
1  import React from 'react';
2
3  function IndianPlayers() {
4
5      const players = [
6          "Virat",
7          "Rohit",
8          "Gill",
9          "Rahul",
10         "Pant",
11         "Hardik"
12     ];
13
14     const [p1, p2, p3, p4, p5, p6] = players;
15
16     const oddPlayers = [p1, p3, p5];
17     const evenPlayers = [p2, p4, p6];
18
19     const T20Players = [
20         "Virat",
21         "Rohit",
22         "Pant"
23     ];
24
25     const RanjiPlayers = [
26         "Pujara",
27         "Rahane",
28         "Iyer"
```



```

25     const RanjiPlayers = [
26       "Pujara",
27       "Rahane",
28       "Iyer"
29     ];
30
31     const mergedPlayers = [
32       ...T20Players,
33       ...RanjiPlayers
34     ];
35
36     return (
37       <div>
38
39         <h2>Odd Team Players</h2>
40
41         {oddPlayers.map((player, index) => (
42           <p key={index}>{player}</p>
43         ))}
44
45         <h2>Even Team Players</h2>
46
47         {evenPlayers.map((player, index) => (
48           <p key={index}>{player}</p>
49         ))}
50
51         <h2>Merged Players</h2>

```

```

51         <h2>Merged Players</h2>
52
53         {mergedPlayers.map((player, index) => (
54           <p key={index}>{player}</p>
55         ))}
56
57       </div>
58     );
59   }
60
61   export default IndianPlayers;

```

ListOfPlayers.js:

```

Week 1 > React - 9 HOL > cricketapp > src > ListOfPlayers.js > ...
1  import React from 'react';
2
3  function ListOfPlayers() {
4
5
6     const players = [
7       { name: "Virat", score: 95 },
8       { name: "Rohit", score: 85 },
9       { name: "Gill", score: 4 },
10      { name: "Rahul", score: 55 },
11      { name: "Pant", score: 3 },
12      { name: "Hardik", score: 20 },
13      { name: "Jadeja", status: "yet to bat" },
14      { name: "Ashwin", status: "yet to bat" },
15      { name: "Bumrah", status: "yet to bat" },
16      { name: "Shami", status: "yet to bat" },
17      { name: "Siraj", status: "yet to bat" }
18    ];
19
20    const lowScorers = players.filter(
21      player => player.score < 70
22    );
23
24    return (
25      <div>
26        <h2>All Players</h2>
27

```

```

24     return (
25         <div>
26             <h2>All Players</h2>
27
28             {players.map((player, index) => (
29                 <p key={index}>
30                     {player.name} - {player.score} || player.status}
31                 </p>
32             ))}
33
34             <h2>Players with Score Below 70</h2>
35
36             {lowScorers.map((player, index) => (
37                 <p key={index}>
38                     {player.name} - {player.score}
39                 </p>
40             ))}
41         </div>
42     );
43 }
44
45 export default ListOfPlayers;

```

Output:

Cricket App

All Players

Virat - 95
 Rohit - 85
 Gill - 4
 Rahul - 55
 Pant - 3
 Hardik - 20
 Jadeja - yet to bat
 Ashwin - yet to bat
 Bumrah - yet to bat
 Shami - yet to bat
 Siraj - yet to bat

Players with Score Below 70

Gill - 4
 Rahul - 55
 Pant - 3
 Hardik - 20

6. React 10 HOL – OfficeSpaceRentalApp:

App.js:

```
Week 1 > React - 10 HOL > officespacereentalapp > src > App.js > ...
1  import officeImage from './Images/Office.jpg';
2
3  const offices = [
4    {
5      name: "DBS",
6      rent: 50000,
7      address: "Chennai"
8    },
9    {
10     name: "Regus",
11     rent: 75000,
12     address: "Bangalore"
13   },
14   {
15     name: "WeWork",
16     rent: 65000,
17     address: "Hyderabad"
18   }
19 ];
20
21 function App() {
22   return (
23     <div style={{ textAlign: 'center' }}>
24       <h1>Office Space Rental App</h1>
25
26       <img
27         src={officeImage}
28         alt="Office Space"
29       />
30
31       <br />
32       <br />
33
34       {offices.map((office) => (
35         <div key={office.name}>
36           <h2>{office.name}</h2>
37
38           <p
39             style={{
40               color: office.rent < 60000 ? 'red' : 'green'
41             }}
42           >
43             Rent: Rs. {office.rent}
44           </p>
45
46           <p>Address: {office.address}</p>
47
48           <hr />
49         </div>
50       ))}
51     </div>
52   );
53 }
54
55 export default App;
```

Output:

Office Space Rental App



DBS

Rent: Rs. 50000

Address: Chennai

Regus

Rent: Rs. 75000

Address: Bangalore

WeWork

Rent: Rs. 65000

Address: Hyderabad

7. React 11 HOL – EventExamplesApp

App.js:

```
Week 1 > React - 11 HOL > eventexamplesapp > src > App.js > App > decrement
1  import React, { Component } from 'react';
2
3  class App extends Component {
4
5      constructor() {
6          super();
7
8          this.state = {
9              count: 0,
10             rupees: ''
11         };
12     }
13
14     increment = () => {
15         this.setState({
16             count: this.state.count + 1
17         });
18     }
19
20     decrement = () => {
21         this.setState({
22             count: this.state.count - 1
23         });
24     }
25
26     sayHello = () => {
27         alert("Hello! This is a static message.");
28     }
29
30     handleIncrement = () => {
31         this.increment();
32         this.sayHello();
33     }
34
35     sayWelcome = (message) => {
36         alert(message);
37     }
38 }
```

```

38
39   syntheticEvent = () => {
40     alert("I was clicked");
41   }
42
43   handleChange = (event) => {
44     this.setState({
45       rupees: event.target.value
46     });
47   }
48
49   handleSubmit = () => {
50     const euro = (this.state.rupees / 90).toFixed(2);
51     alert(`Euro Value: ${euro}`);
52   }
53
54   render() {
55     return (
56       <div style={{ textAlign: 'center' }}>
57
58         <h1>Event Examples App</h1>
59
60         <h2>Counter: {this.state.count}</h2>
61
62         <button onClick={this.handleIncrement}>
63           Increment
64         </button>
65
66         <button onClick={this.decrement}>
67           Decrement
68         </button>
69
70         <br /><br />
71

```

```

72         <button
73           onClick={() =>
74             this.sayWelcome("Welcome")
75           }
76         >
77           Say Welcome
78         </button>
79
80         <br /><br />
81
82         <button onClick={this.syntheticEvent}>
83           Click Me
84         </button>
85
86         <hr />
87
88         <h2>Currency Converter</h2>
89
90         <input
91           type="number"
92           placeholder="Enter INR"
93           onChange={this.handleChange}
94         />
95
96         <br /><br />
97
98         <button onClick={this.handleSubmit}>
99           Convert
100         </button>
101
102       </div>
103     );
104   }
105 }
106
107 export default App;

```

Output:

Event Examples App

Counter: 0

Currency Converter

8. React 12 HOL – TicketBookingApp

App.js:

```
Week 1 > React - 12 HOL > ticketbookingapp > src > App.js > ...
1  import React, { useState } from 'react';
2
3  function GuestPage() {
4    return (
5      <div>
6        <h2>Flight Details</h2>
7
8        <table border="1" align="center">
9          <thead>
10           <tr>
11             <th>Flight Name</th>
12             <th>Source</th>
13             <th>Destination</th>
14           </tr>
15         </thead>
16
17         <tbody>
18           <tr>
19             <td>IndiGo</td>
20             <td>Chennai</td>
21             <td>Bangalore</td>
22           </tr>
23
24           <tr>
25             <td>Air India</td>
26             <td>Mumbai</td>
27             <td>Delhi</td>
28           </tr>
```

```

29     </tbody>
30   </table>
31
32   <h3>Please Login to Book Tickets</h3>
33 </div>
34 );
35 }
36
37 function UserPage() {
38   return (
39     <div>
40       <h2>Ticket Booking Page</h2>
41
42       <p>You can now book tickets.</p>
43
44       <button>Book Ticket</button>
45     </div>
46   );
47 }
48
49 function App() {
50
51   const [loggedIn, setLoggedIn] = useState(false);
52
53   return (
54     <div style={{ textAlign: 'center' }}>
55
56       <h1>Ticket Booking App</h1>
57
58       {
59         loggedIn
60         ? <UserPage />
61         : <GuestPage />
62       }
63

```

```

58     {
59       loggedIn
60       ? <UserPage />
61       : <GuestPage />
62     }
63
64     <br />
65
66     {
67       loggedIn
68       ? (
69         <button
70           onClick={() => setLoggedIn(false)}
71         >
72           Logout
73         </button>
74       )
75       : (
76         <button
77           onClick={() => setLoggedIn(true)}
78         >
79           Login
80         </button>
81       )
82     }
83
84   </div>
85 );
86 }
87
88 export default App;

```

Output:

Ticket Booking App

Flight Details

Flight Name	Source	Destination
IndiGo	Chennai	Bangalore
Air India	Mumbai	Delhi

Please Login to Book Tickets

Login

9. React 13 HOL – BloggerApp

App.js:

```
Week 1 > React - 13 HOL > bloggerapp > src > App.js > ...
1  import React from 'react';
2
3  import BookDetails from './BookDetails';
4  import BlogDetails from './BlogDetails';
5  import CourseDetails from './CourseDetails';
6
7  function App() {
8
9      const showBooks = true;
10     const showBlogs = true;
11     const showCourses = true;
12
13     return (
14         <div style={{ textAlign: 'center' }}>
15             <h1>Blogger App</h1>
16
17             {showBooks && <BookDetails />}
18
19             {showBlogs ? <BlogDetails /> : null}
20
21             {
22                 showCourses
23                 ? <CourseDetails />
24                 : <h2>No Courses Available</h2>
25             }
26         </div>
27     );
28 }
29
30 export default App;
```


BlogDetails.js:

```
Week 1 > React - 13 HOL > bloggerapp > src > BlogDetails.js > ...
1  import React from 'react';
2
3  function BlogDetails() {
4
5      const blogs = [
6          {
7              id: 1,
8              title: "React Basics"
9          },
10         {
11             id: 2,
12             title: "JavaScript ES6"
13         }
14     ];
15
16     return (
17         <div>
18             <h2>Blog Details</h2>
19
20             {
21                 blogs.map(blog => (
22                     <p key={blog.id}>
23                         {blog.title}
24                     </p>
25                 ))
26             }
27         </div>
28     );
29 }
30
31 export default BlogDetails;
```

BookDetails.js:

```
Week 1 > React - 13 HOL > bloggerapp > src > BookDetails.js > ...
1  import React from 'react';
2
3  function BookDetails() {
4
5      const books = [
6          { id: 1, name: "Java", price: 500 },
7          { id: 2, name: "React", price: 650 }
8      ];
9
10     return (
11         <div>
12             <h2>Book Details</h2>
13
14             {books.map(book => (
15                 <div key={book.id}>
16                     <p>
17                         <b>Book:</b> {book.name}
18                     </p>
19
20                     <p>
21                         <b>Price:</b> ₹{book.price}
22                     </p>
23
24                     <hr />
25                 </div>
26             ))}
27         </div>
28     );
29 }
30
31 export default BookDetails;
```

CourseDetails.js:

```
Week 1 > React - 13 HOL > bloggerapp > src > js CourseDetails.js > ...
1  import React from 'react';
2
3  function CourseDetails() {
4
5      const courses = [
6          {
7              id: 1,
8              name: "React"
9          },
10         {
11             id: 2,
12             name: "Angular"
13         }
14     ];
15
16     return (
17         <div>
18             <h2>Course Details</h2>
19
20             {
21                 courses.map(course => (
22                     <p key={course.id}>
23                         {course.name}
24                     </p>
25                 ))
26             }
27         </div>
28     );
29 }
30
31 export default CourseDetails;
```

Output:

Blogger App	
Book Details	
Book:	Java
Price:	₹500
Book:	React
Price:	₹650
Blog Details	
	React Basics
	JavaScript ES6
Course Details	
	React
	Angular