

```
[syed@123 ~]$ mkdir syed_241801288
[syed@123 ~]$ cd syed_241801288
[syed@123 syed_241801288]$ vi calculator.sh
[syed@123 syed_241801288]$ vi calculator.sh
[syed@123 syed_241801288]$ chmod +x calculator.sh
[syed@123 syed_241801288]$ ./calculator.sh
[syed@123 syed_241801288]$ .
```

Enter the first number :

14

Enter the second number :

11

Choose the operation

1. Addition

2. Subtraction

3. Multiplication

4. Division

1

Result : 25

```
[syed@123 syed_241801288]$ chmod +x calculator.sh
```

```
[syed@123 syed_241801288]$ ./calculator.sh
```

Enter the first number :

99

Enter the second number :

12

Choose the operation

1. Addition

2. Subtraction

3. Multiplication

4. Division

4

Result : 8

```
[syed@123 syed_241801288]$ chmod +x calculator.sh
```

```
[syed@123 syed_241801288]$ ./calculator.sh
```

Enter the first number :

7

Enter the second number :

8

Choose the operation

1. Addition

2. Subtraction

3. Multiplication

4. Division

Invalid choice

```
[syed@123 syed_241801288]$ █
```

```
echo "Enter the first number : "  
read a  
echo "Enter the second number : "  
read b  
  
echo -e "Choose the operation \n 1. Addition \n 2.Subtraction \n 3.Multiplication \n 4.Division "  
read choice  
  
case $choice in  
    1) echo "Result : $((a+b))";;  
    2) echo "Result : $((a-b))";;  
    3) echo "Result : $((a*b))";;  
    4) echo "Result : $((a/b))";;  
    *) echo "Invalid choice";;  
  
esac
```

: wq

```
[syed@123 syed_241801288]$ vi leapYear.sh
[syed@123 syed_241801288]$ chmod +x leapYear.sh
[syed@123 syed_241801288]$ ./leapYear.sh
Enter the year :
2000
Leap Year

[syed@123 syed_241801288]$ chmod +x leapYear.sh
[syed@123 syed_241801288]$ ./leapYear.sh
bash: ./: Is a directory
[syed@123 syed_241801288]$ ./leapYear.sh
[syed@123 syed_241801288]$ chmod +x leapYear.sh
[syed@123 syed_241801288]$ ./leapYear.sh
Enter the year :
2023
Not a Leap Year

[syed@123 syed_241801288]$ chmod +x leapYear.sh
[syed@123 syed_241801288]$ ./leapYear.sh
Enter the year :
2020
Leap Year

[syed@123 syed_241801288]$ █
```

```
echo "Enter the year : "  
read y
```

```
((y%400) == 0 || ((y%4 == 0) && (y%100 != 0))) && echo "Leap Year" || echo "Not a Leap Year"
```

```
█
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
~
```

```
"leapYear.sh" 5L, 128B
```