



syed123@localhost:~ — /usr/bin/vim fib.sh.*

```
[syed123@localhost ~]$ vi emp.awk
[syed123@localhost ~]$ gawk -f emp.awk emp.dat
Employee Details
sundar 72000
no of employee are= 1
total pay= 72000
average pay= 72000
[syed123@localhost~]
```



syed123@localhost:~ — /usr/bin/vim emp.dat



```
joe 8000 4  
shyam 20000 6  
sundar 9000 8  
benten 6000 2  
tarrun 7000 9
```

*emp.dat" 7L, 71C

7L, 71C

Al

```

BEGIN {
    count = 0
    total = 0
    print "Employee Details"
}

{
    name = $1
    salary = $2
    days = $3

    if(salary > 7000 && days > 6) {
        pay = salary + days
        print name, pay
        total = total + pay
        count++
    }
}

END {
    if (count > 0) {
        avg = total / count
    }
    else {
        avg = 0
    }

    print "no of employee are=", count
    print "total pay=" , total
    print "average pay=", avg
}

```

```
[syed123@localhost ~]$ vi emp.awk
[syed123@localhost ~]$ gawk -f emp.awk emp.dat
```

Employee Details

sundar 72000

no of employee are= 1

total pay= 72000

average pay= 72000

```
[syed123@localhost ~]$ vi emp.dat
```

```
[syed123@localhost ~]$ vi emp.awk
```

```
[syed123@localhost ~]$ vi marks.dat
```

```
[syed123@localhost ~]$ vi marks.awk
```

```
[syed123@localhost ~]$ gawk -f marks.awk marks.dat
```

Name	sub-1	sub-2	sub-3	sub-4	sub-5	sub-6	status
------	-------	-------	-------	-------	-------	-------	--------

ben	70	55	66	77	55	77	PASS/nsundar
-----	----	----	----	----	----	----	--------------

	70	65	78	90	87	84	
--	----	----	----	----	----	----	--

sundar	70	65	78	90	87	84	PASS/nsundar
--------	----	----	----	----	----	----	--------------

ntarrun	56	70	0	0	0	0	FAIL/n 70 PASS/ntarrun
---------	----	----	---	---	---	---	------------------------

```
[syed123@localhost ~]$
```

```
ben 70 55 66 77 55 77
shyam 60 67 84 92 90 60
sundar 90 95 84 87 56 70
tarrun 60 70 65 78 90 87
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```

```
<
```



```
BEGIN {  
    print "Name sub-1 sub-2 sub-3 sub-4 sub-5 sub-6 status"  
    print "-----"  
}  
  
{  
    name = $1  
    status = "PASS"  
  
    for( i= 2;i <= 7;i++) {  
        if($i < 45) {  
            status= "FAIL"  
        }  
    }  
    printf "%-5s" , name  
    for (i=2;i <= 7;i++) {  
        printf "%6d", $i  
    }  
    printf " %s/n",status  
}  
END {  
    print "-----"  
}
```