Status	Finished
Started	Sunday, 25 October 2026, 8:20 PM
Completed	Sunday, 25 October 2026, 8:25 PM
Duration	5 mins 43 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. TypeError: update() doesn't allow list as a argument.

b. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

d. Name Error

Question **2**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2. ✗

b. Elements of set2 will get appended to set1

c. Elements of set1 will get appended to set2

d. A new set will be created with the elements of both set1 and set2

Question **3**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```
```

a. <class 'int'>

b. <class 'str'> ✓

c. str

d. <class 'tuple'>

Question **4**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. False ✓

b. True

c. Error

d. Error

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. i,ii ✓

b. All of the above

c. ii

d. iii

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. {0,0,9}

c. {0,9} ✓

d. It will throw an error as there are two 0 while creating the set.

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. 12

b. Error ✓

c. (55,78,64,25)

d. (12)

Question **8**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. We can change the tuple once created

b. None of these

c. A tuple maintains the order of items ✓

d. A tuple is unordered

Question **9**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. del.sampleSet("ECE")

c. remove.sampleSet("ECE")

d. sampleSet.discard("ECE") ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}

b. SynatxError: Different types cannot be used with sets

c. {40, ’10’, 50, 20, 60, 30}

d. {40, 10, ’10’, 50, 20, 60, 30} ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')} ✓

b. {'rec', 1, ('cse', 'ece'),True}

c. {'rec', True, ('cse', 'ece')}

d. Error

Question **13**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (10, 20, 30, 40) (40, 50, 60, 70, 80)

b. (30, 40, 50) (10, 20, 30, 40)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **14**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11, 3, 11, 3, 11, 3) ✓

b. (11,3)(11,3)(11,3)

c. [11,11,11,3,3,3]

d. (11,3,11,11,3,11,11,11,3)

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error

b. (1,2,3,3,2,1)

c. (1,2,3,4,5,6) ✓

d. (1,2,3)(4,5,6)