
EXPERIMENT 16: Comparative Boxplots and Spread of Two Groups

AIM:

To draw comparative boxplots of two groups and compare their spread using the IQR in R.

OUTPUT:



RESULT:


The comparative boxplots were successfully drawn and the IQR of both groups was successfully calculated using R.

EXPERIMENT 17: Simple Linear Regression of Sales on Advertising Cost

AIM:

To fit a simple linear regression model between advertising cost and sales and plot the regression line using R.

OUTPUT:



RESULT:


The linear regression model was successfully fitted and the scatter plot with the regression line was successfully drawn using R.

EXPERIMENT 18: Covariance and Pearson Correlation

AIM:

To calculate the covariance and the Pearson correlation between rainfall and crop yield using R.

OUTPUT:



RESULT:


The covariance and the Pearson correlation were successfully calculated using R.

EXPERIMENT 19: Handling Missing Values

AIM:

To find the positions and count of missing values in a vector and replace them with the mean using R.

OUTPUT:



RESULT:


The missing values were successfully identified and replaced with the mean using R.

EXPERIMENT 20: Sorting a Data Frame and Finding the Top Three Employees

AIM:

To sort a data frame of employees by salary in descending order and display the top three employees using R.

OUTPUT:



RESULT:


The data frame was successfully sorted by salary and the top three employees were successfully displayed using R.

EXPERIMENT 21: Weighted Mean and Ordinary Mean

AIM:

To calculate the weighted mean and the ordinary mean of prices using R.

OUTPUT:



RESULT:

The weighted mean and the ordinary mean were successfully calculated using R.