

Screenshots Walkthrough

This document is a visual tour of the HKMA architecture review tooling. Screenshots reflect one client deployment of the static web UI. Buttons that call the **analysis service** use whatever API base URL operations configured for that deployment, not the origin that serves the HTML pages alone.


Use it together with the [BTG Admin Guide](#), the [Project Team Guide](#), and the [Reviewer Guide](#).

PNG files live in `./screenshots/`. To regenerate them locally, start `python -m http.server 8080` in `src/main/webapp`, start `service` on port 3001, then run `npm run capture` in `tools/walkthrough-screenshots`. The capture script stubs Jira and LLM calls for the Reviewer workspace so you do not need live corporate endpoints for documentation images.

Part 1: Projects Portal


1.1 Empty portal at first launch

The landing page when no projects exist yet. The top navigation strip includes **Canvas**, **Firewall Rules Panel**, **Projects Portal**, and **Reviewer workspace**. The header provides **+ New Project** for BTG catalogue work.




1.2 New Project modal

Choose **+ New Project** to open the modal. You enter project name, project code, owning team, status, assigned people, and description.




1.3 Project details filled in

Example project with code **CSP**, team **BTG**, assignees, and description. The analysis service matches Jira work to projects using the project code.




1.4 Project card after save

The project appears as a card in the grid. Active status shows as a green badge. Each card supports linking a diagram, linking an IdaC workbook, **Edit**, and **Delete**.



1.5 Several projects and filters

With multiple projects, the search field plus **Status** and **Team** filters refine the list. The counter shows how many projects match.




1.6 Linking a diagram file

Choose **Link Diagram** on a card. The operating system file picker opens for **.drawio** and XML files. The picker itself is not shown here because it is native to the device.


1.7 Linked diagram strip

After linking, the card shows the file name, link time, **Open in Canvas**, **Download .drawio**, and unlink.




1.8 Linked IdaC workbook

After you link the IdaC workbook produced from the canvas menu **Export firewall** using the IdaC template, a second strip appears with download and unlink actions.




1.9 Analysis panel when the service is unavailable

If the analysis service cannot be reached at the configured URL, the card shows a short offline message. The portal remains usable for project and file management.




1.10 Analysis panel with results

When the analysis service has stored results for that project, the card can show recent rows with Jira reference, summary, outcome, and a timestamp. Reviewers produce or refresh structured analysis from the **Reviewer workspace**.




1.11 Edit project

Edit opens the modal with the saved values.



1.12 Delete project

Deleting asks for confirmation before the project is removed.




Part 2: Reviewer workspace

The **Reviewer workspace** uses the same top strip as the portal. It combines **Test Jira and LLM**, Jira search, optional portal context fields, **Sync portal data**, **Run validity analysis**, **Analysed requests**, and **Assistant chat**.


2.1 Overview and connectivity

Hero, **Firewall validity** badge, sticky links, **Analysis service connectivity** with **Test Jira and LLM**, and the start of the **Analyse a firewall request** card.




2.2 Jira search results

After **Search Jira**, matching firewall requests appear in the results list. Selecting a row loads the ticket into the workflow below.




2.3 Ticket preview

With a ticket selected or loaded by key, the preview line shows summary, status, project, and **Open in Jira** when the deployment provides a base URL.




2.4 Verdict panel

After **Run validity analysis**, the verdict area shows the confidence ring, outcome badge, reasoning list, narrative, and source document links.




2.5 Analysed requests history

Scroll to **Analysed requests**. Expand rows to see prior reasoning, analysis text, and links. Re-running the same Jira key updates the stored entry.




2.6 Sync portal data

Sync portal data pushes project metadata and diagram artefacts from this browser to the analysis service. A toast confirms success or warns if the service is offline.



2.7 Assistant chat


At the bottom, optional chat streams replies from `POST /api/chat`. Use it after connectivity checks and sync when you want conversational follow-up.



Part 3: Canvas


3.1 Canvas home

The diagram editor uses the standard draw.io layout. The left sidebar includes **Architecture** palettes for **Zones** and **Components**.




3.2 Zones palette

Expand **Architecture** for **Zones** to browse HKMA zone containers.




3.3 Components palette

Architecture for **Components** lists schema-driven shapes by category.




3.4 File menu

File includes **Export Diagram** as **.drawio**, **Export firewall** with the IdaC template, **Extract Firewall Analysis JSON**, **Architecture Admin**, and other editor commands.




3.5 View menu

View lists zoom, panels, and related display options. You can also open **Architecture Admin** from **File**.




3.6 Architecture Admin catalog

Architecture Admin from **File** opens the catalog. The dropdown switches between **Zones**, **Components**, **Categories**, and **Styles**. The figure shows **Zones**.



3.7 Firewall export preview

Export firewall with the IdaC template runs validation, then shows a summary and export actions.



Part 4: Firewall Rules Panel

Organisation-wide firewall precedence and validation rules are maintained on the **Firewall Rules Panel** page. Those settings apply when authors edit diagrams. Reviewers and rule owners change rules here, then choose **Save changes** in the header so updates persist in the browser and refresh open canvas tabs.

4.1 Firewall rules overview

The ordered table lists priority, rule id, when conditions apply, effect, and on or off state. **Add rule** is above the table. Each row has **Edit** and **Delete**.

CanvasFirewall Rules PanelProjects PortalReviewer workspace

HKMA ARCHITECTURE

Firewall & validation

Save changesReloadExportImport...ResetReady

FIREWALL RULES

Higher priority runs first. Match when (parent / zone / cross-zone / zones) then apply effect (required, type, NSX or PSO, reason).
DEFAULT – FIREWALL REQUIRED
Yes
DEFAULT – PROVIDER
NSX
+ Add rule

PRIORITY	ID	WHEN	EFFECT	ON	
1000	fw-same-parent-no-op	sameParent	opt virtual / NSX	on	EditDelete
900	fw-cross-zone-default	crossZone	req physical / NSX	on	EditDelete
500	fw-qa-private-cloud-same-zone	sameZone, zones:oa-private-cloud	req virtual / PSO	on	EditDelete
500	fw-aws-landing-zone-same-zone	sameZone, zones:aws-landing-zone	req virtual / NSX	on	EditDelete
400	fw-qa-baremetal-same-zone	sameZone, zones:oa-baremetal,oa-app-dmz,dmz	req physical / NSX	on	EditDelete
400	fw-idmz-same-zone	sameZone, zones:idmz	req physical / NSX	on	EditDelete
400	fw-k8s-same-zone	sameZone, zones:k8s-cluster,k8s-namespace,messaging-infrastructure	req virtual / NSX	on	EditDelete
400	fw-data-platform-same-zone	sameZone, zones:data-platform	req physical / NSX	on	EditDelete

VALIDATION RULES

WHICH KIND OF RULE DO I NEED?

Connection rules
Use these when the diagram draws a line between two components. The check runs on that relationship: from type and zone, to type and zone, and whether the link crosses a boundary you care about. Example: blocking a flow from an internet-facing piece into a restricted area unless policy says otherwise.
Placement rules
Use these when a single component sits inside a zone and you need to allow or forbid that combination. The check runs on the shape and where it lives, not on a line to another shape. Example: a given component type must not appear inside a particular zone.

Connection rulesPlacement rules

+ Add rule

DENYdeny-external-to-database-directp100

DENYdeny-integration-to-backendp10

4.2 Add a new firewall rule

Choose **Add rule**. Fill **Rule ID**, **Priority**, **When** checkboxes and optional zones, and **Effect** in the modal. Choose **Save** to apply to the working set or **Cancel** to close without saving.

CanvasFirewall Rules PanelProjects PortalReviewer workspace

HKMA ARCHITECTURE

Firewall & validation

Save changesReloadExportImport...ResetReady

FIREWALL RULES

Higher priority runs first. Match when (parent / zone / cross-zone / zones) then apply effect (required, type, NSX or PSO, reason).
DEFAULT – FIREWALL REQUIRED
Yes
DEFAULT – PROVIDER
NSX
+ Add rule

PRIORITY	ID	WHEN	EFFECT	ON	
1000	fw-same-parent-no-op	sameParent	opt virtual / NSX	on	EditDelete
900	fw-cross-zone-default	crossZone	req physical / NSX	on	EditDelete
500	fw-qa-private-cloud-same-zone	sameZone, zones:oa-private-cloud	req virtual / PSO	on	EditDelete
500	fw-aws-landing-zone-same-zone	sameZone, zones:aws-landing-zone	req virtual / NSX	on	EditDelete
400	fw-qa-baremetal-same-zone	sameZone, zones:oa-baremetal,oa-app-dmz,dmz	req physical / NSX	on	EditDelete
400	fw-idmz-same-zone	sameZone, zones:idmz	req physical / NSX	on	EditDelete
400	fw-k8s-same-zone	sameZone, zones:k8s-cluster,k8s-namespace,messaging-infrastructure	req virtual / NSX	on	EditDelete
400	fw-data-platform-same-zone	sameZone, zones:data-platform	req physical / NSX	on	EditDelete

VALIDATION RULES

WHICH KIND OF RULE DO I NEED?

Connection rules
Use these when the diagram draws a line between two components. The check runs on that relationship: from type and zone, to type and zone, and whether the link crosses a boundary you care about. Example: blocking a flow from an internet-facing piece into a restricted area unless policy says otherwise.
Placement rules
Use these when a single component sits inside a zone and you need to allow or forbid that combination. The check runs on the shape and where it lives, not on a line to another shape. Example: a given component type must not appear inside a particular zone.

Connection rulesPlacement rules

+ Add rule

DENYdeny-external-to-database-directp100

DENYdeny-integration-to-backendp10

New firewall rule

RULE ID
fw-rule-conditions

PRIORITY
100

Suggest from zones & conditions

Naming: use stable lowercase kebab-case.
Prefer fw-rule- plus a short scope – usually the zone ids you select (e.g. fw-rule-landing-zone-dmz), or same-zone, cross-zone, same-parent when no zones apply. The ID must be unique across all firewall rules.

ENABLED

When

Same parentSame zoneCross zone

ZONES (OPTIONAL)

oa-baremetaloa-private-cloudoa-app-dmzdmz
aws-landing-zone
sourcesidmzg-neticinet
k8s-clusterk8s-namespacemessaging-infrastructure


Effect
REQUIRED
true
TYPE
physical

PROVIDER
NSX

CancelSave


4.3 Edit an existing firewall rule


Choose **Edit** on a row. The same form opens with **Edit firewall rule** as the title. Update fields, then **Save** or **Cancel**.



4.4 Delete a firewall rule


Choose **Delete** on the row. The browser asks you to confirm.






4.5 Connection validation rules overview

Scroll to **Validation rules**. The **Connection rules** tab lists edge rules as rows with **DENY** or **ALLOW**, id, priority, and a delete control.




4.6 Add a new connection validation rule

Choose **Add rule** while **Connection rules** is active. The **New connection rule** modal collects id, priority, enabled, effect, severity, category and zone chips, and the violation message.




4.7 Edit an existing connection validation rule

Click the row for the rule. The modal title starts with **Edit:** and the rule id.




4.8 Placement validation rules overview

Choose **Placement rules**. The list shows placement rules the same way as connection rules.




4.9 Add a new placement validation rule

Choose **Add rule** while **Placement rules** is active. The **New placement rule** modal shows category and zone chips for containment.




4.10 Edit an existing placement validation rule


Click a row when your deployment already defines placement rules.



4.11 Delete a connection validation rule

Stay on **Connection rules**. Choose **Delete** on a row, confirm, then verify the row is gone.





4.12 Persist your work

When finished, choose **Save changes** in the page header so organisation overrides are written and open diagram tabs pick up the new effective rules.

Part 5: End-to-end handoff

5.1 Project team deliverables

The project team saves the **.drawio** file and exports the IdaC workbook using **Export firewall** with the IdaC template on the **File** menu. Both files go to BTG through your agreed channel.

5.2 BTG links artefacts

BTG opens the **Projects Portal**, attaches the diagram and workbook to the right project, and keeps metadata current.

5.3 Reviewer sync and analysis

The reviewer opens **Reviewer workspace**, optionally runs **Test Jira and LLM**, then **Sync portal data** when BTG has updated links. The reviewer searches Jira for the firewall request, adds ARB or other links as needed, and runs **Run validity analysis**. Optional follow-up uses **Assistant chat**.

5.4 Outcomes

Analysed requests on the Reviewer workspace lists completed reviews. The **Projects Portal** cards can show the same outcomes in each **Analysis** strip for visibility. Items flagged for clarification should be handled in line with ITS and BSA process in Jira.