

Screenshots Walkthrough


A visual tour of the HKMA architecture review tooling, captured live from `http://localhost:8080`.

Pair these screenshots with the [BTG Admin Guide](#) and [Architect Guide](#) for full context.

Part 1 — Projects Portal (BTG Admin View)

1.1 Empty portal — first launch

The portal landing page when no projects exist yet. The header offers navigation back to the canvas, snapshot/analysis controls, and the **+ New Project** entry point.



1.2 New Project modal

Click **+ New Project** — the modal collects name, code, owning team, status, assigned people, and description.

HKMA Projects Portal

Search projects...

All Statuses

All Teams

New Project

PROJECT NAME *
e.g. CSP Payment Gateway

PROJECT CODE
e.g. CSP

OWNING TEAM
Select team

STATUS
Active

PEOPLE ASSIGNED
e.g. Ryan Chan, Raymond So

DESCRIPTION
Brief description of the project...

Cancel Save Project

1.3 Project filled in

Sample project filled with a project code (CSP), team (BTG), assignees and description. The Project Code matters: the analysis service uses it to match JIRA issues to your project.

HKMA Projects Portal

Search projects...

All Statuses

All Teams

New Project

PROJECT NAME *
CSP Payment Gateway

PROJECT CODE
CSP

OWNING TEAM
BTG

STATUS
Active


PEOPLE ASSIGNED
Ryan Chan, Raymond So

DESCRIPTION
Cross-border Sandbox Payments – CSP Phase 2 architecture review covering Kong API Gateway, AI Portal BFF, and Core Banking integration.

Cancel Save Project


1.4 Project card after save

The new project appears as a card in the grid. Status badge (green = Active), team badge, and per-card actions (Link Diagram, Link Firewall JSON, Edit, Delete).



1.5 Multiple projects with filters

With several projects in the grid, the search box and Status / Team filters narrow results in real time. The right-hand counter shows X of Y projects .




1.6 Linking a .drawio diagram

Click  **Link Diagram** on a card — the native OS file picker opens, accepting only .drawio and XML files. (No screenshot — the picker is rendered by the OS, not the app.)


1.7 Linked diagram strip

After linking, a green strip on the card shows the filename, link timestamp, ► **Open in Canvas**, ↓ **Download .drawio**, and ✕ unlink controls.




1.8 Linked firewall JSON

A second strip appears once a firewall-requests JSON is linked. It exposes ► **View JSON** (opens in a new tab) and the same download/unlink actions.




1.9 Analysis panel — offline

When the analysis service isn't running, every card shows a gentle offline notice. The portal still works fully without the service.




1.10 Analysis panel — online with results

After ► **Run Analysis**, the per-card panel populates with the latest LLM analysis: JIRA key, summary, outcome badge (✓ Approved, ⚠ Clarification, ⏸ Pending), and a timestamp.




1.11 Export Snapshot toast

Clicking  **Export Snapshot** downloads the snapshot file *and* pushes it to the analysis service. A toast confirms the result.




1.12 Edit modal pre-populated

Editing a card re-opens the modal pre-filled with current values.



1.13 Delete confirmation


Deleting a project asks for confirmation in a centered dialog before clearing the record.



Part 2 — Canvas (Architect View)


2.1 Canvas landing

The canvas opens with an empty diagram and the standard [draw.io](#) chrome. The left sidebar contains the **Architecture** group at the top.




2.2 Architecture sidebar — Zones

Expanded **Zones** sub-section showing all 13 HKMA-aligned containers (OA Baremetal, IDMZ, K8s Cluster, etc.).



2.3 Architecture sidebar — Components


Expanded **Components** sub-section organised by category. Drag any shape into a zone to make it a child.



2.4 File menu — architecture entry points


The custom architecture commands are integrated into the standard **File** menu:

Export Diagram (.drawio), Extract Firewall Requests JSON, Extract Firewall Analysis JSON, Architecture Admin, Projects Portal.




2.5 View menu — validation entry points

The **View** menu surfaces validation tooling alongside the standard view options:
Validation Rules, Run Validation Self-Test, Architecture Admin.



2.6 Architecture Catalog — Zones tab


CRUD for zones. The same dialog has tabs for Component Categories, Components, Styles, and Firewall Rules.



Architecture Admin						
Zones	Filter by id, name, category...	+ Add New		13 of 13 zones		
id	name	styleRef	tags	editable	source	actions
oa-baremetal	OA Network - Baremetal	zone.oa-baremetal	oa, on-prem, baremetal	true	base	<button>Edit</button> <button>Delete</button>
oa-private-cloud	OA Network - Private Cloud	zone.oa-private-cloud	oa, private-cloud	true	base	<button>Edit</button> <button>Delete</button>
oa-app-dmz	OA Network - App DMZ	zone.oa-app-dmz	oa, app-dmz	true	base	<button>Edit</button> <button>Delete</button>
dmz	DMZ	zone.dmz	dmz	true	base	<button>Edit</button> <button>Delete</button>
aws-landing-zone	AWS Landing Zone	zone.aws-landing-zone	aws, landing-zone	true	base	<button>Edit</button> <button>Delete</button>
sources	Sources	zone.sources	external, sources, internet	true	base	<button>Edit</button> <button>Delete</button>
idmz	IDMZ (Internet Facing DMZ)	zone.idmz	idmz, internet-dmz, waf	true	base	<button>Edit</button> <button>Delete</button>
g-net	G-net	zone.g-net	g-net, government, hk	true	base	<button>Edit</button> <button>Delete</button>
iclnet	ICLNet	zone.iclnet	iclnet, icl, hkma	true	base	<button>Edit</button> <button>Delete</button>
data-platform	Data Platform	zone.data-platform	data, analytics, daas, bi	true	base	<button>Edit</button> <button>Delete</button>
k8s-cluster	K8s Cluster	zone.k8s-cluster	k8s, kubernetes, containers	true	base	<button>Edit</button> <button>Delete</button>
k8s-namespace	K8s Namespace	zone.k8s-namespace	k8s, namespace, isolation	true	base	<button>Edit</button> <button>Delete</button>
messaging-infrastructure	Messaging Infrastructure	zone.messaging-infrastructure	kafka, messaging, event-driven, stateful	true	base	<button>Edit</button> <button>Delete</button>


2.7 Architecture Catalog — Firewall Rules tab

Declarative firewall rule chain. Higher priority wins; rules can match `sameParent` , `sameZone` , `crossZone` , or specific `zoneId` lists.



2.8 Validation Rules dialog — list

The form-driven validation rules dialog. Top toolbar switches between **Connection Rules** (edges) and **Placement Rules** (containment). Each rule shows a severity dot and DENY/ALLOW badge.



2.9 Validation Rules dialog — edit form


Selecting a rule reveals the form: Rule ID, Enabled toggle, Effect radio (Deny/Allow), Severity dropdown, Priority, From/To Category chip multi-selects, Same Zone / Cross Zone / Same Parent Container checkboxes, From/To Zone chips, and a violation message.

The screenshot shows the 'Validation Rules' dialog box. At the top, there's a 'Connection Rules' dropdown, '+ New', and 'Delete' buttons. A 'Save Diagram' button is in the top right. Below, a list of rules is shown, with 'deny-external-to-database-direct' selected. The rule details are as follows:

- RULE ID:** deny-external-to-database-direct
- Enabled:** ☒ Enabled
- EFFECT:** ☒ Deny ☐ Allow
- SEVERITY:** ☒ Error
- PRIORITY:** 100
- WHEN THE CONNECTION IS...**
- FROM CATEGORY — SOURCE COMPONENT TYPE:** Database, Backend, Frontend, Integration, Security, Middleware, Storage, Monitoring, **External**, IAM, Orchestration, AI, CI/CD
- TO CATEGORY — DESTINATION COMPONENT TYPE:** **Database**, Backend, Frontend, Integration, Security, Middleware, Storage, Monitoring, External, IAM, Orchestration, AI, CI/CD
- Same Zone:** ☐ **Cross Zone:** ☐ **Same Parent Container:** ☐


2.10 Validation Self-Test results

The built-in self-test runs the canonical fixtures against the rule engine and reports pass/fail counts plus per-fixture details.



2.11 Validation result — denied edge

When a user draws an edge that violates a rule, the canvas blocks the connection and surfaces the rule's message (e.g. *"Denied by precedence"*).



2.12 Firewall extraction preview

File → **Extract Firewall Requests JSON** shows the rendered output (validation summary plus the JSON body) before you copy or download.



Part 3 — End-to-end loop

3.1 Architect saves & exports

Architect saves the `.drawio` file and downloads `csp-phase2-firewall-requests.json`. Both go to the BTG admin via email/share.

3.2 BTG admin links files

BTG admin opens the Projects Portal, links both files to the project card.

3.3 BTG admin runs analysis

BTG admin clicks  **Export Snapshot** (so the service can correlate JIRA → project) then ► **Run Analysis**.

3.4 BTG admin reads results

After ~4 seconds, each card's analysis panel shows the per-issue outcomes. Cards with  Clarification get priority follow-up.

Live demo tip: Run the `service/ backend` in stub mode (`npm start` with no `.env` values) — three sample JIRA issues will produce realistic-looking analysis results without any external dependencies.