S3-Task-01

1. Create an S3 bucket and upload some objects to S3.

To create Bucket we need ➔Go To S3 service ➔click create bucket ➔Use a unique name and create bucket ➔and upload the ➔file

Created the bucket and updated the object



2. Deploy a static website in the S3 bucket.

Enabled the static website ➔

S3-Task-01



3. Enable cross-region replication on S3 buckets.

Here ➔I have create the bucket and replicated ➔in another account ➔ Create the replication rule



Now uploaded a file source file ➔ It will replicate in another region



S3-Task-01



4 Configure a bucket policy so only the Admin user can see the objects of the S3 bucket.

Created a policy and attached to specific bucket so specific user can only use that ➔I have attached image below and check that

Now I have tried to access it using the syed user it's working



S3-Task-01

GoTo ➔ a Bucket and click on life cycle rule and work on the ➔creation on ➔life cycle rule and create it ➔

Listed image attached below



6 Push some objects to S3 using the AWS CLI.

You will have file in your local okay or create a file ➔and give enter➔ and use the below commands for the text ➔

Text file has been uploaded

S3-Task-01



7 Write a Bash script to create an S3 bucket.

Write script and execute the below script you will create a new bucket

Here is the script

```
#!/bin/bash

# Change this to your bucket name (must be globally unique)
BUCKET_NAME="my-unique-bucket-12345"

# Change region if needed
REGION="us-east-1"

echo "Creating bucket: $BUCKET_NAME in region: $REGION"

# Create bucket
aws s3api create-bucket \
  --bucket "$BUCKET_NAME" \
  --region "$REGION" \
  --create-bucket-configuration LocationConstraint="$REGION"

echo "Bucket created successfully!"
```

Now the bucket has been created using the script

```
Done

HP@Syedsohailali MINGW64 ~/Desktop (dev)
$ nano s3.bash
```

S3-Task-01

8 Upload a 1 GB file to S3 using the CLI.

To Upload 1 gb file to s3 use the following command

I have attached the command to create ➔1gb file ➔use the commands and create the file and upload that to s3 bucket

```
HP@Syedsohailali MINGW64 ~/Desktop (dev)
$ dd if=/dev/zero of=1GB_file.bin bs=1M count=1024
1024+0 records in
1024+0 records out
1073741824 bytes (1.1 GB, 1.0 GiB) copied, 0.828311 s, 1.3 GB/s

HP@Syedsohailali MINGW64 ~/Desktop (dev)
$ ls -lh 1GB_file.bin
-rw-r--r-- 1 HP 197611 1.0G Apr 21 19:55 1GB_file.bin

HP@Syedsohailali MINGW64 ~/Desktop (dev)
$ ^C

HP@Syedsohailali MINGW64 ~/Desktop (dev)
$ aws s3 cp 1GB_file.bin s3://flow-s
upload: .\1GB_file.bin to s3://flow-s/1GB_file.bin

HP@Syedsohailali MINGW64 ~/Desktop (dev)
$
```

Successfully uploaded 1 gb file to s3 bucket