1. Create one VPC, with 1 public subnet and 1 private subnet.

 Step 1: Create VPC

1. Open AWS Management Console
2. Search → VPC
3. Click Create VPC



 Step 2: Create Subnets

 Public Subnet

Once done with the naming the subnet and CRDI

Subnet - → Public-Subnet (name)

CRDI - 10.0.1.0/24

You can see your created subnet name in subnet list



Step 4: Create Public Route Table

1. Go to Route Tables → Create
   - Name → Public-RT
   - Select VPC
2. Click Edit Routes → Add route
   - Destination → 0.0.0.0/0
   - Target → Internet Gateway (MyIGW)

☞ Why?
0.0.0.0/0 means "send all internet traffic outside"

Once you created route table you can see your name of the route table which you have created such as shown below my **"public – rt"**



Step 5: Attach Route Table to Public Subnet

▯ Step 4: Create Public Route Table

1. Go to Route Tables → Create
   - Name → Public-RT
   - Select VPC
2. Click Edit Routes → Add route
   - Destination → 0.0.0.0/0
   - Target → Internet Gateway (MyIGW)

☞ Why?
0.0.0.0/0 means "send all internet traffic outside"

Once you created route table you can see your name of the route table which you have created such as shown below my **"public – rt"**

▯ Step 5: Attach Route Table to Public Subnet

▯ Step 4: Create Public Route Table

1. Go to Route Tables → Create
   - Name → Public-RT
   - Select VPC
2. Click Edit Routes → Add route
   - Destination → 0.0.0.0/0
   - Target → Internet Gateway (MyIGW)

☞ Why?
0.0.0.0/0 means "send all internet traffic outside"

Once you created route table you can see your name of the route table which you have created such as shown below my **"public – rt"**

▯ Step 5: Attach Route Table to Public Subnet