CSS Background Property

Background:

```
body {
  background: lightblue url(" ") no-repeat fixed center;
Background-color:
body {
       background-color: coral;
}
Background-clip: (border-box, content-box, padding-box)
div {
  border: 10px dotted black;
  padding: 15px;
  background: lightblue;
  background-clip: padding-box;
}
Background-attachment, Background-image, Background-repeat:
body{
  background-image: url("img_tree.gif");
  background-repeat: no-repeat;
  background-attachment: fixed;
}
Background-origin: (border-box, content-box, padding-box)
#example1 {
  border: 10px double black;
  padding: 25px;
  background: url(paper.gif);
  background-repeat: no-repeat;
  background-origin: content-box;
}
```

Background-position: (center, right, bottom, center right, 50%, 60% 80%)

```
body {
   background-image: url('w3css.gif');
   background-repeat: no-repeat;
   background-attachment: fixed;
   background-position: center;
}
```

Background-repeat:

```
body {
  background-image: url("paper.gif");
  background-repeat: repeat-y;
}
```

Background-size:

```
#example1 {
   background: url(mountain.jpg);
   background-repeat: no-repeat;
   background-size: auto;
}

#example2 {
   background: url(mountain.jpg);
   background-repeat: no-repeat;
   background-size: 300px 100px;
}
```

CSS Font Property


Font: #div1 { font: 15px arial, sans-serif; #div2 { font: italic bold 12px/30px Georgia, serif; **Font-family:** p.a { font-family: "Times New Roman", Times, serif; p.b { font-family: Arial, Helvetica, sans-serif; Font-size: #div1 { font-size: 15px; #div2 { font-size: large; } #div3 { font-size: 150%; } Font-size-adjust: #div1 { font-size-adjust: 0.58;

}

Font-style:

```
#p1 {
 font-style: normal;
#p2 {
 font-style: italic;
#p3 {
 font-style: oblique;
Font-variant:
#p1{
 font-variant: small-caps;
Font-weight:
#p1 {
 font-weight: normal;
#p2 {
 font-weight: bold;
}
#p3 {
 font-weight: 900;
}
```

CSS Box-Model Properties



Box-Model

CSS Padding Property

Padding:

- padding:10px 5px 15px 20px;
 - o top padding is 10px
 - o right padding is 5px
 - o bottom padding is 15px
 - o left padding is 20px
- padding:10px 5px 15px;
 - o top padding is 10px
 - o right and left padding are 5px
 - bottom padding is 15px

Syed Bilal 2021-2022 5

- padding:10px 5px;
 - o top and bottom padding are 10px
 - o right and left padding are 5px
- padding:10px;
 - o all four paddings are 10px

Padding-bottom:

```
p {
    padding-bottom: 2cm;
}

Padding-left:
```

```
p t
padding-left: 2cm;
}
```

Padding-right:

```
p {
   padding-right: 2cm;
}
```

Padding-top:

```
p {
   padding-top: 2cm;
}
```

CSS Border Property

Border:

```
h1 {
 border: 5px solid red;
h2 {
 border: 4px dotted blue;
}
div {
 border: double;
}
Border-collapse:
#table1 {
 border-collapse: separate;
}
#table2 {
 border-collapse: collapse;
}
Border-color: (Border-bottom-color, border-left-color, border-right-
color, border-top-color)
```

Border-image:

div {border-color: coral;}

```
#borderimg {
  border-image: url(border.png) 30 round;
}
```

Border-spacing:

```
#table1 {
   border-collapse: separate;
   border-spacing: 15px;
}

#table2 {
   border-collapse: separate;
   border-spacing: 15px 50px;
}
```

Border-style: (Border-bottom-style, border-left-style, border-right-style, border-top-style)

```
p.dotted {border-style: dotted;}
p.dashed {border-style: dashed;}
p.solid {border-style: solid;}
p.double {border-style: double;}
p.groove {border-style: groove;}
p.ridge {border-style: ridge;}
p.inset {border-style: inset;}
p.outset {border-style: outset;}
p.none {border-style: none;}
p.hidden {border-style: hidden;}
p.mix {border-style: dotted dashed solid double;}
```

Border-width: (Border-bottom-width, border-left-width, border-right-width, border-top-width)

```
div {border-width: thin;}
```

Border-bottom, border-left, border-right, border-top:

```
h1 {
   border-bottom: 5px solid red;
}
h2 {
  border-bottom: 4px dotted blue;
```

```
}
div {
  border-bottom: double;
}
```

Border-bottom-color, Border-left-color, Border-right-color, Border-top-color:

```
div {
  border-bottom-color: coral;
}
```

Border-bottom-left-radius, Border-left-left-radius, Border-right-left-radius, Border-top-left-radius:

```
#example1 {
   border: 2px solid red;
   border-bottom-left-radius: 25px;
}

#example2 {
   border: 2px solid red;
   border-bottom-left-radius: 50px 20px;
}
```

Border-bottom-right-radius, Border-left-right-radius, Border-right-radius, Border-top-right-radius:

```
#example1 {
   border: 2px solid red;
   border-bottom-right-radius: 25px;
}

#example2 {
   border: 2px solid red;
   border-bottom-right-radius: 50px 20px;
}
```

CSS Margin Property

This property can have from one to four values.

If the margin property has four values:

- margin: 10px 5px 15px 20px;
 - o top margin is 10px
 - o right margin is 5px
 - o bottom margin is 15px
 - o left margin is 20px

If the margin property has three values:

- margin: 10px 5px 15px;
 - o top margin is 10px
 - o right and left margins are 5px
 - o bottom margin is 15px

If the margin property has two values:

- margin: 10px 5px;
 - o top and bottom margins are 10px
 - o right and left margins are 5px

If the margin property has one value:

- margin: 10px;
 - o all four margins are 10px

Note: Negative values are allowed.

Margin-bottom:

```
p.ex1 {
   margin-bottom: 25px;
}
```

Margin-top:

```
p.ex1 {
   margin-bottom: 25px;
}
```

Margin-right:

```
p.ex1 {
    margin-bottom: 25px;
}

Margin-left:

p.ex1 {
    margin-bottom: 25px;
}
```

CSS Text Properties

Text-align:

```
h1 {
   text-align: center;
}

h2 {
   text-align: left;
}

h3 {
   text-align: right;
}
```

Text-decoration:

```
h1 {
   text-decoration: overline;
}
h2 {
   text-decoration: line-through;
}
h3 {
   text-decoration: underline;
}
```

Text-decoration-color:

```
p {
 text-decoration: underline;
  text-decoration-color: red;
}
Text-decoration-style:
p {
  text-decoration-style: wavy;
  text-decoration: underline;
}
Text-indent:
p {
 text-indent: 50px;
Text-overflow:
#div1 {
  white-space: nowrap;
  width: 12em;
  overflow: hidden;
  text-overflow: clip;
  border: 1px solid #000000;
}
#div2 {
  white-space: nowrap;
  width: 12em;
  overflow: hidden;
  text-overflow: ellipsis;
```

```
border: 1px solid #000000;
Text-shadow:
h1 {
 text-shadow: 2px 2px #ff0000;
Text-transform:
p.uppercase {
 text-transform: uppercase;
}
p.lowercase {
 text-transform: lowercase;
p.capitalize {
 text-transform: capitalize;
Word-break:
p.test {
 word-break: break-all;
Word-Spacing:
p {
 word-spacing: 30px;
White-space:
p {
 white-space: nowrap;
```

Other CSS Properties

```
Height, Width:
p.ex {
 height: 100px;
 width: 100px;
Min-height:
p.ex1 {
 min-height: 200px;
Min-Width:
span.ex1 {
 min-width: 500px;
Max-Height:
p.ex1 {
 max-height: 50px;
Max-Width:
p.ex1 {
  max-width: 150px;
Visibility:
h2 {
 visibility: hidden;
Vertical-align:
img {
 vertical-align: text-top;
```

Position(absolute, relative, static, fixed)

```
h2 {
  position: absolute;
  left: 100px;
  top: 150px;
}
Top:
div.absolute {
  position: absolute;
  top: 80px;
  width: 200px;
  height: 100px;
  border: 3px solid #8AC007;
}
Right:
div.absolute {
  position: absolute;
  right: 20px;
  width: 200px;
  height: 120px;
  border: 3px solid #8AC007;
}
Overflow:
div.ex1 {
  overflow: scroll;
}
div.ex2 {
  overflow: hidden;
}
div.ex3 {
  overflow: auto;
}
div.ex4 {
  overflow: visible;
```

Opacity:

order property.

</body>

```
div {
 opacity: 0.5;
Order:
<html>
<head>
<style>
#main {
    width: 400px;
    height: 150px;
    border: 1px solid #c3c3c3;
    display: -webkit-flex; /* Safari */
    display: flex;
}
#main div {
    width: 70px;
    height: 70px;
/* Safari 6.1+ */
div#myRedDIV {-webkit-order: 2;}
div#myBlueDIV {-webkit-order: 4;}
div#myGreenDIV {-webkit-order: 3;}
div#myPinkDIV {-webkit-order: 1;}
/* Standard syntax */
div#myRedDIV {order: 2;}
div#myBlueDIV {order: 4;}
div#myGreenDIV {order: 3;}
div#myPinkDIV {order: 1;}
</style>
</head>
<body>
<h1>The order Property</h1>
<div id="main">
  <div style="background-color:coral;" id="myRedDIV"></div>
  <div style="background-color:lightblue;" id="myBlueDIV"></div>
  <div style="background-color:lightgreen;" id="myGreenDIV"></div>
  <div style="background-color:pink;" id="myPinkDIV"></div>
</div>
<b>Note:</b> Internet Explorer 10 and earlier versions do not support the
order property.
<b>Note:</b> Safari 6.1 (and newer) supports an alternative, the -webkit-
```

Outline:

```
h2 {
  outline: 5px dotted green;
}
div.a {
  outline: 2px dashed blue;
@media:
@media screen {
  body {
    color: green;
  }
}
@media print {
  body {
    color: black;
 }
}
Display:
p.ex1 {display: none;}
p.ex2 {display: inline;}
p.ex3 {display: block;}
p.ex4 {display: inline-block;}
Box-shadow:
#example1 {
  box-shadow: 5px 10px;
#example2 {
  box-shadow: 5px 10px #888888;
}
```

CSS Animation Properties

Animation:

```
<style>
div {
  width: 100px;
  height: 100px;
  background: red;
  position: relative;
  animation: mymove 5s infinite;
}
@keyframes mymove {
  from {left: 0px;}
  to {left: 200px;}
}
```

Animation-delay:

```
div {
    animation-delay: 2s;
}
```

Animation-direction:

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
  width: 100px;
  height: 100px;
  background: red;
  position: relative;
  animation: myfirst 5s 2;
  animation-direction: alternate;
}
@keyframes myfirst {
  0% {background: red; left: 0px; top: 0px;}
  25% {background: yellow; left: 200px; top: 0px;}
  50% {background: blue; left: 200px; top: 200px;}
  75% {background: green; left: 0px; top: 200px;}
  100% {background: red; left: 0px; top: 0px;}
}
</style>
</head>
<body>
<h1>The animation-direction Property</h1>
Play the animation forwards first, then backwards:
<div></div>
</body>
</html>
```

Animation-duration:

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
 width: 100px;
  height: 100px;
  background: red;
  position: relative;
  animation: mymove infinite;
  animation-duration: 3s;
}
@keyframes mymove {
 from {top: 0px;}
 to {top: 200px;}
}
</style>
</head>
<body>
<h1>The animation-duration Property</h1>
Specify that the animation should complete one cycle in 3 seconds:
<div></div>
</body>
</html>
```

Animation-fill-mode:

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
  width: 100px;
  height: 100px;
  background: red;
  position: relative;
  animation: mymove 3s;
  animation-fill-mode: forwards;
}
@keyframes mymove {
 from {top: 0px;}
 to {top: 200px; background-color: blue;}
}
</style>
</head>
<body>
<h1>The animation-fill-mode Property</h1>
Let the div element retain the style values from the last keyframe when the animation ends:
<div></div>
</body>
</html>
```

Animation-iteration-count:

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
 width: 100px;
  height: 100px;
  background: red;
  position: relative;
  animation: mymove 3s;
  animation-iteration-count: 2;
}
@keyframes mymove {
 from {top: 0px;}
 to {top: 200px;}
}
</style>
</head>
<body>
<h1>The animation-iteration-count Property</h1>
Play the animation two times:
<div></div>
</body>
</html>
```

Tranform: div { transform: rotate(7deg); **Tranform-origin:** <!DOCTYPE html> <html> <head> <style> #div1 { position: relative; height: 200px; width: 200px; margin: 100px; padding: 10px; border: 1px solid black; } #div2 { padding: 50px; position: absolute; border: 1px solid black; background-color: red; transform: rotate(45deg); transform-origin: 20% 40%; }

</style>

</head>

<body>

```
<div id="div1">
<div id="div2">HELLO</div>
</div>
</body>
</html>
Transition:
<!DOCTYPE html>
<html>
<head>
<style>
div {
 width: 100px;
  height: 100px;
  background: red;
 transition: width 2s;
}
div:hover {
 width: 300px;
}
</style>
</head>
<body>
<div></div>
Hover over the div element above, to see the transition effect.
</body>
```

</html>

Transition-delay:

```
div {
    transition-delay: 2s;
}

Transition-duration:
div {
    transition-duration: 5s;
}

Transition-property:
div {
    transition-property: width;
}

div:hover {
    width: 300px;
```

}