CSS Selectors

.class	.intro	Selects all elements with class="intro"
#id	#firstname	Selects the element with id="firstname"
*	*	Selects all elements
element	p	Selects all <p> elements
element,element	div, p	Selects all <div> elements and all <p> elements
element element	div p	Selects all <p> elements inside <div> elements
element>element	div > p	Selects all <p> elements where the parent is a <div> element
element+element	div + p	Selects all <p> elements that are placed immediately after <div> elements
element1~element2	p ~ ul	Selects every element that are preceded by a <p> element
[*attribute*]	[target]	Selects all elements with a target attribute
[*attribute=value*]	[target=_blank]	Selects all elements with target="_blank"
[*attribute~=value*]	[title~=flower]	Selects all elements with a title attribute containing the word "flower"
[*attribute^=value*]	a[href^="https"]	Selects every <a> element whose href attribute value begins with "https"
[*attribute$=value*]	a[href$=".pdf"]	Selects every <a> element whose href attribute value ends with ".pdf"
[*attribute*=value*]	a[href*="infidata"]	Selects every <a> element whose href attribute value contains the substring "infidata"
:active	a:active	Selects the active link
::after	p::after	Insert something after the content of each <p> element
::before	p::before	Insert something before the content of each <p> element
:checked	input:checked	Selects every checked <input> element
:disabled	input:disabled	Selects every disabled <input> element
:empty	p:empty	Selects every <p> element that has no children (including text nodes)
:enabled	input:enabled	Selects every enabled <input> element
:first-child	p:first-child	Selects every <p> element that is the first child of its parent
::first-letter	p::first-letter	Selects the first letter of every <p> element
::first-line	p::first-line	Selects the first line of every <p> element
:first-of-type	p:first-of-type	Selects every <p> element that is the first <p> element of its parent

:focus	input:focus	Selects the input element which has focus
:hover	a:hover	Selects links on mouse over
:in-range	input:in-range	Selects input elements with a value within a specified range
:last-child	p:last-child	Selects every <p> element that is the last child of its parent
:last-of-type	p:last-of-type	Selects every <p> element that is the last <p> element of its parent
:link	a:link	Selects all unvisited links
:not(*selector*)	:not(p)	Selects every element that is not a <p> element
:nth-child(*n*)	p:nth-child(2)	Selects every <p> element that is the second child of its parent
:nth-last-child(*n*)	p:nth-last-child(2)	Selects every <p> element that is the second child of its parent, counting from the last child
:only-of-type	p:only-of-type	Selects every <p> element that is the only <p> element of its parent
:only-child	p:only-child	Selects every <p> element that is the only child of its parent
:optional	input:optional	Selects input elements with no "required" attribute
:required	input:required	Selects input elements with the "required" attribute specified
:visited	a:visited	Selects all visited links

Input type styles

Input Type "Text", "password", "email", "submit"…..

```
input[type=text] {
  width: 100%;
  padding: 12px 20px;
  margin: 8px 0;
  box-sizing: border-box;
}
```

Input Type "Text" with :focus, :disabled, :requied….

```
input[type=text]:focus
  background-color: lightblue;
}
```

```css
input[type=text]:disabled
    background-color: gray;
}
```

Input Type "Text" with image of search

```css
input[type=text] {

    width: 100%;

    box-sizing: border-box;

    border: 2px solid #ccc;

    border-radius: 4px;

    font-size: 16px;

    background-color: white;

    background-image: url('searchicon.png');

    background-position: 10px 10px;

    background-repeat: no-repeat;

    padding: 12px 20px 12px 40px;

}
```

Syed Bilal