

ADB PUSH & PULL COMMANDS

ADB Push and Pull Commands

- ◇ `adb push` – Computer se Android mein File Bhejna

Syntax

`adb push <local_path> <remote_path>`

Definition

`adb push` command ka use computer (host) se Android device (remote) par file ya folder copy karne ke liye hota hai.

Examples

Example 1: Current directory ki `foo.txt` file ko device ke SD Card mein copy karna.

```
adb push foo.txt /sdcard/foo.txt
```

Example 2: `avatar.jpg` ko device ke Download folder mein copy karna.

```
adb push avatar.jpg /storage/emulated/0/Download
```

Example 3: Boot animation file ko specific location par copy karna.

```
adb push mybootanimation.zip  
/oem/media/bootanimation.zip
```

Example 4: Windows PC se image ko device ke Pictures folder mein bhejna.

```
adb push C:\Users\name\image.png /sdcard/Pictures/
```

Note

Agar remote path mein sirf directory di gayi ho aur filename specify na kiya ho, to file apne original naam ke saath us directory mein save ho jaati hai.

◇ ADB PULL – ANDROID SE COMPUTER MEIN FILE LANA

Syntax

```
adb pull <remote_path> <local_path>
```

Definition

adb pull command Android device (remote) se file ya folder ko computer (local system) par copy karne ke liye use hoti hai.

Examples

Example 1: Device ki foo.txt file ko current folder mein lana.

```
adb pull /sdcard/foo.txt ./
```

Example 2: File ko Downloads folder mein save karna.

```
adb pull /sdcard/example.txt ~/Downloads/
```

Example 3: Puri SD Card directory ko computer mein copy karna.

```
adb pull /sdcard
```

Example 4: Camera photos ko computer ke photos folder mein copy karna.

```
adb pull /storage/emulated/0/DCIM/Camera/  
./photos/
```

Bulk Transfer Output Example

```
$ adb pull /sdcard  
/sdcard/: 1190 files pulled. 14.1 MB/s (304526427 bytes in  
20.566s)
```

◇ PRACTICAL COMMANDS

Computer se device mein file copy karne ke liye:

```
adb push <local_file> <device_path>
```

Device se computer mein file copy karne ke liye:

```
adb pull <device_file> <local_path>
```

Puri directory ko recursively device mein copy karne ke liye:

```
adb push -r <local_dir> <device_dir>
```

Puri directory ko recursively computer mein copy karne ke liye:

```
adb pull -r <device_dir> <local_dir>
```

◇ **PRACTICAL USE CASES**

Use Case 1: Single File Transfer

Computer se device mein PDF file bhejna:

```
adb push ~/Documents/report.pdf /sdcard/Documents/
```

Device se computer mein image file lana:

```
adb pull /sdcard/DCIM/Camera/IMG_2024.jpg  
~/Pictures/
```

Use Case 2: Bulk Directory Transfer

Puri Music directory device mein copy karna:

```
adb push -r ~/Music/ /sdcard/Music/
```

WhatsApp Media folder ka backup computer mein lena:

```
adb pull -r /sdcard/WhatsApp/Media/  
./backup_whatsapp/
```

Use Case 3: Log File Transfer

Device se log file computer mein copy karna:

```
adb pull /data/logs/app_log.txt ./logs/
```

Use Case 4: APK Backup

Sabse pehle installed app ka APK path check karein:

```
adb shell pm path com.example.app
```

Uske baad APK ko computer mein backup karein:

```
adb pull /data/app/com.example.app-1/base.apk  
./app_backup.apk
```

◇ **IMPORTANT TIPS**

File transfer shuru karne se pehle Android device mein **Developer Options** aur **USB Debugging** enable honi chahiye.

Device properly connect hua hai ya nahi, iske liye command chalayein:

```
adb devices
```

Agar device list mein dikh raha hai, to connection successful hai.

Agar file ya folder ke path mein spaces hain, to path ko quotes (" ") ke andar likhein.

```
adb pull "/sdcard/My Documents/file.txt" "./My  
Downloads/"
```

Kuch protected folders jaise /data/ aur /system/ mein file transfer karne ke liye root access ki zaroorat pad sakti hai.

Agar adb pull command mein local path specify nahi kiya jata, to file current working directory mein save ho jaati hai.

⚠ **IMPORTANT NOTE**

Ye notes sirf educational aur learning purposes ke liye hain. Kisi bhi device par bina permission ke access ya

modification karna IT Act 2000 aur anya applicable cyber laws ke under punishable offense ho sakta hai.

MADE BY :

Syed Ghous