

Physical Infiltration (USB/HID): The Hidden Threat

Bina dekhe, tumhara computer hack ho sakta hai!

Introduction - The Invisible Danger 🙈

Physical Infiltration (USB/HID) woh khatarnak tareeqa hai jisay cybercriminals istemaal karte hain aapke computer ko malware se infect karne ke liye, baghair aapke kisi link pe click kiye ya koi file download kiye. Yeh bilkul aik digital ninja attack jaisa hai!

The Hacker's 4-Step Lifecycle ⚙️

Technical Terms Sidebar Box:

- 1. Infrastructure
- **Asan Alfaz:** Yeh tumhara **"Base Camp"** hai.
- Hacking ke liye tumhe computers, software, aur internet connection ki zaroorat hoti hai. Yeh sab mil kar tumhara "Infrastructure" banta hai jahan se tum apna kaam control karte ho.
- 2. Payload
- **Asan Alfaz:** Yeh tumhara **"Hathiyar" (Weapon)** hai.
- Ye wo file ya code hai jo tumne banaya hai taake tum target ke computer ke andar ghus sako. Payload ka kaam hota hai computer ke andar jate hi apna asli kaam (virus phelana ya control dena) shuru kar dena.
- 3. HID Device (Human Interface Device)
- **Asan Alfaz:** Computer ke liye **"Insani Dosti"** wali cheez.
- Computer keyboard aur mouse ko "insan" samajhta hai kyunki hum in se data dete hain. HID device ka matlab koi bhi aisi cheez jo computer ko lage ke usay koi insan chala raha hai (jaise keyboard, mouse, ya joystick).
- 4. Rubber Ducky
- **Asan Alfaz:** Yeh ek **"Robot Typist"** hai.
- Yeh dikhne mein USB jaisi hoti hai, lekin computer ke liye ye ek "Keyboard" hai. Iska faida ye hai ke ye insano se hazar guna tezi se commands type kar sakti hai. Tum ismein pehle se script daal dete ho, ye computer mein lagte hi "typing" shuru kar deti hai aur computer ise masoom

Ye Kaise Kaam Karta Hai?

1. USB/HID Device Kaise Taiyar Karte Hain? (The Tooling)

Hacker aam USB ka nahi, balki "BadUSB" ka istemal karte hain (jaise *Rubber Ducky*, *Digispark*, ya *Raspberry Pi Pico*).

- **Step 1:** Ek choti si hardware chip (jaise Digispark) li jati hai jismein programmable microcontroller hota hai.
- **Step 2:** Is par Duckyscript naam ki ek simple coding language likhi jati hai (jo keyboard strokes ko define karti hai).
- **Step 3:** Is script ko chip par "Flash" (upload) kiya jata hai.
- **Result:** Jab ye USB computer mein lagti hai, computer ise USB storage nahi, balki "Keyboard" (HID) samajhta hai aur iske diye gaye commands ko *real-time typing* samajh kar execute karta hai.

2. Malware Delivery (USB lagte hi kya hota hai?)

Jab USB lagti hai, toh attack "Speed" par chalta hai:

1. **Detection:** Computer USB ko Keyboard ke taur par detect karta hai aur driver install karta hai.
2. **Execution:** Chip script run karti hai. Ye script usually Windows ka PowerShell ya CMD bahut tezi se open karti hai.
3. **Command Injection:** Script chupi hui commands likhti hai (jo insan ki typing speed se 100 guna tez hoti hai), jisse internet se ek malware payload download aur run ho jata hai.

keyboard samajh kar
commands maan leta hai.

- 5. Obfuscate
- **Asan Alfaz:** Yeh "**Kameleon (Chameleon)**" ki tarah rang badalna hai.
- Virus ka jo asli code hota hai, antivirus usay foran pehchan leta hai. Obfuscate karne ka matlab code ki shakal badal dena taake antivirus ko lage ke ye to koi aam file hai. Asal mein kaam wahi karta hai, bas dekhne mein badal jata hai.
- 6. Vulnerability
- **Asan Alfaz:** Yeh computer ka "**Khula Darwaza**" ya "**Kamzori**" hai.
- Har software mein koi na koi galti hoti hai. Hacker isi galti ko "**Vulnerability**" kehta hai. Agar software update na ho, to ye galti ek khula darwaza ban jati hai jahan se hacker andar aa sakta hai.
- 7. RAT (Remote Access Trojan)
- **Asan Alfaz:** Yeh "**Digital Chabi**" hai.
- Jab tumhara virus (Payload) target ke PC mein ghus jata hai, to wo RAT ban jata hai. Iske zariye tum apne ghar baithe target ka PC aise chala sakte ho jese wo tumhare samne rakha ho. Tum screen dekh sakte ho, files chura sakte ho, sab kuch.
- 8. VPS (Virtual Private Server)
- **Asan Alfaz:** Yeh "**Kiraye ka Powerful Computer**" hai.
- Aksar hacker apne asli ghar ke internet se hack nahi karte kyunki pakde jane ka darr hota

3. Data Chori aur System Control (Post-Exploitation)

Payload run hone ke baad:

- **RAT (Remote Access Trojan):** Ye virus hacker ke server se connect ho jata hai.
- **Data Exfiltration:** Hacker dir (files list) dekh sakta hai, files download kar sakta hai, aur webcam ya microphone ka control le sakta hai.
- **Password Dumping:** Hacker system ki memory se save kiye gaye browser passwords (jo Chrome/Edge mein saved hote hain) nikal sakta hai.

hai. Wo internet par ek mehnga aur fast computer rent par lete hain (VPS), aur apna sara hacking ka kaam us server se karte hain. Agar pakde bhi gaye, to Police ko Hacker ki nahi, bas

us VPS server ki details milti hain.

•

Technical Manual - Deep Dive

Hackers Ise Kahan Istemal Karte Hain?

 **office aur Companies**

 **institute (Schools)**

 **Public Places**

 **ATM Machines aur Banks**

 **Government office**

Q&A: Aapke Security Sawalat

Q: USB/HID Attack kya hai?

A: Ye aik aisa hamla hai jis mein USB device keyboard ki tarah kaam karta hai aur khud ba khud nuqsan deh commands type karta hai.

Q: Kya ye aam USB se mukhtalif hai?

A: Haan, bilkul mukhtalif hai! Aam USB sirf data store karta hai, jabkeh HID attack device aik keyboard ki tarah computers ko commands bhejta hai, is tarah yeh malware install kar sakta hai ya data steal kar sakta hai.

Q: 'Rubber Ducky' kya hai?

A: Ye aik khaas qisam ki USB device hai jo malicious commands ko keyboard input ke taur par bhejne ke liye design ki gayi hai. Ye itni jaldi commands type karti hai ke user ko pata bhi nahi chalta.

Q: Kya ye attack sirf USB drives se hota hai?

A: Nahi, ye attack kisi bhi HID device se ho sakta hai, jaise ke keyboard, mouse, ya yahan tak ke kuch mobile phones ko bhi computer se connect kar ke is terhan istemaal kiya ja sakta hai.

Q: Kya operating system is attack ko detect kar sakta hai?

A: Kuch had tak. Advanced antivirus aur endpoint detection systems isay detect kar sakte hain, lekin

agar attacker code ko obfuscate kar de toh detection mushkil ho jati hai.

Q: Agar mujhe koi unknown USB mile toh kya karna chahiye?

A: Kabhi bhi usay apne computer mein na lagayein. Agar mumkin ho toh security team ko report karein.

Q: Kya ye attack laptops par bhi ho sakta hai?

A: Ji haan, laptops computers hi hain, lehaza woh bhi is attack ka shikar ho sakte hain.

Q: Hacking ke liye kitni knowledge chahiye?

A: Basic HID attacks ke liye kam knowledge chahiye, lekin advanced attacks ke liye programming aur networking ki achi samajh hona zaroori hai.

Q: Kya is attack se data chori ho sakta hai?

A: Ji haan, HID attacks ka istemal data chori karne ke liye bhi kiya ja sakta hai, jaisay ke passwords ya private files.

Q: 'Meterpreter' kya hai?

A: Ye Metasploit framework ka aik advanced payload hai jo hacker ko target system par poora control deta hai.

Q: 'Reverse TCP' ka kya matlab hai?

A: Iska matlab hai ke target system hacker ke computer se khud connect hota hai, jo firewall ko bypass karne mein madadgar ho sakta hai.

Q: 'LHOST' aur 'LPORT' kya hain?

A: LHOST attacker ka local IP address hai aur LPORT attacker ke computer par woh port number hai jis par woh sun raha hai.

Q: Agar mera computer infected ho jaye toh main kaise janun?

A: Suspicious activity, jaise ke unknown programs chalna, files ka gayab hona, ya computer ka slow chalna, is ki nishani ho sakti hai.

Q: Kya ye attack sirf Windows par kaam karta hai?

A: Nahi, ye attack kisi bhi operating system par ho sakta hai, lekin payloads ko OS ke mutabiq banaya jata hai.

Q: Kya main apne computer ko is attack se puri tarah mehfooz rakh sakta hun?

A: Puri tarah mehfooz rakhna mushkil hai, lekin security measures se khatra bohat kam ho jata hai.

Q: 'Social Engineering' ka kya role hai is attack mein?

A: Social engineering ka istemal target ko USB drive istemal karne ke liye raazi karne ke liye kiya jata hai, jaise ke 'urgent update' file ke naam se.

Q: Kya ye attack hardware damage kar sakta hai?

A: Generally nahi, lekin kuch advanced payloads hardware ko bhi affect kar sakte hain.

Q: Is attack ko rokne ke liye sabse pehla qadam kya hai?

A: Sab se pehla qadam hai – anjaan USB devices ko istemal na karna.

Q: Kya public computers is attack ka zyada shikar hote hain?

A: Ji haan, public computers par logs kam hote hain aur users zyada tawajjoh nahi dete, is liye woh zyada khatre mein hain.

Q: Hacking ko detect karne ke liye koi software hai?

A: Kai advanced security suites aur intrusion detection systems hain jo suspicious activity ko detect kar sakte hain.

Bachao Ke Tareeqe (Protection Methods)



Afraad ke liye:

- ✓ Namaaloom USB devices kabhi na lagayen.
- ✓ Computer ko lock kar ke chhoren (Windows + L).
- ✓ USB ports ko disable karein agar zaroorat na ho.
- ✓ Aik acha aur update shuda Antivirus istemal karein.

Tanzemon ke liye:

- ✓ USB port blockers istemal karein.
- ✓ Employees ki security awareness training dein.
- ✓ Security cameras lagayen jahan physical access ho.
- ✓ Network security policies ko sakhti se laugu karen.

Prevention is Key: Your Digital Fortress

Final Security Message - Stay Vigilant!

Physical Infiltration digital dunya mein aik khamosh lekin qavi khatra hai. Yaad rakhen, hoshyaari aur update shuda software cybercrime ke khilaaf aapke sab se baray saathi hain!

Made by Syed Ghous