

Mobile Se Network Hacking – Setup Burp Suite Proxy

Mobile device se network traffic intercept karne ke liye Burp Suite sab se important tool hai. Yeh guide aapko step-by-step batayegi ke kaise aap apne mobile (Android) ko Burp Suite ke saath configure kar sakte hain taake HTTP/HTTPS traffic ko intercept kar sakein. Yeh process mobile app security testing aur bug bounty hunting mein essential hai.

Pehle Kya Zaroori Hai?

Burp Suite setup karne se pehle ensure karein ke aapke paas yeh sab kuch hai:

- Burp Suite installed ho (Professional ya Community edition dono kaam karegi)
- Android device (physical ya emulator)
- Dono devices (PC aur Mobile) same Wi-Fi network par connected hon
- Android device par Developer Options aur USB Debugging enable ho (rooted device recommended hai)

Step 1: Burp Suite Mein Proxy Listener Configure Karein

Sab se pehle Burp Suite ko configure karein taake woh mobile device se aane wali traffic ko accept kar sake. Burp Suite open karein, Proxy tab par jayein, Proxy Settings (ya Options) mein Proxy Listeners section mein jaayein. Add button click karein. Binding tab mein Bind to port mein koi bhi available port use karein (recommended: 8080) aur Bind to address mein "All interfaces" select karein. Yeh zaroori hai taake mobile connect kar sake. OK click karein aur confirm karein.

 **Why "All Interfaces"?** Agar aap "Loopback only" select karein gi toh sirf localhost traffic capture hogi. Mobile device se traffic capture karne ke liye Burp ko saare network interfaces par sunna hoga.

Step 2: Android Device Par Proxy Settings Configure Karein

Ab mobile device ko configure karein taake woh apna traffic Burp Suite ke through bheje.

Physical Device ke liye: Android device par Settings → Network & Internet → Wi-Fi mein jaayein. Apne connected Wi-Fi network ko long press karein ya uske edit icon par click karein. Advanced options expand karein. Proxy ko "Manual" par set karein. Proxy hostname mein apne PC ki IP address daalein (192.168.x.x). Proxy port mein woh port

daalein jo aapne Burp mein set kiya tha (8080). Save karein aur Wi-Fi se reconnect karein.

Android Emulator ke liye: Emulator mein bhi same process hai. Wi-Fi settings mein jaake manual proxy set karein. Agar emulator mein proxy settings nahi milti toh ADB commands use kar sakte hain: `adb shell settings put global http_proxy <PC_IP>:8080` se proxy set karein, `adb shell settings get global http_proxy` se proxy check karein, aur `adb shell settings put global http_proxy :0` se proxy disable karein.

💡 **ADB Command ka Fayda:** Physical device par proxy settings change karna time-consuming ho sakta hai. ADB commands se aap ek hi command mein proxy enable/disable kar sakte hain, jo testing ke dauran bohot helpful hai.

📌 **IP Address Kaise Pata Karein?** Apni PC ki IP address check karne ke liye Windows par Command Prompt open karein aur `ipconfig` type karein aur IPv4 Address dekhein. macOS/Linux par Terminal mein `ifconfig` ya `ip addr` type karein.

🔑 **Step 3: Burp CA Certificate Install Karein (HTTPS ke liye)**

HTTPS traffic intercept karne ke liye Android device ko Burp Suite ke CA certificate par trust karna hoga. Android 7 (Nougat) aur us se upar ke versions mein user-installed

certificates ko apps trust nahi karti. Isliye HTTPS traffic intercept karne ke liye certificate ko system store mein install karna hota hai, jiske liye root access zaroori hai.

Option A: Certificate Install Karna (User Store – No Root)

Yeh method sirf browser traffic aur kuch apps ke liye kaam karegi. Burp Suite mein Proxy → Options → Import / export CA certificate par jayein. Certificate in DER format export karein aur .der file save karein. Android device par Settings → Security → Encryption & credentials → Install from storage mein jaayein. .der file select karein aur install karein.

Option B: Certificate System Store Mein Install Karna (Requires Root)

Yeh method saare apps (including third-party apps) ki traffic intercept karne ke liye kaam karegi.

Method 1: Manual Method (Rooted Device) – Burp certificate ko .der format mein export karein. Certificate ko PEM format mein convert karein: `openssl x509 -inform der -in burp.der -out burp.pem`. Certificate ka hash generate karein: `openssl x509 -inform PEM -subject_hash_old -in burp.pem | head -1` (Output: 9a5ba575). Certificate ko hash ke naam se rename karein: `mv burp.pem 9a5ba575.0`. ADB ke zariye Android device par push karein: `adb root, adb remount, adb push 9a5ba575.0 /sdcard/`. System certificate directory mein

move karein: adb shell, su, mv /sdcard/9a5ba575.0
/system/etc/security/cacerts/, chmod 644
/system/etc/security/cacerts/9a5ba575.0.

Method 2: Magisk Module (Recommended – Safe) – Agar aapne Magisk se root kiya hai toh "AlwaysTrustUserCerts" module use karein. NCC Group's AlwaysTrustUserCerts module download karein. Magisk app mein Modules → Install from storage se ZIP install karein. Reboot karein. Certificate ko user store mein install karein (Option A). Module automatically user certificates ko system store mein copy kar dega har boot par.

✓ **Magisk Module ka Fayda:** Yeh method safe hai kyunke yeh system partition ko directly modify nahi karta. Agar kuch galat ho jaye toh module disable karke reboot kar sakte hain.

☑ **Step 4: Configuration Test Karein**

Setup complete hone ke baad test karein ke sab sahi kaam kar raha hai. Burp Suite mein Proxy → Intercept tab par jayein aur Intercept ON karein. Android device ka browser open karein aur <http://burpsuite> visit karein. Agar certificate installation sahi hai toh page load ho jayega bina security warning ke. Burp Suite mein HTTP history tab mein traffic dikhna chahiye.

Common Issues aur Solutions

Browser SSL Warning Dikha Raha Hai: Certificate sahi se install nahi hua hai. Dobara install karein.

Mobile Par Internet Nahi Chal Raha: Proxy settings galat hain ya Burp Suite ka listener active nahi hai. Ensure karein ke Burp Suite mein proxy listener "All interfaces" par set hai.

Kuch Apps Kaam Nahi Kar Rahi (SSL Pinning): Bohot saari apps SSL Pinning use karti hain jo third-party certificates ko reject kar deti hain. Iske liye Frida ka use karein. SSL Pinning bypass ke liye Frida script use karein:
`frida -U -l ssl_bypass.js -f com.target.app.package.`

Android 14+ Par Certificate Install Nahi Ho Raha:
Android 14+ mein system certificate store ko APEX container mein move kar diya gaya hai, jise modify nahi kiya ja sakta. Solution: Magisk module use karein (AlwaysTrustUserCerts) ya rooted emulator use karein aur rootAVD script se root karein.

Setup Overview – Important Points

Step 1 – Burp Proxy Listener: All interfaces par bind karein.

Step 2 – Mobile Proxy Settings: PC ki IP aur Burp port daalein.

Step 3 – CA Certificate Install: Root required for system store.

Step 4 – Test: <http://burpsuite> visit karein.

Important Security Note

Yeh setup sirf educational aur authorized penetration testing ke liye hai. Kisi doosre ke network ya device par bina permission ke traffic intercept karna applicable cyber laws ke under punishable hai. Rooting device se warranty void ho sakti hai aur device security model compromised ho jata hai.

MADE BY:
SYED GHOU
