

INSTALL METASPLOIT

Metasploit Framework ko Termux mein install karna possible hai, lekin yeh process thoda complicated aur time-consuming ho sakta hai. Sab se pehle yeh yaad rakhein ke yeh installation official tarah se supported nahi hai, isliye ismein kuch mushkilein aa sakti hain .

Ap Termux mein Metasploit install karne ke liye do tareeqe use kar sakte hain.

 Tareeqa 1: Package Manager ke zariye (Aasaan, lekin purana ho sakta hai)

Yeh sab se simple tareeqa hai, lekin is mein jo version install hota hai woh purana ho sakta hai.

1. Sab se pehle, Termux ke repositories ko update karein:
`pkg update && pkg upgrade -y`

2. Phir, unstable-repo add karein. Is repository mein aam taur par Metasploit jaise packages available hote hain :
`pkg install unstable-repo -y`

3. Ab, Metasploit package install karein:
`pkg install metasploit -y`

4. Install hone ke baad, msfconsole command de kar

Metasploit start karein:

```
msfconsole
```

Pehli baar start karne mein kuch zyada time lag sakta hai kyunke yeh database setup karega .

 **Tareeqa 2: Automated Installer Scripts (Zyada Behtar aur Updated)**

Kyunki upar wali method mein purana version aa sakta hai, aur aksar Nokogiri gem ki wajah se error aati hai, isliye zyada tar professionals specialized scripts use karte hain. Yeh scripts dependencies aur common errors (jaise Ruby version conflicts) ko handle karne ki koshish karte hain .

Method A: msf-termux-ruby34 Script (for Ruby 3.4+)

Yeh script specifically Ruby 3.4.0 aur Nokogiri build errors ko fix karne ke liye banai gayi hai .

```
pkg install wget -y && wget -q -O msf_install.sh  
https://raw.githubusercontent.com/qrt2/msf-termux-ruby34/main/msf\_install.sh && chmod +x  
msf_install.sh && ./msf_install.sh
```

Method B: Auto-Ms Manager Script

Yeh ek user-friendly tool hai jo install, update aur run karne ka simple interface deta hai .

```
pkg install -y git  
git clone https://github.com/GEEKMACHIN3/Auto-Ms  
cd Auto-Ms
```

```
chmod +x Auto-Ms  
bash Auto-ms.sh
```

⚠ Important Notes

1. **Nokogiri Error:** Metasploit install karne mein sab se common problem nokogiri gem ki compilation fail hona hai. Iske liye upar di gayi automated scripts (Method A) zyada behtar hain .
2. **PostgreSQL Database:** Agar Metasploit start karte waqt database se related error aaye, toh aap pehle yeh commands try kar sakte hain :

```
mkdir -p  
$PREFIX/var/lib/postgresql  
initdb $PREFIX/var/lib/postgresql  
pg_ctl -D $PREFIX/var/lib/postgresql -l  
$PREFIX/var/lib/postgresql/logfile start  
createdb msf_database
```
3. **Termux ka Source:** Metasploit install karne se pehle Termux ka latest version **F-Droid** se install karein, Play Store wala version outdated hai aur issues de sakta hai .

Important: Agar upar diye gaye fixes kaam nahi karte, toh **Kali NetHunter** install karna ek behtar option hai, kyunke usmein Metasploit pre-configured aata hai aur Termux mein manual install se zyada stable hota hai

◇ Legal & Ethical Disclaimer ⚠

Yeh guide **sirf educational aur learning purposes** ke liye hai. Metasploit ka istemal sirf authorized systems mein karein. Kisi bhi network ya system par bina permission ke testing ya access karna **applicable cyber laws** ke under punishable hai

MADE BY:
SYED GHOUS
