CRICKET PLAYER PERFORMANCE TRACKING APPLICATION : CRICK

Project submitted in partial of Thiruvalluvar University for award of

BACHELOR OF COMPUTER SCIENCE

SUBMITTED BY

Registered.no	Name
(32724U18086)	I. SYED MAJEED
(32724U18083)	V. SURIYA
(32724U18081)	A. SUNIL
(32724U18085)	S. SUTHARSAN
(32724U18077)	K. SELVAM

SSS COLLEGE OF ARTS, SCIENCE AND MANAGEMENT ARCOT-

632503 BACHELOR OF COMPUTER SCIENCE

SEPTEMBER-2026

Cricket Player Performance Tracking Application : CRICKSTATS

User Story:

As a Salesforce Admin, I want to create a comprehensive player performance tracking application within Salesforce to capture and analyze detailed match-by-match information of cricket players. This application will include custom objects such as Player and Match Performance with carefullydefined fields and relationships to ensure data integrity and accessibility. By leveraging master-detail and lookup relationships, the application will enable robust tracking of individual and team performances, facilitate insightful reporting and analytics, and support the overall management of player statistics, thereby enhancing strategic decision-making and player development initiatives.

1. INTRODUCTION

1.1 Project Ov

Overview :

CRICKSTATS is a Salesforce-based application designed to track, manage, and analyze cricket players' performance on a match-by-match basis. The system uses custom objects, relationships, dashboards, and automation tools to provide structured performance insights.

It enables coaches, analysts, and administrators to record player statistics, generate reports, and support strategic decision-making.

1.2 Purpose :

The main purpose of this project is:

To digitize player performance records

To improve accuracy and accessibility of cricket statistics

To provide real-time analytics

To support player development and team planning


To automate data management using Salesforce

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

Problem Statement (PS)	I am (Customer)	I' m trying to	But	Because	Which makes me feel

PS-1	A cricket team coach	Track player performanc e across matches	I cannot get accurate statistics easily	Data is stored in different files and formats	Frustrated and unsure about team selection
PS-2	A team manager	Maintain complete player records	It takes too much time to update and verify data	Most records are maintained manually	Stressed and inefficient
PS-3	A sports analyst	Analyze player trends and generate reports	I face difficulty in comparing performanc es	There is no centralized analytics system	Confused and dissatisfied



2.2 Empathy Map Canvas

Target Users


- Team Managers
- Coaches
- Analysts
- Salesforce Admins

Empathy Analysis

Aspect	Description

- **Think&Feel:** Need accurate data, better insights

- **Hear:** Feedback from management
  - **See:** Multiple data sources
- **Say&Do:** Collect statistics manually
  - **Pain:** Data errors, delays
- **Gain:** Faster decisions, automation




2.3 Brainstorming

Brainstormed Ideas

- Web-based player management system
  - Mobile statistics tracker
- Salesforce-integrated CRM

- AI-based performance prediction
- Dashboard-based analytics

Selected Idea: Salesforce-based performance tracking platform (CRICKSTATS)



3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Journey Stages:

- Login

- Enter Player Data
- Record Match Performance
- Generate Reports
- Analyze Results
- Decision Making



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Player Registration
FR-2	Match Performance Entry
FR-3	Dashboard Generation
FR-4	Report Creation
FR-5	Flow Automation

Non-Functional Requirements (NFRs) – CRICKSTATS

NFR-1: Usability

The system should be easy to understand and use by coaches, managers, analysts, and

admins without requiring technical training.

Requirements

- Simple and intuitive user interface
- Clear navigation menus
- Easy-to-read dashboards
- Minimal learning curve

Examples:

- A newcoach should be able to:
  - Log in
  - Enter match data
  - View player reports
  - within a fewminutes without special training.

Example: The Salesforce Lightning interface provides drag-and-drop dashboards and user-friendly forms.

NFR-2: Security

The system must protect sensitive player data from unauthorized access.

Requirements

- Role-based access control
- Secure authentication
- Encrypted data storage
- Regular backups

.

Examples:

- Coaches can view player statistics
- Managers can edit records
- Analysts can generate reports
- Onlyadmins can modify system settings

Example: Salesforce Profiles and Permission Sets restrict access to confidential information.

NFR-3: Reliability

The system should function correctly without failure and store data accurately.

Requirements

- No data loss
- Automatic backups
- Error handling
- System stability

Example:

If a manager enters match statistics and loses internet connection, the data should be saved automatically when reconnected.

Salesforce cloud backup ensures recovery in case of system failure.

NFR-4: Performance

The system should respond quickly and handle large volumes of data efficiently.

Requirements

- Fast page loading
- Quick report generation
- Smooth dashboard rendering
- Minimal response time

Example:

When an analyst generates a performance report for 100+ players, the report should load within 2– 3 seconds.

Optimized Salesforce queries and caching improve response speed.

NFR-5: Availability

The system should be accessible whenever users need it.

Requirements

- 24/7 system availability
- Minimal downtime
- Cloud-based access
- Disaster recovery

Example:

Coaches should be able to access CRICKSTATS even during tournaments at night or on weekends.

Salesforce provides high uptime with cloud hosting.

NFR-6: Scalability

The system should support increasing numbers of users, players, and records.

Requirements

- Handle growing datasets
- Support more teams and leagues
- Expand storage capacity

- Maintain performance under load

Example:


If CRICKSTATS is extended from one team to 50 teams, the system should still perform smoothly.

Salesforce cloud infrastructure automatically scales storage and processing.

3.3 Data Flow Diagram

Data Flow

User → Salesforce UI → Player Object → Match Performance → Reports → Dashboard



3.4 Technology Stack


Layer	Technology
Frontend	Salesforce Lightning
Analytics	Reports&Dashboards
Automation	Salesforce Flows
Backend	Salesforce Objects
Database	Salesforce Cloud

4. PROJECT DESIGN PHASE

4.1 Problem– Solution Fit

The CRICKSTATS system effectively addresses the key challenges faced in traditional cricket performance management. Earlier, most player and match data were maintained using manual records, which were time-consuming and prone to errors. This issue has been resolved by implementing an automated system through Salesforce, which ensures accurate and efficient data entry and management. The problem of data loss, caused by improper storage and lack of backups, is overcome by using secure cloud storage that safely stores all information and allows easy retrieval. Poor analysis of player performance, due to scattered and unorganized data, is addressed through

interactive dashboards that present clear visual insights and reports. Additionally, delays in accessing performance information and generating reports are eliminated by providing real-time reporting features, enabling users to make faster and more informed decisions. Thus, CRICKSTATS successfully bridges the gap between existing problems and modern technological solutions.



4.2 Proposed Solution

Description

CRICKSTATS provides:

- Custom objects (Player, Match Performance)
- Master-detail relationships
- Roll-up summaries
- Lightning App
- Automated flows
- Interactive dashboards


Key Features

- Centralized database
- Live statistics
- Secure access
- Scalable design
- Easyreporting

4.3 Solution Architecture

Architecture Layers

- Presentation Layer (Lightning UI)
- Application Layer (Flows, Logic)
- Data Layer (Objects)
- Analytics Layer (Reports)



5. PROJECTPLANNING&SCHEDULING

5.1 ProjectPlanning

- Agile-based execution
- Object creation → automation → reporting
- Sprint-wise development

ProductBacklog, SprintSchedule, andEstimation(4Marks)

Usethe belowtemplatetocreate product backlogandsprintschedule

Sprint	Functional Requirement (Epic)	User Story Number	UserStory/Task	Story Points	Priority	Team Members

Sprint	Functional Requirement (Epic)	User Story Number	UserStory/Task	Story Points	Priority	Team Members
Sprint-1	DeveloperSetup	USN-1	Asanadmin, I wanttocreatea Salesforcedeveloperaccount so that I canconfigureanddeploythe CRICKSTATSsystem.	1	High	Member1
Sprint-1	Data Modeling	USN-2	Asanadmin, I wanttocreate Player andMatch Performanceobjects so thatplayerandmatch datacanbe storedsystematically.	3	High	Member2
Sprint-2	Navigation	USN-3	Asauser, I want separatetabsfor each objectsothat I can easily navigateand managerecordswithin theapplication.	3	High	Member3
Sprint-2	UI Design	USN-4	Asacoach, I want adedicated Lightning Appsothatall performance trackingfeatures areaccessiblefrom onedashboard.	3	High	Member4
Sprint-2	Data Structure	USN-5	Asanadmin, I want tocreateplayer andmatchfieldssothat complete performancedetails canbecaptured accurately.	5	Medium	Member1
Sprint-2	Data Structure	USN-6	Asauser, I wantcustomizedpage layouts sothatonlyrelevantfieldsare displayed during dataentry.	5	High	Member2
Sprint-2	Automation	USN-7	As asystem, I want to validateplayer and matchinputssothatincorrect dataentriesareprevented.	3	High	Member4
Sprint-3	Automation	USN-8	Asasystem, I wantautomated flows toupdateplayerstatistics sothat performancedataremainsaccurate.	5	High	Member1

ProjectTracker, Velocity&BurndownChart:(4Marks)

Sprint	Total Story Points	Duration	SprintStart Date	SprintEndDate (Planned)	StoryPoints Completed(as on Planned End Date)	SprintReleaseDate (Actual)
Sprint-1	20	6Days	24Oct2022	29Oct2022	20	29Oct2022
Sprint-2	20	6Days	31 Oct2022	05 Nov2022		
Sprint-3	20	6Days	07Nov2022	12 Nov2022		
Sprint-4	20	6Days	14Nov2022	19Nov2022		

6. Project Development Phase:

PROJECTFLOW

Milestone 1 : Creation ofdeveloperaccount

Milestone 2 : Object Creation

Milestone3: Tabs

Milestone 4: The Lightning App

Milestone 5 : Fields&Relationships

Milestone 6: Roll-upSummary

Milestone7: Flows


Implementation

Milestone1 - Salesforcedeveloperaccountcreation:

Activity1: Creating Developer Account:

Creatingadeveloperorg insalesforce.

1. Gotohttps://developer.salesforce.com/signup
2. Onthesignupform, enterthefollowing details:



1) First name&Lastname
2) Email
3) Role: Developer
4) Company: College or CompanyName
5) County: India
6) Postal Code : pincode

7) Username: should beacombination ofyourname andcompany


This need notbeanactual email id, youcan giveanything in thatformat: username@organization.com

Clickon signmeupafterfilling these.


Activity2: Account Activation :

1. Gototheinboxofthe email thatyou used while signing up. Clickonthe verifyaccountto activateyouraccount. Theemail maytake 5-10mins.


2. ClickonVerifyAccount.



3. Give a password andanswera securityquestion andclickonchange password.




4. Thenyou will redirecttoyoursalesforce setuppage.




Milestone2- ObjectCreation

Activity1 : PlayerObject


1 In your Salesforce org, clickgeariconontheto pleftand selectSetuptoopen Setup.



2 Clickthe Object Managertab. Ifyoudon’ tseeit, enter ObjectManagerin theQuick Find box.



3 Onthe Object Managerpage, clickCreate| CustomObject.



1. Fromthe setup page → Clickon ObjectManager→ Click on Create → Click on CustomObject.

- **Label** : Player
- **Plural Label** : Players

- Enter Record Name Label and Format

Record Name: PlayerName

Data Type : Text

- **InOptional features :** checktheboxesfor AllowReports | AllowActivities| TrackField History.
- **Search Status:** checkthe boxfor AllowSearch.
- Save

Activity2 : MatchPerformanceObject

1. Fromthe setup page → Clickon ObjectManager→ Click on Create → Click on CustomObject.

- **Label** : MatchPerformance
- **Plural Label** : MatchPerformances
- Enter Record Name Label and Format

Record Name: Customer AccountName


Data Type : Text

- **InOptional features :** checktheboxesfor AllowReports | AllowActivities| TrackField History.
- **Search Status:** checkthe boxfor AllowSearch.
- Save.

Milestone3-Tabs

Activity1 : Custom tabs creation


1. Gotosetuppage → type Tabs in Quick Findbar→ click on tabs → New(under customobjecttab)
2. SelectObject(Player) → Selectthe tabstyle → Next(Add toprofiles page) keepitas default→ Next(Add to CustomApp) uncheck the include tab.
3. Make surethatthe Append tabtousers' existing personal customizations is checked.
4. Clicksave.
5. Repeatthesamestepsfor MatchPerformances.



Milestone4- The Lightning App

Activity1 : Createa lightningapp

1. Gotosetuppage → search "app manager" in quickfind → select "app manager" → cl ickon Newlightning App.



2. Fill theappname inappdetailsand branding asfollow

AppName : CRICKSTATS

DeveloperName: AutoPopulates

Add image optional (ifyou wanttogive anyimage you canotherwise notmandatory) - Add Primarycolor Hexorleave ittodefault.

ThenclickNext.

3. In Appoptions

Navigation style: Standardnavigation

Setupexperience: setup

Supportersformfactors: Desktopandphone

ThenclickNext

4. InUtilityitems

UtilityBaralignment: Default

ThenclickNext.

5. Navigationitems


Selectthecreated CustomObjectsand requiredstandardobjects

- Players


Match Performances

Reports

Dashboards



6. ToAdd User Profiles: SystemAdministrator



7. ClickSave&Finish.

Milestone5: Fields&Relationships

Activity1 : CreateCustomfieldsforPlayerobject

1 In your Salesforce org, clickgearicononthe topleftand selectSetuptoopen Setup.


2 Clickthe Object Managertab. Ifyoudon’ tseeit, enter ObjectManagerin theQuick Find box.

3 Fromthe objectmanagerpage, In the QuickFind box, Search forthe customobjectyou justcreated : **Player**

4 Fromthesidebar, clickFields&Relationships. Notice thattherearealreadysome fields there. Thoseare thestandard fields.

5 ClickNewtocreatea customfield. Tip: Beforecreating anewfield, doaquicksearch to makesureasimilaronedoesn’ talreadyexist.

6 Next, choosea datatype as Text. Choosing adatatype helpsyouformatthe field input.



7. Clickon next.

8 DataType: **Text**

FieldLabel: PlayerName

FieldName: AutoPopulates

Length: 50

Click on Next→ Next→ Save and new.

9 RepeattheSame stepsforremaining fields

- DataType: **Text**

FieldLabel: PlayerNumber

FieldName: AutoPopulates

Length: 3

Click on Next→ Next→ Save and new.

- Data Type: **RichTextArea**

Field Label : Profile Picture

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

- Data Type: **Date**

Field Label : Date of Birth

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

- Data Type: **Picklist**

Field Label : Role

Field Name: AutoPopulates

Value : Entervalue, with eachvalueseparated bya newline.

Batsman

Bowler

Batsman&WicketKeeper

All Rounder

- Data Type: **Picklist**

Field Label : Batting Style

Field Name: AutoPopulates

Value : Entervalue, with eachvalueseparated bya newline.

Right- Handed

Left- Handed

Click on Next→ Next→ Save and new.

- Data Type: **Picklist**

Field Label : Bowling Style

Field Name: AutoPopulates

Value : Entervalue, with eachvalueseparated bya newline.

Right-ArmFast

Left-ArmFast

Right-ArmMedium

Left-ArmMedium

Right-ArmSpin

Left-ArmSpin

Click on Next→ Next→ Save and new.

- Data Type: **Picklist**

Field Label : Nationality

Field Name: AutoPopulates

Value : Entervalue, with eachvalueseparated bya newline.

Australia

Bangladesh

England

India

NewZealand

Pakistan

South Africa

Sri Lanka

West Indies

Afghanistan

Zimbabwe

Ireland

Scotland

Netherlands

United ArabEmirates

Nepal

United StatesofAmerica

Click on Next→ Next→ Save and new.

- Data Type: **Picklist**

Field Label : Team

Field Name: AutoPopulates

Value : Entervalue, with eachvalueseparatedbyanewline

Chennai SuperKings(CSK)

Delhi Capitals(DC)

KolkataKnightRiders(KKR)

Mumbai Indians(MI)

PunjabKings(PBKS)

RajasthanRoyals(RR)

Royal ChallengersBangalore (RCB)

SunrisersHyderabad(SRH)

Gujarat Titans(GT)

LucknowSuperGiants(LSG)

- Data Type: **Formula**

Field Label : AVGScore

Field Name: AutoPopulates

Formula Return : **Number**


Formula : IF(

Matches_Played__c >0,

Total_Runs__c / Matches_Played__c,

0

)



Clickon Next→ Next→ Save&New.

- Data Type : **LookupRelationship**

Related To: Match Performance

Field Label : MatchPerformance

Field Name: AutoPopulates

Clickon Next→ Next→ Save.

Activity2: CreateCustomfieldsforMatchPerformanceobject.

1. Data Type : **Text**

Field Label: Match Performance Name

Field Name: AutoPopulates

Length: 80

Click on Next→ Next→ Save and new.

2. Data Type: **Checkbox**

Field Label: PlayeroftheMatch

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

3. Data Type: **Picklist**

Field Label: Match Result

Field Name: AutoPopulates

Value: Entervalue, with eachvalueseparatedbyanewline

WON

LOST

DRAW

Click on Next→ Next→ Save and new.

4. Data Type: **Number**

Field Label: RunsScored

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

5. Data Type: **Number**

Field Label: Balls Faced

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

6. Data Type: **Number**

Field Label: Fours

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

7. Data Type: **Number**

Field Label: Sixes

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

8. Data Type: **Number**

Field Label: Overs Bowled

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

9. Data Type: **Number**

Field Label: Wickets Taken

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

10. Data Type: **Number**

Field Label: Runs Conceded

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

11. Data Type: **Number**

Field Label: MaidenOvers

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

12. Data Type: **Number**

Field Label: Stumpings

Field Name: AutoPopulates

Clickon Next→ Next→ Save andnew

13. Data Type: **Number**

Field Label: Catches

Field Name: AutoPopulates

Click on Next→ Next→ Save and new.

14. Data Type: **Master-Detail Relationship**

Related To: Player

Field Label : Player

Field Name: AutoPopulates

Clickon Next→ Next→ Save.

Milestone6: Roll-upSummary

Activity1 : CreateRoll-upSummaryforPlayerobject.

Note:- Roll-upSummarycan onlybecreated onparentobjectin Master-Detail Relationship.

1 In your Salesforce org, clickgeariconon the topleftand selectSetuptoopen Setup.

2 Clickthe Object Managertab. Ifyoudon’ tseeit, enter ObjectManagerin theQuick Find box.

3 Fromthe objectmanagerpage, In the QuickFind box, Search forthe customobjectyou justcreated : **Player**

4 Fromthesidebar, clickFields&Relationships. Notice thattherearealreadysome fields there. Thoseare thestandard fields.

5 ClickNewtocreatea customfield. Tip: Beforecreating anewfield, doaquicksearch to makesureasimilaronedoesn’ talreadyexist. Click Next,

6 Choose adatatype as **Roll-upSummary**. ClickNext.

Field Label: Matches Played

Field Name: AutoPopulates

Summarized Object : MatchPerformances

Select Roll-upType: COUNT



Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Numberof50’ s


Field Name: AutoPopulates

Summarized Object：MatchPerformances

Select Roll-upType: COUNT

FilterCriteria: Onlyrecordsmeeting certain criteriashould be included in the calculation.

Click on Next→ Next→ Save and new.



- Data Type：Roll-upSummary

Field Label: Numberof 100’ s


Field Name: AutoPopulates

Summarized Object：MatchPerformances

Select Roll-upType: COUNT

FilterCriteria: Onlyrecordsmeeting certain criteriashould be included in the calculation.

Click on Next→ Next→ Save and new.



- Data Type : Roll-upSummary

Field Label: Total 4’ s

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field To Aggregate : Fours

Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Total 6’ s

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field ToAggregate: Sixes

Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Total Runs

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field ToAggregate: Runs Scored

Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Total Overs

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field ToAggregate : Overs Bowled

Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Total Wickets

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field ToAggregate: Wickets Taken

Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Total Stumpings

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field ToAggregate: Stumpings

Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.

- Data Type : Roll-upSummary

Field Label: Total Catches

Field Name: AutoPopulates

Summarized Object : MatchPerformances

SelectRoll-upType : SUM

Field ToAggregate: Catches


Filter Criteria : All recordsshould be includedinthe calculation.

Click on Next→ Next→ Save and new.


Milestone 7 : Flows

Activity1 : ScreenFlow

1. Go to setup, Type Flowinquick find box → Click on the Flowand Selectthe New Flow.



2. SelectScreen FlowandclickCreate.



3. Click(+) IcononthefIowbuilderand Select**Screen Component.**

Label : Playersscreen

API : Players_screen

Selectthe**Picklist**componentand placeiton thescreen.

Label : Team


API : Team

FromComponent Paneonthe leftside select**ComponentType**: Picklist

Data Type: Text

Choice: ClickNewChoiceResources

ResourceType: Picklist Choice Set




API Name: Team

Object: Player

Data Type: Picklist

Field : Team

ClickDone.



4. Click(+) Icon on theflowbuilderand Select**GetRecordsComponent.**

Label : Players

API Name: Players

Object: Player

Filterplayerrecords:

Field : Team

Operator: Equals


Value: ClickNewResource

ResourceType: Variable

API Name: Dynamic

Data Type: Text

DefaultValue: Screencomponent: Team(Picklist)



5. Click(+) Iconontheflowbuilderand Select**Screen Component.**

Label : Player_info


API Name: Player_info

FromComponent Paneon theleft sideselect**ComponentType:** Datatable

API Name: Player_info_table

Label : Data Table


ConfigureData Source: SourceCollection: Playersfromplayers(Player —c)



In ConfigureColumns: Add alltherequired Columns

Profile Picture| PlayerName| Total Runs| AVGScore| Batting Style| Bowling Style | Matches Played | Numberof50’ s| Numberof 100’ s


ClickDone.



ClickSave.

FlowLabel : Player Flow


FlowAPI Name: Player_Flow






Activity2:FlowonHomePage

1. OnyourCRICKSTATSApplicationonthetoprightoftheNavigationBarclickon**Personalize yournavbaricon(PencilIcon)**andAddHomePageandclickSave.




2. Removeall othercomponentsand Add **FLOW**componentfromthestandardcomponentson theleftside.

3. **Flow**: PlayersFlow




4. Click**Save**and**Activation**.

5. Clickon**AppDefault**and select**AssigntoApps.**



6. Select**CRICKSTAS**Appand Click**Next**andthenclick**Save**.



7. FUNCTIONAL&PERFORMANCE TESTING

During the testing phase, screenshots were captured from the Salesforce Lightning user interface to verify the correct functioning of all implemented features in the CRICKSTATS system. These include record creation for Player and Match Performance objects; validation rule checks for mandatory fields, score limits, and input constraints; verification of record type behavior for Domestic and International match categories; and flowexecution for automatic updating of player statistics and data consistency. The functionality of roll-up summary fields was also tested to ensure accurate calculation of total runs, wickets, averages, and performance metrics.


In addition, system performance was evaluated bymonitoring response time during data entry, report generation, and dashboard loading. The application was tested under multiple user interactions to ensure stable performance without delays.


Screenshots of generated reports and interactive dashboards were documented to confirm accurate data visualization, real-time updates, and reliable performance tracking. These testing activities ensured that the CRICKSTATS platform met both functional and performance requirements and was ready for deployment.

NOTE: Entersomerecordsin thePlayerObject and MatchPerformanceObject togettheresults.

1. SelectoneTeamfromthePicklistand Click**Next**.







8. ADVANTAGES&DISADVANTAGES

Advantages

- Centralized system
- Real-time analytics
- Secure platform
- Scalable design
- Reduced manual work

Disadvantages

- Requires Salesforce license
- Internet dependency
- Limited offline access

9. Conclusion:

CRICKSTATS successfully implements a cloud-based cricket performance tracking system using Salesforce. The system automates data management, improves reporting accuracy, and supports informed decision-making.

The project demonstrates practical application of SDLC, Agile methodology, and CRM-based development.

10. FUTURE SCOPE

- Mobile application integration
- AI-based performance prediction
- Video analysis integration
- Player ranking system
- Public statistics portal
- Multi-league support

11. APPENDIX

- Salesforce Objects&Fields
- Manual match statistics

- Flow Configurations

Thank You